

Hirofumi Nishikawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2326226/publications.pdf>

Version: 2024-02-01

19
papers

426
citations

758635

12
h-index

794141

19
g-index

19
all docs

19
docs citations

19
times ranked

389
citing authors

#	ARTICLE	IF	CITATIONS
1	Novel Transdural Epiarachnoid Approach for Large Central Disk Herniation in Upper Lumbar Spine. Operative Neurosurgery, 2022, 22, e58-e61.	0.4	3
2	Relationship of brain edema after deep brain stimulation surgery with motor and cognitive function. Heliyon, 2022, 8, e08900.	1.4	4
3	Tenascinâ€C in brain injuries and edema after subarachnoid hemorrhage: Findings from basic and clinical studies. Journal of Neuroscience Research, 2020, 98, 42-56.	1.3	46
4	Toll-Like Receptor 4 and Tenascin-C Signaling in Cerebral Vasospasm and Brain Injuries After Subarachnoid Hemorrhage. Acta Neurochirurgica Supplementum, 2020, 127, 91-96.	0.5	17
5	The Role of Galectin-3 in Subarachnoid Hemorrhage: A Preliminary Study. Acta Neurochirurgica Supplementum, 2020, 127, 65-68.	0.5	5
6	Morphological Characteristics of Neuronal Death After Experimental Subarachnoid Hemorrhage in Mice Using Double Immunoenzymatic Technique. Journal of Histochemistry and Cytochemistry, 2019, 67, 919-930.	1.3	15
7	Phaeohyphomycosis Due to <i>Exophiala oligosperma</i> in an Immunocompromised Host. Journal of Rheumatology, 2019, 46, 652-652.	1.0	1
8	Machine Learning Analysis of Matricellular Proteins and Clinical Variables for Early Prediction of Delayed Cerebral Ischemia After Aneurysmal Subarachnoid Hemorrhage. Molecular Neurobiology, 2019, 56, 7128-7135.	1.9	34
9	Response by Nishikawa and Suzuki to Letter Regarding Article, â€œModified Citrus Pectin Prevents Blood-Brain Barrier Disruption in Mouse Subarachnoid Hemorrhage by Inhibiting Galectin-3â€ Stroke, 2019, 50, e137.	1.0	2
10	Response by Nishikawa et al to Letter Regarding Article, â€œModified Citrus Pectin Prevents Blood-Brain Barrier Disruption in Mouse Subarachnoid Hemorrhage by Inhibiting Galectin-3â€ Stroke, 2019, 50, STROKEAHA118024028.	1.0	1
11	Acute-Phase Plasma Osteopontin as an Independent Predictor for Poor Outcome After Aneurysmal Subarachnoid Hemorrhage. Molecular Neurobiology, 2018, 55, 6841-6849.	1.9	33
12	Increased Plasma Galectin-3 Preceding the Development of Delayed Cerebral Infarction and Eventual Poor Outcome in Non-Severe Aneurysmal Subarachnoid Hemorrhage. Translational Stroke Research, 2018, 9, 110-119.	2.3	38
13	Modified Citrus Pectin Prevents Blood-Brain Barrier Disruption in Mouse Subarachnoid Hemorrhage by Inhibiting Galectin-3. Stroke, 2018, 49, 2743-2751.	1.0	60
14	Possible Role of Inflammation and Galectin-3 in Brain Injury after Subarachnoid Hemorrhage. Brain Sciences, 2018, 8, 30.	1.1	39
15	Matricellular proteins as possible biomarkers for early brain injury after aneurysmal subarachnoid hemorrhage. Neural Regeneration Research, 2018, 13, 1175.	1.6	33
16	Positional Occlusion of Vertebral Artery Due to Cervical Spondylosis as Rare Cause of Wake-up Stroke: Report of Two Cases. World Neurosurgery, 2017, 98, 877.e13-877.e21.	0.7	13
17	Characteristics of Blood Blister-Like Aneurysms with a Saccular-Shape Appearance. World Neurosurgery, 2017, 108, 595-602.	0.7	19
18	Higher Cerebrospinal Fluid pH may Contribute to the Development of Delayed Cerebral Ischemia after Aneurysmal Subarachnoid Hemorrhage. Translational Stroke Research, 2017, 8, 165-173.	2.3	41

#	ARTICLE	IF	CITATIONS
19	Implications of periostin in the development of subarachnoid hemorrhage-induced brain injuries. Neural Regeneration Research, 2017, 12, 1982.	1.6	22