

Debarati Roy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2326458/publications.pdf>

Version: 2024-02-01

365
papers

15,011
citations

20797

60
h-index

34964

98
g-index

391
all docs

391
docs citations

391
times ranked

9007
citing authors

#	ARTICLE	IF	CITATIONS
1	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV. European Physical Journal C, 2015, 75, 212.	1.4	541
2	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	1.4	499
3	Combined measurements of Higgs boson couplings in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 421.	1.4	355
4	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	1.4	342
5	Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	320
6	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 235.	1.4	320
7	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. European Physical Journal C, 2014, 74, 3036.	1.4	241
8	Measurement of the differential cross section for top quark pair production in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 542.	1.4	191
9	Search for heavy neutrinos and W bosons with right-handed couplings in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2014, 74, 3149.	1.4	179

10

#	ARTICLE	IF	CITATIONS
19	Search for heavy resonances decaying into WW in the $e^+e^- \rightarrow e^+e^- \gamma \gamma$ final state in pp collisions at $\sqrt{s} = 13$ TeV, <i>ext</i> {TeV} TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 24.	1.4	108
20	Charged-particle nuclear modification factors in PbPb and pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	103
21	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	101
22	Search for heavy ZZ resonances in the $e^+e^- \rightarrow e^+e^- \gamma \gamma$, $e^+e^- \rightarrow e^+e^- \gamma \gamma$ - $\gamma \gamma$, $e^+e^- \rightarrow e^+e^- \gamma \gamma$ - $\gamma \gamma$ and $e^+e^- \rightarrow e^+e^- \gamma \gamma$ - $\gamma \gamma$ final states using proton-proton collisions at $\sqrt{s} = 13$ TeV, <i>ext</i> {TeV} TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 293.	1.4	101
23	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	100
24	Search for new phenomena with the M_{T2} variable in the all-hadronic final state produced in proton-proton collisions at $\sqrt{s} = 13$ TeV, <i>ext</i> {TeV} TeV. <i>European Physical Journal C</i> , 2017, 77, 710.	1.4	98
25	Searches for invisible decays of the Higgs boson in pp collisions at $\sqrt{s} = 7, 8,$ and 13 TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	95
26	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	93
27	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	92
28	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 8$ TeV, <i>ext</i> {TeV} TeV. <i>European Physical Journal C</i> , 2015, 75, 147.	1.4	88
29	Study of double parton scattering using W + 2-jet events in proton-proton collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	85
30	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	85
31	Study of the production of charged pions, kaons, and protons in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, <i>ext</i> {TeV} TeV. <i>European Physical Journal C</i> , 2014, 74, 2847.	1.4	85
32	Measurement of the differential cross section and charge asymmetry for inclusive $p \rightarrow W + X$ production at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 469.	1.4	83
33	Suppression and azimuthal anisotropy of prompt and nonprompt J/ψ production in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV. <i>European Physical Journal C</i> , 2017, 77, 252.	1.4	82
34	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	82
35	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	81
36	Search for a charged Higgs boson in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	81

#	ARTICLE	IF	CITATIONS
37	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	1.4	79
38	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	78
39	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 75.	1.4	78
40	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	77
41	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	77
42	Study of exclusive two-photon production of $W+W^*$ in pp collisions at $\sqrt{s} = 7$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	1.6	75
43	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV. European Physical Journal C, 2014, 74, 1.	1.4	75
44	Measurement of the W^+W^- cross section in pp collisions at $\sqrt{s} = 8$ TeV and limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	1.4	74
45	Measurement of the $X(3872)$ production cross section via decays to $J/\psi + \bar{\psi}\psi$ in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
46	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	1.4	73
47	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	70
48	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	69
49	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	1.4	68
50	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	68
51	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. European Physical Journal C, 2015, 75, 186.	1.4	68
52	Search for new resonances in mass distributions of jet pairs using 139 fb ⁻¹ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	68
53	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2014, 74, 3129.	1.4	65
54	Search for new physics in same-sign dilepton events in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 439.	1.4	64

#	ARTICLE	IF	CITATIONS
55	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	64
56	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	63
57	Measurement of the $W+W\tilde{a}$ cross section in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous $WW\tilde{1}^3$ and WWZ couplings. European Physical Journal C, 2013, 73, 1.	1.4	62
58	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 13.	1.4	62
59	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	62
60	Measurement of prompt J/ψ pair production in pp collisions at $s = 7$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	61
61	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
62	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
63	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $\sqrt{s} = 7$ TeV and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1.	1.4	60
64	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
65	Search for charged Higgs bosons decaying via $H^{\pm} \rightarrow \tau^{\pm} \nu_{\tau}$, in the $\tau^{\pm} + \text{jets}$ and $\tau^{\pm} + \text{lepton}$ final states with 36 fb $^{-1}$ of pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	59
66	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.	1.6	58
67	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV. European Physical Journal C, 2015, 75, 237.	1.4	58
68	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 578.	1.4	57
69	Event activity dependence of Υ (nS) production in $\sqrt{s_{NN}} = 5.02$ TeV pPb and $\sqrt{s} = 2.76$ TeV pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	1.6	56
70	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
71	Measurement of masses in the $\overline{t}t$ system by kinematic endpoints in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2013, 73, 2494.	1.4	55
72	Measurement of associated W + charm production in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	55

#	ARTICLE	IF	CITATIONS
73	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 451.	1.4	55
74	Search for pair production of Higgs bosons in the final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55
75	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2015, 75, 288.	1.4	54
76	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $s = 8$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	54
77	Measurement of prompt and nonprompt J/ψ production in pp and pp collisions at $\sqrt{s} = 5.02$ TeV. European Physical Journal C, 2017, 77, 269.	1.4	53
78	Search for Higgs boson pair production in the $\gamma\gamma WW$ channel using pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53
79	Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	52
80	Measurement of double-differential cross sections for top quark pair production in pp collisions at $\sqrt{s} = 8$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	1.4	52
81	Measurements of the $p\bar{p} \rightarrow Zp\bar{p}$ production cross section and the $Z \rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	1.4	52
82	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	1.6	51
83	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.4	51
84	Study of the underlying event at forward rapidity in pp collisions at $\sqrt{s} = 0.9, 2.76, 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	50
85	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	50
86	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at $\sqrt{s} = 8$ TeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	1.4	49
87	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
88	Search for new physics in events with same-sign dileptons and jets in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	48
89	Observation of $Y(1S)$ pair production in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	48
90	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	47

#	ARTICLE	IF	CITATIONS
91	Measurement of the top quark mass in the $t \rightarrow t \bar{t}$. European Physical Journal C, 2019, 79, 1.	1.4	47
92	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	46
93	Search for disappearing tracks in proton-proton collisions at $s = 8 \sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	46
94	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
95	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	46
96	Search for microscopic black holes in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	44
97	Search for a light charged Higgs boson decaying to $c \bar{s}$ in pp collisions at $s = 8 \sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	1.6	44
98	Search for decays of stopped long-lived particles produced in proton-proton collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2015, 75, 151.	1.4	44
99	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2014, 74, 3060.	1.4	43
100	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	1.6	43
101	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 325.	1.4	43
102	Evidence for exclusive $t \bar{t} W + W \bar{t}$ production and constraints on anomalous quartic gauge couplings in pp collisions at $s = 7 \sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	42
103	Performance of top-quark and W-boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
104	Measurement of the $t \bar{t} \bar{t}$ production cross section in the $e\bar{1}/4$ channel in proton-proton collisions at $s = 7 \sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	41
105	Measurement of the $t \bar{t} \bar{t}$ production cross section in the all-jets final state in pp collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 128.	1.4	41
106	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s = 13 \sqrt{s}=13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	41
107	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41
108	Higgs boson production cross-section measurements and their EFT interpretation in the $g g \rightarrow H \rightarrow b \bar{b}$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	41

#	ARTICLE	IF	CITATIONS
109	Measurement of the $\sigma(\overline{t}t)$ production cross section using events in the $e\mu$ final state in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2017, 77, 172.	1.4	40
110	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
111	Measurements of b-jet tagging efficiency with the ATLAS detector using $\overline{t}t$ events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
112	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^-e^+e^-$ and $e^+e^-u\bar{u}$ final states using 139 fb^{-1} of proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	40
113	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	1.6	39
114	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	39
115	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39
116	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2017, 77, 845.	1.4	38
117	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s}=13$ TeV. European Physical Journal C, 2017, 77, 636.	1.4	38
118	Search for Higgs boson pair production in the $\gamma\gamma b\bar{b}$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
119	Measurements of WH and ZH production in the $H\rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	38
120	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	37
121	Measurement of the WZ production cross section in pp collisions at $\sqrt{s}=7$ and 8 TeV and search for anomalous triple gauge couplings at $\sqrt{s}=8$ TeV. European Physical Journal C, 2017, 77, 236.	1.4	37
122	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
123	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	37
124	Search for resonant and nonresonant Higgs boson pair production in the $b\bar{b}a\bar{a}$ final state in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	36
125	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	36
126	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	36

#	ARTICLE	IF	CITATIONS
127	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	36
128	Measurement of the top-quark mass in all-jets $t\bar{t}$ events in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2014, 74, 2758.	1.4	35
129	Search for heavy Majorana neutrinos in e^+e^- jets and $e^+e^- \rightarrow \nu\bar{\nu}$ jets events in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	35
130	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s = 7$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	35
131	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 488.	1.4	35
132	Searches for supersymmetry using the M _{T2} variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	34
133	Measurement of $t\bar{t}$ production with additional jet activity, including b quark jets, in the dilepton decay channel using pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 379.	1.4	34
134	Measurements of the $t\bar{t}$ production cross section in lepton+jets final states in pp collisions at 8 TeV and ratio of 8 to 7 TeV cross sections. European Physical Journal C, 2017, 77, 15.	1.4	34
135	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t} + \text{jets}$ channel with pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	34
136	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	34
137	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	1.4	33
138	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
139	Search for dark matter produced in association with a leptonically decaying Z boson in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 13.	1.4	33
140	Search for top squark pair production using dilepton final states in pp collision data collected at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 3.	1.4	33
141	Measurement of normalised multi-differential cross sections in pp collisions at $\sqrt{s}=13$ TeV, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C, 2020, 80, 1.	1.4	33
142	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
143	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 2674.	1.4	32
144	Measurements of the $Z Z$ production cross sections in the 2μ channel in proton-proton collisions at $\sqrt{s} = 7$ and 8 TeV. European Physical Journal C, 2015, 75, 511.	1.4	32

#	ARTICLE	IF	CITATIONS
145	Searches for pair production of third-generation squarks in $\sqrt{s}=13$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	1.4	32
146	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $H \rightarrow b\bar{b}$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	1.4	32
147	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	31
148	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2015, 75, 66.	1.4	31
149	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at $\sqrt{s_{NN}}=2.76$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
150	Search for top squark pair production in pp collisions at $\sqrt{s}=13$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
151	Search for W resonance production in $t\bar{t}$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
152	Measurement of the W -boson helicity in top-quark decays from $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	30
153	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
154	Search for massive WH resonances decaying into the $u\bar{b}$ final state at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 237.	1.4	30
155	Measurements of the associated production of a Z boson and b jets in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 751.	1.4	30
156	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
157	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30
158	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	30
159	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. European Physical Journal C, 2016, 76, 372.	1.4	29
160	Correlations between jets and charged particles in PbPb and pp collisions at $\sqrt{s_{NN}}=2.76$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	29
161	A search for new phenomena in pp collisions at $\sqrt{s} = 13$ TeV in final states with missing transverse momentum and at least one jet using the α_T variable. European Physical Journal C, 2017, 77, 294.	1.4	29
162	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29

#	ARTICLE	IF	CITATIONS
163	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
164	Search for lepton flavour violating decays of the Higgs boson to $\tau\tau$, and $e\tau$, in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
165	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 280.	1.4	29
166	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	29
167	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow \tau\tau 4b$ channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
168	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
169	In situ calibration of large-radius jet energy and mass in $\sqrt{s}=13$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
170	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
171	Measurement of the transverse momentum distribution of dilepton pairs in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	28
172	Study of Z production in PbPb and pp collisions at $\sqrt{s_{NN}}=2.76$ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
173	Search for anomalous single top quark production in association with a photon in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	27
174	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	27
175	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27
176	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
177	Measurement of the top-quark mass in $t + 1$ -jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
178	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a τ -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
179	Search for $W \rightarrow \tau\tau$ decays in the lepton + jets final state in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	26
180	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	26

#	ARTICLE	IF	CITATIONS
181	Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s} = 2.76$ TeV. European Physical Journal C, 2016, 76, 1.	1.4	26
182	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\ell\ell$ and $\ell\ell WW$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	26
183	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 325.	1.4	25
184	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	1.4	25
185	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	25
186	Measurement of the $t\bar{t}$ production cross section in the $t\bar{t} + \text{jets}$ channel in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	1.4	24
187	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
188	Search for third-generation scalar leptoquarks in the $t\bar{t}$ channel in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
189	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
190	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
191	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
192	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	24
193	Measurement of WZ and ZZ production in pp collisions at $\sqrt{s} = 8$ TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	1.4	23
194	Observation of top quark pairs produced in association with a vector boson in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	23
195	Measurement of the jet mass in highly boosted $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 467.	1.4	23
196	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
197	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
198	Measurement of the top quark mass using single top quark events in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 354.	1.4	23

#	ARTICLE	IF	CITATIONS
199	Measurement of the triple-differential dijet cross section in proton-proton collisions at $\sqrt{s}=8$ TeV and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	1.4	23
200	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
201	Search for $t\bar{t}\tilde{\Lambda}^{\pm}$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
202	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
203	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
204	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \tilde{l}_n , leptons and two jets in proton-proton collisions at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
205	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	22
206	Measurements of top-quark pair spin correlations in the $\mu\mu$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	22
207	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	22
208	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	21
209	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21
210	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, .	1.4	21
211	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	1.6	21
212	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	21
213	Measurements of the $\tilde{\chi}_0^0$ charge asymmetry using the dilepton decay channel in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	20
214	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
215	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s = 7$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
216	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s}=\{13\}$ TeV $s = 13$ TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	1.4	20

#	ARTICLE	IF	CITATIONS
217	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	20
218	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2020, 2020, 1.	1.6	20
219	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s = 7 \sqrt{s} = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
220	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\tilde{l}, \text{ leptons}$ in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
221	Prompt and non-prompt $\psi(2S)$ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	1.4	19
222	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	1.6	19
223	Search for top-quark decays $t \rightarrow Hq$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
224	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	19
225	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	19
226	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at $s_{NN} = 2.76 \sqrt{s_{NN}} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	1.6	18
227	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 460.	1.4	18
228	Measurement of normalized differential $\overline{\sigma}(\text{t})$ cross sections in the dilepton channel from pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
229	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
230	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	18
231	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 970.	1.4	18
232	Measurement of the Λ_{b}^0 lifetime in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	1.6	17
233	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	1.6	17
234	Probing color coherence effects in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2014, 74, 2901.	1.4	17

#	ARTICLE	IF	CITATIONS
235	Measurement of the ratio of the production cross sections times branching fractions of $B_c \rightarrow \bar{c} \ell^+ \nu_{\ell}$ and $B \rightarrow \bar{c} \ell^+ \nu_{\ell}$ and $B \rightarrow \bar{c} \ell^+ \nu_{\ell} + \text{hadrons}$ in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
236	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
237	Search for new physics with the M_{T2} variable in all-jets final states produced in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
238	Search for new physics in the monophoton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
239	Measurement of electroweak-induced production of $W\ell^3$ with two jets in pp collisions at $\sqrt{s} = 8$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
240	Measurements of jet charge with dijet events in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
241	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
242	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
243	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	17
244	Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
245	Measurement of $W^{\pm} \nu_{\ell}$ boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
246	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
247	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
248	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	17
249	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
250	Measurement of jet multiplicity distributions in $t\bar{t}$ production in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2014, 74, 3014.	1.4	16
251	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an $e\mu$ pair in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 317.	1.4	16
252	Measurement of dijet azimuthal decorrelation in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 536.	1.4	16

#	ARTICLE	IF	CITATIONS
253	Search for excited leptons in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
254	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
255	Measurement of the production cross section of a W boson in association with two b jets in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 92.	1.4	16
256	Measurement of associated Z + charm production in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2018, 78, 287.	1.4	16
257	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847.	1.4	16
258	Search for exclusive Higgs and Z boson decays to $\tau^+\tau^-$ and $\tau^+\tau^-$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
259	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
260	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
261	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
262	Measurement of the $t\bar{t}$ production cross section using events with one lepton and at least one jet in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
263	Search for new physics with dijet angular distributions in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
264	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
265	Measurement of b hadron lifetimes in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2018, 78, 457.	1.4	15
266	Search for scalar resonances decaying into $\tau^+\tau^-$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
267	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	1.4	15
268	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
269	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
270	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	14

#	ARTICLE	IF	CITATIONS
271	Measurement of the production cross section for $\mathcal{Z}\gamma o u \overline{u}\gamma$ in pp collisions at $\sqrt{s} = 7$ TeV and limits on $ZZ\hat{1}^3$ and $Z\hat{1}^3\hat{1}^3$ triple gauge boson couplings. Journal of High Energy Physics, 2013, 2013, 1.	1.6	14
272	Search for s channel single top quark production in pp collisions at $s = 7$ TeV and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
273	Search for supersymmetry in pp collisions at $s = 13$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
274	Search for associated production of dark matter with a Higgs boson decaying to $b\bar{b}$ or $\hat{1}^3$ at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
275	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
276	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
277	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
278	Measurement of VH , $\mathcal{H}o \overline{b}b$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
279	Measurements of inclusive and differential fiducial cross-sections of $\mathcal{S}^*t\gamma$ production in leptonic final states at $\sqrt{s}=13\text{-ext}\{TeV\}$ in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14
280	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
281	Search for bottom-quark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
282	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
283	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
284	Search for \mathcal{S}^*t resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
285	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
286	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
287	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
288	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13

#	ARTICLE	IF	CITATIONS
289	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
290	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	13
291	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s = 8 \sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	12
292	Phenomenological MSSM interpretation of CMS searches in pp collisions at $s = 7 \sqrt{s}=7$ TeV and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	12
293	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
294	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
295	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s_{\text{NN}}}=8.16$ TeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	12
296	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	1.4	12
297	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
298	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	12
299	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	1.4	12
300	Measurement of the $Z\tilde{\nu}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	1.6	11
301	Search for electroweak production of charginos in final states with two \tilde{l} , leptons in pp collisions at $s = 8 \sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
302	Measurement of the semileptonic $t \bar{t} \tilde{A}^- \mathit{t} + \tilde{\nu}^3$ production cross section in pp collisions at $s = 8 \sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
303	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at $s = 8 \sqrt{s}=8$ TeV using $H \rightarrow WW$ decays. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
304	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	11
305	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
306	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s = 2.76 \sqrt{s}=2.76$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	10

#	ARTICLE	IF	CITATIONS
307	Measurements of the $pp \rightarrow W^{\pm} Z^{\pm} \gamma^{\pm}$ and $pp \rightarrow Z^{\pm} \gamma^{\pm}$ cross sections and limits on anomalous quartic gauge couplings at $s = 8 \sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
308	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
309	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
310	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $\sqrt{s} = 7 \sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2018, 78, 242.	1.4	10
311	Measurement of the $Z \gamma \rightarrow u \bar{u} \gamma$ production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
312	Measurement of the inclusive and fiducial $t \bar{t} \gamma$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10
313	Measurement of J/ψ production in association with a W^{\pm} boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
314	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
315	Measurement of the $Z(\gamma) \rightarrow \gamma \gamma$ production cross-section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	9
316	Search for dark matter produced in association with a single top quark in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	9
317	Searches for $W^{\pm} \rightarrow t \bar{t}$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
318	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
319	Measurement of $W^{\pm} \rightarrow \mu \bar{\mu}$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	8
320	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8 \text{ TeV}$ pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
321	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
322	Reconstruction and identification of boosted $d\bar{t}$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
323	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
324	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	1.6	7

#	ARTICLE	IF	CITATIONS
325	Search for high-mass $Z\hat{1}^3$ resonances in $e+e\hat{1}^3$ and $\hat{1}^{3/4} + \hat{1}^{3/4} \hat{1}^3$ final states in proton-proton collisions at $s = 8 \sqrt{s} = 8$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	7
326	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	7
327	Comparison of the $Z\hat{1}^3 + \text{jets}$ to $\hat{1}^3 + \text{jets}$ cross sections in pp collisions at $s = 8 \sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	6
328	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $\sqrt{s} = 7$ and $s = 7 \sqrt{s} = 7$ TeV. European Physical Journal C, 2015, 75, 302.	1.4	6
329	Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	6
330	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s = 13 \sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	6
331	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
332	Measurement of ZZ production in the $\hat{1}, \hat{1}, \hat{1}^{1/2}\hat{1}^{1/2}$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
333	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.		6
334	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s = 8 \sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	5
335	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 \sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	5
336	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s = 13 \sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	5
337	Measurement of the inclusive $\overline{\text{t}}\text{t}$ cross section in pp collisions at $\sqrt{s} = 5.02$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	1.6	5
338	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13 \sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	5
339	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s} = 8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.	1.4	5
340	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5
341	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using 36 fb^{-1} of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
342	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	1.6	4

#	ARTICLE	IF	CITATIONS
343	Search for dark matter particles in proton-proton collisions at $\sqrt{s} = 8$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
344	Search for CP violation in $t\bar{t}$ production and decay in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	4
345	Measurement of differential cross sections in the kinematic angular variable \bar{t}^* for inclusive Z boson production in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
346	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	1.4	4
347	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
348	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
349	Search for top squarks in events with a Higgs or Z boson using 139 Ab of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	4
350	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	4
351	Jets and Jet Substructure at Future Colliders. Frontiers in Physics, 0, 10, .	1.0	4
352	Study of hadronic event-shape variables in multijet final states in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	3
353	Search for $W\bar{t}t$ in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	3
354	Search for top quark partners with charge 5/3 in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
355	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	3
356	Measurements of inclusive and differential cross-sections of combined $\bar{t}\gamma$ and tW^{13} production in the $e\bar{\nu}_e$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
357	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
358	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	3
359	Measurement of the (\bar{t}) production cross section in the dilepton channel in pp collisions at $(\sqrt{s}) = 8$ TeV. , 2014, 2014, 1.		3
360	Measurements of the $(p)p \rightarrow Zp$ production cross section and the $(Z) \rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at $(\sqrt{s}) = 13$ TeV. , 2018, 78, 1.		3

#	ARTICLE	IF	CITATIONS
361	Search for new phenomena with multiple charged leptons in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2017, 77, 1.	1.4	2
362	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	1
363	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
364	Measurement of b hadron lifetimes in pp collisions at ($\sqrt{s} = 8$) TeV. , 2018, 78, 1.		1
365	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	0