

# Marian Kaceroovsky

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2326773/publications.pdf>

Version: 2024-02-01

153  
papers

3,732  
citations

109137

35  
h-index

174990

52  
g-index

155  
all docs

155  
docs citations

155  
times ranked

3265  
citing authors

#	ARTICLE	IF	CITATIONS
1	Intra-amniotic infection and sterile intra-amniotic inflammation are associated with elevated concentrations of cervical fluid interleukin-6 in women with spontaneous preterm labor with intact membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2024, 35, 4861-4869.	0.7	13
2	A rodent model of intra-amniotic inflammation/infection, induced by the administration of inflammatory agent in a gestational sac, associated with preterm delivery: a systematic review. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 1592-1600.	0.7	5
3	Metabolomic profiles of mid-trimester amniotic fluid are not associated with subsequent spontaneous preterm delivery or gestational duration at delivery. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 2054-2062.	0.7	4
4	Amniotic fluid glucose level in PPRM pregnancies: a glance at the old friend. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 2247-2259.	0.7	8
5	Area of the right atrium of the fetal heart and its significance in fetuses with tricuspid regurgitation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 5253-5259.	0.7	1
6	Intra-amniotic infection and sterile intra-amniotic inflammation in women with preterm labor with intact membranes are associated with a higher rate of <i>Ureaplasma</i> species DNA presence in the cervical fluid. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 7344-7352.	0.7	6
7	Acute Histological Chorioamnionitis and Birth Weight in Pregnancies With Preterm Prelabor Rupture of Membranes: A Retrospective Cohort Study. <i>Frontiers in Pharmacology</i> , 2022, 13, 861785.	1.6	2
8	Prevalence and Load of Cervical <i>Ureaplasma</i> Species With Respect to Intra-amniotic Complications in Women With Preterm Prelabor Rupture of Membranes Before 34 Weeks. <i>Frontiers in Pharmacology</i> , 2022, 13, 860498.	1.6	4
9	Rs868058 in the Homeobox Gene HLX Contributes to Early-Onset Fetal Growth Restriction. <i>Biology</i> , 2022, 11, 447.	1.3	0
10	Clinical characteristics of colonization of the amniotic cavity in women with preterm prelabor rupture of membranes, a retrospective study. <i>Scientific Reports</i> , 2022, 12, 5062.	1.6	4
11	Calprotectin levels in amniotic fluid in relation to intra-amniotic inflammation and infection in women with preterm labor with intact membranes: A retrospective cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022, 272, 24-29.	0.5	1
12	Development of a Rat Model of Intra-Amniotic Inflammation via Ultrasound-Guided Administration of a Triggering Agent in the Gestational Sac to Enable Analysis of Individual Amniotic Fluid Samples. <i>Frontiers in Pharmacology</i> , 2022, 13, 871193.	1.6	0
13	Defining a role for Interferon Epsilon in normal and complicated pregnancies. <i>Heliyon</i> , 2022, 8, e09952.	1.4	2
14	Fetal heart rhabdomyomatosis: a single-center experience. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 701-707.	0.7	13
15	Nicotinamide phosphoribosyltransferase and intra-amniotic inflammation in preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 736-746.	0.7	8
16	Intra-Amniotic Infection and Sterile Intra-Amniotic Inflammation in Cervical Insufficiency with Prolapsed Fetal Membranes: Clinical Implications. <i>Fetal Diagnosis and Therapy</i> , 2021, 48, 58-69.	0.6	23
17	Presence of <i>Chlamydia trachomatis</i> DNA in the amniotic fluid in women with preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 1586-1597.	0.7	4
18	Cervical <i>Gardnerella vaginalis</i> in women with preterm prelabor rupture of membranes. <i>PLoS ONE</i> , 2021, 16, e0245937.	1.1	13

#	ARTICLE	IF	CITATIONS
19	Eotaxin-2 as a potential marker of preterm premature rupture of membranes: A prospective, cohort, multicenter study. <i>Advances in Clinical and Experimental Medicine</i> , 2021, 30, 197-202.	0.6	4
20	IgGfC-binding protein in pregnancies complicated by spontaneous preterm delivery: a retrospective cohort study. <i>Scientific Reports</i> , 2021, 11, 6107.	1.6	14
21	Intra-amniotic inflammatory complications in preterm prelabor rupture of membranes and long-term neurodevelopmental outcomes of infants: a systematic review. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, , 1-6.	0.7	0
22	Macrophage inflammatory protein-1 $\alpha$ in amniotic and cervical fluids in spontaneous preterm labor with intact membranes with respect to intra-amniotic inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, , 1-9.	0.7	1
23	Prenatal inflammation as a link between placental expression signature of tryptophan metabolism and preterm birth. <i>Human Molecular Genetics</i> , 2021, 30, 2053-2067.	1.4	23
24	Birth weight and intra-amniotic inflammatory and infection-related complications in pregnancies with preterm prelabor rupture of membranes: a retrospective cohort study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, , 1-11.	0.7	5
25	Single Nucleotide Polymorphisms from CSF2, FLT1, TFPI and TLR9 Genes Are Associated with Prelabor Rupture of Membranes. <i>Genes</i> , 2021, 12, 1725.	1.0	5
26	Preterm prelabor rupture of membranes without microbial invasion of the amniotic cavity and intra-amniotic inflammation: a heterogeneous group with differences in adverse outcomes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, , 1-12.	0.7	2
27	The association between selected mid-trimester amniotic fluid candidate proteins and spontaneous preterm delivery. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 583-592.	0.7	3
28	Parentsâ€™ request for termination of pregnancy due to a congenital heart defect of the fetus in a country with liberal interruption laws. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 2918-2926.	0.7	6
29	Interleukin-6 measured using the automated electrochemiluminescence immunoassay method for the identification of intra-amniotic inflammation in preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 1919-1926.	0.7	30
30	Role of sphingolipids in the pathogenesis of intrahepatic cholestasis. <i>Prostaglandins and Other Lipid Mediators</i> , 2020, 147, 106399.	1.0	9
31	Lactobacilli-dominated cervical microbiota in women with preterm prelabor rupture of membranes. <i>Pediatric Research</i> , 2020, 87, 952-960.	1.1	21
32	Protein Concentrations of Thrombospondin-1, MIP-1 $\beta$ , and S100A8 Suggest the Reflection of a Pregnancy Clock in Mid-Trimester Amniotic Fluid. <i>Reproductive Sciences</i> , 2020, 27, 2146-2157.	1.1	1
33	Comprehensive proteomic investigation of infectious and inflammatory changes in late preterm prelabour rupture of membranes. <i>Scientific Reports</i> , 2020, 10, 17696.	1.6	6
34	Extracellular granzyme A in amniotic fluid is elevated in the presence of sterile intra-amniotic inflammation in preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, , 1-10.	0.7	3
35	Mid-trimester amniotic fluid proteomeâ€™s association with spontaneous preterm delivery and gestational duration. <i>PLoS ONE</i> , 2020, 15, e0232553.	1.1	2
36	Amniotic fluid CD11b levels in pregnancies complicated by preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, , 1-9.	0.7	2

#	ARTICLE	IF	CITATIONS
37	Risk factors for spontaneous preterm delivery. International Journal of Gynecology and Obstetrics, 2020, 150, 17-23.	1.0	87
38	Antibiotic administration reduces the rate of intraamniotic inflammation in preterm prelabor rupture of the membranes. American Journal of Obstetrics and Gynecology, 2020, 223, 114.e1-114.e20.	0.7	53
39	Cellular immune responses in amniotic fluid of women with preterm prelabor rupture of membranes. Journal of Perinatal Medicine, 2020, 48, 222-233.	0.6	39
40	Amniotic fluid cell-free transcriptome: a glimpse into fetal development and placental cellular dynamics during normal pregnancy. BMC Medical Genomics, 2020, 13, 25.	0.7	25
41	Microbial burden and inflammasome activation in amniotic fluid of patients with preterm prelabor rupture of membranes. Journal of Perinatal Medicine, 2020, 48, 115-131.	0.6	31
42	Serotonin homeostasis in the materno-fetal interface at term: Role of transporters (SERT/SLC6A4 and Tj ETQq0 0 0 rgBT /Overlock 1 rat term placenta. Acta Physiologica, 2020, 229, e13478.	1.8	42
43	Comparison of Bacterial DNA Profiles in Mid-Trimester Amniotic Fluid Samples From Preterm and Term Deliveries. Frontiers in Microbiology, 2020, 11, 415.	1.5	31
44	Placental delayed villous maturation is associated with evidence of chronic fetal hypoxia. Journal of Perinatal Medicine, 2020, 48, 516-518.	0.6	13
45	Comparison of opinions of Slovak and Czech female medical students on HPV vaccination. Central European Journal of Public Health, 2020, 28, 178-186.	0.4	2
46	Pentraxin 3 in Noninvasively Obtained Cervical Fluid Samples from Pregnancies Complicated by Preterm Prelabor Rupture of Membranes. Fetal Diagnosis and Therapy, 2019, 46, 402-410.	0.6	6
47	Fetal Portal System Flowmetry and Intra-Amniotic Inflammation in Preterm Prelabor Rupture of Membranes. Fetal Diagnosis and Therapy, 2019, 46, 323-332.	0.6	1
48	Association between periodontal disease and preterm prelabour rupture of membranes. Journal of Clinical Periodontology, 2019, 46, 189-196.	2.3	14
49	Congenital heart defects according to the types of the risk factors - a single center experience. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 3606-3611.	0.7	7
50	Deoxyribonuclease activity in plasma of pregnant women and experimental animals. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 1807-1809.	0.7	8
51	Cervical fluid interleukin 6 and intra-amniotic complications of preterm prelabor rupture of membranes. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 827-836.	0.7	19
52	Cervical fluid calreticulin and cathepsin-G in pregnancies complicated by preterm prelabor rupture of membranes. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 481-488.	0.7	6
53	Levels of multiple proteins in gingival crevicular fluid and intra-amniotic complications in women with preterm prelabor rupture of membranes. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 2555-2563.	0.7	3
54	Periodontal disease and intra-amniotic complications in women with preterm prelabor rupture of membranes. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 2852-2861.	0.7	10

#	ARTICLE	IF	CITATIONS
55	Noninvasive Sampling of the Intrauterine Environment in Women with Preterm Labor and Intact Membranes. <i>Fetal Diagnosis and Therapy</i> , 2018, 43, 241-249.	0.6	22
56	Preterm Prelabor Rupture of Membranes between 34 and 37 Weeks: A Point-of-Care Test of Vaginal Fluid Interleukin-6 Concentrations for a Noninvasive Detection of Intra-Amniotic Inflammation. <i>Fetal Diagnosis and Therapy</i> , 2018, 43, 175-183.	0.6	13
57	Late preterm prelabor rupture of fetal membranes: fetal inflammatory response and neonatal outcome. <i>Pediatric Research</i> , 2018, 83, 630-637.	1.1	32
58	Amniotic fluid pentraxins: Potential early markers for identifying intra-amniotic inflammatory complications in preterm prelabor rupture of membranes. <i>American Journal of Reproductive Immunology</i> , 2018, 79, e12789.	1.2	16
59	Cervical human papillomavirus infection in women with preterm prelabor rupture of membranes. <i>PLoS ONE</i> , 2018, 13, e0207896.	1.1	7
60	Amniotic fluid cell-free DNA in preterm prelabor rupture of membranes. <i>Prenatal Diagnosis</i> , 2018, 38, 1086-1095.	1.1	13
61	Maternal Plasma Metabolomic Profiles in Spontaneous Preterm Birth: Preliminary Results. <i>Mediators of Inflammation</i> , 2018, 2018, 1-13.	1.4	22
62	Gastric fluid used to assess changes during the latency period in preterm prelabor rupture of membranes. <i>Pediatric Research</i> , 2018, 84, 240-247.	1.1	7
63	Intraamniotic inflammation and umbilical cord blood interleukin-6 concentrations in pregnancies complicated by preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 900-910.	0.7	19
64	Redefining 3Dimensional placental membrane microarchitecture using multiphoton microscopy and optical clearing. <i>Placenta</i> , 2017, 53, 66-75.	0.7	34
65	Prediction of neonatal respiratory morbidity by quantitative ultrasound lung texture analysis: a multicenter study. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 196.e1-196.e14.	0.7	40
66	Transabdominal Amniocentesis Is a Feasible and Safe Procedure in Preterm Prelabor Rupture of Membranes. <i>Fetal Diagnosis and Therapy</i> , 2017, 42, 257-261.	0.6	15
67	Amniotic fluid clusterin in pregnancies complicated by the preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 2529-2537.	0.7	9
68	Urinary iodine concentrations in mothers and their term newborns in country with sufficient iodine supply. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 2633-2639.	0.7	2
69	Amniotic fluid cathepsin-G in pregnancies complicated by the preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 2097-2104.	0.7	17
70	Biomarkers of spontaneous preterm birth: a systematic review of studies using multiplex analysis. <i>Journal of Perinatal Medicine</i> , 2017, 45, 71-84.	0.6	36
71	Maternal serum C-reactive protein concentration and intra-amniotic inflammation in women with preterm prelabor rupture of membranes. <i>PLoS ONE</i> , 2017, 12, e0182731.	1.1	39
72	Maternal white blood cell count cannot identify the presence of microbial invasion of the amniotic cavity or intra-amniotic inflammation in women with preterm prelabor rupture of membranes. <i>PLoS ONE</i> , 2017, 12, e0189394.	1.1	30

#	ARTICLE	IF	CITATIONS
73	Neonatal outcomes in subgroups of women with preterm prelabor rupture of membranes before 34 weeks. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 2373-2377.	0.7	16
74	Maternal Serum C-Reactive Protein in Women with Preterm Prelabor Rupture of Membranes. <i>PLoS ONE</i> , 2016, 11, e0150217.	1.1	33
75	Gestational age is more important for short-term neonatal outcome than microbial invasion of the amniotic cavity or intra-amniotic inflammation in preterm prelabor rupture of membranes. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 926-933.	1.3	63
76	Amniotic fluid calreticulin in pregnancies complicated by the preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 3921-3929.	0.7	7
77	Role of ABC and Solute Carrier Transporters in the Placental Transport of Lamivudine. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 5563-5572.	1.4	19
78	Vaginal fluid interleukin-6 concentrations as a point-of-care test is of value in women with preterm prelabor rupture of membranes. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 619.e1-619.e12.	0.7	48
79	Plasma C16-Cer levels are increased in patients with preterm labor. <i>Prostaglandins and Other Lipid Mediators</i> , 2016, 123, 40-45.	1.0	6
80	Umbilical cord blood markers of oxidative stress in pregnancies complicated by preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1900-1910.	0.7	11
81	Amniotic fluid prostaglandin E2 in pregnancies complicated by preterm prelabor rupture of the membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 2915-2923.	0.7	11
82	Oxidative stress damage-associated molecular signaling pathways differentiate spontaneous preterm birth and preterm premature rupture of the membranes. <i>Molecular Human Reproduction</i> , 2016, 22, 143-157.	1.3	132
83	Microbial invasion and histological chorioamnionitis upregulate neutrophil-gelatinase associated lipocalin in preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 12-21.	0.7	14
84	<i>Ureaplasma</i> species and <i>Mycoplasma hominis</i> in cervical fluid of pregnancies complicated by preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1-7.	0.7	29
85	<i>Streptococcus agalactiae</i> in pregnancies complicated by preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1036-1040.	0.7	7
86	Proteomic Analysis of Early Mid-Trimester Amniotic Fluid Does Not Predict Spontaneous Preterm Delivery. <i>PLoS ONE</i> , 2016, 11, e0155164.	1.1	6
87	Vacuum-assisted vaginal delivery and levator ani avulsion in primiparous women. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 29, 1-4.	0.7	4
88	Intraamniotic Inflammation in Women with Preterm Prelabor Rupture of Membranes. <i>PLoS ONE</i> , 2015, 10, e0133929.	1.1	83
89	Potential Peripartum Markers of Infectious-Inflammatory Complications in Spontaneous Preterm Birth. <i>BioMed Research International</i> , 2015, 2015, 1-13.	0.9	9
90	Detection of intraamniotic inflammation in fresh and processed amniotic fluid samples with the interleukin-6 point of care test. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 213, 435-436.	0.7	17

#	ARTICLE	IF	CITATIONS
91	Screening of lysyl oxidase (LOX) and lysyl oxidase like (LOXL) enzyme expression and activity in preterm prelabor rupture of fetal membranes. <i>Journal of Perinatal Medicine</i> , 2015, 44, 99-109.	0.6	17
92	The effect of latency of time, centrifugation conditions, supernate filtration, and addition of protease inhibitors on amniotic fluid interleukin-6 concentrations. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 213, 247-248.	0.7	0
93	Cervical fluid IL-6 and IL-8 levels in pregnancies complicated by preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 134-140.	0.7	37
94	Disparities and relative risk ratio of preterm birth in six Central and Eastern European centers. <i>Croatian Medical Journal</i> , 2015, 56, 119-127.	0.2	15
95	Chorioamniotic membrane senescence: a signal for parturition?. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 213, 359.e1-359.e16.	0.7	125
96	Vaginal fluid IL-6 and IL-8 levels in pregnancies complicated by preterm prelabor membrane ruptures. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 392-398.	0.7	20
97	Cervical and vaginal fluid soluble Toll-like receptor 2 in pregnancies complicated by preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1116-1122.	0.7	12
98	Amniotic fluid markers of oxidative stress in pregnancies complicated by preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1250-1259.	0.7	16
99	Cervical Microbiota in Women with Preterm Prelabor Rupture of Membranes. <i>PLoS ONE</i> , 2015, 10, e0126884.	1.1	55
100	Systemic and Local Inflammatory Response in Women with Preterm Prelabor Rupture of Membranes. <i>PLoS ONE</i> , 2014, 9, e85277.	1.1	40
101	Proteomic Biomarkers for Spontaneous. <i>Reproductive Sciences</i> , 2014, 21, 283-295.	1.1	45
102	Precise Temperature Measurement for Increasing the Survival of Newborn Babies in Incubator Environments. <i>Sensors</i> , 2014, 14, 23563-23580.	2.1	8
103	Azurocidin levels in maternal serum in the first trimester can predict preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 511-515.	0.7	9
104	Microbial load of umbilical cord blood <i>Ureaplasma</i> species and <i>Mycoplasma hominis</i> in preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 1627-1632.	0.7	21
105	The fetal splenic vein flow pattern and fetal inflammatory response in the preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 770-774.	0.7	11
106	Amniotic fluid infection, inflammation, and colonization in preterm labor with intact membranes. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 211, 708.	0.7	30
107	Prelabor rupture of membranes between 34 and 37 weeks: the intraamniotic inflammatory response and neonatal outcomes. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 210, 325.e1-325.e10.	0.7	130
108	Amniotic Fluid Metabolomic Analysis in Spontaneous Preterm Birth. <i>Reproductive Sciences</i> , 2014, 21, 791-803.	1.1	64



#	ARTICLE	IF	CITATIONS
109	Bedside assessment of amniotic fluid interleukin-6 in preterm prelabor rupture of membranes. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 211, 385.e1-385.e9.	0.7	91
110	Amniotic fluid nucleosome in pregnancies complicated by preterm prelabor rupture of the membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 155-161.	0.7	10
111	Oligohydramnios in Women with Preterm Prelabor Rupture of Membranes and Adverse Pregnancy and Neonatal Outcomes. <i>PLoS ONE</i> , 2014, 9, e105882.	1.1	14
112	The association between histological chorioamnionitis, funisitis and neonatal outcome in women with preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013, 26, 1332-1336.	0.7	71
113	Preterm prelabor rupture of membranes (PPROM) is not associated with presence of viral genomes in the amniotic fluid. <i>Journal of Clinical Virology</i> , 2013, 58, 559-563.	1.6	11
114	TLR3 impairment in human newborns. <i>Journal of Leukocyte Biology</i> , 2013, 94, 1003-1011.	1.5	16
115	Amniotic fluid CD200 levels in pregnancies complicated by preterm prelabor rupture of the membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013, 26, 1416-1424.	0.7	4
116	Amniotic fluid myeloperoxidase in pregnancies complicated by preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013, 26, 463-468.	0.7	5
117	Maternal inflammatory response to microbial invasion of the amniotic cavity: analyses of multiple proteins in the maternal serum. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 61-68.	1.3	37
118	Non-infectious risk factors for different types of cerebral palsy in term-born babies: a population-based, case-control study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 724-731.	1.1	34
119	Cerebral Palsy and Perinatal Infection in Children Born at Term. <i>Obstetrics and Gynecology</i> , 2013, 122, 41-49.	1.2	42
120	Reply to HC Stevens. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 224-225.	2.2	0
121	Organic Cation Transporter 3 (OCT3/SLC22A3) and Multidrug and Toxin Extrusion 1 (MATE1/SLC47A1) Transporter in the Placenta and Fetal Tissues: Expression Profile and Fetus Protective Role at Different Stages of Gestation. <i>Biology of Reproduction</i> , 2013, 88, 55.	1.2	58
122	Ultrasound measurement of the transverse diameter of the fetal thymus in pregnancies complicated by the preterm prelabor rupture of membranes. <i>Journal of Clinical Ultrasound</i> , 2013, 41, 283-289.	0.4	23
123	Amniotic fluid soluble Toll-like receptor 2 in pregnancies complicated by preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013, 26, 520-527.	0.7	21
124	The fetal inflammatory response in subgroups of women with preterm prelabor rupture of the membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013, 26, 795-801.	0.7	55
125	Umbilical Cord Blood IL-6 as Predictor of Early-Onset Neonatal Sepsis in Women with Preterm Prelabour Rupture of Membranes. <i>PLoS ONE</i> , 2013, 8, e69341.	1.1	32
126	Amniotic Fluid Protein Profiles of Intraamniotic Inflammatory Response to <i>Ureaplasma</i> spp. and Other Bacteria. <i>PLoS ONE</i> , 2013, 8, e60399.	1.1	75



#	ARTICLE	IF	CITATIONS
127	Amniotic fluid soluble Toll-like receptor 4 in pregnancies complicated by preterm prelabor rupture of the membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 1148-1155.	0.7	29
128	Intraamniotic inflammatory response to bacteria: analysis of multiple amniotic fluid proteins in women with preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 2014-2019.	0.7	72
129	Soluble Toll-like receptor 1 family members in the amniotic fluid of women with preterm prelabor rupture of the membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 1699-1704.	0.7	18
130	A prediction model of histological chorioamnionitis and funisitis in preterm prelabor rupture of membranes: analyses of multiple proteins in the amniotic fluid. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 1995-2001.	0.7	44
131	Umbilical cord blood levels of cortisol and dehydroepiandrosterone sulfate in preterm prelabor rupture of membrane pregnancies complicated by the presence of histological chorioamnionitis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 1889-1894.	0.7	7
132	Association between intake of artificially sweetened and sugar-sweetened beverages and preterm delivery: a large prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 552-559.	2.2	105
133	Scavenger receptor for hemoglobin in preterm prelabor rupture of membranes pregnancies complicated by histological chorioamnionitis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 2291-2297.	0.7	2
134	Pulsation of the fetal splenic vein – a potential ultrasound marker of histological chorioamnionitis and funisitis in women with preterm prelabor rupture of membranes. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 1119-1123.	1.3	15
135	Prediction of spontaneous preterm delivery in women with threatened preterm labour: a prospective cohort study of multiple proteins in maternal serum. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 866-873.	1.1	47
136	CysTRAQ – A combination of iTRAQ and enrichment of cysteinyl peptides for uncovering and quantifying hidden proteomes. <i>Journal of Proteomics</i> , 2012, 75, 857-867.	1.2	40
137	Prepregnancy maternal body mass index and preterm delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 207, 212.e1-212.e7.	0.7	60
138	Amniotic Fluid Cathelicidin in PPRM Pregnancies: From Proteomic Discovery to Assessing Its Potential in Inflammatory Complications Diagnosis. <i>PLoS ONE</i> , 2012, 7, e41164.	1.1	35
139	The impact of the microbial load of genital mycoplasmas and gestational age on the intensity of intraamniotic inflammation. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, 342.e1-342.e8.	0.7	42
140	Intraamniotic inflammation predicts microbial invasion of the amniotic cavity but not spontaneous preterm delivery in preterm prelabor membrane rupture. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 930-935.	1.3	52
141	Non-closure of peritoneum after abdominal hysterectomy for uterine carcinoma does not increase late intestinal radiation morbidity. <i>Reports of Practical Oncology and Radiotherapy</i> , 2012, 17, 19-23.	0.3	0
142	Intra-Amniotic Inflammatory Response in Subgroups of Women with Preterm Prelabor Rupture of the Membranes. <i>PLoS ONE</i> , 2012, 7, e43677.	1.1	53
143	Amniotic fluid concentrations of soluble scavenger receptor for hemoglobin (sCD163) in pregnancy complicated by preterm premature rupture of the membranes and histologic chorioamnionitis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 995-1001.	0.7	4
144	Biomarkers of Spontaneous Preterm Birth: An Overview of The Literature in the Last Four Decades. <i>Reproductive Sciences</i> , 2011, 18, 1046-1070.	1.1	129

#	ARTICLE	IF	CITATIONS
145	The microbial load with genital mycoplasmas correlates with the degree of histologic chorioamnionitis in preterm PROM. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 213.e1-213.e7.	0.7	56
146	Prenatal diagnosis of hydrometrocolpos in a down syndrome fetus. <i>Journal of Clinical Ultrasound</i> , 2011, 39, 169-171.	0.4	3
147	Umbilical cord blood concentration of soluble scavenger receptor for hemoglobin, but not pentraxin 3, is of value for the early postpartum identification of the presence of histological chorioamnionitis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 1228-1234.	0.7	6
148	Prenatal diagnosis of an intertwin membrane hematoma. <i>Journal of Clinical Ultrasound</i> , 2010, 38, NA-NA.	0.4	4
149	Pentraxin 3 in amniotic fluid as a marker of intra-amniotic inflammation in women with preterm premature rupture of membranes. <i>International Journal of Gynecology and Obstetrics</i> , 2010, 108, 203-206.	1.0	18
150	Umbilical cord blood concentrations of IL-6, IL-8, and MMP-8 in pregnancy complicated by preterm premature rupture of the membranes and histological chorioamnionitis. <i>Neuroendocrinology Letters</i> , 2010, 31, 857-63.	0.2	26
151	Ultrasound measurements of the transverse diameter of the fetal thymus in uncomplicated singleton pregnancies. <i>Neuroendocrinology Letters</i> , 2010, 31, 766-70.	0.2	5
152	Preterm Premature Rupture of the Membranes and Genital Mycoplasmas. <i>Acta Medica (Hradec Kralove)</i> , 2009, 52, 117-120.	0.2	38
153	Value of amniotic fluid interleukin-8 for the prediction of histological chorioamnionitis in preterm premature rupture of membranes. <i>Neuroendocrinology Letters</i> , 2009, 30, 733-8.	0.2	24