

# Masahito Ikawa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2327147/publications.pdf>

Version: 2024-02-01

332  
papers

25,762  
citations

6233

80  
h-index

8370

147  
g-index

357  
all docs

357  
docs citations

357  
times ranked

31080  
citing authors

#	ARTICLE	IF	CITATIONS
1	“Green mice”™ as a source of ubiquitous green cells. FEBS Letters, 1997, 407, 313-319.	1.3	2,364
2	DNA methylation of retrotransposon genes is regulated by Piwi family members MILI and MIWI2 in murine fetal testes. Genes and Development, 2008, 22, 908-917.	2.7	790
3	Engineered CRISPR-Cas9 nuclease with expanded targeting space. Science, 2018, 361, 1259-1262.	6.0	783
4	The immunoglobulin superfamily protein Izumo is required for sperm to fuse with eggs. Nature, 2005, 434, 234-238.	13.7	701
5	Mili, a mammalian member of piwi family gene, is essential for spermatogenesis. Development (Cambridge), 2004, 131, 839-849.	1.2	666
6	Innate versus learned odour processing in the mouse olfactory bulb. Nature, 2007, 450, 503-508.	13.7	596
7	A general method for gene knockdown in mice by using lentiviral vectors expressing small interfering RNA. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 1844-1848.	3.3	546
8	Transgenesis by lentiviral vectors: Lack of gene silencing in mammalian embryonic stem cells and preimplantation embryos. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 2140-2145.	3.3	511
9	PGC7/Stella protects against DNA demethylation in early embryogenesis. Nature Cell Biology, 2007, 9, 64-71.	4.6	493
10	Generating green fluorescent mice by germline transmission of green fluorescent ES cells. Mechanisms of Development, 1998, 76, 79-90.	1.7	464
11	Generation of mutant mice by pronuclear injection of circular plasmid expressing Cas9 and single guided RNA. Scientific Reports, 2013, 3, 3355.	1.6	370
12	Pravastatin induces placental growth factor (PGF) and ameliorates preeclampsia in a mouse model. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 1451-1455.	3.3	356
13	A histone H3 lysine 36 trimethyltransferase links Nkx2-5 to Wolf’s “Hirschhorn syndrome. Nature, 2009, 460, 287-291.	13.7	336
14	Defective stratum corneum and early neonatal death in mice lacking the gene for transglutaminase 1 (keratinocyte transglutaminase). Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 1044-1049.	3.3	298
15	Signalling mediated by the endoplasmic reticulum stress transducer OASIS is involved in bone formation. Nature Cell Biology, 2009, 11, 1205-1211.	4.6	278
16	The putative chaperone calmeglin is required for sperm fertility. Nature, 1997, 387, 607-611.	13.7	273
17	Fertilization: a sperm’s™ journey to and interaction with the oocyte. Journal of Clinical Investigation, 2010, 120, 984-994.	3.9	254
18	Tissue-specific knockout of the mouse Pig-a gene reveals important roles for GPI-anchored proteins in skin development. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 7400-7405.	3.3	249

#	ARTICLE	IF	CITATIONS
19	The Class IV Semaphorin CD100 Plays Nonredundant Roles in the Immune System. <i>Immunity</i> , 2000, 13, 633-642.	6.6	247
20	Progressive Adipocyte Hypertrophy in Aquaporin-7-deficient Mice. <i>Journal of Biological Chemistry</i> , 2005, 280, 15493-15496.	1.6	230
21	Plexin-A1 and its interaction with DAP12 in immune responses and bone homeostasis. <i>Nature Cell Biology</i> , 2006, 8, 615-622.	4.6	229
22	Glycosylphosphatidylinositol-anchor-deficient mice: implications for clonal dominance of mutant cells in paroxysmal nocturnal hemoglobinuria. <i>Blood</i> , 1996, 87, 3600-3606.	0.6	223
23	Taurine depletion caused by knocking out the taurine transporter gene leads to cardiomyopathy with cardiac atrophy. <i>Journal of Molecular and Cellular Cardiology</i> , 2008, 44, 927-937.	0.9	194
24	Neuromedin U has a novel anorexigenic effect independent of the leptin signaling pathway. <i>Nature Medicine</i> , 2004, 10, 1067-1073.	15.2	191
25	Regulation of endoplasmic reticulum stress response by a BBF2H7-mediated Sec23a pathway is essential for chondrogenesis. <i>Nature Cell Biology</i> , 2009, 11, 1197-1204.	4.6	181
26	Real-time observation of acrosomal dispersal from mouse sperm using GFP as a marker protein. <i>FEBS Letters</i> , 1999, 449, 277-283.	1.3	179
27	Antitumor NK activation induced by the Toll-like receptor 3-TICAM-1 (TRIF) pathway in myeloid dendritic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 252-257.	3.3	177
28	<i>Peroxisome</i> 4 knockout results in elevated spermatogenic cell death via oxidative stress. <i>Biochemical Journal</i> , 2009, 419, 149-158.	1.7	175
29	Homeobox Gene Hex Is Essential for Onset of Mouse Embryonic Liver Development and Differentiation of the Monocyte Lineage. <i>Biochemical and Biophysical Research Communications</i> , 2000, 276, 1155-1161.	1.0	174
30	Pluripotency of a Single Spermatogonial Stem Cell in Mice. <i>Biology of Reproduction</i> , 2008, 78, 681-687.	1.2	170
31	A rapid and non-invasive selection of transgenic embryos before implantation using green fluorescent protein (GFP). <i>FEBS Letters</i> , 1995, 375, 125-128.	1.3	164
32	Efficient chromosomal transposition of a Tc1/mariner-like transposon Sleeping Beauty in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 9191-9196.	3.3	164
33	Dynamic Modification of Sphingomyelin in Lipid Microdomains Controls Development of Obesity, Fatty Liver, and Type 2 Diabetes. <i>Journal of Biological Chemistry</i> , 2011, 286, 28544-28555.	1.6	162
34	Mouse Sperm Lacking Cell Surface Hyaluronidase PH-20 Can Pass through the Layer of Cumulus Cells and Fertilize the Egg. <i>Journal of Biological Chemistry</i> , 2002, 277, 30310-30314.	1.6	160
35	I $\kappa$ B Kinase-Independent I $\kappa$ B Degradation Pathway: Functional NF- $\kappa$ B Activity and Implications for Cancer Therapy. <i>Molecular and Cellular Biology</i> , 2003, 23, 8070-8083.	1.1	160
36	MiR-200b and miR-429 Function in Mouse Ovulation and Are Essential for Female Fertility. <i>Science</i> , 2013, 341, 71-73.	6.0	157

#	ARTICLE	IF	CITATIONS
37	Neuroaxonal Dystrophy Caused by Group VIA Phospholipase A <sub>2</sub> Deficiency in Mice: A Model of Human Neurodegenerative Disease. <i>Journal of Neuroscience</i> , 2008, 28, 2212-2220.	1.7	154
38	Production of knockout mice by random or targeted mutagenesis in spermatogonial stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 8018-8023.	3.3	151
39	Visualization of the moment of mouse sperm-egg fusion and dynamic localization of IZUMO1. <i>Journal of Cell Science</i> , 2012, 125, 4985-90.	1.2	148
40	SPACA1-deficient male mice are infertile with abnormally shaped sperm heads reminiscent of globozoospermia. <i>Development (Cambridge)</i> , 2012, 139, 3583-3589.	1.2	140
41	Distinct roles of I $\kappa$ B proteins in regulating constitutive NF- $\kappa$ B activity. <i>Nature Cell Biology</i> , 2005, 7, 921-923.	4.6	138
42	Comparison of Gene Expression in Male and Female Mouse Blastocysts Revealed Imprinting of the X-Linked Gene, RhoX5/Pem, at Preimplantation Stages. <i>Current Biology</i> , 2006, 16, 166-172.	1.8	137
43	Sperm calcineurin inhibition prevents mouse fertility with implications for male contraceptive. <i>Science</i> , 2015, 350, 442-445.	6.0	137
44	Non-invasive sexing of preimplantation stage mammalian embryos. <i>Nature Genetics</i> , 1998, 19, 220-222.	9.4	135
45	Disruption of ADAM3 Impairs the Migration of Sperm into Oviduct in Mouse1. <i>Biology of Reproduction</i> , 2009, 81, 142-146.	1.2	135
46	Cyclin G1 is involved in G2/M arrest in response to DNA damage and in growth control after damage recovery. <i>Oncogene</i> , 2001, 20, 3290-3300.	2.6	134
47	Genome engineering uncovers 54 evolutionarily conserved and testis-enriched genes that are not required for male fertility in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 7704-7710.	3.3	134
48	Expression of TEX101, regulated by ACE, is essential for the production of fertile mouse spermatozoa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 8111-8116.	3.3	133
49	FISH Analysis of 142 EGFP Transgene Integration Sites into the Mouse Genome. <i>Genomics</i> , 2002, 80, 564-574.	1.3	131
50	Protein disulfide isomerase homolog PDILT is required for quality control of sperm membrane protein ADAM3 and male fertility. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 3850-3855.	3.3	131
51	Lats2 Is an Essential Mitotic Regulator Required for the Coordination of Cell Division. <i>Journal of Biological Chemistry</i> , 2007, 282, 19259-19271.	1.6	130
52	Mitochondrial Dysfunction and Increased Reactive Oxygen Species Impair Insulin Secretion in Sphingomyelin Synthase 1-null Mice. <i>Journal of Biological Chemistry</i> , 2011, 286, 3992-4002.	1.6	129
53	Disruption of Mouse CD46 Causes an Accelerated Spontaneous Acrosome Reaction in Sperm. <i>Molecular and Cellular Biology</i> , 2003, 23, 2614-2622.	1.1	128
54	Calsperin Is a Testis-specific Chaperone Required for Sperm Fertility. <i>Journal of Biological Chemistry</i> , 2011, 286, 5639-5646.	1.6	128

#	ARTICLE	IF	CITATIONS
55	Expression of the endoplasmic reticulum molecular chaperone (ORP150) rescues hippocampal neurons from glutamate toxicity. <i>Journal of Clinical Investigation</i> , 2001, 108, 1439-1450.	3.9	125
56	Calmegin Is Required for Fertilin $\hat{1}$ / $\hat{2}$ Heterodimerization and Sperm Fertility. <i>Developmental Biology</i> , 2001, 240, 254-261.	0.9	124
57	Proton Pump Inhibitors Decrease Soluble fms-Like Tyrosine Kinase-1 and Soluble Endoglin Secretion, Decrease Hypertension, and Rescue Endothelial Dysfunction. <i>Hypertension</i> , 2017, 69, 457-468.	1.3	118
58	Hypertension and dysregulated proinflammatory cytokine production in receptor activity-modifying protein 1-deficient mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 16702-16707.	3.3	117
59	Acrosome-reacted mouse spermatozoa recovered from the perivitelline space can fertilize other eggs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 20008-20011.	3.3	117
60	Transgenic Mouse Sperm that Have Green Acrosome and Red Mitochondria Allow Visualization of Sperm and Their Acrosome Reaction in Vivo. <i>Experimental Animals</i> , 2010, 59, 105-107.	0.7	116
61	Postnatal Growth Failure, Short Life Span, and Early Onset of Cellular Senescence and Subsequent Immortalization in Mice Lacking the Xeroderma Pigmentosum Group G Gene. <i>Molecular and Cellular Biology</i> , 1999, 19, 2366-2372.	1.1	115
62	Complementation of placental defects and embryonic lethality by trophoblast-specific lentiviral gene transfer. <i>Nature Biotechnology</i> , 2007, 25, 233-237.	9.4	115
63	Structural insights into tetraspanin CD9 function. <i>Nature Communications</i> , 2020, 11, 1606.	5.8	114
64	Sperm proteins SOF1, TMEM95, and SPACA6 are required for sperm $\hat{2}$ oocyte fusion in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 11493-11502.	3.3	111
65	Bi-allelic DNAH8 Variants Lead to Multiple Morphological Abnormalities of the Sperm Flagella and Primary Male Infertility. <i>American Journal of Human Genetics</i> , 2020, 107, 330-341.	2.6	111
66	Restoration of spermatogenesis by lentiviral gene transfer: Offspring from infertile mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 7524-7529.	3.3	109
67	Behavior of Mouse Spermatozoa in the Female Reproductive Tract from Soon after Mating to the Beginning of Fertilization $\hat{1}$ . <i>Biology of Reproduction</i> , 2016, 94, 80.	1.2	108
68	Green fluorescent protein as a marker in transgenic mice. <i>Development Growth and Differentiation</i> , 1995, 37, 455-459.	0.6	105
69	Aberrant Distribution of ADAM3 in Sperm from Both Angiotensin-Converting Enzyme (Ace)- and Calmegin (Clgn)-Deficient Mice $\hat{1}$ . <i>Biology of Reproduction</i> , 2006, 75, 760-766.	1.2	104
70	Simple generation of albino C57BL/6J mice with G291T mutation in the tyrosinase gene by the CRISPR/Cas9 system. <i>Mammalian Genome</i> , 2014, 25, 327-334.	1.0	103
71	Molecular dissection of IZUMO1, a sperm protein essential for sperm-egg fusion. <i>Development (Cambridge)</i> , 2013, 140, 3221-3229.	1.2	102
72	Impaired Urea Accumulation in the Inner Medulla of Mice Lacking the Urea Transporter UT-A2. <i>Molecular and Cellular Biology</i> , 2005, 25, 7357-7363.	1.1	95

#	ARTICLE	IF	CITATIONS
73	Formation of a thymus from rat ES cells in xenogeneic nude mouseâ†”rat ES chimeras. <i>Genes To Cells</i> , 2011, 16, 397-405.	0.5	93
74	Elf5-centered transcription factor hub controls trophoblast stem cell self-renewal and differentiation through stoichiometry-sensitive shifts in target gene networks. <i>Genes and Development</i> , 2015, 29, 2435-2448.	2.7	93
75	Sperm-borne phospholipase C zeta-1 ensures monospermic fertilization in mice. <i>Scientific Reports</i> , 2018, 8, 1315.	1.6	92
76	'Green mice' and their potential usage in biological research. <i>FEBS Letters</i> , 1998, 430, 83-87.	1.3	91
77	CKAP4, a DKK1 Receptor, Is a Biomarker in Exosomes Derived from Pancreatic Cancer and a Molecular Target for Therapy. <i>Clinical Cancer Research</i> , 2019, 25, 1936-1947.	3.2	91
78	Sperm equatorial segment protein 1, SPESPI, is required for fully fertile sperm in mouse. <i>Journal of Cell Science</i> , 2010, 123, 1531-1536.	1.2	89
79	Generation of transgenic mice using lentiviral vectors: a novel preclinical assessment of lentiviral vectors for gene therapy. <i>Molecular Therapy</i> , 2003, 8, 666-673.	3.7	88
80	Calcitonin Receptor Signaling Inhibits Muscle Stem Cells from Escaping the Quiescent State and the Niche. <i>Cell Reports</i> , 2015, 13, 302-314.	2.9	88
81	Lineage-specific cell disruption in living mice by Cre-mediated expression of diphtheria toxin A chain. <i>Biochemical and Biophysical Research Communications</i> , 2004, 321, 275-279.	1.0	86
82	The LIM homeobox gene, L3/Lhx8, is necessary for proper development of basal forebrain cholinergic neurons. <i>European Journal of Neuroscience</i> , 2004, 19, 3129-3141.	1.2	85
83	CRISPR/Cas9 mediated genome editing in ES cells and its application for chimeric analysis in mice. <i>Scientific Reports</i> , 2016, 6, 31666.	1.6	85
84	PGAP1 Knock-out Mice Show Otocephaly and Male Infertility. <i>Journal of Biological Chemistry</i> , 2007, 282, 30373-30380.	1.6	84
85	Testis-Specific Histone Variant H3t Gene Is Essential for Entry into Spermatogenesis. <i>Cell Reports</i> , 2017, 18, 593-600.	2.9	82
86	CRISPR/Cas9-mediated genome editing reveals 30 testis-enriched genes dispensable for male fertility in miceâ€¢. <i>Biology of Reproduction</i> , 2019, 101, 501-511.	1.2	81
87	Two <i>Ckl1</i> transcripts regulated by m6A methylation code for two antagonistic kinases in the control of the circadian clock. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 5980-5985.	3.3	79
88	Feasibility for a large scale mouse mutagenesis by injecting CRISPR/Cas plasmid into zygotes. <i>Development Growth and Differentiation</i> , 2014, 56, 122-129.	0.6	75
89	Radial spoke head 6 homolog a is required for sperm flagellum formation and male fertility in mice. <i>Journal of Cell Science</i> , 2018, 131, .	1.2	75
90	Glycosylphosphatidylinositol-anchor-deficient mice: implications for clonal dominance of mutant cells in paroxysmal nocturnal hemoglobinuria. <i>Blood</i> , 1996, 87, 3600-6.	0.6	75

#	ARTICLE	IF	CITATIONS
91	TCTE1 is a conserved component of the dynein regulatory complex and is required for motility and metabolism in mouse spermatozoa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E5370-E5378.	3.3	74
92	Spermatozoa lacking Fertilization Influencing Membrane Protein (FIMP) fail to fuse with oocytes in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 9393-9400.	3.3	74
93	Alkalinization of Acrosome Measured by GFP as a pH Indicator and Its Relation to Sperm Capacitation. <i>Developmental Biology</i> , 2001, 237, 222-231.	0.9	73
94	GPI-Anchored Protein Complex, LY6K/TEX101, Is Required for Sperm Migration into the Oviduct and Male Fertility in Mice. <i>Biology of Reproduction</i> , 2014, 90, 60.	1.2	73
95	Cold-inducible RNA-binding protein (Cirp) interacts with Dyrk1b/Mirk and promotes proliferation of immature male germ cells in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 10885-10890.	3.3	72
96	Male Infertility and the Genetics of Spermatogenesis. <i>American Journal of Human Genetics</i> , 1998, 62, 1274-1281.	2.6	70
97	Mouse Germ Cell-Less as an Essential Component for Nuclear Integrity. <i>Molecular and Cellular Biology</i> , 2003, 23, 1304-1315.	1.1	70
98	Calponin 3 Regulates Actin Cytoskeleton Rearrangement in Trophoblastic Cell Fusion. <i>Molecular Biology of the Cell</i> , 2010, 21, 3973-3984.	0.9	70
99	Production of mouse pups from germline transmission-failed knockout chimeras. <i>Transgenic Research</i> , 2013, 22, 195-200.	1.3	70
100	Migration of Exogenous Immature Hematopoietic Cells into Adult Mouse Brain Parenchyma under GFP-Expressing Bone Marrow Chimera. <i>Biochemical and Biophysical Research Communications</i> , 1999, 262, 610-614.	1.0	69
101	Sperm from the Calmegin-Deficient Mouse Have Normal Abilities for Binding and Fusion to the Egg Plasma Membrane. <i>Developmental Biology</i> , 2002, 250, 348-357.	0.9	69
102	Quantitative assessment of telomerase components in cancer cell lines. <i>FEBS Letters</i> , 2015, 589, 974-984.	1.3	68
103	Single-step generation of rabbits carrying a targeted allele of the tyrosinase gene using CRISPR/Cas9. <i>Experimental Animals</i> , 2015, 64, 31-37.	0.7	66
104	STING in tumor and host cells cooperatively work for NK cell-mediated tumor growth retardation. <i>Biochemical and Biophysical Research Communications</i> , 2016, 478, 1764-1771.	1.0	66
105	Efficient selection of transgenic mouse embryos using EGFP as a marker gene. <i>Molecular Reproduction and Development</i> , 1999, 54, 43-48.	1.0	65
106	Neutrophil infiltration during inflammation is regulated by PIR1 via modulation of integrin activation. <i>Nature Immunology</i> , 2013, 14, 34-40.	7.0	65
107	APJ Regulates Parallel Alignment of Arteries and Veins in the Skin. <i>Developmental Cell</i> , 2015, 33, 247-259.	3.1	65
108	A Role of TMEM16E Carrying a Scrambling Domain in Sperm Motility. <i>Molecular and Cellular Biology</i> , 2016, 36, 645-659.	1.1	64

#	ARTICLE	IF	CITATIONS
109	NELL2-mediated lumicrine signaling through OVCH2 is required for male fertility. <i>Science</i> , 2020, 368, 1132-1135.	6.0	63
110	1 Green Fluorescent Protein (GFP) as a Vital Marker in Mammals. <i>Current Topics in Developmental Biology</i> , 1998, 44, 1-20.	1.0	62
111	Efficient Derivation of Embryonic Stem Cells by Inhibition of Glycogen Synthase Kinase-3. <i>Stem Cells</i> , 2007, 25, 2705-2711.	1.4	62
112	Putative sperm fusion protein IZUMO and the role of N-glycosylation. <i>Biochemical and Biophysical Research Communications</i> , 2008, 377, 910-914.	1.0	62
113	Evidence for lysosomal biogenesis proteome defect and impaired autophagy in preeclampsia. <i>Autophagy</i> , 2020, 16, 1771-1785.	4.3	62
114	The mechanism of sperm-egg interaction and the involvement of IZUMO1 in fusion. <i>Asian Journal of Andrology</i> , 2011, 13, 81-87.	0.8	60
115	Selective Passage Through the Uterotubal Junction of Sperm from a Mixed Population Produced by Chimeras of Calmegin-Knockout and Wild-Type Male Mice <sup>1</sup> . <i>Biology of Reproduction</i> , 2004, 71, 959-965.	1.2	59
116	Mice Deficient in Ficolin, a Lectin Complement Pathway Recognition Molecule, Are Susceptible to <i>Streptococcus pneumoniae</i> Infection. <i>Journal of Immunology</i> , 2012, 189, 5860-5866.	0.4	59
117	Structural and functional insights into IZUMO1 recognition by JUNO in mammalian fertilization. <i>Nature Communications</i> , 2016, 7, 12198.	5.8	58
118	Regulation of intestinal homeostasis by the ulcerative colitis-associated gene RNF186. <i>Mucosal Immunology</i> , 2017, 10, 446-459.	2.7	55
119	CRISPR/Cas9-Based Genome Editing in Mice by Single Plasmid Injection. <i>Methods in Enzymology</i> , 2014, 546, 319-336.	0.4	54
120	GPI-AP release in cellular, developmental, and reproductive biology. <i>Journal of Lipid Research</i> , 2016, 57, 538-545.	2.0	54
121	Identification of the XPG Region That Causes the Onset of Cockayne Syndrome by Using Xpg Mutant Mice Generated by the cDNA-Mediated Knock-In Method. <i>Molecular and Cellular Biology</i> , 2004, 24, 3712-3719.	1.1	52
122	Deletion of SERP1/RAMP4, a Component of the Endoplasmic Reticulum (ER) Translocation Sites, Leads to ER Stress. <i>Molecular and Cellular Biology</i> , 2006, 26, 4257-4267.	1.1	52
123	BATF2 inhibits immunopathological Th17 responses by suppressing Il23a expression during <i>Trypanosoma cruzi</i> infection. <i>Journal of Experimental Medicine</i> , 2017, 214, 1313-1331.	4.2	52
124	Trophoblast-Specific Conditional Atg7 Knockout Mice Develop Gestational Hypertension. <i>American Journal of Pathology</i> , 2018, 188, 2474-2486.	1.9	52
125	CRISPR/Cas9-Mediated Rapid Generation of Multiple Mouse Lines Identified Ccdc63 as Essential for Spermiogenesis. <i>International Journal of Molecular Sciences</i> , 2015, 16, 24732-24750.	1.8	51
126	Sperm Postacrosomal WW Domain-Binding Protein Is Not Required for Mouse Egg Activation <sup>1</sup> . <i>Biology of Reproduction</i> , 2015, 93, 94.	1.2	51



#	ARTICLE	IF	CITATIONS
127	Human Globozoospermia-Related Gene Spata16 Is Required for Sperm Formation Revealed by CRISPR/Cas9-Mediated Mouse Models. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2208.	1.8	48
128	Identification of multiple male reproductive tract-specific proteins that regulate sperm migration through the oviduct in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 18498-18506.	3.3	48
129	Identification and Disruption of Sperm-Specific Angiotensin Converting Enzyme-3 (ACE3) in Mouse. <i>PLoS ONE</i> , 2010, 5, e10301.	1.1	46
130	Green fluorescent protein-transgenic mice: immune functions and their application to studies of lymphocyte development. <i>Immunology Letters</i> , 2000, 70, 165-171.	1.1	45
131	Double strand break repair by capture of retrotransposon sequences and reverse-transcribed spliced mRNA sequences in mouse zygotes. <i>Scientific Reports</i> , 2015, 5, 12281.	1.6	45
132	Biogenesis of sperm acrosome is regulated by pre-mRNA alternative splicing of <i>Acrbp</i> in the mouse. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E3696-E3705.	3.3	44
133	Factors controlling sperm migration through the oviduct revealed by gene-modified mouse models. <i>Experimental Animals</i> , 2018, 67, 91-104.	0.7	43
134	Identification of Semaphorin 4B as a Negative Regulator of Basophil-Mediated Immune Responses. <i>Journal of Immunology</i> , 2011, 186, 2881-2888.	0.4	42
135	Mice expressing aberrant sperm-specific protein PMIS2 produce normal-looking but fertilization-incompetent spermatozoa. <i>Molecular Biology of the Cell</i> , 2012, 23, 2671-2679.	0.9	42
136	Fertilization defects in sperm from <i>Cysteine-rich secretory protein 2</i> ( <i>Crisp2</i> ) knockout mice: implications for fertility disorders. <i>Molecular Human Reproduction</i> , 2016, 22, 240-251.	1.3	42
137	Vestigial-like 2 contributes to normal muscle fiber type distribution in mice. <i>Scientific Reports</i> , 2017, 7, 7168.	1.6	42
138	Transcriptional activation of a hybrid promoter composed of cytomegalovirus enhancer and $\beta$ -actin/ $\beta$ -globin gene in glomerular epithelial cells in vivo. <i>Kidney International</i> , 1997, 51, 1265-1269.	2.6	41
139	Deletion of <i>N<math>\epsilon</math>myc downstream-regulated gene 2</i> attenuates reactive astrogliosis and inflammatory response in a mouse model of cortical stab injury. <i>Journal of Neurochemistry</i> , 2014, 130, 374-387.	2.1	41
140	Calreticulin is required for development of the cumulus oocyte complex and female fertility. <i>Scientific Reports</i> , 2015, 5, 14254.	1.6	41
141	<i>NAIL</i> : an evolutionarily conserved lncRNA essential for licensing coordinated activation of p38 and NF $\kappa$ B in colitis. <i>Gut</i> , 2021, 70, 1857-1871.	6.1	41
142	Ghrelin deficiency does not influence feeding performance. <i>Regulatory Peptides</i> , 2008, 145, 7-11.	1.9	40
143	Essential role of autoactivation circuitry on Aurora B-mediated H2AX-pS121 in mitosis. <i>Nature Communications</i> , 2016, 7, 12059.	5.8	40
144	The testes-specific bZip type transcription factor <i>Tisp40</i> plays a role in ER stress responses and chromatin packaging during spermiogenesis. <i>Genes To Cells</i> , 2006, 11, 1161-1171.	0.5	39

#	ARTICLE	IF	CITATIONS
145	Large-scale discovery of male reproductive tract-specific genes through analysis of RNA-seq datasets. BMC Biology, 2020, 18, 103.	1.7	39
146	Astrocytic cAMP modulates memory via synaptic plasticity. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	39
147	ARMC12 regulates spatiotemporal mitochondrial dynamics during spermiogenesis and is required for male fertility. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	39
148	N-terminal truncation of Lats1 causes abnormal cell growth control and chromosomal instability. Journal of Cell Science, 2013, 126, 508-520.	1.2	38
149	NUCKS Is a Positive Transcriptional Regulator of Insulin Signaling. Cell Reports, 2014, 7, 1876-1886.	2.9	38
150	Endometrial receptivity and implantation require uterine BMP signaling through an ACVR2A-SMAD1/SMAD5 axis. Nature Communications, 2021, 12, 3386.	5.8	38
151	Synthesis of a New Cre Recombinase Gene Based on Optimal Codon Usage for Mammalian Systems. Journal of Biochemistry, 2000, 127, 367-372.	0.9	37
152	Lâ€Amino acid oxidase plays a crucial role in host defense in the mammary glands. FASEB Journal, 2009, 23, 2514-2520.	0.2	37
153	Rap1 regulates hematopoietic stem cell survival and affects oncogenesis and response to chemotherapy. Nature Communications, 2019, 10, 5349.	5.8	37
154	A GPI processing phospholipase A2, PGAP6, modulates Nodal signaling in embryos by shedding CRIPTO. Journal of Cell Biology, 2016, 215, 705-718.	2.3	36
155	CABYR is essential for fibrous sheath integrity and progressive motility in mouse spermatozoa. Journal of Cell Science, 2016, 129, 4379-4387.	1.2	36
156	The Mg <sup>2+</sup> transporter CNNM4 regulates sperm Ca <sup>2+</sup> homeostasis and it is essential for reproduction. Journal of Cell Science, 2016, 129, 1940-9.	1.2	36
157	An azoospermic factor gene, <i>Ddx3y</i> and its paralog, <i>Ddx3x</i> are dispensable in germ cells for male fertility. Journal of Reproduction and Development, 2019, 65, 121-128.	0.5	36
158	Mice with Markedly Reduced PACAP (PAC1) Receptor Expression by Targeted Deletion of the Signal Peptide. Journal of Neurochemistry, 2002, 75, 1810-1817.	2.1	35
159	Bis deficiency results in early lethality with metabolic deterioration and involution of spleen and thymus. American Journal of Physiology - Endocrinology and Metabolism, 2008, 295, E1349-E1357.	1.8	35
160	Nine genes abundantly expressed in the epididymis are not essential for male fecundity in mice. Andrology, 2019, 7, 644-653.	1.9	35
161	Cutting Edge: Role of MASP-3 in the Physiological Activation of Factor D of the Alternative Complement Pathway. Journal of Immunology, 2019, 203, 1411-1416.	0.4	35
162	Glycerol kinase 2 is essential for proper arrangement of crescent-like mitochondria to form the mitochondrial sheath during mouse spermatogenesis. Journal of Reproduction and Development, 2019, 65, 155-162.	0.5	33

#	ARTICLE	IF	CITATIONS
163	Disruption of the novel gene fad104 causes rapid postnatal death and attenuation of cell proliferation, adhesion, spreading and migration. <i>Experimental Cell Research</i> , 2009, 315, 809-819.	1.2	32
164	RECS1 deficiency in mice induces susceptibility to cystic medial degeneration. <i>Genes and Genetic Systems</i> , 2006, 81, 41-50.	0.2	29
165	Rapid generation of knockdown transgenic mice by silencing lentiviral vectors. <i>Nature Protocols</i> , 2006, 1, 286-292.	5.5	28
166	Cd52, known as a major maturation-associated sperm membrane antigen secreted from the epididymis, is not required for fertilization in the mouse. <i>Genes To Cells</i> , 2008, 13, 851-861.	0.5	28
167	Establishment and Analysis of <i>SLC22A12</i> (URAT1) Knockout Mouse. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2010, 29, 314-320.	0.4	28
168	Homologous Recombination in Rat Germline Stem Cells1. <i>Biology of Reproduction</i> , 2011, 85, 208-217.	1.2	28
169	Revolutionizing male fertility factor research in mice by using the genome editing tool <i>CRISPR/Cas9</i> . <i>Reproductive Medicine and Biology</i> , 2018, 17, 3-10.	1.0	28
170	Impaired male fertility and abnormal epididymal epithelium differentiation in mice lacking CRISP1 and CRISP4. <i>Scientific Reports</i> , 2018, 8, 17531.	1.6	28
171	Infection with flaviviruses requires BCLXL for cell survival. <i>PLoS Pathogens</i> , 2018, 14, e1007299.	2.1	28
172	CRISPR/Cas9-mediated genome-edited mice reveal 10 testis-enriched genes are dispensable for male fecundity. <i>Biology of Reproduction</i> , 2020, 103, 195-204.	1.2	28
173	Nexin-Dynein regulatory complex component DRC7 but not FBXL13 is required for sperm flagellum formation and male fertility in mice. <i>PLoS Genetics</i> , 2020, 16, e1008585.	1.5	28
174	Homology of an acrosome-reacted sperm-specific antigen to CD46.. <i>Journal of Pharmacobio-dynamics</i> , 1992, 15, 455-459.	0.5	27
175	Role of calnexin in the ER quality control and productive folding of CFTR; differential effect of calnexin knockout on wild-type and F508 CFTR. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008, 1783, 1585-1594.	1.9	27
176	Pluripotent Stem Cells Derived From Mouse Primordial Germ Cells by Small Molecule Compounds. <i>Stem Cells</i> , 2015, 33, 45-55.	1.4	27
177	Kidney-specific knockout of <i>Sav1</i> in the mouse promotes hyperproliferation of renal tubular epithelium through suppression of the Hippo pathway. <i>Journal of Pathology</i> , 2016, 239, 97-108.	2.1	27
178	The testis-specific serine proteases PRSS44, PRSS46, and PRSS54 are dispensable for male mouse fertility. <i>Biology of Reproduction</i> , 2020, 102, 84-91.	1.2	27
179	Testis-enriched kinesin KIF9 is important for progressive motility in mouse spermatozoa. <i>FASEB Journal</i> , 2020, 34, 5389-5400.	0.2	27
180	The conserved fertility factor SPACA4/Bouncer has divergent modes of action in vertebrate fertilization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	27

#	ARTICLE	IF	CITATIONS
181	Characterization of inclusion bodies with cytoprotective properties formed by seipinopathy-linked mutant seipin. <i>Human Molecular Genetics</i> , 2012, 21, 635-646.	1.4	26
182	Calaxin is required for cilia-driven determination of vertebrate laterality. <i>Communications Biology</i> , 2019, 2, 226.	2.0	26
183	Targeted gene modification in mouse ES cells using integrase-defective lentiviral vectors. <i>Genesis</i> , 2009, 47, 217-223.	0.8	25
184	Factor for Adipocyte Differentiation 158 Gene Disruption Prevents the Body Weight Gain and Insulin Resistance Induced by a High-Fat Diet. <i>Biological and Pharmaceutical Bulletin</i> , 2011, 34, 1257-1263.	0.6	25
185	New insights into the role of Jmjd3 and Utx in axial skeletal formation in mice. <i>FASEB Journal</i> , 2017, 31, 2252-2266.	0.2	25
186	A delayed sperm penetration of cumulus layers by disruption of acrosin gene in rats. <i>Biology of Reproduction</i> , 2017, 97, 61-68.	1.2	25
187	New Insights into the Molecular Events of Mammalian Fertilization. <i>Trends in Biochemical Sciences</i> , 2018, 43, 818-828.	3.7	25
188	A sublethal ATP11A mutation associated with neurological deterioration causes aberrant phosphatidylcholine flipping in plasma membranes. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	25
189	Roles of integrins and CD44 on the adhesion and migration of fetal liver cells to the fetal thymus. <i>Journal of Immunology</i> , 1999, 163, 3211-6.	0.4	25
190	Modification of single-nucleotide polymorphism in a fully humanized CYP3A mouse by genome editing technology. <i>Scientific Reports</i> , 2017, 7, 15189.	1.6	24
191	Co-expression of sperm membrane proteins CMTM2A and CMTM2B is essential for ADAM3 localization and male fertility in mice. <i>Journal of Cell Science</i> , 2018, 131, .	1.2	24
192	Male mice, caged in the International Space Station for 35 days, sire healthy offspring. <i>Scientific Reports</i> , 2019, 9, 13733.	1.6	24
193	A Novel Transcriptional Factor Nkapl Is a Germ Cell-Specific Suppressor of Notch Signaling and Is Indispensable for Spermatogenesis. <i>PLoS ONE</i> , 2015, 10, e0124293.	1.1	24
194	Male Germline and Embryonic Stem Cell Lines from NOD Mice: Efficient Derivation of GS Cells from a Nonpermissive Strain for ES Cell Derivation1. <i>Biology of Reproduction</i> , 2009, 81, 1147-1153.	1.2	23
195	Mice lacking Ran binding protein 1 are viable and show male infertility. <i>FEBS Letters</i> , 2011, 585, 791-796.	1.3	23
196	Establishment of Mouse Model of MYH9 Disorders: Heterozygous R702C Mutation Provokes Macrothrombocytopenia with Leukocyte Inclusion Bodies, Renal Glomerulosclerosis and Hearing Disability. <i>PLoS ONE</i> , 2013, 8, e71187.	1.1	23
197	PHF7 Modulates BRDT Stability and Histone-to-Protamine Exchange during Spermiogenesis. <i>Cell Reports</i> , 2020, 32, 107950.	2.9	23
198	Ground-based assessment of JAXA mouse habitat cage unit by mouse phenotypic studies. <i>Experimental Animals</i> , 2016, 65, 175-187.	0.7	22

#	ARTICLE	IF	CITATIONS
199	Prss55 but not Prss51 is required for male fertility in mice. <i>Biology of Reproduction</i> , 2020, 103, 223-234.	1.2	22
200	The Regulation of Membrane Cofactor Protein (CD46) Expression by the 3' UTR Untranslated Region in Transgenic Mice. <i>Biochemical and Biophysical Research Communications</i> , 1997, 233, 829-833.	1.0	21
201	Green Fluorescent Protein (GFP) as a Marker for Cell Viability After UV Irradiation. <i>Journal of Fluorescence</i> , 1999, 9, 37-43.	1.3	21
202	GPHR-Dependent Functions of the Golgi Apparatus Are Essential for the Formation of Lamellar Granules and the Skin Barrier. <i>Journal of Investigative Dermatology</i> , 2012, 132, 2019-2025.	0.3	21
203	Tetraspanin-interacting protein IGSF8 is dispensable for mouse fertility. <i>Fertility and Sterility</i> , 2012, 98, 465-470.	0.5	21
204	A point mutation in Semaphorin 4A associates with defective endosomal sorting and causes retinal degeneration. <i>Nature Communications</i> , 2013, 4, 1406.	5.8	21
205	CRISPR/Cas9-based genome editing in mice uncovers 13 testis- or epididymis-enriched genes individually dispensable for male reproduction. <i>Biology of Reproduction</i> , 2020, 103, 183-194.	1.2	21
206	KCTD19 and its associated protein ZFP541 are independently essential for meiosis in male mice. <i>PLoS Genetics</i> , 2021, 17, e1009412.	1.5	21
207	Mechanisms of sperm-egg interactions emerging from gene-manipulated animals. <i>International Journal of Developmental Biology</i> , 2008, 52, 657-664.	0.3	21
208	Sperm membrane proteins DCST1 and DCST2 are required for sperm-egg interaction in mice and fish. <i>Communications Biology</i> , 2022, 5, 332.	2.0	21
209	Muscle-specific deletion of BDK amplifies loss of myofibrillar protein during protein undernutrition. <i>Scientific Reports</i> , 2017, 7, 39825.	1.6	20
210	Physiological function of seminal vesicle secretions on male fecundity. <i>Reproductive Medicine and Biology</i> , 2019, 18, 241-246.	1.0	20
211	Ventricular and subventricular zone fractones are speckled basement membranes that function as a neural stem cell niche. <i>Molecular Biology of the Cell</i> , 2019, 30, 56-68.	0.9	20
212	Precise CAG repeat contraction in a Huntington's Disease mouse model is enabled by gene editing with SpCas9-NG. <i>Communications Biology</i> , 2021, 4, 771.	2.0	20
213	SPATA33 localizes calcineurin to the mitochondria and regulates sperm motility in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	20
214	Cloning and characterization of the human Calmegin gene encoding putative testis-specific chaperone. <i>Gene</i> , 1997, 204, 159-163.	1.0	19
215	Introduction of a Foreign Gene into Zebrafish and Medaka Cells Using Adenoviral Vectors. <i>Zebrafish</i> , 2009, 6, 253-258.	0.5	19
216	Targeted disruption of one of the importin- $\beta$ family members leads to female functional incompetence in delivery. <i>FEBS Journal</i> , 2011, 278, 1561-1572.	2.2	19

#	ARTICLE	IF	CITATIONS
217	One-step generation of multiple transgenic mouse lines using an improved Pronuclear Injection-based Targeted Transgenesis (i-PITT). BMC Genomics, 2015, 16, 274.	1.2	19
218	Suppression of HBV replication by the expression of nickase- and nuclease dead-Cas9. Scientific Reports, 2017, 7, 6122.	1.6	19
219	Tropomyosin 2 heterozygous knockout in mice using CRISPR-Cas9 system displays the inhibition of injury-induced epithelial-mesenchymal transition, and lens opacity. Mechanisms of Ageing and Development, 2018, 171, 24-30.	2.2	19
220	Intravesicular Acidification Regulates Lipopolysaccharide Inflammation and Tolerance through TLR4 Trafficking. Journal of Immunology, 2018, 200, 2798-2808.	0.4	19
221	mDia1/3 generate cortical F-actin meshwork in Sertoli cells that is continuous with contractile F-actin bundles and indispensable for spermatogenesis and male fertility. PLoS Biology, 2018, 16, e2004874.	2.6	19
222	Seminal vesicle secretory protein 7, PATE4, is not required for sperm function but for copulatory plug formation to ensure fecundity. Biology of Reproduction, 2019, 100, 1035-1045.	1.2	19
223	Tmprss12 is required for sperm motility and uterotubal junction migration in mice. Biology of Reproduction, 2020, 103, 254-263.	1.2	19
224	C2cd6-encoded CatSper1, targets sperm calcium channel to Ca <sup>2+</sup> signaling domains in the flagellar membrane. Cell Reports, 2022, 38, 110226.	2.9	19
225	Prevention of hyperacute rejection by phosphatidylinositol-anchored mini-complement receptor type 1. Transplant Immunology, 1998, 6, 107-110.	0.6	18
226	AMPD <sup>3</sup> deficient mice exhibit increased erythrocyte ATP levels but anemia not improved due to PK <sup>3</sup> deficiency. Genes To Cells, 2012, 17, 913-922.	0.5	18
227	Lentiviral Vector-Mediated Complementation Restored Fetal Viability but Not Placental Hyperplasia in Plac1-Deficient Mice. Biology of Reproduction, 2016, 94, 6.	1.2	18
228	Sperm from the calmegin-deficient mouse have normal abilities for binding and fusion to the egg plasma membrane. Developmental Biology, 2002, 250, 348-57.	0.9	18
229	Choroidal neovascularization in transgenic mice expressing prokineticin 1: an animal model for age-related macular degeneration. Molecular Therapy, 2006, 13, 609-616.	3.7	17
230	Generation of Hprt-disrupted rat through mouse-rat ES chimeras. Scientific Reports, 2016, 6, 24215.	1.6	17
231	Polarized PtdIns(4,5)P <sub>2</sub> distribution mediated by a voltage-sensing phosphatase (VSP) regulates sperm motility. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 26020-26028.	3.3	17
232	USP15 Participates in Hepatitis C Virus Propagation through Regulation of Viral RNA Translation and Lipid Droplet Formation. Journal of Virology, 2019, 93, .	1.5	17
233	LRRC23 is a conserved component of the radial spoke that is necessary for sperm motility and male fertility in mice. Journal of Cell Science, 2021, 134, .	1.2	17
234	Genome Editing in Mouse Zygotes and Embryonic Stem Cells by Introducing SgrRNA/Cas9 Expressing Plasmids. Methods in Molecular Biology, 2017, 1630, 67-80.	0.4	17

#	ARTICLE	IF	CITATIONS
235	Calreticulin Regulates Neointima Formation and Collagen Deposition following Carotid Artery Ligation. <i>Journal of Vascular Research</i> , 2015, 52, 306-320.	0.6	16
236	Tesmin, Metallothionein-Like 5, is Required for Spermatogenesis in Mice. <i>Biology of Reproduction</i> , 2020, 102, 975-983.	1.2	16
237	IgSF11 regulates osteoclast differentiation through association with the scaffold protein PSD-95. <i>Bone Research</i> , 2020, 8, 5.	5.4	16
238	Mice with Calr mutations homologous to human CALR mutations only exhibit mild thrombocytosis. <i>Blood Cancer Journal</i> , 2019, 9, 42.	2.8	15
239	Mouse t-complex protein 11 is important for progressive motility in sperm. <i>Biology of Reproduction</i> , 2020, 102, 852-862.	1.2	15
240	Genetic loss of importin $\beta 4$ causes abnormal sperm morphology and impacts on male fertility in mouse. <i>FASEB Journal</i> , 2020, 34, 16224-16242.	0.2	15
241	RanGTP and the actin cytoskeleton keep paternal and maternal chromosomes apart during fertilization. <i>Journal of Cell Biology</i> , 2021, 220, .	2.3	15
242	FAM209 associates with DPY19L2, and is required for sperm acrosome biogenesis and fertility in mice. <i>Journal of Cell Science</i> , 2021, 134, .	1.2	15
243	Glowing Podocytes in Living Mouse: Transgenic Mouse Carrying a Podocyte-Specific Promoter. <i>Nephron Experimental Nephrology</i> , 1999, 7, 63-66.	2.4	14
244	Placenta-specific gene activation and inactivation using integrase-defective lentiviral vectors with the Cre/LoxP system. <i>Genesis</i> , 2009, 47, 793-798.	0.8	14
245	CRISPR/Cas9-mediated mutation revealed cytoplasmic tail is dispensable for IZUMO1 function and male fertility. <i>Reproduction</i> , 2016, 152, 665-672.	1.1	14
246	Chimeric analysis with newly established EGFP/DsRed2-tagged ES cells identify HYDIN as essential for spermiogenesis in mice. <i>Experimental Animals</i> , 2019, 68, 25-34.	0.7	14
247	Cooperation-based sperm clusters mediate sperm oviduct entry and fertilization. <i>Protein and Cell</i> , 2021, 12, 810-817.	4.8	14
248	Thiazoline-related innate fear stimuli orchestrate hypothermia and anti-hypoxia via sensory TRPA1 activation. <i>Nature Communications</i> , 2021, 12, 2074.	5.8	14
249	Sperm-egg interaction and gene manipulated animals. <i>Society of Reproduction and Fertility Supplement</i> , 2007, 65, 363-71.	0.2	14
250	Kastor and Polluks polypeptides encoded by a single gene locus cooperatively regulate VDAC and spermatogenesis. <i>Nature Communications</i> , 2022, 13, 1071.	5.8	14
251	Rubicon prevents autophagic degradation of GATA4 to promote Sertoli cell function. <i>PLoS Genetics</i> , 2021, 17, e1009688.	1.5	13
252	Humanized Gene Replacement in Mice Reveals the Contribution of Cancer Stroma-Derived HB-EGF to Tumor Growth. <i>Cell Structure and Function</i> , 2010, 35, 3-13.	0.5	13

#	ARTICLE	IF	CITATIONS
253	Muscle Fiber Type-Predominant Promoter Activity in Lentiviral-Mediated Transgenic Mouse. <i>PLoS ONE</i> , 2011, 6, e16908.	1.1	13
254	PGAP6, a GPI-specific phospholipase A2, has narrow substrate specificity against GPI-anchored proteins. <i>Journal of Biological Chemistry</i> , 2020, 295, 14501-14509.	1.6	12
255	Reduction in BDNF from Inefficient Precursor Conversion Influences Nest Building and Promotes Depressive-Like Behavior in Mice. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3984.	1.8	12
256	Analysis of the sperm flagellar axoneme using gene-modified mice. <i>Experimental Animals</i> , 2020, 69, 374-381.	0.7	12
257	Recruitment of cyclin G2 to promyelocytic leukemia nuclear bodies promotes dephosphorylation of $\gamma$ -H2AX following treatment with ionizing radiation. <i>Cell Cycle</i> , 2013, 12, 1773-1784.	1.3	11
258	Liver-Specific $\gamma$ -Glutamyl Carboxylase-Deficient Mice Display Bleeding Diathesis and Short Life Span. <i>PLoS ONE</i> , 2014, 9, e88643.	1.1	11
259	Effect of isolated AMP deaminase deficiency on skeletal muscle function. <i>Molecular Genetics and Metabolism Reports</i> , 2014, 1, 51-59.	0.4	11
260	PTBP1 contributes to spermatogenesis through regulation of proliferation in spermatogonia. <i>Journal of Reproduction and Development</i> , 2019, 65, 37-46.	0.5	11
261	GPAT2 is required for piRNA biogenesis, transposon silencing, and maintenance of spermatogonia in mice. <i>Biology of Reproduction</i> , 2019, 101, 248-256.	1.2	11
262	Knockout of serine-rich single-pass membrane protein 1 ( <i>Ssmem1</i> ) causes globozoospermia and sterility in male mice. <i>Biology of Reproduction</i> , 2020, 103, 244-253.	1.2	11
263	<i>DGK13</i> Knock-Out Mice Show Impairments in Cerebellar Motor Coordination, LTD, and the Dendritic Development of Purkinje Cells through the Activation of <i>PKC13</i> . <i>ENeuro</i> , 2020, 7, ENEURO.0319-19.2020.	0.9	11
264	Advantages of using the CRISPR/Cas9 system of genome editing to investigate male reproductive mechanisms using mouse models. <i>Asian Journal of Andrology</i> , 2015, 17, 623.	0.8	11
265	Viable offspring after imaging of Ca <sup>2+</sup> oscillations and visualization of the cortical reaction in mouse eggs. <i>Biology of Reproduction</i> , 2017, 96, 563-575.	1.2	10
266	Placenta-specific gene manipulation using lentiviral vector and its application. <i>Placenta</i> , 2017, 59, S37-S43.	0.7	10
267	Efficient selection of transgenic mouse embryos using EGFP as a marker gene. <i>Molecular Reproduction and Development</i> , 1999, 54, 43-48.	1.0	10
268	Mouse spermatozoa with higher fertilization rates have thinner nuclei. <i>PeerJ</i> , 2017, 5, e3913.	0.9	10
269	FAM71F1 binds to RAB2A and RAB2B and is essential for acrosome formation and male fertility in mice. <i>Development (Cambridge)</i> , 2021, 148, .	1.2	10
270	Sperm IZUMO1 Is Required for Binding Preceding Fusion With Oolemma in Mice and Rats. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 810118.	1.8	10



#	ARTICLE	IF	CITATIONS
271	Proteinuria in AMPD2-deficient mice. <i>Genes To Cells</i> , 2012, 17, 28-38.	0.5	9
272	Transgenic mouse lines expressing the 3xFLAG-dCas9 protein for enhancer analysis. <i>Genes To Cells</i> , 2018, 23, 318-325.	0.5	9
273	CRISPR/Cas9-Mediated Genome Editing Reveals Oosp Family Genes are Dispensable for Female Fertility in Mice. <i>Cells</i> , 2020, 9, 821.	1.8	9
274	CRISPR/Cas9-mediated genome editing reveals 12 testis-enriched genes dispensable for male fertility in mice. <i>Asian Journal of Andrology</i> , 2022, 24, 266.	0.8	9
275	Uterine Epithelial LIF Receptors Contribute to Implantation Chamber Formation in Blastocyst Attachment. <i>Endocrinology</i> , 2021, 162, .	1.4	9
276	Laminin $\beta$ 1 C-terminal Glu to Gln mutation induces early postimplantation lethality. <i>Life Science Alliance</i> , 2018, 1, e201800064.	1.3	9
277	The testis-specific E3 ubiquitin ligase RNF133 is required for fecundity in mice. <i>BMC Biology</i> , 2022, 20, .	1.7	9
278	Macrophage MHC and T-Cell Receptors Essential for Rejection of Allografted Skin and Lymphoma. <i>Transplantation</i> , 2013, 96, 251-257.	0.5	8
279	PITHD1 is a proteasome-interacting protein essential for male fertilization. <i>Journal of Biological Chemistry</i> , 2020, 295, 1658-1672.	1.6	8
280	CIB4 is essential for the haploid phase of spermatogenesis in mice. <i>Biology of Reproduction</i> , 2020, 103, 235-243.	1.2	8
281	Knockout of family with sequence similarity 170 member A (Fam170a) causes male subfertility, while Fam170b is dispensable in mice. <i>Biology of Reproduction</i> , 2020, 103, 205-222.	1.2	8
282	Identification and characterization of the antigen recognized by the germ cell mAb TRA98 using a human comprehensive wet protein array. <i>Genes To Cells</i> , 2021, 26, 180-189.	0.5	8
283	A novel tissue specific alternative splicing variant mitigates phenotypes in Ets2 frame-shift mutant models. <i>Scientific Reports</i> , 2021, 11, 8297.	1.6	8
284	Protocadherin-7 contributes to maintenance of bone homeostasis through regulation of osteoclast multinucleation. <i>BMB Reports</i> , 2020, 53, 472-477.	1.1	8
285	Loss of the N-acetylgalactosamine side chain of the GPI-anchor impairs bone formation and brain functions and accelerates the prion disease pathology. <i>Journal of Biological Chemistry</i> , 2022, 298, 101720.	1.6	8
286	The Mechanism of Pertussis Cough Revealed by the Mouse-Coughing Model. <i>MBio</i> , 2022, 13, e0319721.	1.8	8
287	Aspects of the Complement System in New Era of Xenotransplantation. <i>Frontiers in Immunology</i> , 2022, 13, 860165.	2.2	8
288	Proteolysis in Reproduction: Lessons From Gene-Modified Organism Studies. <i>Frontiers in Endocrinology</i> , 2022, 13, .	1.5	8

#	ARTICLE	IF	CITATIONS
289	A new Cre recombinase gene based on optimal codon usage in mammals: a powerful material for organ-specific gene targeting. <i>Transplantation Proceedings</i> , 2000, 32, 2516-2517.	0.3	7
290	A Synthetic DAF (CD55) Gene Based on Optimal Codon Usage for Transgenic Animals. <i>Journal of Biochemistry</i> , 2001, 129, 795-801.	0.9	7
291	Developmental analyses of mouse embryos and adults using a non-overlapping tracing system for all three germ layers. <i>Development (Cambridge)</i> , 2019, 146, .	1.2	7
292	Intergenerational effect of short-term spaceflight in mice. <i>IScience</i> , 2021, 24, 102773.	1.9	7
293	Complementary role of CNNM2 in sperm motility and Ca <sup>2+</sup> influx during capacitation. <i>Biochemical and Biophysical Research Communications</i> , 2016, 474, 441-446.	1.0	6
294	MARCKSL1 Regulates Spine Formation in the Amygdala and Controls the Hypothalamic-Pituitary-Adrenal Axis and Anxiety-Like Behaviors. <i>EBioMedicine</i> , 2018, 30, 62-73.	2.7	6
295	Identification of transmembrane protein 168 mutation in familial Brugada syndrome. <i>FASEB Journal</i> , 2020, 34, 6399-6417.	0.2	6
296	Studies on the Mechanism of Sperm Production. , 1998, , 235-251.		6
297	MORC3, a novel MIWI2 association partner, as an epigenetic regulator of piRNA dependent transposon silencing in male germ cells. <i>Scientific Reports</i> , 2021, 11, 20472.	1.6	6
298	Loss of mouse Y chromosome gene <i>Zfy1</i> and <i>Zfy2</i> leads to spermatogenesis impairment, sperm defects, and infertility. <i>Biology of Reproduction</i> , 2022, 106, 1312-1326.	1.2	6
299	The regulation of membrane cofactor protein (CD46) expression in transgenic mice: The importance of the first 125 BP of the 3' untranslated region. <i>Transplantation Proceedings</i> , 1997, 29, 941-942.	0.3	5
300	CRISPR/CAS9-mediated amino acid substitution reveals phosphorylation residues of RSPH6A are not essential for male fertility in mice. <i>Biology of Reproduction</i> , 2020, 103, 912-914.	1.2	5
301	Protocol for isolation of spermatids from mouse testes. <i>STAR Protocols</i> , 2021, 2, 100254.	0.5	5
302	Targeted disruption of <i>fad24</i> , a regulator of adipogenesis, causes pre-implantation embryonic lethality due to the growth defect at the blastocyst stage. <i>Biochemical and Biophysical Research Communications</i> , 2013, 438, 301-305.	1.0	4
303	Sperm Defects. , 2018, , 276-281.		4
304	Rhof promotes murine marginal zone B cell development. <i>Nagoya Journal of Medical Science</i> , 2014, 76, 293-305.	0.6	4
305	Establishment of mouse model of inherited PIGO deficiency and therapeutic potential of AAV-based gene therapy. <i>Nature Communications</i> , 2022, 13, .	5.8	4
306	IRGC1, a testis-enriched immunity related GTPase, is important for fibrous sheath integrity and sperm motility in mice. <i>Developmental Biology</i> , 2022, 488, 104-113.	0.9	4

#	ARTICLE	IF	CITATIONS
307	The Putative Chaperone Calmegin is Required for Sperm Fertility. <i>Journal of Urology</i> , 1998, 160, 621-621.	0.2	3
308	Genetic mutation of <i>Frem3</i> does not cause Fraser syndrome in mice. <i>Experimental Animals</i> , 2020, 69, 104-109.	0.7	3
309	RNA-binding protein Ptbp1 regulates alternative splicing and transcriptome in spermatogonia and maintains spermatogenesis in concert with Nanos3. <i>Journal of Reproduction and Development</i> , 2020, 66, 459-467.	0.5	3
310	Green Fluorescent Protein as a Novel Vital Marker in Transgenic Mouse. <i>Journal of Reproduction and Development</i> , 1997, 43, j19-j25.	0.5	3
311	TULP2 deletion mice exhibit abnormal outer dense fiber structure and male infertility. <i>Reproductive Medicine and Biology</i> , 2022, 21, .	1.0	3
312	Expression of a Synthetic Gene of CTDM by Transgenic Animals. <i>Transplantation Proceedings</i> , 2016, 48, 1279-1281.	0.3	2
313	Human HLA-Ev (147) Expression in Transgenic Animals. <i>Transplantation Proceedings</i> , 2016, 48, 1323-1325.	0.3	2
314	The mechanics clarifying counterclockwise rotation in most IVF eggs in mice. <i>Scientific Reports</i> , 2017, 7, 43456.	1.6	2
315	The motor domain of testis-enriched kinesin KIF9 is essential for its localization in the mouse flagellum. <i>Experimental Animals</i> , 2022, 71, 46-52.	0.7	2
316	Lens-specific conditional knockout of tropomyosin 1 gene in mice causes abnormal fiber differentiation and lens opacity. <i>Mechanisms of Ageing and Development</i> , 2021, 196, 111492.	2.2	2
317	Primary Screening of Single Nucleotide Polymorphisms in Human Calreticulin 3 (CALR3). <i>The Open Andrology Journal</i> , 2011, 3, 30-35.	0.2	2
318	Difference of expression levels between gene technological product delta CYT-MCP(CD46) and intact MCP(CD46) in transgenic mice. <i>Transplantation Proceedings</i> , 1996, 28, 585-6.	0.3	2
319	Improvement of Fusing Ability of Human Sperm to Zona-Free Hamster Eggs by Conditioned Media.. <i>Biological and Pharmaceutical Bulletin</i> , 1995, 18, 5-8.	0.6	1
320	A codon exchange DAF is a powerful material for xenografting. <i>Transplantation Proceedings</i> , 2001, 33, 744-745.	0.3	1
321	Genome Editing in Mice Using CRISPR/Cas. , 2015, , 151-166.		1
322	<i>Lvrn</i> expression is not critical for mouse placentation. <i>Journal of Reproduction and Development</i> , 2019, 65, 239-244.	0.5	1
323	Trim41 is required to regulate chromosome axis protein dynamics and meiosis in male mice. <i>PLoS Genetics</i> , 2022, 18, e1010241.	1.5	1
324	Gene Targeting of the Gene Encoding the Mouse Type I Pituitary Adenylate Cyclase-Activating Polypeptide (PACAP) Receptor. <i>The Japanese Journal of Pharmacology</i> , 1998, 76, 48.	1.2	0

#	ARTICLE	IF	CITATIONS
325	The in vivo imaging of fertilizing spermatozoa traveling in female reproductive tract. Journal of Reproductive Immunology, 2012, 94, 101.	0.8	0
326	Knockout of Cytidine Monophospho-N-Acetylneuraminic Acid (CMP-NeuAc) Hydroxylase From Porcine Endothelial Cells by a CRISPR System. Transplantation Proceedings, 2016, 48, 1320-1322.	0.3	0
327	Diphtheria toxin-mediated transposon-driven poly (A)-trapping efficiently disrupts transcriptionally silent genes in embryonic stem cells. Genesis, 2020, 58, e23386.	0.8	0
328	Visualization of the moment of mouse sperm-egg fusion and dynamic localization of IZUMO1. Development (Cambridge), 2013, 140, e1-e1.	1.2	0
329	N-terminal truncation of Lats1 causes abnormal cell growth control and chromosomal instability. Development (Cambridge), 2013, 140, e907-e907.	1.2	0
330	In vitro and in vivo studies to prevent hyperacute rejection. Transplantation Proceedings, 1996, 28, 1031-3.	0.3	0
331	Age-associated alteration of female reproductive morphology and fertility in mice. Journal of Reproductive Immunology, 2021, 148, 103411.	0.8	0
332	Multiple tolerance checkpoints restrain affinity maturation of B cells expressing the germline precursor of a lupus patient-derived anti-dsDNA antibody in knock-in mice. International Immunology, 2022, 34, 207-223.	1.8	0