

Sebastiano Mercadante

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2327159/publications.pdf>

Version: 2024-02-01

349
papers

14,145
citations

25423

59
h-index

35168

102
g-index

355
all docs

355
docs citations

355
times ranked

7264
citing authors

#	ARTICLE	IF	CITATIONS
1	Palliative sedation outside a palliative care unit. <i>BMJ Supportive and Palliative Care</i> , 2023, 13, e297-e299.	0.8	4
2	Maddalena Opioid Switching Score in patients with cancer pain. <i>Pain</i> , 2023, 164, 91-97.	2.0	5
3	The use of complementary alternative medicines in advanced cancer patients followed at home. <i>Supportive Care in Cancer</i> , 2022, 30, 2003-2008.	1.0	3
4	Aberrant opioid use behaviour in advanced cancer. <i>BMJ Supportive and Palliative Care</i> , 2022, 12, 107-113.	0.8	4
5	Pattern and characteristics of patients admitted to a hospice connected with an acute palliative care unit in a comprehensive cancer center. <i>Supportive Care in Cancer</i> , 2022, 30, 2811-2819.	1.0	8
6	Methadone as First-line Opioid for the Management of Cancer Pain. <i>Oncologist</i> , 2022, 27, 323-327.	1.9	11
7	When the game is hard, more complex weapons are needed. <i>BMJ Supportive and Palliative Care</i> , 2022, , bmjpspcare-2021-003518.	0.8	2
8	High-flow nasal OXYGEN therapy. <i>BMJ Supportive and Palliative Care</i> , 2022, , bmjpspcare-2022-003606.	0.8	2
9	Response to Sarbey: Why Standard Drug Treatments for the “Death Rattle” Should Be Discontinued (DOI: 10.1089/jpm.2021.0568): Death Rattle in Dying Patients. <i>Journal of Palliative Medicine</i> , 2022, 25, 703-704.	0.6	1
10	Patients’ Satisfaction with Breakthrough Cancer Pain Therapy: A Secondary Analysis of IOPS-MS Study. <i>Cancer Management and Research</i> , 2022, Volume 14, 1237-1245.	0.9	4
11	Constipation in Cancer Patients – an Update of Clinical Evidence. <i>Current Treatment Options in Oncology</i> , 2022, 23, 936-950.	1.3	15
12	Caregiver Distress in Home Palliative Care. <i>American Journal of Hospice and Palliative Medicine</i> , 2022, 39, 1337-1341.	0.8	3
13	The need of a palliative care network. <i>Supportive Care in Cancer</i> , 2022, 30, 6381-6383.	1.0	4
14	Review of European Guidelines on Palliative Sedation: A Foundation for the Updating of the European Association for Palliative Care Framework. <i>Journal of Palliative Medicine</i> , 2022, 25, 1721-1731.	0.6	12
15	Financial distress and its impact on symptom expression in advanced cancer patients. <i>Supportive Care in Cancer</i> , 2021, 29, 485-490.	1.0	9
16	The lower the expectations in controlling the symptoms of advanced cancer patients, the better the clinical response. <i>International Journal of Clinical Practice</i> , 2021, 75, e13703.	0.8	0
17	Barriers and Adherence to Pain Management in Advanced Cancer Patients. <i>Pain Practice</i> , 2021, 21, 388-393.	0.9	12
18	Dual opioid therapy in a cancer patient with myasthenia gravis who developed respiratory depression from codeine. <i>BMJ Supportive and Palliative Care</i> , 2021, , bmjpspcare-2020-002745.	0.8	1

#	ARTICLE	IF	CITATIONS
19	Chronic cancer and non-cancer pain and opioid-induced hyperalgesia share common mechanisms: neuroinflammation and central sensitization. <i>Minerva Anestesiologica</i> , 2021, 87, 210-222.	0.6	15
20	Oxycodone/Acetaminophen: The Tailoring Combination Treatment for Specific Clinical Profile of Opioid Well-Responsive Cancer Pain. <i>Cancer Management and Research</i> , 2021, Volume 13, 1747-1756.	0.9	2
21	Extreme opioid-induced constipation in advanced cancer: successful management. <i>BMJ Supportive and Palliative Care</i> , 2021, , bmjspcare-2021-002981.	0.8	0
22	The Prevalence and Characteristics of Breakthrough Cancer Pain in Patients Receiving Low Doses of Opioids for Background Pain. <i>Cancers</i> , 2021, 13, 1058.	1.7	8
23	Practical Advices for Treating Chronic Pain in the Time of COVID-19: A Narrative Review Focusing on Interventional Techniques. <i>Journal of Clinical Medicine</i> , 2021, 10, 2303.	1.0	7
24	Factors Influencing Pain Expression in Patients with Cancer: An Expert Opinion. <i>Pain and Therapy</i> , 2021, 10, 765-775.	1.5	11
25	Immunity and pain: is it time for the birth of immunoalgology?. <i>Minerva Anestesiologica</i> , 2021, 87, 845-847.	0.6	1
26	A Longitudinal Study of Breakthrough Cancer Pain: An Extension of IOPS-MS Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 2273.	1.0	2
27	High flow nasal therapy in the management of hypoxemic dyspnea at the end of life. <i>Supportive Care in Cancer</i> , 2021, 29, 6179-6181.	1.0	3
28	Management of Opioid-Induced Constipation and Bowel Dysfunction: Expert Opinion of an Italian Multidisciplinary Panel. <i>Advances in Therapy</i> , 2021, 38, 3589-3621.	1.3	19
29	Insomnia in patients with advanced lung cancer admitted to palliative care services. <i>International Journal of Clinical Practice</i> , 2021, 75, e14521.	0.8	2
30	Multidimensional Statistical Technique for Interpreting the Spontaneous Breakthrough Cancer Pain Phenomenon. A Secondary Analysis from the IOPS-MS Study. <i>Cancers</i> , 2021, 13, 4018.	1.7	12
31	The Role of Religiosity in Symptom Expression of Advanced Cancer Patients. <i>American Journal of Hospice and Palliative Medicine</i> , 2021, , 104990912110413.	0.8	1
32	Understanding the Chameleonic Breakthrough Cancer Pain. <i>Drugs</i> , 2021, 81, 411-418.	4.9	12
33	Personalized goal for insomnia and clinical response in advanced cancer patients. <i>Supportive Care in Cancer</i> , 2020, 28, 1089-1096.	1.0	3
34	Breakthrough Cancer Pain in Patients Receiving Low Doses of Opioids for Background Pain. <i>Oncologist</i> , 2020, 25, 156-160.	1.9	12
35	Modulation of sensitization processes in the management of pain and the importance of descending pathways: a role for tapentadol?. <i>Current Medical Research and Opinion</i> , 2020, 36, (I)-(XVII).	0.9	2
36	Effects of age and gender in patients receiving doses of opioids for breakthrough pain proportional to background opioid doses. <i>Supportive Care in Cancer</i> , 2020, 28, 3813-3818.	1.0	0

#	ARTICLE	IF	CITATIONS
37	Association between alcoholism and symptom expression, patient symptom goals, and clinical response in advanced cancer patients. <i>Supportive Care in Cancer</i> , 2020, 28, 3361-3369.	1.0	2
38	Methadone versus morphine for postoperative pain in patients undergoing surgery for gynecological cancer: A randomized controlled clinical trial. <i>Journal of Clinical Anesthesia</i> , 2020, 61, 109627.	0.7	7
39	The Endless Question of Opioid Doses for Breakthrough Pain. <i>Oncologist</i> , 2020, 25, e1134-e1135.	1.9	1
40	Intractable pain and cordotomy. <i>BMJ Supportive and Palliative Care</i> , 2020, 10, 339-339.	0.8	0
41	The clash between palliative care and COVID-19. <i>Supportive Care in Cancer</i> , 2020, 28, 5593-5595.	1.0	4
42	Hospice care pathways and COVID-19. <i>BMJ Supportive and Palliative Care</i> , 2020, , bmjspcare-2020-002505.	0.8	3
43	The Potential Role of Dual Mechanistic Opioids in Combating Opioid Misuse. <i>Current Anesthesiology Reports</i> , 2020, 10, 416-422.	0.9	2
44	Episodic Breathlessness with and without Background Dyspnea in Advanced Cancer Patients Admitted to an Acute Supportive Care Unit. <i>Cancers</i> , 2020, 12, 2102.	1.7	4
45	Breakthrough Cancer Pain Clinical Features and Differential Opioids Response: A Machine Learning Approach in Patients With Cancer From the IOPS-MS Study. <i>JCO Precision Oncology</i> , 2020, 4, 1339-1349.	1.5	10
46	Devices or Care for Cancer Pain Management?. <i>Anesthesia and Analgesia</i> , 2020, 130, e151-e152.	1.1	2
47	Palliative Care in the Time of COVID-19. <i>Journal of Pain and Symptom Management</i> , 2020, 60, e79-e80.	0.6	46
48	Breakthrough Pain in Patients with Lung Cancer. A Secondary Analysis of IOPS MS Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1337.	1.0	6
49	Modulation of sensitization processes in the management of pain and the importance of descending pathways: a role for tapentadol?. <i>Current Medical Research and Opinion</i> , 2020, 36, 1015-1024.	0.9	5
50	Challenges faced by the Italian medical workforce. <i>Lancet, The</i> , 2020, 395, e54.	6.3	1
51	Careful Breakthrough Cancer Pain Treatment through Rapid-Onset Transmucosal Fentanyl Improves the Quality of Life in Cancer Patients: Results from the BEST Multicenter Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1003.	1.0	27
52	The Therapeutic Potential of Novel Kappa Opioid Receptor-based Treatments. <i>Current Medicinal Chemistry</i> , 2020, 27, 2012-2020.	1.2	6
53	Personalized Symptom Goals and Patient Global Impression on Clinical Changes in Advanced Cancer Patients. <i>Oncologist</i> , 2019, 24, 239-246.	1.9	11
54	The use of alternative therapies in conjunction with opioids for cancer pain. <i>Expert Review of Anticancer Therapy</i> , 2019, 19, 697-703.	1.1	1

#	ARTICLE	IF	CITATIONS
55	Breakthrough pain in patients with head & neck cancer. A secondary analysis of IOPS MS study. <i>Oral Oncology</i> , 2019, 95, 87-90.	0.8	12
56	Reviewing without a Clinical Background Is Detrimental for Cancer Pain Management. <i>Cancers</i> , 2019, 11, 1005.	1.7	3
57	Personalized Pain Goals and Responses in Advanced Cancer Patients. <i>Pain Medicine</i> , 2019, 21, e215-e221.	0.9	3
58	Symptom Expression in Patients with Advanced Cancer Admitted to an Acute Supportive/Palliative Care Unit With and Without Delirium. <i>Oncologist</i> , 2019, 24, e358-e364.	1.9	6
59	Opioid-Induced Tolerance and Hyperalgesia. <i>CNS Drugs</i> , 2019, 33, 943-955.	2.7	144
60	Author's Response. <i>Journal of Pain and Symptom Management</i> , 2019, 57, e13-e14.	0.6	0
61	The Combination of Superior Hypogastric Plexus Block and the Block of the Ganglion Impair in a Patient With Abdominal and Perineal Pain Poorly Responsive to Opioids. <i>Journal of Pain and Symptom Management</i> , 2019, 58, e5-e8.	0.6	4
62	The Patient with Difficult Cancer Pain. <i>Cancers</i> , 2019, 11, 565.	1.7	20
63	Breakthrough Cancer Pain in Patients With Abdominal Visceral Cancer Pain. <i>Journal of Pain and Symptom Management</i> , 2019, 57, 966-970.	0.6	6
64	Interventional Techniques for the Management of Cancer-Related Pain: Clinical and Critical Aspects. <i>Cancers</i> , 2019, 11, 443.	1.7	28
65	Potential strategies to combat the opioid crisis. <i>Expert Opinion on Drug Safety</i> , 2019, 18, 211-217.	1.0	11
66	Pain Management in Patients with Multiple Myeloma: An Update. <i>Cancers</i> , 2019, 11, 2037.	1.7	38
67	Factors Influencing Clinical and Setting Pathways After Discharge From an Acute Palliative/Supportive Care Unit. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2019, 42, 265-269.	0.6	0
68	Standards for the management of cancer-related pain across Europe – A position paper from the EFIC Task Force on Cancer Pain. <i>European Journal of Pain</i> , 2019, 23, 660-668.	1.4	67
69	Factors influencing the use of opioids for breakthrough cancer pain: A secondary analysis of the IOPS-MS study. <i>European Journal of Pain</i> , 2019, 23, 719-726.	1.4	17
70	Author's Response. <i>Journal of Pain and Symptom Management</i> , 2019, 57, e17-e18.	0.6	0
71	Symptom hyper-expression in advanced cancer patients with anxiety and depression admitted to an acute supportive/palliative care unit. <i>Supportive Care in Cancer</i> , 2019, 27, 3081-3088.	1.0	15
72	Author's Response. <i>Journal of Pain and Symptom Management</i> , 2019, 57, e15-e16.	0.6	0

#	ARTICLE	IF	CITATIONS
73	Personalized Goal for Dyspnea and Clinical Response in Advanced Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2019, 57, 79-85.	0.6	5
74	Symptom expression in advanced cancer patients admitted to hospice or home care with and without delirium. <i>Internal and Emergency Medicine</i> , 2019, 14, 515-520.	1.0	7
75	Opioid Analgesics Adverse Effects: The Other Side of the Coin. <i>Current Pharmaceutical Design</i> , 2019, 25, 3197-3202.	0.9	28
76	Episodic Breathlessness in Patients with Advanced Cancer: Characteristics and Management. <i>Drugs</i> , 2018, 78, 543-547.	4.9	8
77	Treating breakthrough pain in oncology. <i>Expert Review of Anticancer Therapy</i> , 2018, 18, 445-449.	1.1	15
78	Non pharmacological interventions and non-fentanyl pharmacological treatments for breakthrough cancer pain: A systematic and critical review. <i>Critical Reviews in Oncology/Hematology</i> , 2018, 122, 60-63.	2.0	12
79	Characteristics and care pathways of advanced cancer patients in a palliative-supportive care unit and an oncological ward. <i>Supportive Care in Cancer</i> , 2018, 26, 1961-1966.	1.0	6
80	The prevalence of constipation at admission and after 1 week of palliative care: a multi-center study. <i>Current Medical Research and Opinion</i> , 2018, 34, 1187-1192.	0.9	11
81	Prevalence of delirium in advanced cancer patients in home care and hospice and outcomes after 1 week of palliative care. <i>Supportive Care in Cancer</i> , 2018, 26, 913-919.	1.0	28
82	Attitudes towards end-of-life issues in intensive care unit among Italian anesthesiologists: a nation-wide survey. <i>Supportive Care in Cancer</i> , 2018, 26, 1773-1780.	1.0	23
83	Methadone as a First-Line Opioid in Cancer Pain Management: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 998-1003.	0.6	40
84	The use of ketamine in a palliative-supportive care unit: a retrospective analysis. <i>Annals of Palliative Medicine</i> , 2018, 7, 205-210.	0.5	10
85	Palliative ventilatory support: same knowledge, different goal. <i>Journal of Thoracic Disease</i> , 2018, 10, E236-E237.	0.6	3
86	Physicians' Attitudes Toward Euthanasia and Assisted Suicide in Italy. <i>Journal of Pain and Symptom Management</i> , 2018, 56, e1-e3.	0.6	3
87	Hyoscine Butylbromide for the Management of Death Rattle: Sooner Rather Than Later. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 902-907.	0.6	32
88	Factors Influencing the Clinical Presentation of Breakthrough Pain in Cancer Patients. <i>Cancers</i> , 2018, 10, 175.	1.7	44
89	The benefits of practical clinical trials over traditional randomized clinical trials for opioid management. <i>Expert Review of Clinical Pharmacology</i> , 2018, 11, 741-742.	1.3	3
90	Palliative care in intensive care units: why, where, what, who, when, how. <i>BMC Anesthesiology</i> , 2018, 18, 106.	0.7	131

#	ARTICLE	IF	CITATIONS
91	Attitudes of palliative home care physicians towards palliative sedation at home in Italy. Supportive Care in Cancer, 2017, 25, 1615-1620.	1.0	8
92	New drugs for pain management in advanced cancer patients. Expert Opinion on Pharmacotherapy, 2017, 18, 497-502.	0.9	7
93	Options for Treating Pain in Cancer Patients with Dysphagia. Drugs, 2017, 77, 629-635.	4.9	9
94	Characteristics of advanced cancer patients who were readmitted to an acute palliative/supportive care unit. Supportive Care in Cancer, 2017, 25, 1947-1952.	1.0	12
95	Characteristics of patients with an unplanned admission to an acute palliative care unit. Internal and Emergency Medicine, 2017, 12, 587-592.	1.0	10
96	Delirium assessed by Memorial Delirium Assessment Scale in advanced cancer patients admitted to an acute palliative/supportive care unit. Current Medical Research and Opinion, 2017, 33, 1303-1308.	0.9	24
97	Application of palliative ventilation: potential and clinical evidence in palliative care. Supportive Care in Cancer, 2017, 25, 2035-2039.	1.0	14
98	The effects of alcoholism and smoking on advanced cancer patients admitted to an acute supportive/palliative care unit. Supportive Care in Cancer, 2017, 25, 2147-2153.	1.0	7
99	Oxycodone extended release capsules for the treatment of chronic pain. Expert Review of Neurotherapeutics, 2017, 17, 427-431.	1.4	1
100	Fentanyl products in the management of episodic pain in the cancer patient. Expert Review of Quality of Life in Cancer Care, 2017, 2, 41-45.	0.6	0
101	Sleep disturbances in advanced cancer patients admitted to a supportive/palliative care unit. Supportive Care in Cancer, 2017, 25, 1301-1306.	1.0	40
102	The role of tapentadol as a strong opioid in cancer pain management: a systematic and critical review. Current Medical Research and Opinion, 2017, 33, 1965-1969.	0.9	12
103	The use of low doses of a sublingual fentanyl formulation for breakthrough pain in patients receiving low doses of opioids. Supportive Care in Cancer, 2017, 25, 645-649.	1.0	10
104	Obviousness in the dying patient. Internal and Emergency Medicine, 2017, 12, 137-137.	1.0	0
105	Background and episodic breathlessness in advanced cancer patients followed at home. Current Medical Research and Opinion, 2017, 33, 155-160.	0.9	13
106	Breakthrough Cancer Pain: Preliminary Data of The Italian Oncologic Pain Multisetting Multicentric Survey (IOPS-MS). Advances in Therapy, 2017, 34, 120-135.	1.3	19
107	Opioid switching in cancer patients. Expert Review of Quality of Life in Cancer Care, 2016, 1, 443-447.	0.6	0
108	Breakthrough cancer pain: twenty-five years of study. Pain, 2016, 157, 2657-2663.	2.0	80

#	ARTICLE	IF	CITATIONS
109	Pattern of symptoms and symptomatic treatment in adults and the aged population: a retrospective analysis of advanced cancer patients followed at home. <i>Current Medical Research and Opinion</i> , 2016, 32, 893-898.	0.9	5
110	Breakthrough Cancer Pain: Ten Commandments. <i>Value in Health</i> , 2016, 19, 531-536.	0.1	17
111	Effect of aging on pain relief in the older cancer patients: pharmacokinetic and pharmacodynamic aspects. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2016, 12, 711-713.	1.5	1
112	Age differences in the last week of life in advanced cancer patients followed at home. <i>Supportive Care in Cancer</i> , 2016, 24, 1889-1895.	1.0	9
113	Author's Reply to Kawada. <i>Journal of Pain and Symptom Management</i> , 2016, 52, e4.	0.6	0
114	Supportive care services in hemato-oncology centers: a national survey. <i>Supportive Care in Cancer</i> , 2016, 24, 4407-4411.	1.0	2
115	Authors' Reply to Davies et al.. <i>Journal of Pain and Symptom Management</i> , 2016, 52, e1-e2.	0.6	2
116	Nurse-based monitoring and management of breakthrough pain in an acute pain relief and palliative care unit. <i>Hospital Practice (1995)</i> , 2016, 44, 203-206.	0.5	2
117	Parenteral routes for opioid administration in cancer pain management. <i>European Journal of Internal Medicine</i> , 2016, 34, e39-e40.	1.0	6
118	Symptom burden in mesothelioma patients admitted to home palliative care. <i>Current Medical Research and Opinion</i> , 2016, 32, 1985-1988.	0.9	17
119	Fentanyl Pectin Nasal Spray Versus Oral Morphine in Doses Proportional to the Basal Opioid Regimen for the Management of Breakthrough Cancer Pain: A Comparative Study. <i>Journal of Pain and Symptom Management</i> , 2016, 52, 27-34.	0.6	19
120	Minimally invasive procedures for the management of vertebral bone pain due to cancer: The EAPC recommendations. <i>Acta Oncologica</i> , 2016, 55, 129-133.	0.8	10
121	The characteristics of advanced cancer patients followed at home, but admitted to the hospital for the last days of life. <i>Internal and Emergency Medicine</i> , 2016, 11, 713-718.	1.0	23
122	Attitudes Among Patients With Advanced Cancer Toward Euthanasia and Living Wills. <i>Journal of Pain and Symptom Management</i> , 2016, 51, e3-e6.	0.6	7
123	Unexpected Death on an Acute Palliative Care Unit. <i>Journal of Pain and Symptom Management</i> , 2016, 51, e1-e2.	0.6	4
124	From "Breakthrough" to "Episodic" Cancer Pain? A European Association for Palliative Care Research Network Expert Delphi Survey Toward a Common Terminology and Classification of Transient Cancer Pain Exacerbations. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 1013-1019.	0.6	65
125	Opioid switching in cancer pain: From the beginning to nowadays. <i>Critical Reviews in Oncology/Hematology</i> , 2016, 99, 241-248.	2.0	74
126	Epidemiology and Characteristics of Episodic Breathlessness in Advanced Cancer Patients: An Observational Study. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 17-24.	0.6	33

#	ARTICLE	IF	CITATIONS
127	Breakthrough pain and its treatment: critical review and recommendations of IOPS (Italian Oncologic) Tj ETQq1 1 0,784314 rgBT /Overl	1.0	42
128	The Palliative-Supportive Care Unit in a Comprehensive Cancer Center as Crossroad for Patientsâ€™™ Oncological Pathway. PLoS ONE, 2016, 11, e0157300.	1.1	36
129	Author's Reply to Johnson and Noble. Journal of Pain and Symptom Management, 2015, 50, e2.	0.6	0
130	Pain Intensity as Prognostic Factor in Cancer Pain Management. Pain Practice, 2015, 15, E1-8.	0.9	19
131	Breakthrough pain in cancer patients. Current Opinion in Anaesthesiology, 2015, 28, 559-564.	0.9	49
132	Long-term efficacy and tolerability of intranasal fentanyl in the treatment of breakthrough cancer pain. Supportive Care in Cancer, 2015, 23, 1349-1354.	1.0	22
133	Fentanyl buccal tablet for the treatment of cancer-related breakthrough pain. Expert Review of Clinical Pharmacology, 2015, 8, 9-13.	1.3	6
134	Opioid metabolism and clinical aspects. European Journal of Pharmacology, 2015, 769, 71-78.	1.7	56
135	The Frequency of Alcoholism in Patients With Advanced Cancer Admitted to an Acute Palliative Care Unit and a Home Care Program. Journal of Pain and Symptom Management, 2015, 49, 254-257.	0.6	12
136	The use of opioids for treatment of cancer pain. Expert Opinion on Pharmacotherapy, 2015, 16, 389-394.	0.9	12
137	Frequency and Indications of Parenteral Nutrition in an Acute Palliative Care Unit. Nutrition and Cancer, 2015, 67, 1010-1013.	0.9	8
138	Octreotide for Malignant Bowel Obstruction: Commentary on Currow et al. Journal of Pain and Symptom Management, 2015, 49, 813.	0.6	8
139	Pain Characteristics and Analgesic Treatment in an Aged Adult Population: A 4-Week Retrospective Analysis of Advanced Cancer Patients Followed at Home. Drugs and Aging, 2015, 32, 315-320.	1.3	12
140	Improved patient functioning after treatment of breakthrough cancer pain: an open-label study of fentanyl buccal tablet in patients with cancer pain. Supportive Care in Cancer, 2015, 23, 2135-2143.	1.0	13
141	The bad luck of being old. Internal and Emergency Medicine, 2015, 10, 285-286.	1.0	2
142	Italian Oncological Pain Survey (IOPS). Clinical Journal of Pain, 2015, 31, 214-221.	0.8	53
143	Prevalence of oral mucositis, dry mouth, and dysphagia in advanced cancer patients. Supportive Care in Cancer, 2015, 23, 3249-3255.	1.0	103
144	Sympathetic blocks for visceral cancer pain management: A systematic review and EAPC recommendations. Critical Reviews in Oncology/Hematology, 2015, 96, 577-583.	2.0	53

#	ARTICLE	IF	CITATIONS
145	Fentanyl Buccal Tablet vs. Oral Morphine in Doses Proportional to the Basal Opioid Regimen for the Management of Breakthrough Cancer Pain: A Randomized, Crossover, Comparison Study. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 579-586.	0.6	40
146	Topical amitriptyline and ketamine for the treatment of neuropathic pain. <i>Expert Review of Neurotherapeutics</i> , 2015, 15, 1249-1253.	1.4	15
147	Good but Bad News. <i>Journal of Clinical Oncology</i> , 2015, 33, 2119-2119.	0.8	8
148	Sleep Disturbances in Patients With Advanced Cancer in Different Palliative Care Settings. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 786-792.	0.6	69
149	Assessing age and gender in studies of breakthrough pain medications. <i>Current Medical Research and Opinion</i> , 2014, 30, 1353-1356.	0.9	12
150	Classification of neuropathic pain in cancer patients: A Delphi expert survey report and EAPC/IASP proposal of an algorithm for diagnostic criteria. <i>Pain</i> , 2014, 155, 2707-2713.	2.0	32
151	Analgesic Treatment of Bone Metastases. <i>Cancer Metastasis - Biology and Treatment</i> , 2014, , 157-173.	0.1	0
152	Breakthrough Pain in Patients With Abdominal Cancer Pain. <i>Clinical Journal of Pain</i> , 2014, 30, 510-514.	0.8	18
153	Intranasal Fentanyl Versus Fentanyl Pectin Nasal Spray for the Management of Breakthrough Cancer Pain in Doses Proportional to Basal Opioid Regimen. <i>Journal of Pain</i> , 2014, 15, 602-607.	0.7	34
154	Managing Difficult Pain Conditions in the Cancer Patient. <i>Current Pain and Headache Reports</i> , 2014, 18, 395.	1.3	25
155	Tapentadol at medium to high doses in patients previously receiving strong opioids for the management of cancer pain. <i>Current Medical Research and Opinion</i> , 2014, 30, 2063-2068.	0.9	17
156	Efficacy and safety of dual opioid therapy. <i>Expert Opinion on Drug Safety</i> , 2014, 13, 1433-1436.	1.0	7
157	The pain, the oncologist. <i>Supportive Care in Cancer</i> , 2014, 22, 2021-2022.	1.0	0
158	New Opioids. <i>Journal of Clinical Oncology</i> , 2014, 32, 1671-1676.	0.8	18
159	Pharmacological management of cancer pain in children. <i>Critical Reviews in Oncology/Hematology</i> , 2014, 91, 93-97.	2.0	25
160	Palliative Sedation in Patients With Advanced Cancer Followed at Home: A Prospective Study. <i>Journal of Pain and Symptom Management</i> , 2014, 47, 860-866.	0.6	42
161	Cancer pain management in an oncological ward in a comprehensive cancer center with an established palliative care unit. <i>Supportive Care in Cancer</i> , 2013, 21, 3287-3292.	1.0	18
162	The poor use of methadone in Italian hospices. <i>Supportive Care in Cancer</i> , 2013, 21, 2225-2228.	1.0	5

#	ARTICLE	IF	CITATIONS
163	The use of fentanyl buccal tablets for breakthrough pain by using doses proportional to opioid basal regimen in a home care setting. <i>Supportive Care in Cancer</i> , 2013, 21, 2335-2339.	1.0	26
164	Opioid use and effectiveness of its prescription at discharge in an acute pain relief and palliative care unit. <i>Supportive Care in Cancer</i> , 2013, 21, 1853-1859.	1.0	11
165	Can a phone call be more effective than an intrathecal implanted pump?. <i>Supportive Care in Cancer</i> , 2013, 21, 1213-1215.	1.0	2
166	Pattern and characteristics of advanced cancer patients admitted to hospices in Italy. <i>Supportive Care in Cancer</i> , 2013, 21, 935-939.	1.0	28
167	Relationship between background cancer pain, breakthrough pain, and analgesic treatment: a preliminary study for a better interpretation of epidemiological and clinical studies. <i>Current Medical Research and Opinion</i> , 2013, 29, 667-671.	0.9	31
168	The long and winding road of non steroidal antiinflammatory drugs and paracetamol in cancer pain management: A critical review. <i>Critical Reviews in Oncology/Hematology</i> , 2013, 87, 140-145.	2.0	30
169	Orphan symptoms in advanced cancer patients followed at home. <i>Supportive Care in Cancer</i> , 2013, 21, 3525-3528.	1.0	17
170	Changes of QTc interval after opioid switching to oral methadone. <i>Supportive Care in Cancer</i> , 2013, 21, 3421-3424.	1.0	12
171	Combined oral prolonged-release oxycodone and naloxone in chronic pain management. <i>Expert Opinion on Investigational Drugs</i> , 2013, 22, 161-166.	1.9	32
172	Prognostic Factors of Survival in Patients With Advanced Cancer Admitted to Home Care. <i>Journal of Pain and Symptom Management</i> , 2013, 45, 56-62.	0.6	39
173	Opioid Switching in Patients With Advanced Cancer Followed at Home. A Retrospective Analysis. <i>Journal of Pain and Symptom Management</i> , 2013, 45, 298-304.	0.6	20
174	The use of sublingual fentanyl for breakthrough pain by using doses proportional to opioid basal regimen. <i>Current Medical Research and Opinion</i> , 2013, 29, 1527-1532.	0.9	25
175	Cancer pain. <i>Current Opinion in Supportive and Palliative Care</i> , 2013, 7, 139-143.	0.5	14
176	Meaningful cut-off pain intensity for breakthrough pain changes in advanced cancer patients. <i>Current Medical Research and Opinion</i> , 2013, 29, 93-97.	0.9	39
177	Opioid switching from and to tapentadol extended release in cancer patients: conversion ratio with other opioids. <i>Current Medical Research and Opinion</i> , 2013, 29, 661-666.	0.9	42
178	The Effects of Low Doses of Pregabalin on Morphine Analgesia in Advanced Cancer Patients. <i>Clinical Journal of Pain</i> , 2013, 29, 15-19.	0.8	19
179	Research in Palliative Care: My Past, My Present, My Future. <i>Journal of Palliative Care & Medicine</i> , 2013, 03, .	0.1	1
180	For a Modern Concept of Palliative Care. <i>Journal of Palliative Care & Medicine</i> , 2013, 02, .	0.1	0

#	ARTICLE	IF	CITATIONS
181	Intravenous Use of Methadone: Efficacy and Safety. , 2013, , 81-89.		0
182	Ketamine: to be or not to be. Annals of Palliative Medicine, 2013, 2, 37-9.	0.5	6
183	Opioid combination: rationale and possible clinical applications. Annals of Palliative Medicine, 2013, 2, 189-96.	0.5	9
184	Tapentadol in cancer pain management: a prospective open-label study. Current Medical Research and Opinion, 2012, 28, 1775-1779.	0.9	57
185	Oral transmucosal fentanyl citrate for breakthrough pain treatment in cancer patients. Expert Opinion on Pharmacotherapy, 2012, 13, 873-878.	0.9	8
186	Palliative Care in Advanced Cancer Patients: How and When? And Where?. Oncologist, 2012, 17, e10-e11.	1.9	2
187	Use of opioid analgesics in the treatment of cancer pain: evidence-based recommendations from the EAPC. Lancet Oncology, The, 2012, 13, e58-e68.	5.1	1,017
188	Emergencies in Patients With Advanced Cancer Followed at Home. Journal of Pain and Symptom Management, 2012, 44, 295-300.	0.6	39
189	Switching From Methadone to Tapentadol for Cancer Pain. Journal of Pain and Symptom Management, 2012, 44, e3-e5.	0.6	3
190	Dosing fentanyl buccal tablet for breakthrough cancer pain: dose titration versus proportional doses. Current Medical Research and Opinion, 2012, 28, 963-968.	0.9	52
191	Cancer pain undertreatment and prognostic factors. Pain, 2012, 153, 1770-1771.	2.0	6
192	The Effect of Age on Opioid Switching to Methadone: A Systematic Review. Journal of Palliative Medicine, 2012, 15, 347-351.	0.6	15
193	Pharmacotherapy for Breakthrough Cancer Pain. Drugs, 2012, 72, 181-190.	4.9	104
194	The Author's Reply. Drugs, 2012, 72, 1009-1010.	4.9	0
195	US Food and Drug Administration's Risk Evaluation and Mitigation Strategy for Extended-Release and Long-Acting Opioids. Drugs, 2012, 72, 2327-2332.	4.9	17
196	Octreotide for malignant bowel obstruction: Twenty years after. Critical Reviews in Oncology/Hematology, 2012, 83, 388-392.	2.0	42
197	Clarifications on oxycodone-naloxone combination in cancer pain management. Supportive Care in Cancer, 2012, 20, 1351-1352.	1.0	3
198	Spinal analgesia for advanced cancer patients: An update. Critical Reviews in Oncology/Hematology, 2012, 82, 227-232.	2.0	18

#	ARTICLE	IF	CITATIONS
199	Switching Methadone: A 10-Year Experience of 345 Patients in an Acute Palliative Care Unit. <i>Pain Medicine</i> , 2012, 13, 399-404.	0.9	45
200	Episodic (Breakthrough) Pain Prevalence in a Population of Cancer Pain Patients. Comparison of Clinical Diagnoses With the QUDEIâ€™Italian Questionnaire for Intense Episodic Pain. <i>Journal of Pain and Symptom Management</i> , 2012, 43, 833-841.	0.6	62
201	Palliative Sedation in Advanced Cancer Patients Followed at Home: A Retrospective Analysis. <i>Journal of Pain and Symptom Management</i> , 2012, 43, 1126-1130.	0.6	33
202	Switching from oxycodone to methadone in advanced cancer patients. <i>Supportive Care in Cancer</i> , 2012, 20, 191-194.	1.0	16
203	Opioid-induced hyperalgesia after rapid titration with intravenous morphine: Switching and re-titration to intravenous methadone. <i>Annals of Palliative Medicine</i> , 2012, 1, 10-3.	0.5	14
204	Outcome of opioid switching 4 weeks after discharge from a palliative care unit. <i>Current Medical Research and Opinion</i> , 2011, 27, 2357-2360.	0.9	7
205	Conversion ratios for opioid switching in the treatment of cancer pain: a systematic review. <i>Palliative Medicine</i> , 2011, 25, 504-515.	1.3	157
206	The Use of High Doses of Oxycodone in an Acute Palliative Care Unit. <i>American Journal of Hospice and Palliative Medicine</i> , 2011, 28, 242-244.	0.8	14
207	Does pain intensity predict a poor opioid response in cancer patients?. <i>European Journal of Cancer</i> , 2011, 47, 713-717.	1.3	18
208	Effectiveness and Tolerability of Amidotrizoate for the Treatment of Constipation Resistant to Laxatives in Advanced Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2011, 41, 421-425.	0.6	11
209	Refractory Death Rattle: Deep Aspiration Facilitates the Effects of Antisecretory Agents. <i>Journal of Pain and Symptom Management</i> , 2011, 41, 637-639.	0.6	13
210	Palliative Sedation in Patients with Advanced Cancer Followed at Home: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2011, 41, 754-760.	0.6	87
211	Fentanyl Buccal Tablets for Breakthrough Pain in Highly Tolerant Cancer Patients: Preliminary Data on the Proportionality Between Breakthrough Pain Dose and Background Dose. <i>Journal of Pain and Symptom Management</i> , 2011, 42, 464-469.	0.6	38
212	How Do Cancer Patients Receiving Palliative Care at Home Die? A Descriptive Study. <i>Journal of Pain and Symptom Management</i> , 2011, 42, 702-709.	0.6	37
213	The use of rapid onset opioids for breakthrough cancer pain: The challenge of its dosing. <i>Critical Reviews in Oncology/Hematology</i> , 2011, 80, 460-465.	2.0	74
214	Rapid onset opioids for breakthrough pain: Titrating or not titrating, this is the question!. <i>European Journal of Pain Supplements</i> , 2011, 5, 443-447.	0.0	10
215	The use of fentanyl buccal tablets as breakthrough medication in patients receiving chronic methadone therapy: an open label preliminary study. <i>Supportive Care in Cancer</i> , 2011, 19, 435-438.	1.0	9
216	An Italian survey on the attitudes in treating breakthrough cancer pain in hospice. <i>Supportive Care in Cancer</i> , 2011, 19, 979-983.	1.0	19

#	ARTICLE	IF	CITATIONS
217	High doses of oxycodoneâ€“naloxone combination may provide poor analgesia. Supportive Care in Cancer, 2011, 19, 1471-1472.	1.0	36
218	Emerging drugs for cancer-related pain. Supportive Care in Cancer, 2011, 19, 1887-1893.	1.0	9
219	Managing Breakthrough Pain. Current Pain and Headache Reports, 2011, 15, 244-249.	1.3	21
220	Fentanyl buccal tablets for the treatment of breakthrough pain. Pain Management, 2011, 1, 533-538.	0.7	0
221	The use of high doses of OROS hydromorphone in an acute palliative care unit. Current Medical Research and Opinion, 2011, 27, 2373-2376.	0.9	1
222	Sexuality in Patients With Advanced Cancer: A Prospective Study in a Population Admitted to an Acute Pain Relief and Palliative Care Unit. American Journal of Hospice and Palliative Medicine, 2011, 28, 198-202.	0.8	29
223	Prevalence of Opioid-Related Dysuria in Patients With Advanced Cancer Having Pain. American Journal of Hospice and Palliative Medicine, 2011, 28, 27-30.	0.8	11
224	Prospects and challenges in opioid analgesia for pain management. Current Medical Research and Opinion, 2011, 27, 1741-1743.	0.9	15
225	NIV Outside the ICU. , 2011, , 623-629.		1
226	When the Progression of Disease Lowers Opioid Requirement in Cancer Patients. Clinical Journal of Pain, 2010, 26, 56-57.	0.8	3
227	The Use of Opioids for Breakthrough Pain in Acute Palliative Care Unit by Using Doses Proportional to Opioid Basal Regimen. Clinical Journal of Pain, 2010, 26, 306-309.	0.8	33
228	Morphine Versus Oxycodone in Pancreatic Cancer Pain. Clinical Journal of Pain, 2010, 26, 794-797.	0.8	46
229	Sexual issues in early and late stage cancer: a review. Supportive Care in Cancer, 2010, 18, 659-665.	1.0	81
230	Management of cancer pain. Internal and Emergency Medicine, 2010, 5, 31-35.	1.0	21
231	Breakthrough Pain in Oncology: A Longitudinal Study. Journal of Pain and Symptom Management, 2010, 40, 183-190.	0.6	55
232	Intravenous patient-controlled analgesia and management of pain in post-surgical elderly with cancer. Surgical Oncology, 2010, 19, 173-177.	0.8	13
233	The Role of OROSâ„“Hydromorphone in the Management of Cancer Pain. Pain Practice, 2010, 10, 72-77.	0.9	14
234	Current Knowledge of Buprenorphine and Its Unique Pharmacological Profile. Pain Practice, 2010, 10, 428-450.	0.9	244

#	ARTICLE	IF	CITATIONS
235	Breakthrough Pain. <i>Current Drug Therapy</i> , 2010, 5, 62-66.	0.2	0
236	The Use of Opioids in the Last Week of Life in an Acute Palliative Care Unit. <i>American Journal of Hospice and Palliative Medicine</i> , 2010, 27, 514-517.	0.8	8
237	Low doses of transdermal fentanyl in opioid-naive patients with cancer pain. <i>Current Medical Research and Opinion</i> , 2010, 26, 2765-2768.	0.9	21
238	Pain in patients with lung cancer: Pathophysiology and treatment. <i>Lung Cancer</i> , 2010, 68, 10-15.	0.9	34
239	Intravenous morphine for management of cancer pain. <i>Lancet Oncology</i> , The, 2010, 11, 484-489.	5.1	71
240	Effects of Red Blood Cell Transfusion on Anemia-Related Symptoms in Patients with Cancer. <i>Journal of Palliative Medicine</i> , 2009, 12, 60-63.	0.6	60
241	Frequency, Indications, Outcomes, and Predictive Factors of Opioid Switching in an Acute Palliative Care Unit. <i>Journal of Pain and Symptom Management</i> , 2009, 37, 632-641.	0.6	129
242	High-Dose Furosemide and Small-Volume Hypertonic Saline Solution Infusion for the Treatment of Leg Edema in Advanced Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2009, 37, 419-423.	0.6	12
243	Controlled Sedation for Refractory Symptoms in Dying Patients. <i>Journal of Pain and Symptom Management</i> , 2009, 37, 771-779.	0.6	109
244	Breakthrough Pain in Advanced Cancer Patients Followed at Home: A Longitudinal Study. <i>Journal of Pain and Symptom Management</i> , 2009, 38, 554-560.	0.6	40
245	Noninvasive Ventilation for the Treatment of Dyspnea as a Bridge from Intensive to End-of-Life Care. <i>Journal of Pain and Symptom Management</i> , 2009, 38, e5-e7.	0.6	6
246	Low doses of transdermal buprenorphine in opioid-naive patients with cancer pain: A 4-week, nonrandomized, open-label, uncontrolled observational study. <i>Clinical Therapeutics</i> , 2009, 31, 2134-2138.	1.1	22
247	Equipotent doses to switch from high doses of opioids to transdermal buprenorphine. <i>Supportive Care in Cancer</i> , 2009, 17, 715-718.	1.0	43
248	Breakthrough pain: On the road again. <i>European Journal of Pain</i> , 2009, 13, 329-330.	1.4	35
249	Treatment strategies for cancer patients with breakthrough pain. <i>Expert Opinion on Pharmacotherapy</i> , 2009, 10, 947-953.	0.9	13
250	Tools for Identifying Cancer Pain of Predominantly Neuropathic Origin and Opioid Responsiveness in Cancer Patients. <i>Journal of Pain</i> , 2009, 10, 594-600.	0.7	65
251	The role of transdermal buprenorphine in the treatment of cancer pain: an expert panel consensus. <i>Current Medical Research and Opinion</i> , 2009, 25, 1517-1528.	0.9	56
252	Opioid Switching and Burst Ketamine to Improve the Opioid Response in Patients With Movement-related Pain Due to Bone Metastases. <i>Clinical Journal of Pain</i> , 2009, 25, 648-649.	0.8	25

#	ARTICLE	IF	CITATIONS
253	Intestinal Dysfunction and Obstruction. , 2009, , 1267-1275.		6
254	A Randomized-Controlled Study of Intrathecal Versus Epidural Thoracic Analgesia in Patients Undergoing Abdominal Cancer Surgery. Journal of Clinical Monitoring and Computing, 2008, 22, 293-298.	0.7	9
255	Peritoneal catheter for continuous drainage of ascites in advanced cancer patients. Supportive Care in Cancer, 2008, 16, 975-978.	1.0	33
256	Prevalence and treatment of cancer pain in Italian oncological wards centres: a cross-sectional survey. Supportive Care in Cancer, 2008, 16, 1203-1211.	1.0	30
257	Sustained-release oral morphine versus transdermal fentanyl and oral methadone in cancer pain management. European Journal of Pain, 2008, 12, 1040-1046.	1.4	117
258	Intravenous Morphine for Breakthrough (Episodic-) Pain in an Acute Palliative Care Unit: A Confirmatory Study. Journal of Pain and Symptom Management, 2008, 35, 307-313.	0.6	45
259	Bedside Anesthesia for Painful Procedures in Onco-Hematology. Journal of Palliative Medicine, 2008, 11, 8-9.	0.6	1
260	Cancer Pain. , 2008, , 113-128.		0
261	Why are our patients still suffering pain?. Nature Clinical Practice Oncology, 2007, 4, 138-139.	4.3	10
262	Opioid Plasma Concentrations during a Switch from Transdermal Fentanyl to Methadone. Journal of Palliative Medicine, 2007, 10, 338-344.	0.6	17
263	Injustifiable use of gastroprotection in advanced cancer patients. Palliative Medicine, 2007, 21, 631-633.	1.3	4
264	Management of painful bone metastases. Current Opinion in Oncology, 2007, 19, 308-314.	1.1	124
265	Intrathecal Treatment in Cancer Patients Unresponsive to Multiple Trials of Systemic Opioids. Clinical Journal of Pain, 2007, 23, 793-798.	0.8	92
266	Pharmacological Management of Cancer Pain in the Elderly. Drugs and Aging, 2007, 24, 761-776.	1.3	69
267	Opioid titration in cancer pain: A critical review. European Journal of Pain, 2007, 11, 823-830.	1.4	60
268	Medical Treatment for Inoperable Malignant Bowel Obstruction: A Qualitative Systematic Review. Journal of Pain and Symptom Management, 2007, 33, 217-223.	0.6	109
269	Switching from Transdermal Drugs: An Observational "N of 1" Study of Fentanyl and Buprenorphine. Journal of Pain and Symptom Management, 2007, 34, 532-538.	0.6	33
270	About Pain, Opioids, and Dialysis. Journal of Pain and Symptom Management, 2007, 34, 5-6.	0.6	3

#	ARTICLE	IF	CITATIONS
271	Is there a ceiling effect of transdermal buprenorphine? Preliminary data in cancer patients. Supportive Care in Cancer, 2007, 15, 441-444.	1.0	38
272	Fentanyl Buccal Tablet in Breakthrough Pain in Opioid-Tolerant Patients with Cancer. Drugs, 2006, 66, 2394-2395.	4.9	4
273	Opioid switching: A systematic and critical review. Cancer Treatment Reviews, 2006, 32, 304-315.	3.4	231
274	Opioid-induced or pain relief-reduced symptoms in advanced cancer patients?. European Journal of Pain, 2006, 10, 153-153.	1.4	32
275	Scoring the effect of radiotherapy for painful bone metastases. Supportive Care in Cancer, 2006, 14, 967-969.	1.0	21
276	Low Morphine Doses in Opioid-Naive Cancer Patients with Pain. Journal of Pain and Symptom Management, 2006, 31, 242-247.	0.6	74
277	Safety and Effectiveness of Intravenous Morphine for Episodic Breakthrough Pain in Patients Receiving Transdermal Buprenorphine. Journal of Pain and Symptom Management, 2006, 32, 175-179.	0.6	72
278	Opioid Escalation in Patients with Cancer Pain: The Effect of Age. Journal of Pain and Symptom Management, 2006, 32, 413-419.	0.6	38
279	Local Anesthetics for Breakthrough Pain in Patients Receiving Intrathecal Treatment for Cancer Pain Management. Anesthesia and Analgesia, 2005, 100, 1540.	1.1	4
280	Problematic Discharge from Hospital for Patients Prescribed Opioids for Cancer Pain. Journal of Pain and Symptom Management, 2005, 29, 433-434.	0.6	2
281	Patients' and Relatives' Perceptions About Intravenous and Subcutaneous Hydration. Journal of Pain and Symptom Management, 2005, 30, 354-358.	0.6	64
282	Alternative Treatments of Breakthrough Pain in Patients Receiving Spinal Analgesics for Cancer Pain. Journal of Pain and Symptom Management, 2005, 30, 485-491.	0.6	59
283	Incidence of Chronic Pain in Patients with End-Stage Renal Disease on Dialysis. Journal of Pain and Symptom Management, 2005, 30, 302-304.	0.6	28
284	Randomized double-blind, double-dummy crossover clinical trial of oral tramadol versus rectal tramadol administration in opioid-naive cancer patients with pain. Supportive Care in Cancer, 2005, 13, 702-707.	1.0	26
285	Rapid Switching Between Transdermal Fentanyl and Methadone in Cancer Patients. Journal of Clinical Oncology, 2005, 23, 5229-5234.	0.8	71
286	Hyperalgesia and opioid switching. American Journal of Hospice and Palliative Medicine, 2005, 22, 291-294.	0.8	76
287	Cancer pain management in children. Palliative Medicine, 2004, 18, 654-662.	1.3	38
288	Safety and effectiveness of intravenous morphine for episodic (breakthrough) pain using a fixed ratio with the oral daily morphine dose. Journal of Pain and Symptom Management, 2004, 27, 352-359.	0.6	72

#	ARTICLE	IF	CITATIONS
289	Aggressive pharmacological treatment for reversing malignant bowel obstruction. <i>Journal of Pain and Symptom Management</i> , 2004, 28, 412-416.	0.6	96
290	Optimization of opioid therapy for preventing incident pain associated with bone metastases. <i>Journal of Pain and Symptom Management</i> , 2004, 28, 505-510.	0.6	103
291	Factors involved in gastrointestinal bleeding in advanced cancer patients followed at home. <i>Supportive Care in Cancer</i> , 2004, 12, 95-98.	1.0	7
292	Dialogues on complex analgesic strategies for difficult pain syndromes. <i>Supportive Care in Cancer</i> , 2004, 12, 599-603.	1.0	4
293	Sleep disorders in advanced cancer patients: prevalence and factors associated. <i>Supportive Care in Cancer</i> , 2004, 12, 355-359.	1.0	101
294	Addition of a second opioid may improve opioid response in cancer pain: preliminary data. <i>Supportive Care in Cancer</i> , 2004, 12, 762-766.	1.0	62
295	Opioids and renal function. <i>Journal of Pain</i> , 2004, 5, 2-19.	0.7	116
296	To the Editor. <i>Journal of Pain</i> , 2004, 5, 138-139.	0.7	2
297	A model of acute symptom control unit: Pain Relief and Palliative Care Unit of La Maddalena Cancer Center. <i>Supportive Care in Cancer</i> , 2003, 11, 114-119.	1.0	34
298	Burst Ketamine to Reverse Opioid Tolerance in Cancer Pain. <i>Journal of Pain and Symptom Management</i> , 2003, 25, 302-305.	0.6	46
299	Hyperalgesia: An Emerging Iatrogenic Syndrome. <i>Journal of Pain and Symptom Management</i> , 2003, 26, 769-775.	0.6	139
300	Celiac plexus block for pancreatic cancer pain: factors influencing pain, symptoms and quality of life. <i>Journal of Pain and Symptom Management</i> , 2003, 26, 1140-1147.	0.6	49
301	Sympathetic blocks and disease progression modifying pain mechanisms. <i>Regional Anesthesia and Pain Medicine</i> , 2003, 28, 586-587.	1.1	2
302	Sympathetic Blocks and Disease Progression Modifying Pain Mechanisms. <i>Regional Anesthesia and Pain Medicine</i> , 2003, 28, 586-587.	1.1	3
303	Opioid prescription in Italy: new law, no effect. <i>Lancet, The</i> , 2002, 360, 1254-1255.	6.3	24
304	CT-Guided Neurolytic Splanchnic Nerve Block by an Anterior Approach. <i>Journal of Pain and Symptom Management</i> , 2002, 23, 268-270.	0.6	8
305	Episodic (breakthrough) pain. <i>Cancer</i> , 2002, 94, 832-839.	2.0	313
306	Rapid titration with intravenous morphine for severe cancer pain and immediate oral conversion. <i>Cancer</i> , 2002, 95, 203-208.	2.0	81

#	ARTICLE	IF	CITATIONS
307	Amitriptyline in neuropathic cancer pain in patients on morphine therapy: a randomized placebo-controlled, double-blind crossover study. <i>Tumori</i> , 2002, 88, 239-42.	0.6	24
308	Pain mechanisms involved and outcome in advanced cancer patients with possible indications for celiac plexus block and superior hypogastric plexus block. <i>Tumori</i> , 2002, 88, 243-5.	0.6	9
309	Breakthrough pain. , 2001, , 506-514.		0
310	Strategies to Manage the Adverse Effects of Oral Morphine: An Evidence-Based Report. <i>Journal of Clinical Oncology</i> , 2001, 19, 2542-2554.	0.8	582
311	Switching From Morphine to Methadone to Improve Analgesia and Tolerability in Cancer Patients: A Prospective Study. <i>Journal of Clinical Oncology</i> , 2001, 19, 2898-2904.	0.8	237
312	Clinical-practice recommendations for the management of bowel obstruction in patients with end-stage cancer. <i>Supportive Care in Cancer</i> , 2001, 9, 223-233.	1.0	275
313	Opioid Poorly-Responsive Cancer Pain. Part 1. <i>Journal of Pain and Symptom Management</i> , 2001, 21, 144-150.	0.6	117
314	Opioid Poorly-Responsive Cancer Pain. Part 2. <i>Journal of Pain and Symptom Management</i> , 2001, 21, 255-264.	0.6	63
315	Assessing Delirium in Cancer Patients. The Italian Versions of the Delirium Rating Scale and the Memorial Delirium Assessment Scale. <i>Journal of Pain and Symptom Management</i> , 2001, 21, 59-68.	0.6	70
316	Opioid Poorly-Responsive Cancer Pain. Part 3. Clinical Strategies to Improve Opioid Responsiveness. <i>Journal of Pain and Symptom Management</i> , 2001, 21, 338-354.	0.6	86
317	Pamidronate in Incident Pain Due to Bone Metastases. <i>Journal of Pain and Symptom Management</i> , 2001, 22, 630-631.	0.6	15
318	Opioid Responsiveness-Primary Diagnosis Relationship in Advanced Cancer Patients Followed At Home. <i>Journal of Pain and Symptom Management</i> , 2000, 20, 27-34.	0.6	20
319	The Course of Symptom Frequency and Intensity in Advanced Cancer Patients Followed at Home. <i>Journal of Pain and Symptom Management</i> , 2000, 20, 104-112.	0.6	148
320	Analgesic Effect of Intravenous Ketamine in Cancer Patients on Morphine Therapy. <i>Journal of Pain and Symptom Management</i> , 2000, 20, 246-252.	0.6	233
321	Opioid Nonresponsiveness in Cancer Pain Can Be Reversible. A Serendipitous Conclusion of a Retrospective Analysis. <i>Journal of Pain and Symptom Management</i> , 2000, 20, 393-394.	0.6	2
322	Role of Octreotide, Scopolamine Butylbromide, and Hydration in Symptom Control of Patients with Inoperable Bowel Obstruction and Nasogastric Tubes. <i>Journal of Pain and Symptom Management</i> , 2000, 19, 23-34.	0.6	189
323	Gastrointestinal Bleeding In Advanced Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2000, 19, 160-162.	0.6	6
324	The impact of home palliative care on symptoms in advanced cancer patients. <i>Supportive Care in Cancer</i> , 2000, 8, 307-310.	1.0	43

#	ARTICLE	IF	CITATIONS
325	Rapid Switching From Morphine to Methadone in Cancer Patients With Poor Response to Morphine. <i>Journal of Clinical Oncology</i> , 1999, 17, 3307-3312.	0.8	134
326	The role of morphine glucuronides in cancer pain. <i>Palliative Medicine</i> , 1999, 13, 95-104.	1.3	37
327	Methadone Response in Advanced Cancer Patients with Pain Followed at Home. <i>Journal of Pain and Symptom Management</i> , 1999, 18, 188-192.	0.6	46
328	Investigation of an Opioid Response Categorization in Advanced Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 1999, 18, 347-352.	0.6	54
329	Pain treatment and outcomes for patients with advanced cancer who receive follow-up care at home. , 1999, 85, 1849-1858.		128
330	Opioid rotation for cancer pain. , 1999, 86, 1856-1866.		291
331	Problems of long-term spinal opioid treatment in advanced cancer patients. <i>Pain</i> , 1999, 79, 1-13.	2.0	151
332	Temporary Drainage of Symptomatic Malignant Ascites by a Catheter Inserted Under Computerized Tomography. <i>Journal of Pain and Symptom Management</i> , 1998, 15, 374-378.	0.6	8
333	Dextropropoxyphene versus morphine in Opioid-Naive cancer patients with pain. <i>Journal of Pain and Symptom Management</i> , 1998, 15, 76-81.	0.6	57
334	Opioid responsiveness in patients with advanced head and neck cancer. <i>Supportive Care in Cancer</i> , 1998, 6, 482-485.	1.0	19
335	Pathophysiology and treatment of opioid-related myoclonus in cancer patients. <i>Pain</i> , 1998, 74, 5-9.	2.0	87
336	Malignant bone pain: pathophysiology and treatment. <i>Pain</i> , 1997, 69, 1-18.	2.0	744
337	Monitoring of opioid therapy in advanced cancer pain patients. <i>Journal of Pain and Symptom Management</i> , 1997, 13, 204-212.	0.6	76
338	Subcutaneous fentanyl infusion in a patient with bowel obstruction and renal failure. <i>Journal of Pain and Symptom Management</i> , 1997, 13, 241-244.	0.6	33
339	The inappropriate use of the epidural route in cancer pain. <i>Journal of Pain and Symptom Management</i> , 1997, 13, 233-237.	0.6	18
340	Octreotide may prevent definitive intestinal obstruction. <i>Journal of Pain and Symptom Management</i> , 1997, 13, 352-355.	0.6	41
341	Nutrition in cancer patients. <i>Supportive Care in Cancer</i> , 1996, 4, 10-20.	1.0	32
342	Bowel obstruction in home-care cancer patients: 4 years experience. <i>Supportive Care in Cancer</i> , 1995, 3, 190-193.	1.0	44

#	ARTICLE	IF	CITATIONS
343	Intrathecal morphine and bupivacaine in advanced cancer pain patients implanted at home. <i>Journal of Pain and Symptom Management</i> , 1994, 9, 201-207.	0.6	54
344	Pain characteristics of advanced lung cancer patients referred to a palliative care service. <i>Pain</i> , 1994, 59, 141-145.	2.0	54
345	Celiac plexus block versus analgesics in pancreatic cancer pain. <i>Pain</i> , 1993, 52, 187-192.	2.0	189
346	Octreotide in relieving gastrointestinal symptoms due to bowel obstruction. <i>Palliative Medicine</i> , 1993, 7, 295-299.	1.3	115
347	Predictive factors in advanced cancer pain treated only by analgesics. <i>Pain</i> , 1992, 50, 151-155.	2.0	113
348	Octreotide in the management of inoperable gastrointestinal obstruction in terminal cancer patients. <i>Journal of Pain and Symptom Management</i> , 1992, 7, 496-498.	0.6	56
349	Commentary: Interpreting Data of Celiac Plexus Block in Patients with Pancreatic Pain: Timing, Patients, Survival. <i>Pain and Therapy</i> , 0, , .	1.5	2