

Georg Juckel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2327774/publications.pdf>

Version: 2024-02-01

208
papers

6,752
citations

94433

37
h-index

82547

72
g-index

240
all docs

240
docs citations

240
times ranked

7496
citing authors

#	ARTICLE	IF	CITATIONS
1	Prediction of Psychosis in Adolescents and Young Adults at High Risk. Archives of General Psychiatry, 2010, 67, 241.	12.3	575
2	Dysfunction of ventral striatal reward prediction in schizophrenia. NeuroImage, 2006, 29, 409-416.	4.2	525
3	Intensity dependence of auditory evoked potentials as an indicator of central serotonergic neurotransmission: A new hypothesis. Biological Psychiatry, 1993, 33, 173-187.	1.3	449
4	The loudness dependency of the auditory evoked N1/P2-component as a predictor of the acute SSRI response in depression. Psychopharmacology, 2000, 148, 404-411.	3.1	218
5	Auditory-evoked potentials as indicator of brain serotonergic activity first evidence in behaving cats. Biological Psychiatry, 1997, 41, 1181-1195.	1.3	215
6	Auditory Evoked Potentials Reflect Serotonergic Neuronal Activity—A Study in Behaving Cats Administered Drugs Acting on 5-HT1A Autoreceptors in the Dorsal Raphe Nucleus. Neuropsychopharmacology, 1999, 21, 710-716.	5.4	163
7	Microglial activation in a neuroinflammatory animal model of schizophrenia — a pilot study. Schizophrenia Research, 2011, 131, 96-100.	2.0	158
8	Gray matter abnormalities in subjects at ultra-high risk for schizophrenia and first-episode schizophrenic patients compared to healthy controls. Psychiatry Research - Neuroimaging, 2009, 173, 163-169.	1.8	127
9	Value of event-related P300 subcomponents in the clinical diagnosis of mild cognitive impairment and Alzheimer's Disease. Psychophysiology, 2002, 39, 175-181.	2.4	109
10	Elevated brain serotonin transporter availability in patients with obsessive-compulsive disorder. Biological Psychiatry, 2003, 54, 1406-1413.	1.3	108
11	The new approach: psychosocial functioning as a necessary outcome criterion for therapeutic success in schizophrenia. Current Opinion in Psychiatry, 2008, 21, 630-639.	6.3	105
12	Differential Prediction of First Clinical Response to Serotonergic and Noradrenergic Antidepressants Using the Loudness Dependence of Auditory Evoked Potentials in Patients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2007, 68, 1206-1212.	2.2	102
13	Electrical Stimulation of Rat Medial Prefrontal Cortex Enhances Forebrain Serotonin Output Implications for Electroconvulsive Therapy and Transcranial Magnetic Stimulation in Depression. Neuropsychopharmacology, 1999, 21, 391-398.	5.4	100
14	Emotional contagion in mice: The role of familiarity. Behavioural Brain Research, 2014, 263, 16-21.	2.2	98
15	Validation of the Personal and Social Performance (PSP) Scale in a German sample of acutely ill patients with schizophrenia. Schizophrenia Research, 2008, 104, 287-293.	2.0	95
16	Loudness Dependence of Auditory Evoked Potentials as Indicator of Central Serotonergic Neurotransmission: Simultaneous Electrophysiological Recordings and In Vivo Microdialysis in the Rat Primary Auditory Cortex. Neuropsychopharmacology, 2008, 33, 3176-3181.	5.4	84
17	Hippocampal subdivision and amygdalar volumes in patients in an at-risk mental state for schizophrenia. Journal of Psychiatry and Neuroscience, 2010, 35, 33-40.	2.4	83
18	Serotonergic dysfunction in schizophrenia assessed by the loudness dependence measure of primary auditory cortex evoked activity. Schizophrenia Research, 2003, 64, 115-124.	2.0	82

#	ARTICLE	IF	CITATIONS
19	Ventral Striatal Activation during Reward Processing in Subjects with Ultra-High Risk for Schizophrenia. <i>Neuropsychobiology</i> , 2012, 66, 50-56.	1.9	79
20	Dopamine and serotonin levels following prenatal viral infection in mouse—Implications for psychiatric disorders such as schizophrenia and autism. <i>European Neuropsychopharmacology</i> , 2008, 18, 712-716.	0.7	78
21	Microglia activation is associated with IFN- γ induced depressive-like behavior. <i>Brain, Behavior, and Immunity</i> , 2016, 55, 105-113.	4.1	67
22	Sports and brain morphology — A voxel-based morphometry study with endurance athletes and martial artists. <i>Neuroscience</i> , 2014, 259, 35-42.	2.3	63
23	Loudness Dependence of Primary Auditory-Cortex-Evoked Activity as Predictor of Therapeutic Outcome to Prophylactic Lithium Treatment in Affective Disorders - A Retrospective Study. <i>Pharmacopsychiatry</i> , 2004, 37, 46-51.	3.3	62
24	Acute effects of δ^9 -tetrahydrocannabinol and standardized cannabis extract on the auditory evoked mismatch negativity. <i>Schizophrenia Research</i> , 2007, 97, 109-117.	2.0	59
25	Effects of first-generation antipsychotics versus second-generation antipsychotics on quality of life in schizophrenia: a double-blind, randomised study. <i>Lancet Psychiatry</i> , 2016, 3, 717-729.	7.4	56
26	Clinical high risk for psychosis: gender differences in symptoms and social functioning. <i>Microbial Biotechnology</i> , 2017, 11, 306-313.	1.7	54
27	Diagnostic Usefulness of Cognitive Auditory Event-Related P300 Subcomponents in Patients With Alzheimers Disease?. <i>Journal of Clinical Neurophysiology</i> , 2008, 25, 147-152.	1.7	52
28	Dopaminergic mechanisms of target detection — P300 event related potential and striatal dopamine. <i>Psychiatry Research - Neuroimaging</i> , 2011, 194, 212-218.	1.8	52
29	Emotion Recognition as Pattern Recognition: The Relevance of Perception. <i>Mind and Language</i> , 2015, 30, 187-208.	2.3	52
30	P300 subcomponents in obsessive-compulsive disorder. <i>Journal of Psychiatric Research</i> , 2002, 36, 399-406.	3.1	48
31	Relationship of suicide rates with climate and economic variables in Europe during 2000—2012. <i>Annals of General Psychiatry</i> , 2016, 15, 19.	2.7	48
32	A longitudinal approach to biological psychiatric research: The PsyCourse study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 89-102.	1.7	47
33	Schizophrenia associated sensory gating deficits develop after adolescent microglia activation. <i>Brain, Behavior, and Immunity</i> , 2016, 58, 99-106.	4.1	46
34	The illness and everyday living: close interplay of psychopathological syndromes and psychosocial functioning in chronic schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 85-93.	3.2	44
35	Is the loudness dependence of auditory evoked potentials modulated by the selective serotonin reuptake inhibitor citalopram in healthy subjects?. <i>Human Psychopharmacology</i> , 2006, 21, 463-471.	1.5	41
36	The Management of Psychiatric Emergencies. <i>Deutsches A&#x0308;rztblatt International</i> , 2011, 108, 222-30.	0.9	41

#	ARTICLE	IF	CITATIONS
37	Positive mental health moderates the association between suicide ideation and suicide attempts. <i>Journal of Affective Disorders</i> , 2019, 245, 246-249.	4.1	41
38	Age effects on the P300 potential and the corresponding fMRI BOLD-signal. <i>NeuroImage</i> , 2012, 60, 2027-2034.	4.2	39
39	An Investigation of Psychosis Subgroups With Prognostic Validation and Exploration of Genetic Underpinnings. <i>JAMA Psychiatry</i> , 2020, 77, 523.	11.0	39
40	Loudness dependence of the auditory evoked N1/P2 component as an indicator of serotonergic dysfunction in patients with schizophrenia – A replication study. <i>Psychiatry Research</i> , 2008, 158, 79-82.	3.3	38
41	The bipolar disorder prodrome revisited: Is there a symptomatic pattern?. <i>Journal of Affective Disorders</i> , 2013, 151, 551-560.	4.1	34
42	Toxoplasma gondii infection in schizophrenia and associated clinical features. <i>Psychiatry Research</i> , 2016, 245, 327-332.	3.3	34
43	Prevalence of metabolic syndrome in female and male patients at risk of psychosis. <i>Schizophrenia Research</i> , 2017, 181, 38-42.	2.0	34
44	Do suicide attempters and suicide ideators differ in capability for suicide?. <i>Psychiatry Research</i> , 2019, 275, 304-309.	3.3	34
45	Electrophysiological evidence for cortical abnormalities in obsessive-compulsive disorder – A replication study using auditory event-related P300 subcomponents. <i>Journal of Psychiatric Research</i> , 2008, 42, 297-303.	3.1	32
46	Pathways to care in subjects at high risk for psychotic disorders – A European perspective. <i>Schizophrenia Research</i> , 2014, 152, 400-407.	2.0	31
47	Nice or effective? Social problem solving strategies in patients with major depressive disorder. <i>Psychiatry Research</i> , 2015, 228, 835-842.	3.3	31
48	Interleukin-4 is a participant in the regulation of depressive-like behavior. <i>Behavioural Brain Research</i> , 2017, 326, 165-172.	2.2	31
49	Alterations of Monetary Reward and Punishment Processing in Chronic Cannabis Users: An fMRI Study. <i>PLoS ONE</i> , 2015, 10, e0119150.	2.5	30
50	Challenges faced by peer support workers during the integration into hospital-based mental health-care teams: Results from a qualitative interview study. <i>International Journal of Social Psychiatry</i> , 2020, 66, 263-269.	3.1	30
51	Kinematical analysis of emotionally induced facial expressions: a novel tool to investigate hypomimia in patients suffering from depression. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 138-140.	1.9	29
52	Aims and structure of the German Research Consortium BipoLife for the study of bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 26.	2.2	29
53	Social cognition and metacognition in obsessive-compulsive disorder: an explorative pilot study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 209-216.	3.2	29
54	Disparate effects of first and second generation antipsychotics on cognition in schizophrenia – Findings from the randomized NeSSy trial. <i>European Neuropsychopharmacology</i> , 2019, 29, 720-739.	0.7	29

#	ARTICLE	IF	CITATIONS
55	Intensity dependence of auditory evoked potentials in behaving cats. <i>Electroencephalography and Clinical Neurophysiology - Evoked Potentials</i> , 1996, 100, 527-537.	2.0	28
56	Short-term functional outcome and premorbid adjustment in clinical high-risk patients. Results of the EPOS project. <i>European Psychiatry</i> , 2014, 29, 371-380.	0.2	28
57	Staging of Schizophrenia With the Use of PANSS: An International Multi-Center Study. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 681-697.	2.1	28
58	Clinical manifestations and immunomodulatory treatment experiences in psychiatric patients with suspected autoimmune encephalitis: a case series of 91 patients from Germany. <i>Molecular Psychiatry</i> , 2022, 27, 1479-1489.	7.9	28
59	P300 in obsessive-compulsive disorder: Source localization and the effects of treatment. <i>Journal of Psychiatric Research</i> , 2013, 47, 1975-1983.	3.1	27
60	Flow cytometric characterization of microglia in the offspring of PolyI:C treated mice. <i>Brain Research</i> , 2016, 1636, 172-182.	2.2	27
61	The Loudness Dependence of Auditory Evoked Potentials (LDAEP) as an Indicator of Serotonergic Dysfunction in Patients with Predominant Schizophrenic Negative Symptoms. <i>PLoS ONE</i> , 2013, 8, e68650.	2.5	27
62	The role of microglia during life span in neuropsychiatric disease – an animal study. <i>Schizophrenia Research</i> , 2013, 143, 221-222.	2.0	26
63	Identifying psychiatric patients with serotonergic dysfunctions by event-related potentials. <i>World Journal of Biological Psychiatry</i> , 2000, 1, 112-118.	2.6	25
64	Serotonin: From sensory processing to schizophrenia using an electrophysiological method. <i>Behavioural Brain Research</i> , 2015, 277, 121-124.	2.2	25
65	Association of 5-HT1B receptor polymorphisms with the loudness dependence of auditory evoked potentials in a community-based sample of healthy volunteers. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 454-458.	1.7	24
66	The genetic relationship between educational attainment and cognitive performance in major psychiatric disorders. <i>Translational Psychiatry</i> , 2019, 9, 210.	4.8	24
67	Serotonergic functioning as measured by the loudness dependence of auditory evoked potentials is related to a haplotype in the brain-derived neurotrophic factor (BDNF) gene. <i>Journal of Psychiatric Research</i> , 2010, 44, 541-546.	3.1	23
68	Impact of social-psychiatric services and psychiatric clinics on involuntary admissions. <i>International Journal of Social Psychiatry</i> , 2014, 60, 672-680.	3.1	22
69	Social cognition and social problem solving abilities in individuals with alcohol use disorder. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2016, 38, 974-990.	1.3	22
70	Beneficial effects of peer support in psychiatric hospitals. A critical reflection on the results of a qualitative interview and focus group study. <i>Journal of Mental Health</i> , 2020, 29, 289-295.	1.9	22
71	Interpersonal theory of suicide: prospective examination. <i>BJPsych Open</i> , 2020, 6, e113.	0.7	22
72	Lateralization of increased density of Iba1-immunopositive microglial cells in the anterior midcingulate cortex of schizophrenia and bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 819-828.	3.2	22

#	ARTICLE	IF	CITATIONS
73	Temperament and prodromal symptoms prior to first manic/hypomanic episodes: Results from a pilot study. <i>Journal of Affective Disorders</i> , 2015, 173, 39-44.	4.1	21
74	Evaluation of the "Jumping to conclusions"™ bias in different subgroups of the at-risk mental state: from cognitive basic symptoms to UHR criteria. <i>Psychological Medicine</i> , 2016, 46, 2071-2081.	4.5	21
75	Autonomic dysfunction of gastric motility in major depression. <i>Journal of Affective Disorders</i> , 2018, 226, 196-202.	4.1	21
76	Does lithium reduce acute suicidal ideation and behavior? A protocol for a randomized, placebo-controlled multicenter trial of lithium plus Treatment As Usual (TAU) in patients with suicidal major depressive episode. <i>BMC Psychiatry</i> , 2015, 15, 117.	2.6	20
77	Depression predicts persistence of paranoia in clinical high-risk patients to psychosis: results of the EPOS project. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 247-257.	3.1	20
78	Cortical thickness and trait empathy in patients and people at high risk for alcohol use disorders. <i>Psychopharmacology</i> , 2017, 234, 3521-3533.	3.1	20
79	A Systematic Review of Mechanisms of Change in Body-Oriented Yoga in Major Depressive Disorders. <i>Pharmacopsychiatry</i> , 2018, 51, 73-81.	3.3	20
80	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75.	1.9	20
81	Dipole localization of P300 and normal aging. <i>Brain Topography</i> , 2000, 13, 3-9.	1.8	19
82	The antipsychotic drugs olanzapine and haloperidol modify network connectivity and spontaneous activity of neural networks in vitro. <i>Scientific Reports</i> , 2017, 7, 11609.	3.3	19
83	Antidepressive response of inpatients with major depression to adjuvant occupational therapy: a case-control study. <i>Annals of General Psychiatry</i> , 2017, 16, 1.	2.7	19
84	Child abuse and suicidality in the context of the Interpersonal Psychological Theory of Suicide: A network analysis. <i>British Journal of Clinical Psychology</i> , 2021, 60, 425-442.	3.5	19
85	Impact of Poly I:C induced maternal immune activation on offspring's gut microbiome diversity – Implications for schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 110, 110306.	4.8	19
86	Inhibition of the reward system by antipsychotic treatment. <i>Dialogues in Clinical Neuroscience</i> , 2016, 18, 109-114.	3.7	19
87	Association of catechol-O-methyltransferase variants with loudness dependence of auditory evoked potentials. <i>Human Psychopharmacology</i> , 2008, 23, 115-120.	1.5	18
88	Towards a framework for treatment effectiveness in schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 1867.	2.2	18
89	Loudness dependence of auditory evoked potentials (LDAEP) in clinical monitoring of suicidal patients with major depression in comparison with non-suicidal depressed patients and healthy volunteers: A follow-up-study. <i>Journal of Affective Disorders</i> , 2015, 184, 299-304.	4.1	18
90	Preventing involuntary admissions: special needs for distinct patient groups. <i>Annals of General Psychiatry</i> , 2017, 16, 3.	2.7	18

#	ARTICLE	IF	CITATIONS
91	Ward Atmosphere and Patient Satisfaction in Psychiatric Hospitals With Different Ward Settings and Door Policies. Results From a Mixed Methods Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 576.	2.6	18
92	Death anxiety and attitude to death in patients with schizophrenia and depression. <i>Psychiatry Research</i> , 2020, 290, 113148.	3.3	18
93	Induction of inducible nitric oxide synthase expression in activated microglia and astrocytes following pre- and postnatal immune challenge in an animal model of schizophrenia. <i>European Neuropsychopharmacology</i> , 2020, 35, 100-110.	0.7	18
94	Improving early recognition and intervention in people at increased risk for the development of bipolar disorder: study protocol of a prospective-longitudinal, naturalistic cohort study (Early-BipoLife). <i>International Journal of Bipolar Disorders</i> , 2020, 8, 22.	2.2	18
95	Structural and Functional Deviations of the Hippocampus in Schizophrenia and Schizophrenia Animal Models. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5482.	4.1	18
96	Anhedonia, Self-Experience in Schizophrenia, and Implications for Treatment. <i>Pharmacopsychiatry</i> , 2003, 36, 176-180.	3.3	17
97	Is evaluation of humorous stimuli associated with frontal cortex morphology? A pilot study using facial micro-movement analysis and MRI. <i>Cortex</i> , 2011, 47, 569-574.	2.4	17
98	Comparison of Self- and Clinicianâ€™s Ratings of Personal and Social Performance in Patients with Schizophrenia: The Role of Insight. <i>Psychopathology</i> , 2012, 45, 109-116.	1.5	17
99	Naming for Psychotropic Drugs: Dilemma and Challenge. <i>Pharmacopsychiatry</i> , 2017, 50, 1-2.	3.3	17
100	Expressed emotion as a predictor of the first psychotic episode â€” Results of the European prediction of psychosis study. <i>Schizophrenia Research</i> , 2018, 199, 346-352.	2.0	17
101	Requirements for the implementation of open door policies in acute psychiatry from a mental health professionalsâ€™ and patientsâ€™ view: a qualitative interview study. <i>BMC Psychiatry</i> , 2018, 18, 304.	2.6	17
102	First and second generation antipsychotics differentially affect structural and functional properties of rat hippocampal neuron synapses. <i>Neuroscience</i> , 2016, 337, 117-130.	2.3	16
103	Cognitive and emotional empathy in individuals at clinical high risk of psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2020, 142, 40-51.	4.5	16
104	Analysis of cytokine levels, T regulatory cells and serotonin content in patients with depression. <i>European Journal of Neuroscience</i> , 2021, 53, 3476-3489.	2.6	16
105	COVID-19 Outcomes: Does the Use of Psychotropic Drugs Make a Difference? Accumulating Evidence of a Beneficial Effect of Antidepressantsâ€”A Scoping Review. <i>Journal of Clinical Psychopharmacology</i> , 2022, 42, 284-292.	1.4	15
106	Serotonergic modulation of orbitofrontal activity and its relevance for decision making and impulsivity. <i>Human Brain Mapping</i> , 2017, 38, 1507-1517.	3.6	14
107	Childhood adversity predicts persistence of suicidal thoughts differently in females and males at clinical high-risk patients of psychosis. Results of the EPOS project. <i>Microbial Biotechnology</i> , 2019, 13, 935-942.	1.7	14
108	Poly I:C Activated Microglia Disrupt Perineuronal Nets and Modulate Synaptic Balance in Primary Hippocampal Neurons in vitro. <i>Frontiers in Synaptic Neuroscience</i> , 2021, 13, 637549.	2.5	14

#	ARTICLE	IF	CITATIONS
109	Maternal immune activation leads to atypical turning asymmetry and reduced DRD2 mRNA expression in a rat model of schizophrenia. <i>Behavioural Brain Research</i> , 2021, 414, 113504.	2.2	14
110	Kinematic analysis of facial behaviour in patients with schizophrenia under emotional stimulation by films with "Mr. Bean". <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 186-191.	3.2	13
111	Altered serotonergic and GABAergic neurotransmission in a mice model of obsessive-compulsive disorder. <i>Behavioural Brain Research</i> , 2018, 337, 240-245.	2.2	13
112	From decision to action: Suicidal history and time between decision to die and actual suicide attempt. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 1427-1434.	2.7	13
113	The role of environmental stress and DNA methylation in the longitudinal course of bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 9.	2.2	13
114	Selective Serotonin Reuptake Inhibitors for the Prevention of Post-Stroke Depression: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 5912.	2.4	12
115	Poly I:C-induced maternal immune challenge reduces perineuronal net area and raises spontaneous network activity of hippocampal neurons in vitro. <i>European Journal of Neuroscience</i> , 2021, 53, 3920-3941.	2.6	11
116	Under which conditions are changes in the treatment of people under involuntary commitment justified during the COVID-19 pandemic? An ethical evaluation of current developments in Germany. <i>International Journal of Law and Psychiatry</i> , 2020, 73, 101615.	0.9	11
117	Polygenic risk scores across the extended psychosis spectrum. <i>Translational Psychiatry</i> , 2021, 11, 600.	4.8	11
118	Association between wind-up ratio and central serotonergic function in healthy subjects and depressed patients. <i>Neuroscience Letters</i> , 2011, 504, 176-180.	2.1	10
119	Attachment, recalled parental rearing, and ADHD symptoms predict emotion processing and alexithymia in adults with ADHD. <i>Annals of General Psychiatry</i> , 2015, 14, 43.	2.7	10
120	Self-reported emotion regulation difficulties are associated with mood but not with the biological stress response to thin ideal exposure. <i>PLoS ONE</i> , 2018, 13, e0199769.	2.5	10
121	Dopamine D2 Receptor Occupancy Estimated From Plasma Concentrations of Four Different Antipsychotics and the Subjective Experience of Physical and Mental Well-Being in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2019, 39, 550-560.	1.4	10
122	Testing the Four Main Predictions of the Interpersonal "Psychological Theory of Suicidal Behavior in an Inpatient Sample Admitted Due to Severe Suicidality. <i>Behavior Therapy</i> , 2021, 52, 626-638.	2.4	10
123	A German Version of the Staff Attitude to Coercion Scale. Development and Empirical Validation. <i>Frontiers in Psychiatry</i> , 2020, 11, 573240.	2.6	10
124	Examination of the effect of acute levodopa administration on the loudness dependence of auditory evoked potentials (LDAEP) in humans. <i>Psychopharmacology</i> , 2012, 221, 389-396.	3.1	9
125	Early Recognition of Obsessive-Compulsive Disorder. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 889-891.	1.0	9
126	A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). <i>European Neuropsychopharmacology</i> , 2018, 28, 185-194.	0.7	9

#	ARTICLE	IF	CITATIONS
127	The influence of religious activity and polygenic schizophrenia risk on religious delusions in schizophrenia. <i>Schizophrenia Research</i> , 2019, 210, 255-261.	2.0	9
128	Is the relationship between child abuse and suicide attempts mediated by nonsuicidal self-harm and pain tolerance?. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 189-199.	2.7	9
129	Relationship Between Neuroanatomical and Serotonergic Hypotheses of Obsessive-Compulsive Disorder. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	2.2	9
130	Influence of Levothyroxine in Augmentation Therapy for Bipolar Depression on Central Serotonergic Function. <i>Pharmacopsychiatry</i> , 2014, 47, 180-183.	3.3	8
131	Olfactory function and morphology of olfactory epithelium in an adult population with schizophrenia. <i>Schizophrenia Research</i> , 2015, 161, 513-514.	2.0	8
132	Evolution of Peer Support Workers' Roles in Psychiatric Hospitals: A Longitudinal Qualitative Observation Study. <i>Community Mental Health Journal</i> , 2021, 57, 589-597.	2.0	8
133	The somatic care situation of people with mental illness. <i>Health Science Reports</i> , 2021, 4, e226.	1.5	8
134	Medication Adherence in a Cross-Diagnostic Sample of Patients From the Affective-to-Psychotic Spectrum: Results From the PsyCourse Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 713060.	2.6	8
135	Facial Expressions and Personality: A Kinematical Investigation during an Emotion Induction Experiment. <i>Neuropsychobiology</i> , 2006, 54, 114-119.	1.9	7
136	Loudness dependence of auditory evoked potentials is not associated with polymorphisms or haplotypes in the serotonin transporter gene in a community-based sample of German healthy volunteers. <i>Psychiatry Research</i> , 2007, 153, 183-187.	3.3	7
137	Social problem solving in adult patients with attention deficit hyperactivity disorder. <i>Psychiatry Research</i> , 2020, 285, 112721.	3.3	7
138	Enhanced Nitric Oxide (NO) and Decreased ADMA Synthesis in Pediatric ADHD and Selective Potentiation of NO Synthesis by Methylphenidate. <i>Journal of Clinical Medicine</i> , 2020, 9, 175.	2.4	7
139	A genome-wide association study of the longitudinal course of executive functions. <i>Translational Psychiatry</i> , 2021, 11, 386.	4.8	7
140	Impact of Psychiatric and Related Somatic Medications on the Duration and Severity of COVID-19: A Retrospective Explorative Multi-center Study from the German Metropolitan Ruhr-area. <i>Pharmacopsychiatry</i> , 2022, 55, 30-39.	3.3	7
141	Low Serotonergic Function and Its Normalization by Treatment With Sertraline in Obsessive-Compulsive Disorder-An Auditory Evoked Potential Study. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 341-343.	1.4	6
142	Negative schemata about the self and others and paranoid ideation in at-risk states and those with persisting positive symptoms. <i>Microbial Biotechnology</i> , 2018, 12, 1157-1165.	1.7	6
143	Understanding Another Person's Emotions" An Interdisciplinary Research Approach. <i>Frontiers in Psychiatry</i> , 2018, 9, 414.	2.6	6
144	Relationship between metacognitive beliefs and psychosocial performance in at-risk states of psychosis and patients with first psychotic episodes. <i>Microbial Biotechnology</i> , 2019, 13, 604-612.	1.7	6

#	ARTICLE	IF	CITATIONS
145	The socialâ€psychiatric service and its role in compulsory hospitalization. Health and Social Care in the Community, 2020, 28, 467-474.	1.6	6
146	Heldentum gegen Todesangst und Psychopathologie: â€Selbstwertâ€als protektiver Faktor in der ambulanten Psychotherapie. Verhaltenstherapie, 2020, 30, 271-280.	0.4	6
147	Configural processing of emotional bodies and faces in patients with attention deficit hyperactivity disorder. Journal of Clinical and Experimental Neuropsychology, 2020, 42, 1028-1048.	1.3	6
148	Pain persistence and lethality of suicide attempts. Clinical Psychology and Psychotherapy, 2020, 27, 542-547.	2.7	6
149	Pareidolias and Creativity in Patients with Mental Disorders. Psychopathology, 2021, 54, 59-69.	1.5	6
150	Predicting suicidal ideation in a longitudinal highâ€risk sample: Multilevel analyses and 12â€month trajectories. Journal of Clinical Psychology, 2021, 77, 2353-2369.	1.9	6
151	Death Anxiety and Attitudes towards Death in Patients with Multiple Sclerosis: An Exploratory Study. Brain Sciences, 2021, 11, 964.	2.3	6
152	Low psychosocial functioning in obsessiveâ€compulsive disorder and its clinical implications. Journal of Obsessive-Compulsive and Related Disorders, 2015, 5, 87-92.	1.5	5
153	Mirtazapine Induces Nightmares in Depressed Patients. Pharmacopsychiatry, 2017, 50, 161-161.	3.3	5
154	A case of GABAR antibodies in schizophrenia. BMC Psychiatry, 2017, 17, 9.	2.6	5
155	Modeling psychological function in patients with schizophrenia with the PANSS: an international multi-center study. CNS Spectrums, 2021, 26, 290-298.	1.2	5
156	Skin Diseases in Patients with Primary Psychiatric Disorders. Psychiatry Investigation, 2020, 17, 157-162.	1.6	5
157	Role of child maltreatment and gender for bipolar symptoms in young adults. International Journal of Bipolar Disorders, 2020, 8, 10.	2.2	5
158	The German research consortium for the study of bipolar disorder (BipoLife): a magnetic resonance imaging study protocol. International Journal of Bipolar Disorders, 2021, 9, 37.	2.2	5
159	Are routine methods good enough to stain senile plaques and neurofibrillary tangles in different brain regions of demented patients?. Psychiatria Danubina, 2011, 23, 334-9.	0.4	5
160	Impairments of Social Interaction in Depressive Disorder. Psychiatry Investigation, 2022, 19, 178-189.	1.6	5
161	Sleep disturbances in the context of neurohormonal dysregulation in patients with bipolar disorder. International Journal of Bipolar Disorders, 2022, 10, 6.	2.2	5
162	Investigation of the Serotonergic Activity and the Serotonin Content in Serum and Platelet, and the Possible Role of the Serotonin Transporter in Patients with Depression. Behavioral Sciences (Basel), Tj ETQq0 0 0 rg21 /Overlock 10 Tf 50		

#	ARTICLE	IF	CITATIONS
163	Central serotonergic function in patients with predominantly negative symptoms of schizophrenia. <i>Schizophrenia Research</i> , 2018, 193, 443-444.	2.0	4
164	Early multidisciplinary intensive-care therapy can improve outcome of severe anti-NMDA-receptor encephalitis presenting with extreme delta brush. <i>Translational Neuroscience</i> , 2019, 10, 241-243.	1.4	4
165	Socio-economic impact on involuntary admissions and coercive measures in psychiatric hospitals in Germany. <i>International Journal of Law and Psychiatry</i> , 2020, 71, 101597.	0.9	4
166	Psychometric evaluation of the Interpersonal Needs Questionnaire (INQ) using item analysis according to the Rasch model. <i>PLoS ONE</i> , 2020, 15, e0232030.	2.5	4
167	Are Persons Treated with Antidepressants and/or Antipsychotics Possibly Better Protected against Severe COVID 19?. <i>Pharmacopsychiatry</i> , 2021, 54, 142-143.	3.3	4
168	Psychosocial functioning as a personal resource promoting a milder course of schizophrenia. <i>Journal of Psychiatric Research</i> , 2022, 148, 121-126.	3.1	4
169	Capacities for meta-cognition, social cognition, and alexithymia in postpartum depression. <i>Psychiatry Research</i> , 2022, 309, 114430.	3.3	4
170	Homelessness among psychiatric inpatients in North Rhine-Westphalia: a retrospective routine data analysis. <i>BMC Psychiatry</i> , 2022, 22, 132.	2.6	4
171	Influence of mental health professionals' attitudes and personality traits on decision-making around coercion: Results from an experimental quantitative survey using case vignettes. <i>Acta Psychiatrica Scandinavica</i> , 2022, , .	4.5	4
172	Patient satisfaction with specialized mental health service for obsessive-compulsive disorder. <i>Annals of General Psychiatry</i> , 2013, 12, 41.	2.7	3
173	Kinematic Analysis of Handwriting Movements in Individuals with Intellectual Disabilities with and without Obsessive Compulsive Symptoms. <i>Psychopathology</i> , 2019, 52, 346-357.	1.5	3
174	Quality of Parental Care and Traumatic Experiences in Childhood Related to Schizophrenic Disorders. <i>Journal of Nervous and Mental Disease</i> , 2020, 208, 818-821.	1.0	3
175	The role of the 5-HTTLPR polymorphism in acquired capability for suicide. <i>Suicide and Life-Threatening Behavior</i> , 2020, 50, 1121-1126.	1.9	3
176	Gender, age at onset, and duration of being ill as predictors for the long-term course and outcome of schizophrenia: an international multicenter study. <i>CNS Spectrums</i> , 2022, 27, 716-723.	1.2	3
177	A new electronically based clinical pathway for schizophrenia inpatients: A longitudinal pilot study. <i>Schizophrenia Research</i> , 2021, 238, 82-90.	2.0	3
178	Computer-based mother-infant interaction analysis and mental functioning in postpartum depression. <i>Psychiatry Research</i> , 2022, 311, 114506.	3.3	3
179	Validation of the German capability for suicide questionnaire (GCSQ) in a high-risk sample of suicidal inpatients. <i>BMC Psychiatry</i> , 2020, 20, 412.	2.6	2
180	Selective recall deficits for heterogeneous associations in detoxified individuals with alcohol use disorder. <i>Behavioural Brain Research</i> , 2020, 390, 112688.	2.2	2

#	ARTICLE	IF	CITATIONS
181	Assessment of Psychosocial Functioning in a Large Cohort of Patients with Schizophrenia. <i>Psychiatric Quarterly</i> , 2021, 92, 177-191.	2.1	2
182	Reduced Jumping to Conclusion Bias after Experimentally Induced Enhancement of Subjective Body Boundaries in Psychosis. <i>Psychopathology</i> , 2021, 54, 92-97.	1.5	2
183	Can We Know What Others Feel? Anthropological and Epistemological Considerations in Emotional Neuroscience. , 2004, , 229-241.		2
184	Time experience in patients with schizophrenia and affective disorders. <i>European Psychiatry</i> , 2022, 65, 1-32.	0.2	2
185	Suicidal behaviour in the social environment: Does exposure moderate the relationship between an individual's own suicidal ideation and behaviour?. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 1309-1320.	2.7	2
186	A novel longitudinal clustering approach to psychopathology across diagnostic entities in the hospital-based PsyCourse study. <i>Schizophrenia Research</i> , 2022, 244, 29-38.	2.0	2
187	ERP and neurotransmitters. <i>European Journal of Neurology</i> , 1996, 3, 289-294.	3.3	1
188	Interviewing a Person with Bipolar Disorder Under Involuntary Commitment: A Case Report. <i>Journal of Empirical Research on Human Research Ethics</i> , 2019, 14, 472-474.	1.3	1
189	The loudness dependence of auditory evoked potentials as an electrophysiological marker of central serotonergic neurotransmission: implications for clinical psychiatry and psychopharmacotherapy. <i>Handbook of Behavioral Neuroscience</i> , 2020, 31, 361-374.	0.7	1
190	Loudness Dependence of Auditory-evoked Potentials, a Marker of Central Serotonergic Activity, is Affected by Fasting and Selective Uptake of Food. <i>Clinical EEG and Neuroscience</i> , 2021, 52, 391-399.	1.7	1
191	Epistemological reflections on chances and borders of "æbiological psychiatry" World Journal of Biological Psychiatry, 2021, 22, 629-636.	2.6	1
192	Types of Ethical Problems and Expertise in Clinical Ethics Consultation in Psychiatry " Insights From a Qualitative Empirical Ethics Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 558795.	2.6	1
193	Differences in interactional behaviour in postpartum depression with and without pre-existing mental disorder. <i>Comprehensive Psychiatry</i> , 2021, 108, 152248.	3.1	1
194	P300 and delay-discounting in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, , 1.	3.2	1
195	Effects of structural features of psychiatric hospital settings on coercive measures. <i>European Journal of Psychiatry</i> , 2022, 36, 43-50.	1.3	1
196	Interplay between the genetics of personality traits, severe psychiatric disorders and COVID-19 host genetics in the susceptibility to SARS-CoV-2 infection. <i>BJPsych Open</i> , 2021, 7, e188.	0.7	1
197	Evidence for Altered Neural Processing in Patients With Borderline Personality Disorder. <i>Journal of Psychophysiology</i> , 2021, 35, 163-185.	0.7	1
198	Course of psychopathology in the at-risk mental state - outcomes beyond transition to psychosis. <i>European Psychiatry</i> , 2011, 26, 2037-2037.	0.2	0

#	ARTICLE	IF	CITATIONS
199	Relationships between negative symptoms and abnormalities in the anticipatory component of reward. <i>European Psychiatry</i> , 2011, 26, 2070-2070.	0.2	0
200	Editorial to Child and Adolescence Psychopharmacology. <i>Pharmacopsychiatry</i> , 2016, 49, 217-218.	3.3	0
201	Objective assessment of the degree of improvement or deterioration with patients by means of Ipsative Trend Analysis of resting electroencephalograms. <i>Medical Hypotheses</i> , 2018, 113, 17-26.	1.5	0
202	Cover Image, Volume 180B, Number 2, March 2019. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, i.	1.7	0
203	Hyperactive and anxious phenotype following brief ischemic episodes in mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, S533-S533.	4.3	0
204	Interplay between the Genetics of Personality Traits, severe Psychiatric Disorders, and COVID-19 Host Genetics in the Susceptibility to SARS-CoV-2 Infection - ADDENDUM. <i>BJPsych Open</i> , 2021, 7, e206.	0.7	0
205	Covid-19: Contributions from Psychopharmacology. <i>Pharmacopsychiatry</i> , 2022, 55, 5-6.	3.3	0
206	Rationale, Mission and Vision for a National Centre of Affective Disorders in Germany. <i>Pharmacopsychiatry</i> , 2022, 55, 65-72.	3.3	0
207	Relationship between Psychopathology and Sources of Meaning in Psychotherapeutically Treated Patients: A Naturalistic Cross-Sectional Analysis. <i>Psychopathology</i> , 2022, , 1-9.	1.5	0
208	Narcissism and central serotonergic neurotransmission in depression. <i>World Journal of Biological Psychiatry</i> , 2023, 24, 233-242.	2.6	0