

Georg Juckel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2327774/publications.pdf>

Version: 2024-02-01

208
papers

6,752
citations

94433

37
h-index

82547

72
g-index

240
all docs

240
docs citations

240
times ranked

7496
citing authors

#	ARTICLE	IF	CITATIONS
1	Narcissism and central serotonergic neurotransmission in depression. <i>World Journal of Biological Psychiatry</i> , 2023, 24, 233-242.	2.6	0
2	Gender, age at onset, and duration of being ill as predictors for the long-term course and outcome of schizophrenia: an international multicenter study. <i>CNS Spectrums</i> , 2022, 27, 716-723.	1.2	3
3	Impact of Psychiatric and Related Somatic Medications on the Duration and Severity of COVID-19: A Retrospective Explorative Multi-center Study from the German Metropolitan Ruhr-area. <i>Pharmacopsychiatry</i> , 2022, 55, 30-39.	3.3	7
4	Effects of structural features of psychiatric hospital settings on coercive measures. <i>European Journal of Psychiatry</i> , 2022, 36, 43-50.	1.3	1
5	Clinical manifestations and immunomodulatory treatment experiences in psychiatric patients with suspected autoimmune encephalitis: a case series of 91 patients from Germany. <i>Molecular Psychiatry</i> , 2022, 27, 1479-1489.	7.9	28
6	Time experience in patients with schizophrenia and affective disorders. <i>European Psychiatry</i> , 2022, 65, 1-32.	0.2	2
7	Suicidal behaviour in the social environment: Does exposure moderate the relationship between an individual's own suicidal ideation and behaviour?. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 1309-1320.	2.7	2
8	Covid-19: Contributions from Psychopharmacology. <i>Pharmacopsychiatry</i> , 2022, 55, 5-6.	3.3	0
9	Psychosocial functioning as a personal resource promoting a milder course of schizophrenia. <i>Journal of Psychiatric Research</i> , 2022, 148, 121-126.	3.1	4
10	Capacities for meta-cognition, social cognition, and alexithymia in postpartum depression. <i>Psychiatry Research</i> , 2022, 309, 114430.	3.3	4
11	Homelessness among psychiatric inpatients in North Rhine-Westphalia: a retrospective routine data analysis. <i>BMC Psychiatry</i> , 2022, 22, 132.	2.6	4
12	Impairments of Social Interaction in Depressive Disorder. <i>Psychiatry Investigation</i> , 2022, 19, 178-189.	1.6	5
13	Sleep disturbances in the context of neurohormonal dysregulation in patients with bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2022, 10, 6.	2.2	5
14	Influence of mental health professionals' attitudes and personality traits on decision-making around coercion: Results from an experimental quantitative survey using case vignettes. <i>Acta Psychiatrica Scandinavica</i> , 2022, , .	4.5	4
15	Computer-based mother-infant interaction analysis and mental functioning in postpartum depression. <i>Psychiatry Research</i> , 2022, 311, 114506.	3.3	3
16	Rationale, Mission and Vision for a National Centre of Affective Disorders in Germany. <i>Pharmacopsychiatry</i> , 2022, 55, 65-72.	3.3	0
17	COVID-19 Outcomes: Does the Use of Psychotropic Drugs Make a Difference? Accumulating Evidence of a Beneficial Effect of Antidepressants? A Scoping Review. <i>Journal of Clinical Psychopharmacology</i> , 2022, 42, 284-292.	1.4	15
18	A novel longitudinal clustering approach to psychopathology across diagnostic entities in the hospital-based PsyCourse study. <i>Schizophrenia Research</i> , 2022, 244, 29-38.	2.0	2

#	ARTICLE	IF	CITATIONS
19	Structural and Functional Deviations of the Hippocampus in Schizophrenia and Schizophrenia Animal Models. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5482.	4.1	18
20	Relationship between Psychopathology and Sources of Meaning in Psychotherapeutically Treated Patients: A Naturalistic Cross-Sectional Analysis. <i>Psychopathology</i> , 2022, , 1-9.	1.5	0
21	Investigation of the Serotonergic Activity and the Serotonin Content in Serum and Platelet, and the Possible Role of the Serotonin Transporter in Patients with Depression. <i>Behavioral Sciences (Basel)</i> , Tj ETQq1 1 0.7"B14 rgBf /Overlo		
22	Poly I:C-induced maternal immune challenge reduces perineuronal net area and raises spontaneous network activity of hippocampal neurons in vitro. <i>European Journal of Neuroscience</i> , 2021, 53, 3920-3941.	2.6	11
23	Modeling psychological function in patients with schizophrenia with the PANSS: an international multi-center study. <i>CNS Spectrums</i> , 2021, 26, 290-298.	1.2	5
24	Assessment of Psychosocial Functioning in a Large Cohort of Patients with Schizophrenia. <i>Psychiatric Quarterly</i> , 2021, 92, 177-191.	2.1	2
25	Testing the Four Main Predictions of the Interpersonal Psychological Theory of Suicidal Behavior in an Inpatient Sample Admitted Due to Severe Suicidality. <i>Behavior Therapy</i> , 2021, 52, 626-638.	2.4	10
26	Is the relationship between child abuse and suicide attempts mediated by nonsuicidal self-harm and pain tolerance?. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 189-199.	2.7	9
27	Pareidolias and Creativity in Patients with Mental Disorders. <i>Psychopathology</i> , 2021, 54, 59-69.	1.5	6
28	Reduced Jumping to Conclusion Bias after Experimentally Induced Enhancement of Subjective Body Boundaries in Psychosis. <i>Psychopathology</i> , 2021, 54, 92-97.	1.5	2
29	Poly I:C Activated Microglia Disrupt Perineuronal Nets and Modulate Synaptic Balance in Primary Hippocampal Neurons in vitro. <i>Frontiers in Synaptic Neuroscience</i> , 2021, 13, 637549.	2.5	14
30	Are Persons Treated with Antidepressants and/or Antipsychotics Possibly Better Protected against Severe COVID 19?. <i>Pharmacopsychiatry</i> , 2021, 54, 142-143.	3.3	4
31	From decision to action: Suicidal history and time between decision to die and actual suicide attempt. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 1427-1434.	2.7	13
32	Loudness Dependence of Auditory-evoked Potentials, a Marker of Central Serotonergic Activity, is Affected by Fasting and Selective Uptake of Food. <i>Clinical EEG and Neuroscience</i> , 2021, 52, 391-399.	1.7	1
33	Epistemological reflections on chances and borders of "biological psychiatry". <i>World Journal of Biological Psychiatry</i> , 2021, 22, 629-636.	2.6	1
34	Types of Ethical Problems and Expertise in Clinical Ethics Consultation in Psychiatry " Insights From a Qualitative Empirical Ethics Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 558795.	2.6	1
35	Analysis of cytokine levels, T regulatory cells and serotonin content in patients with depression. <i>European Journal of Neuroscience</i> , 2021, 53, 3476-3489.	2.6	16
36	Child abuse and suicidality in the context of the Interpersonal Psychological Theory of Suicide: A network analysis. <i>British Journal of Clinical Psychology</i> , 2021, 60, 425-442.	3.5	19

#	ARTICLE	IF	CITATIONS
37	A genome-wide association study of the longitudinal course of executive functions. <i>Translational Psychiatry</i> , 2021, 11, 386.	4.8	7
38	Predicting suicidal ideation in a longitudinal high-risk sample: Multilevel analyses and 12-month trajectories. <i>Journal of Clinical Psychology</i> , 2021, 77, 2353-2369.	1.9	6
39	Differences in interactional behaviour in postpartum depression with and without pre-existing mental disorder. <i>Comprehensive Psychiatry</i> , 2021, 108, 152248.	3.1	1
40	P300 and delay-discounting in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, , 1.	3.2	1
41	Death Anxiety and Attitudes towards Death in Patients with Multiple Sclerosis: An Exploratory Study. <i>Brain Sciences</i> , 2021, 11, 964.	2.3	6
42	Impact of Poly I:C induced maternal immune activation on offspring's gut microbiome diversity – Implications for schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 110, 110306.	4.8	19
43	Maternal immune activation leads to atypical turning asymmetry and reduced DRD2 mRNA expression in a rat model of schizophrenia. <i>Behavioural Brain Research</i> , 2021, 414, 113504.	2.2	14
44	Interplay between the genetics of personality traits, severe psychiatric disorders and COVID-19 host genetics in the susceptibility to SARS-CoV-2 infection. <i>BJPsych Open</i> , 2021, 7, e188.	0.7	1
45	A new electronically based clinical pathway for schizophrenia inpatients: A longitudinal pilot study. <i>Schizophrenia Research</i> , 2021, 238, 82-90.	2.0	3
46	Evolvement of Peer Support Workers' Roles in Psychiatric Hospitals: A Longitudinal Qualitative Observation Study. <i>Community Mental Health Journal</i> , 2021, 57, 589-597.	2.0	8
47	The somatic care situation of people with mental illness. <i>Health Science Reports</i> , 2021, 4, e226.	1.5	8
48	Evidence for Altered Neural Processing in Patients With Borderline Personality Disorder. <i>Journal of Psychophysiology</i> , 2021, 35, 163-185.	0.7	1
49	Polygenic risk scores across the extended psychosis spectrum. <i>Translational Psychiatry</i> , 2021, 11, 600.	4.8	11
50	Interplay between the Genetics of Personality Traits, severe Psychiatric Disorders, and COVID-19 Host Genetics in the Susceptibility to SARS-CoV-2 Infection - ADDENDUM. <i>BJPsych Open</i> , 2021, 7, e206.	0.7	0
51	The German research consortium for the study of bipolar disorder (BipoLife): a magnetic resonance imaging study protocol. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 37.	2.2	5
52	Medication Adherence in a Cross-Diagnostic Sample of Patients From the Affective-to-Psychotic Spectrum: Results From the PsyCourse Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 713060.	2.6	8
53	Selective Serotonin Reuptake Inhibitors for the Prevention of Post-Stroke Depression: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 5912.	2.4	12
54	Beneficial effects of peer support in psychiatric hospitals. A critical reflection on the results of a qualitative interview and focus group study. <i>Journal of Mental Health</i> , 2020, 29, 289-295.	1.9	22

#	ARTICLE	IF	CITATIONS
55	The socialâ€psychiatric service and its role in compulsory hospitalization. <i>Health and Social Care in the Community</i> , 2020, 28, 467-474.	1.6	6
56	Heldentum gegen Todesangst und Psychopathologie: â€Selbstwertâ€als protektiver Faktor in der ambulanten Psychotherapie. <i>Verhaltenstherapie</i> , 2020, 30, 271-280.	0.4	6
57	Social problem solving in adult patients with attention deficit hyperactivity disorder. <i>Psychiatry Research</i> , 2020, 285, 112721.	3.3	7
58	Quality of Parental Care and Traumatic Experiences in Childhood Related to Schizophrenic Disorders. <i>Journal of Nervous and Mental Disease</i> , 2020, 208, 818-821.	1.0	3
59	Socio-economic impact on involuntary admissions and coercive measures in psychiatric hospitals in Germany. <i>International Journal of Law and Psychiatry</i> , 2020, 71, 101597.	0.9	4
60	The role of the 5â€HTTLPR polymorphism in acquired capability for suicide. <i>Suicide and Life-Threatening Behavior</i> , 2020, 50, 1121-1126.	1.9	3
61	Psychometric evaluation of the Interpersonal Needs Questionnaire (INQ) using item analysis according to the Rasch model. <i>PLoS ONE</i> , 2020, 15, e0232030.	2.5	4
62	Validation of the German capability for suicide questionnaire (GCSQ) in a high-risk sample of suicidal inpatients. <i>BMC Psychiatry</i> , 2020, 20, 412.	2.6	2
63	Interpersonal theory of suicide: prospective examination. <i>BJPsych Open</i> , 2020, 6, e113.	0.7	22
64	Under which conditions are changes in the treatment of people under involuntary commitment justified during the COVID-19 pandemic? An ethical evaluation of current developments in Germany. <i>International Journal of Law and Psychiatry</i> , 2020, 73, 101615.	0.9	11
65	Configural processing of emotional bodies and faces in patients with attention deficit hyperactivity disorder. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2020, 42, 1028-1048.	1.3	6
66	Death anxiety and attitude to death in patients with schizophrenia and depression. <i>Psychiatry Research</i> , 2020, 290, 113148.	3.3	18
67	Selective recall deficits for heterogeneous associations in detoxified individuals with alcohol use disorder. <i>Behavioural Brain Research</i> , 2020, 390, 112688.	2.2	2
68	Pain persistence and lethality of suicide attempts. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 542-547.	2.7	6
69	The loudness dependence of auditory evoked potentials as an electrophysiological marker of central serotonergic neurotransmission: implications for clinical psychiatry and psychopharmacotherapy. <i>Handbook of Behavioral Neuroscience</i> , 2020, 31, 361-374.	0.7	1
70	Challenges faced by peer support workers during the integration into hospital-based mental health-care teams: Results from a qualitative interview study. <i>International Journal of Social Psychiatry</i> , 2020, 66, 263-269.	3.1	30
71	Lateralization of increased density of Iba1-immunopositive microglial cells in the anterior midcingulate cortex of schizophrenia and bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 819-828.	3.2	22
72	Enhanced Nitric Oxide (NO) and Decreased ADMA Synthesis in Pediatric ADHD and Selective Potentiation of NO Synthesis by Methylphenidate. <i>Journal of Clinical Medicine</i> , 2020, 9, 175.	2.4	7

#	ARTICLE	IF	CITATIONS
73	Cognitive and emotional empathy in individuals at clinical high risk of psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2020, 142, 40-51.	4.5	16
74	A German Version of the Staff Attitude to Coercion Scale. Development and Empirical Validation. <i>Frontiers in Psychiatry</i> , 2020, 11, 573240.	2.6	10
75	An Investigation of Psychosis Subgroups With Prognostic Validation and Exploration of Genetic Underpinnings. <i>JAMA Psychiatry</i> , 2020, 77, 523.	11.0	39
76	Induction of inducible nitric oxide synthase expression in activated microglia and astrocytes following pre- and postnatal immune challenge in an animal model of schizophrenia. <i>European Neuropsychopharmacology</i> , 2020, 35, 100-110.	0.7	18
77	The role of environmental stress and DNA methylation in the longitudinal course of bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 9.	2.2	13
78	Improving early recognition and intervention in people at increased risk for the development of bipolar disorder: study protocol of a prospective-longitudinal, naturalistic cohort study (Early-BipoLife). <i>International Journal of Bipolar Disorders</i> , 2020, 8, 22.	2.2	18
79	Skin Diseases in Patients with Primary Psychiatric Disorders. <i>Psychiatry Investigation</i> , 2020, 17, 157-162.	1.6	5
80	Role of child maltreatment and gender for bipolar symptoms in young adults. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 10.	2.2	5
81	A longitudinal approach to biological psychiatric research: The PsyCourse study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 89-102.	1.7	47
82	Childhood adversity predicts persistence of suicidal thoughts differently in females and males at clinical high-risk patients of psychosis. Results of the EPOS project. <i>Microbial Biotechnology</i> , 2019, 13, 935-942.	1.7	14
83	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75.	1.9	20
84	Interviewing a Person with Bipolar Disorder Under Involuntary Commitment: A Case Report. <i>Journal of Empirical Research on Human Research Ethics</i> , 2019, 14, 472-474.	1.3	1
85	Ward Atmosphere and Patient Satisfaction in Psychiatric Hospitals With Different Ward Settings and Door Policies. Results From a Mixed Methods Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 576.	2.6	18
86	Early multidisciplinary intensive-care therapy can improve outcome of severe anti-NMDA-receptor encephalitis presenting with extreme delta brush. <i>Translational Neuroscience</i> , 2019, 10, 241-243.	1.4	4
87	The genetic relationship between educational attainment and cognitive performance in major psychiatric disorders. <i>Translational Psychiatry</i> , 2019, 9, 210.	4.8	24
88	Staging of Schizophrenia With the Use of PANSS: An International Multi-Center Study. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 681-697.	2.1	28
89	Cover Image, Volume 180B, Number 2, March 2019. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, i.	1.7	0
90	Disparate effects of first and second generation antipsychotics on cognition in schizophrenia – Findings from the randomized NeSSy trial. <i>European Neuropsychopharmacology</i> , 2019, 29, 720-739.	0.7	29

#	ARTICLE	IF	CITATIONS
91	Do suicide attempters and suicide ideators differ in capability for suicide?. <i>Psychiatry Research</i> , 2019, 275, 304-309.	3.3	34
92	Kinematic Analysis of Handwriting Movements in Individuals with Intellectual Disabilities with and without Obsessive Compulsive Symptoms. <i>Psychopathology</i> , 2019, 52, 346-357.	1.5	3
93	Dopamine D2 Receptor Occupancy Estimated From Plasma Concentrations of Four Different Antipsychotics and the Subjective Experience of Physical and Mental Well-Being in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2019, 39, 550-560.	1.4	10
94	The influence of religious activity and polygenic schizophrenia risk on religious delusions in schizophrenia. <i>Schizophrenia Research</i> , 2019, 210, 255-261.	2.0	9
95	Positive mental health moderates the association between suicide ideation and suicide attempts. <i>Journal of Affective Disorders</i> , 2019, 245, 246-249.	4.1	41
96	Relationship between metacognitive beliefs and psychosocial performance in at-risk states of psychosis and patients with first psychotic episodes. <i>Microbial Biotechnology</i> , 2019, 13, 604-612.	1.7	6
97	Expressed emotion as a predictor of the first psychotic episode – Results of the European prediction of psychosis study. <i>Schizophrenia Research</i> , 2018, 199, 346-352.	2.0	17
98	Objective assessment of the degree of improvement or deterioration with patients by means of Ipsative Trend Analysis of resting electroencephalograms. <i>Medical Hypotheses</i> , 2018, 113, 17-26.	1.5	0
99	A Systematic Review of Mechanisms of Change in Body-Oriented Yoga in Major Depressive Disorders. <i>Pharmacopsychiatry</i> , 2018, 51, 73-81.	3.3	20
100	Central serotonergic function in patients with predominantly negative symptoms of schizophrenia. <i>Schizophrenia Research</i> , 2018, 193, 443-444.	2.0	4
101	Autonomic dysfunction of gastric motility in major depression. <i>Journal of Affective Disorders</i> , 2018, 226, 196-202.	4.1	21
102	Altered serotonergic and GABAergic neurotransmission in a mice model of obsessive-compulsive disorder. <i>Behavioural Brain Research</i> , 2018, 337, 240-245.	2.2	13
103	A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). <i>European Neuropsychopharmacology</i> , 2018, 28, 185-194.	0.7	9
104	Negative schemata about the self and others and paranoid ideation in at-risk states and those with persisting positive symptoms. <i>Microbial Biotechnology</i> , 2018, 12, 1157-1165.	1.7	6
105	Understanding Another Person's Emotions – An Interdisciplinary Research Approach. <i>Frontiers in Psychiatry</i> , 2018, 9, 414.	2.6	6
106	Requirements for the implementation of open door policies in acute psychiatry from a mental health professionals' and patients' view: a qualitative interview study. <i>BMC Psychiatry</i> , 2018, 18, 304.	2.6	17
107	Self-reported emotion regulation difficulties are associated with mood but not with the biological stress response to thin ideal exposure. <i>PLoS ONE</i> , 2018, 13, e0199769.	2.5	10
108	Relationship Between Neuroanatomical and Serotonergic Hypotheses of Obsessive-Compulsive Disorder. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	2.2	9

#	ARTICLE	IF	CITATIONS
109	Clinical high risk for psychosis: gender differences in symptoms and social functioning. <i>Microbial Biotechnology</i> , 2017, 11, 306-313.	1.7	54
110	Preventing involuntary admissions: special needs for distinct patient groups. <i>Annals of General Psychiatry</i> , 2017, 16, 3.	2.7	18
111	Naming for Psychotropic Drugs: Dilemma and Challenge. <i>Pharmacopsychiatry</i> , 2017, 50, 1-2.	3.3	17
112	Mirtazapine Induces Nightmares in Depressed Patients. <i>Pharmacopsychiatry</i> , 2017, 50, 161-161.	3.3	5
113	A case of GABAR antibodies in schizophrenia. <i>BMC Psychiatry</i> , 2017, 17, 9.	2.6	5
114	Interleukin-4 is a participant in the regulation of depressive-like behavior. <i>Behavioural Brain Research</i> , 2017, 326, 165-172.	2.2	31
115	Cortical thickness and trait empathy in patients and people at high risk for alcohol use disorders. <i>Psychopharmacology</i> , 2017, 234, 3521-3533.	3.1	20
116	The antipsychotic drugs olanzapine and haloperidol modify network connectivity and spontaneous activity of neural networks in vitro. <i>Scientific Reports</i> , 2017, 7, 11609.	3.3	19
117	Antidepressive response of inpatients with major depression to adjuvant occupational therapy: a caseâ€“control study. <i>Annals of General Psychiatry</i> , 2017, 16, 1.	2.7	19
118	Serotonergic modulation of orbitofrontal activity and its relevance for decision making and impulsivity. <i>Human Brain Mapping</i> , 2017, 38, 1507-1517.	3.6	14
119	Prevalence of metabolic syndrome in female and male patients at risk of psychosis. <i>Schizophrenia Research</i> , 2017, 181, 38-42.	2.0	34
120	Evaluation of the â€“Jumping to conclusionsâ€™ bias in different subgroups of the at-risk mental state: from cognitive basic symptoms to UHR criteria. <i>Psychological Medicine</i> , 2016, 46, 2071-2081.	4.5	21
121	Flow cytometric characterization of microglia in the offspring of PolyI:C treated mice. <i>Brain Research</i> , 2016, 1636, 172-182.	2.2	27
122	Schizophrenia associated sensory gating deficits develop after adolescent microglia activation. <i>Brain, Behavior, and Immunity</i> , 2016, 58, 99-106.	4.1	46
123	Social cognition and social problem solving abilities in individuals with alcohol use disorder. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2016, 38, 974-990.	1.3	22
124	<i>Toxoplasma gondii</i> infection in schizophrenia and associated clinical features. <i>Psychiatry Research</i> , 2016, 245, 327-332.	3.3	34
125	First and second generation antipsychotics differentially affect structural and functional properties of rat hippocampal neuron synapses. <i>Neuroscience</i> , 2016, 337, 117-130.	2.3	16
126	Editorial to Child and Adolescence Psychopharmacology. <i>Pharmacopsychiatry</i> , 2016, 49, 217-218.	3.3	0

#	ARTICLE	IF	CITATIONS
127	Relationship of suicide rates with climate and economic variables in Europe during 2000â€“2012. <i>Annals of General Psychiatry</i> , 2016, 15, 19.	2.7	48
128	Aims and structure of the German Research Consortium BipoLife for the study of bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 26.	2.2	29
129	Effects of first-generation antipsychotics versus second-generation antipsychotics on quality of life in schizophrenia: a double-blind, randomised study. <i>Lancet Psychiatry</i> , 2016, 3, 717-729.	7.4	56
130	Depression predicts persistence of paranoia in clinical high-risk patients to psychosis: results of the EPOS project. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 247-257.	3.1	20
131	Social cognition and metacognition in obsessiveâ€“compulsive disorder: an explorative pilot study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 209-216.	3.2	29
132	Microglia activation is associated with IFN- γ induced depressive-like behavior. <i>Brain, Behavior, and Immunity</i> , 2016, 55, 105-113.	4.1	67
133	Inhibition of the reward system by antipsychotic treatment. <i>Dialogues in Clinical Neuroscience</i> , 2016, 18, 109-114.	3.7	19
134	Attachment, recalled parental rearing, and ADHD symptoms predict emotion processing and alexithymia in adults with ADHD. <i>Annals of General Psychiatry</i> , 2015, 14, 43.	2.7	10
135	Alterations of Monetary Reward and Punishment Processing in Chronic Cannabis Users: An fMRI Study. <i>PLoS ONE</i> , 2015, 10, e0119150.	2.5	30
136	Nice or effective? Social problem solving strategies in patients with major depressive disorder. <i>Psychiatry Research</i> , 2015, 228, 835-842.	3.3	31
137	Does lithium reduce acute suicidal ideation and behavior? A protocol for a randomized, placebo-controlled multicenter trial of lithium plus Treatment As Usual (TAU) in patients with suicidal major depressive episode. <i>BMC Psychiatry</i> , 2015, 15, 117.	2.6	20
138	Low psychosocial functioning in obsessiveâ€“compulsive disorder and its clinical implications. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2015, 5, 87-92.	1.5	5
139	Loudness dependence of auditory evoked potentials (LDAEP) in clinical monitoring of suicidal patients with major depression in comparison with non-suicidal depressed patients and healthy volunteers: A follow-up-study. <i>Journal of Affective Disorders</i> , 2015, 184, 299-304.	4.1	18
140	Olfactory function and morphology of olfactory epithelium in an adult population with schizophrenia. <i>Schizophrenia Research</i> , 2015, 161, 513-514.	2.0	8
141	Temperament and prodromal symptoms prior to first manic/hypomanic episodes: Results from a pilot study. <i>Journal of Affective Disorders</i> , 2015, 173, 39-44.	4.1	21
142	Emotion Recognition as Pattern Recognition: The Relevance of Perception. <i>Mind and Language</i> , 2015, 30, 187-208.	2.3	52
143	Serotonin: From sensory processing to schizophrenia using an electrophysiological method. <i>Behavioural Brain Research</i> , 2015, 277, 121-124.	2.2	25
144	Towards a framework for treatment effectiveness in schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 1867.	2.2	18

#	ARTICLE	IF	CITATIONS
145	Impact of social-psychiatric services and psychiatric clinics on involuntary admissions. <i>International Journal of Social Psychiatry</i> , 2014, 60, 672-680.	3.1	22
146	Influence of Levothyroxine in Augmentation Therapy for Bipolar Depression on Central Serotonergic Function. <i>Pharmacopsychiatry</i> , 2014, 47, 180-183.	3.3	8
147	Early Recognition of Obsessive-Compulsive Disorder. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 889-891.	1.0	9
148	Short-term functional outcome and premorbid adjustment in clinical high-risk patients. Results of the EPOS project. <i>European Psychiatry</i> , 2014, 29, 371-380.	0.2	28
149	Sports and brain morphology – A voxel-based morphometry study with endurance athletes and martial artists. <i>Neuroscience</i> , 2014, 259, 35-42.	2.3	63
150	Pathways to care in subjects at high risk for psychotic disorders – A European perspective. <i>Schizophrenia Research</i> , 2014, 152, 400-407.	2.0	31
151	Emotional contagion in mice: The role of familiarity. <i>Behavioural Brain Research</i> , 2014, 263, 16-21.	2.2	98
152	The role of microglia during life span in neuropsychiatric disease – an animal study. <i>Schizophrenia Research</i> , 2013, 143, 221-222.	2.0	26
153	P300 in obsessive-compulsive disorder: Source localization and the effects of treatment. <i>Journal of Psychiatric Research</i> , 2013, 47, 1975-1983.	3.1	27
154	The bipolar disorder prodrome revisited: Is there a symptomatic pattern?. <i>Journal of Affective Disorders</i> , 2013, 151, 551-560.	4.1	34
155	Patient satisfaction with specialized mental health service for obsessive-compulsive disorder. <i>Annals of General Psychiatry</i> , 2013, 12, 41.	2.7	3
156	The Loudness Dependence of Auditory Evoked Potentials (LDAEP) as an Indicator of Serotonergic Dysfunction in Patients with Predominant Schizophrenic Negative Symptoms. <i>PLoS ONE</i> , 2013, 8, e68650.	2.5	27
157	Ventral Striatal Activation during Reward Processing in Subjects with Ultra-High Risk for Schizophrenia. <i>Neuropsychobiology</i> , 2012, 66, 50-56.	1.9	79
158	Comparison of Self- and Clinician's Ratings of Personal and Social Performance in Patients with Schizophrenia: The Role of Insight. <i>Psychopathology</i> , 2012, 45, 109-116.	1.5	17
159	Age effects on the P300 potential and the corresponding fMRI BOLD-signal. <i>NeuroImage</i> , 2012, 60, 2027-2034.	4.2	39
160	Examination of the effect of acute levodopa administration on the loudness dependence of auditory evoked potentials (LDAEP) in humans. <i>Psychopharmacology</i> , 2012, 221, 389-396.	3.1	9
161	Course of psychopathology in the at-risk mental state - outcomes beyond transition to psychosis. <i>European Psychiatry</i> , 2011, 26, 2037-2037.	0.2	0
162	Relationships between negative symptoms and abnormalities in the anticipatory component of reward. <i>European Psychiatry</i> , 2011, 26, 2070-2070.	0.2	0

#	ARTICLE	IF	CITATIONS
163	Microglial activation in a neuroinflammatory animal model of schizophrenia – a pilot study. <i>Schizophrenia Research</i> , 2011, 131, 96-100.	2.0	158
164	Is evaluation of humorous stimuli associated with frontal cortex morphology? A pilot study using facial micro-movement analysis and MRI. <i>Cortex</i> , 2011, 47, 569-574.	2.4	17
165	Association between wind-up ratio and central serotonergic function in healthy subjects and depressed patients. <i>Neuroscience Letters</i> , 2011, 504, 176-180.	2.1	10
166	Dopaminergic mechanisms of target detection – P300 event related potential and striatal dopamine. <i>Psychiatry Research - Neuroimaging</i> , 2011, 194, 212-218.	1.8	52
167	The illness and everyday living: close interplay of psychopathological syndromes and psychosocial functioning in chronic schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 85-93.	3.2	44
168	The Management of Psychiatric Emergencies. <i>Deutsches A&#x0308;rztblatt International</i> , 2011, 108, 222-30.	0.9	41
169	Are routine methods good enough to stain senile plaques and neurofibrillary tangles in different brain regions of demented patients?. <i>Psychiatria Danubina</i> , 2011, 23, 334-9.	0.4	5
170	Low Serotonergic Function and Its Normalization by Treatment With Sertraline in Obsessive-Compulsive Disorder-An Auditory Evoked Potential Study. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 341-343.	1.4	6
171	Serotonergic functioning as measured by the loudness dependence of auditory evoked potentials is related to a haplotype in the brain-derived neurotrophic factor (BDNF) gene. <i>Journal of Psychiatric Research</i> , 2010, 44, 541-546.	3.1	23
172	Hippocampal subdivision and amygdalar volumes in patients in an at-risk mental state for schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2010, 35, 33-40.	2.4	83
173	Prediction of Psychosis in Adolescents and Young Adults at High Risk. <i>Archives of General Psychiatry</i> , 2010, 67, 241.	12.3	575
174	Gray matter abnormalities in subjects at ultra-high risk for schizophrenia and first-episode schizophrenic patients compared to healthy controls. <i>Psychiatry Research - Neuroimaging</i> , 2009, 173, 163-169.	1.8	127
175	Kinematic analysis of facial behaviour in patients with schizophrenia under emotional stimulation by films with –Mr. Bean–. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 186-191.	3.2	13
176	Association of catechol–methyltransferase variants with loudness dependence of auditory evoked potentials. <i>Human Psychopharmacology</i> , 2008, 23, 115-120.	1.5	18
177	Association of 5–HT1B receptor polymorphisms with the loudness dependence of auditory evoked potentials in a community–based sample of healthy volunteers. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 454-458.	1.7	24
178	Electrophysiological evidence for cortical abnormalities in obsessive–compulsive disorder – A replication study using auditory event-related P300 subcomponents. <i>Journal of Psychiatric Research</i> , 2008, 42, 297-303.	3.1	32
179	Validation of the Personal and Social Performance (PSP) Scale in a German sample of acutely ill patients with schizophrenia. <i>Schizophrenia Research</i> , 2008, 104, 287-293.	2.0	95
180	Loudness dependence of the auditory evoked N1/P2 component as an indicator of serotonergic dysfunction in patients with schizophrenia – A replication study. <i>Psychiatry Research</i> , 2008, 158, 79-82.	3.3	38

#	ARTICLE	IF	CITATIONS
181	Dopamine and serotonin levels following prenatal viral infection in mouse—Implications for psychiatric disorders such as schizophrenia and autism. <i>European Neuropsychopharmacology</i> , 2008, 18, 712-716.	0.7	78
182	Loudness Dependence of Auditory Evoked Potentials as Indicator of Central Serotonergic Neurotransmission: Simultaneous Electrophysiological Recordings and In Vivo Microdialysis in the Rat Primary Auditory Cortex. <i>Neuropsychopharmacology</i> , 2008, 33, 3176-3181.	5.4	84
183	Diagnostic Usefulness of Cognitive Auditory Event-Related P300 Subcomponents in Patients With Alzheimers Disease?. <i>Journal of Clinical Neurophysiology</i> , 2008, 25, 147-152.	1.7	52
184	The new approach: psychosocial functioning as a necessary outcome criterion for therapeutic success in schizophrenia. <i>Current Opinion in Psychiatry</i> , 2008, 21, 630-639.	6.3	105
185	Loudness dependence of auditory evoked potentials is not associated with polymorphisms or haplotypes in the serotonin transporter gene in a community-based sample of German healthy volunteers. <i>Psychiatry Research</i> , 2007, 153, 183-187.	3.3	7
186	Acute effects of δ^9 -tetrahydrocannabinol and standardized cannabis extract on the auditory evoked mismatch negativity. <i>Schizophrenia Research</i> , 2007, 97, 109-117.	2.0	59
187	Differential Prediction of First Clinical Response to Serotonergic and Noradrenergic Antidepressants Using the Loudness Dependence of Auditory Evoked Potentials in Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1206-1212.	2.2	102
188	Dysfunction of ventral striatal reward prediction in schizophrenia. <i>NeuroImage</i> , 2006, 29, 409-416.	4.2	525
189	Is the loudness dependence of auditory evoked potentials modulated by the selective serotonin reuptake inhibitor citalopram in healthy subjects?. <i>Human Psychopharmacology</i> , 2006, 21, 463-471.	1.5	41
190	Facial Expressions and Personality: A Kinematical Investigation during an Emotion Induction Experiment. <i>Neuropsychobiology</i> , 2006, 54, 114-119.	1.9	7
191	Kinematical analysis of emotionally induced facial expressions: a novel tool to investigate hypomimia in patients suffering from depression. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 138-140.	1.9	29
192	Hyperactive and anxious phenotype following brief ischemic episodes in mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, S533-S533.	4.3	0
193	Loudness Dependence of Primary Auditory-Cortex-Evoked Activity as Predictor of Therapeutic Outcome to Prophylactic Lithium Treatment in Affective Disorders - A Retrospective Study. <i>Pharmacopsychiatry</i> , 2004, 37, 46-51.	3.3	62
194	Can We Know What Others Feel? Anthropological and Epistemological Considerations in Emotional Neuroscience. , 2004, , 229-241.		2
195	Serotonergic dysfunction in schizophrenia assessed by the loudness dependence measure of primary auditory cortex evoked activity. <i>Schizophrenia Research</i> , 2003, 64, 115-124.	2.0	82
196	Elevated brain serotonin transporter availability in patients with obsessive-compulsive disorder. <i>Biological Psychiatry</i> , 2003, 54, 1406-1413.	1.3	108
197	Anhedonia, Self-Experience in Schizophrenia, and Implications for Treatment. <i>Pharmacopsychiatry</i> , 2003, 36, 176-180.	3.3	17
198	P300 subcomponents in obsessive-compulsive disorder. <i>Journal of Psychiatric Research</i> , 2002, 36, 399-406.	3.1	48

#	ARTICLE	IF	CITATIONS
199	Value of event-related P300 subcomponents in the clinical diagnosis of mild cognitive impairment and Alzheimer's Disease. <i>Psychophysiology</i> , 2002, 39, 175-181.	2.4	109
200	Dipole localization of P300 and normal aging. <i>Brain Topography</i> , 2000, 13, 3-9.	1.8	19
201	The loudness dependency of the auditory evoked N1/P2-component as a predictor of the acute SSRI response in depression. <i>Psychopharmacology</i> , 2000, 148, 404-411.	3.1	218
202	Identifying psychiatric patients with serotonergic dysfunctions by event-related potentials. <i>World Journal of Biological Psychiatry</i> , 2000, 1, 112-118.	2.6	25
203	Electrical Stimulation of Rat Medial Prefrontal Cortex Enhances Forebrain Serotonin Output Implications for Electroconvulsive Therapy and Transcranial Magnetic Stimulation in Depression. <i>Neuropsychopharmacology</i> , 1999, 21, 391-398.	5.4	100
204	Auditory Evoked Potentials Reflect Serotonergic Neuronal Activity – A Study in Behaving Cats Administered Drugs Acting on 5-HT _{1A} Autoreceptors in the Dorsal Raphe Nucleus. <i>Neuropsychopharmacology</i> , 1999, 21, 710-716.	5.4	163
205	Auditory-evoked potentials as indicator of brain serotonergic activity first evidence in behaving cats. <i>Biological Psychiatry</i> , 1997, 41, 1181-1195.	1.3	215
206	Intensity dependence of auditory evoked potentials in behaving cats. <i>Electroencephalography and Clinical Neurophysiology - Evoked Potentials</i> , 1996, 100, 527-537.	2.0	28
207	ERP and neurotransmitters. <i>European Journal of Neurology</i> , 1996, 3, 289-294.	3.3	1
208	Intensity dependence of auditory evoked potentials as an indicator of central serotonergic neurotransmission: A new hypothesis. <i>Biological Psychiatry</i> , 1993, 33, 173-187.	1.3	449