Stefan Priebe

List of Publications by Citations

Source: https://exaly.com/author-pdf/2329411/stefan-priebe-publications-by-citations.pdf

Version: 2024-04-04

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 499
 18,048
 69
 109

 papers
 citations
 h-index
 g-index

 561
 21,095
 4.6
 7.02

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
499	Application and results of the Manchester Short Assessment of Quality of Life (MANSA). International Journal of Social Psychiatry, 1999 , 45, 7-12	8.5	670
498	Depression and anxiety in labor migrants and refugeesa systematic review and meta-analysis. <i>Social Science and Medicine</i> , 2009 , 69, 246-57	5.1	421
497	Long-term mental health of war-refugees: a systematic literature review. <i>BMC International Health and Human Rights</i> , 2015 , 15, 29	2.5	410
496	Reinstitutionalisation in mental health care: comparison of data on service provision from six European countries. <i>BMJ, The</i> , 2005 , 330, 123-6	5.9	304
495	Ethnic variations in pathways to and use of specialist mental health services in the UK. Systematic review. <i>British Journal of Psychiatry</i> , 2003 , 182, 105-16	5.4	301
494	Community treatment orders for patients with psychosis (OCTET): a randomised controlled trial. Lancet, The, 2013 , 381, 1627-33	40	251
493	Measuring the quality of life of severely mentally ill people using the Lancashire Quality of Life Profile. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1997 , 32, 76-83	4.5	222
492	Mental health, health care utilisation of migrants in Europe. European Psychiatry, 2008, 23 Suppl 1, 14-2	2 0 6	219
491	The WPA-Lancet Psychiatry Commission on the Future of Psychiatry. Lancet Psychiatry, the, 2017, 4, 775	5-838	211
490	The therapeutic relationship in the treatment of severe mental illness: a review of methods and findings. <i>International Journal of Social Psychiatry</i> , 2004 , 50, 115-28	8.5	198
489	Social exclusion and mental health: conceptual and methodological review. <i>British Journal of Psychiatry</i> , 2007 , 191, 477-83	5.4	193
488	Explanatory models of illness in schizophrenia: comparison of four ethnic groups. <i>British Journal of Psychiatry</i> , 2004 , 185, 25-30	5.4	184
487	A new scale to assess the therapeutic relationship in community mental health care: STAR. <i>Psychological Medicine</i> , 2007 , 37, 85-95	6.9	172
486	Good practice in health care for migrants: views and experiences of care professionals in 16 European countries. <i>BMC Public Health</i> , 2011 , 11, 187	4.1	167
485	PatientsPviews and readmissions 1 year after involuntary hospitalisation. <i>British Journal of Psychiatry</i> , 2009 , 194, 49-54	5.4	163
484	Remission from post-traumatic stress disorder in adults: a systematic review and meta-analysis of long term outcome studies. <i>Clinical Psychology Review</i> , 2014 , 34, 249-55	10.8	160
483	Use of coercive measures during involuntary hospitalization: findings from ten European countries. <i>Psychiatric Services</i> , 2010 , 61, 1012-7	3.3	158

(2006-2010)

482	Mental disorders following war in the Balkans: a study in 5 countries. <i>Archives of General Psychiatry</i> , 2010 , 67, 518-28		143
481	Structured patient-clinician communication and 1-year outcome in community mental healthcare: cluster randomised controlled trial. <i>British Journal of Psychiatry</i> , 2007 , 191, 420-6	5.4	143
480	Factors associated with mental disorders in long-settled war refugees: refugees from the former Yugoslavia in Germany, Italy and the UK. <i>British Journal of Psychiatry</i> , 2012 , 200, 216-23	5.4	142
479	Engagement of patients with psychosis in the consultation: conversation analytic study. <i>BMJ, The</i> , 2002 , 325, 1148-51	5.9	140
478	Outcomes of involuntary hospital admissiona review. Acta Psychiatrica Scandinavica, 2006, 114, 232-41	6.5	137
477	Processes of disengagement and engagement in assertive outreach patients: qualitative study. <i>British Journal of Psychiatry</i> , 2005 , 187, 438-43	5.4	136
476	Deinstitutionalization and reinstitutionalization: major changes in the provision of mental healthcare. <i>Psychiatry (Abingdon, England)</i> , 2007 , 6, 313-316		130
475	Mental health care institutions in nine European countries, 2002 to 2006. <i>Psychiatric Services</i> , 2008 , 59, 570-3	3.3	127
474	Post-traumatic stress disorder, social anxiety disorder, and depression in survivors of the Kosovo War: experiential avoidance as a contributor to distress and quality of life. <i>Journal of Anxiety Disorders</i> , 2009 , 23, 185-96	10.9	126
473	Psychosocial interventions for post-traumatic stress disorder in refugees and asylum seekers resettled in high-income countries: Systematic review and meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0171030	3.7	123
472	Research in supported housing. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 301-15	4.5	123
471	The role of the helping alliance in psychiatric community care. A prospective study. <i>Journal of Nervous and Mental Disease</i> , 1993 , 181, 552-7	1.8	121
470	Patient-reported outcomes in schizophrenia. British Journal of Psychiatry, 2007, 50, s21-8	5.4	115
469	Implementing family involvement in the treatment of patients with psychosis: a systematic review of facilitating and hindering factors. <i>BMJ Open</i> , 2014 , 4, e006108	3	112
468	Psychiatric patientsPviews on why their involuntary hospitalisation was right or wrong: a qualitative study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1169-79	4.5	111
467	Employment, attitudes toward work, and quality of life among people with schizophrenia in three countries. <i>Schizophrenia Bulletin</i> , 1998 , 24, 469-77	1.3	111
466	Coercion and treatment satisfaction among involuntary patients. <i>Psychiatric Services</i> , 2010 , 61, 286-92	3.3	110
465	Use of standardised outcome measures in adult mental health services: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2006 , 189, 330-6	5.4	107

464	Lithium prophylaxis and expressed emotion. British Journal of Psychiatry, 1989, 154, 396-9	5.4	107
463	Quality of life in first-admitted schizophrenia patients: a follow-up study. <i>Psychological Medicine</i> , 2000 , 30, 225-30	6.9	104
462	Treatment completion in psychotherapy for borderline personality disorder: a systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 123, 327-38	6.5	102
461	Therapeutic Landscapes in Hospital Design: A Qualitative Assessment by Staff and Service Users of the Design of a New Mental Health Inpatient Unit. <i>Environment and Planning C: Urban Analytics and City Science</i> , 2007 , 25, 591-610		101
460	Social outcomes in schizophrenia. British Journal of Psychiatry, 2007, 50, s15-20	5.4	100
459	Does the therapeutic relationship predict outcomes of psychiatric treatment in patients with psychosis? A systematic review. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 70-7	9.4	99
458	Effect of body-oriented psychological therapy on negative symptoms in schizophrenia: a randomized controlled trial. <i>Psychological Medicine</i> , 2006 , 36, 669-78	6.9	99
457	Trust, choice and power in mental health: a literature review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 843-52	4.5	98
456	Effectiveness and cost-effectiveness of dialectical behaviour therapy for self-harming patients with personality disorder: a pragmatic randomised controlled trial. <i>Psychotherapy and Psychosomatics</i> , 2012 , 81, 356-65	9.4	97
455	Detention of the mentally ill in Europea review. Acta Psychiatrica Scandinavica, 2002, 106, 3-8	6.5	97
454	The process of deinstitutionalization: an international overview. <i>Current Opinion in Psychiatry</i> , 2002 , 15, 187-192	4.9	91
453	Therapeutic relationships in psychiatry: the basis of therapy or therapy in itself?. <i>International Review of Psychiatry</i> , 2008 , 20, 521-6	3.6	88
452	PatientsPviews of involuntary hospital admission after 1 and 3 months: prospective study in 11 European countries. <i>British Journal of Psychiatry</i> , 2010 , 196, 179-85	5.4	87
451	PatientB experiences of involuntary hospital admission and treatment: a review of qualitative studies. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 172-8		87
450	PatientsPassessment of treatment predicting outcome. Schizophrenia Bulletin, 1995, 21, 87-94	1.3	86
449	Prevalence of Posttraumatic Stress Disorder in Prisoners. <i>Epidemiologic Reviews</i> , 2018 , 40, 134-145	4.1	85
448	Testing the psychopathology of psychosis: evidence for a general psychosis dimension. <i>Schizophrenia Bulletin</i> , 2013 , 39, 884-95	1.3	85
447	The therapeutic relationship and adherence to antipsychotic medication in schizophrenia. <i>PLoS ONE</i> , 2012 , 7, e36080	3.7	85

(1997-2002)

446	A phenomenological account of usersPexperiences of assertive community treatment. <i>Bioethics</i> , 2002 , 16, 439-54	2	84	
445	Understanding psychiatric institutionalization: a conceptual review. <i>BMC Psychiatry</i> , 2013 , 13, 169	4.2	83	
444	Mental health care for adult refugees in high-income countries. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 109-116	5.1	82	
443	Resource-oriented therapeutic models in psychiatry: conceptual review. <i>British Journal of Psychiatry</i> , 2014 , 204, 256-61	5.4	81	
442	Objective social outcomes index (SIX): a method to summarise objective indicators of social outcomes in mental health care. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 57-63	6.5	77	
441	Severe mental illness and substance use disorders in prisoners in low-income and middle-income countries: a systematic review and meta-analysis of prevalence studies. <i>The Lancet Global Health</i> , 2019 , 7, e461-e471	13.6	76	
440	How to improve clinical practice on involuntary hospital admissions of psychiatric patients: suggestions from the EUNOMIA study. <i>European Psychiatry</i> , 2011 , 26, 201-7	6	76	
439	The therapeutic relationship in psychiatric settings. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 69-72	6.5	75	
438	Who seeks treatment after a traumatic event and who does not? A review of findings on mental health service utilization. <i>Journal of Traumatic Stress</i> , 2005 , 18, 595-605	3.8	74	
437	Prevalence of and risk factors for mental disorders in refugees. <i>Seminars in Cell and Developmental Biology</i> , 2018 , 77, 144-152	7.5	74	
436	Experiences with treating immigrants: a qualitative study in mental health services across 16 European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 105-16	4.5	72	
435	Factors influencing subjective quality of life in patients with schizophrenia and other mental disorders: a pooled analysis. <i>Schizophrenia Research</i> , 2010 , 121, 251-8	3.6	71	
434	Complementary medicines in psychiatry: review of effectiveness and safety. <i>British Journal of Psychiatry</i> , 2006 , 188, 109-21	5.4	71	
433	Factors predicting the outcome of psychotherapy for borderline personality disorder: a systematic review. <i>Clinical Psychology Review</i> , 2012 , 32, 400-12	10.8	70	
432	Interventions to Reduce Compulsory Psychiatric Admissions: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2016 , 73, 657-64	14.5	67	
431	The Application of Positive Psychotherapy in Mental Health Care: A Systematic Review. <i>Journal of Clinical Psychology</i> , 2017 , 73, 638-651	2.8	66	
430	Good communication in psychiatrya conceptual review. European Psychiatry, 2011, 26, 403-7	6	66	
429	Profiles of subjective quality of life in schizophrenic in- and out-patient samples. <i>Psychiatry Research</i> , 1997 , 66, 153-66	9.9	65	

428	Staff and patient perspectives on unmet need and therapeutic alliance in community mental health services. <i>British Journal of Psychiatry</i> , 2007 , 191, 543-7	5.4	65
427	Posttraumatic stress disorder six months after an earthquake: findings from a community sample in a rural region in Italy. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 393-7	4.5	64
426	Specific body image pathology in acute schizophrenia. <i>Psychiatry Research</i> , 2001 , 101, 289-301	9.9	64
425	Group music therapy for patients with persistent post-traumatic stress disorderan exploratory randomized controlled trial with mixed methods evaluation. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2012 , 85, 179-202	3.5	63
424	Effectiveness of financial incentives to improve adherence to maintenance treatment with antipsychotics: cluster randomised controlled trial. <i>BMJ, The,</i> 2013 , 347, f5847	5.9	62
423	Psychiatric hospital beds and prison populations in South America since 1990: does the Penrose hypothesis apply?. <i>JAMA Psychiatry</i> , 2015 , 72, 112-8	14.5	61
422	Association between symptoms and quality of life in patients with schizophrenia: a pooled analysis of changes over time. <i>Schizophrenia Research</i> , 2011 , 133, 17-21	3.6	61
421	The EUNOMIA project on coercion in psychiatry: study design and preliminary data. <i>World Psychiatry</i> , 2005 , 4, 168-72	14.4	61
420	Are day hospitals effective for acutely ill psychiatric patients? A European multicenter randomized controlled trial. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 278-87	4.6	61
419	Effectiveness of one-to-one peer support for patients with severe mental illness ´-´a randomised controlled trial. <i>European Psychiatry</i> , 2017 , 42, 103-110	6	59
418	Trust, choice and power in mental health care: experiences of patients with psychosis. <i>International Journal of Social Psychiatry</i> , 2012 , 58, 496-504	8.5	59
417	Health care for immigrants in Europe: is there still consensus among country experts about principles of good practice? A Delphi study. <i>BMC Public Health</i> , 2011 , 11, 699	4.1	58
416	Does Interpreter-Mediated CBT with Traumatized Refugee People Work? A Comparison of Patient Outcomes in East London. <i>Behavioural and Cognitive Psychotherapy</i> , 2007 , 35, 293-301	2.1	58
415	Effectiveness of befriending interventions: a systematic review and meta-analysis. <i>BMJ Open</i> , 2017 , 7, e014304	3	57
414	Can mental health interventions change social networks? A systematic review. <i>BMC Psychiatry</i> , 2015 , 15, 297	4.2	57
413	Involuntary admission and posttraumatic stress disorder symptoms in schizophrenia patients. <i>Comprehensive Psychiatry</i> , 1998 , 39, 220-4	7.3	57
412	Online social networking in people with psychosis: A systematic review. <i>International Journal of Social Psychiatry</i> , 2015 , 61, 92-101	8.5	56
411	Diagnostic utility of the impact of event scale-revised in two samples of survivors of war. <i>PLoS ONE</i> , 2013 , 8, e83916	3.7	56

(2013-2011)

410	Coerced hospital admission and symptom changea prospective observational multi-centre study. <i>PLoS ONE</i> , 2011 , 6, e28191	3.7	56	
409	New spaces of inpatient care for people with mental illness: a complex RebirthPof the clinic?. <i>Health and Place</i> , 2009 , 15, 340-8	4.6	56	
408	Recovery in Borderline Personality Disorder (BPD): a qualitative study of service usersP perspectives. <i>PLoS ONE</i> , 2012 , 7, e36517	3.7	56	
407	Predictors of clinical and social outcomes following involuntary hospital admission: a prospective observational study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011 , 261, 377-86	5.1	54	
406	Consequences of untreated posttraumatic stress disorder following war in former Yugoslavia: morbidity, subjective quality of life, and care costs. <i>Croatian Medical Journal</i> , 2009 , 50, 465-75	1.6	54	
405	Social networks of patients with psychosis: a systematic review. <i>BMC Research Notes</i> , 2015 , 8, 560	2.3	53	
404	Mental disorders, psychological symptoms and quality of life 8 years after an earthquake: findings from a community sample in Italy. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 615-21	4.5	53	
403	Assertive outreach teams in London: models of operation. Pan-London Assertive Outreach Study, part 1. <i>British Journal of Psychiatry</i> , 2003 , 183, 132-8	5.4	52	
402	How do general practitioners experience providing care to refugees with mental health problems? A qualitative study from Denmark. <i>BMC Family Practice</i> , 2013 , 14, 17	2.6	51	
401	Effectiveness and costs of acute day hospital treatment compared with conventional in-patient care: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2006 , 188, 243-9	5.4	51	
400	Therapeutic relationships and quality of life: association of two subjective constructs in schizophrenia patients. <i>International Journal of Social Psychiatry</i> , 1999 , 45, 276-83	8.5	51	
399	Good practice in mental health care for socially marginalised groups in Europe: a qualitative study of expert views in 14 countries. <i>BMC Public Health</i> , 2012 , 12, 248	4.1	50	
398	The Effectiveness of a Patient-Centred Assessment with a Solution-Focused Approach (DIALOG+) for Patients with Psychosis: A Pragmatic Cluster-Randomised Controlled Trial in Community Care. <i>Psychotherapy and Psychosomatics</i> , 2015 , 84, 304-13	9.4	49	
397	A systematic review of music therapy practice and outcomes with acute adult psychiatric in-patients. <i>PLoS ONE</i> , 2013 , 8, e70252	3.7	49	
396	Assertive outreach teams in London: patient characteristics and outcomes. Pan-London Assertive Outreach Study, part 3. <i>British Journal of Psychiatry</i> , 2003 , 183, 148-54	5.4	49	
395	Characteristics of teams, staff and patients: associations with outcomes of patients in assertive outreach. <i>British Journal of Psychiatry</i> , 2004 , 185, 306-11	5.4	49	
394	Social contacts and loneliness in people with psychotic and mood disorders. <i>Comprehensive Psychiatry</i> , 2016 , 66, 59-66	7.3	48	
393	Shared decision-making in ongoing outpatient psychiatric treatment. <i>Patient Education and Counseling</i> , 2013 , 91, 326-8	3.1	48	

392	Measuring patient-reported outcomes in psychosis: conceptual and methodological review. <i>British Journal of Psychiatry</i> , 2012 , 201, 262-7	5.4	48
391	Psychosis seminars: an unconventional approach. <i>Psychiatric Services</i> , 2005 , 56, 1441-3	3.3	47
390	Psychological and endocrine abnormalities in refugees from East Germany: Part I. Prolonged stress, psychopathology, and hypothalamic-pituitary-thyroid axis activity. <i>Psychiatry Research</i> , 1994 , 51, 61-73	9.9	47
389	Family caregiversPexperiences of involuntary psychiatric hospital admissions of their relativesa qualitative study. <i>PLoS ONE</i> , 2011 , 6, e25425	3.7	47
388	Patient characteristics and symptoms associated with perceived coercion during hospital treatment. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 460-7	6.5	46
387	Health care for irregular migrants: pragmatism across Europe: a qualitative study. <i>BMC Research Notes</i> , 2012 , 5, 99	2.3	46
386	Providing mental healthcare to immigrants: current challenges and new strategies. <i>Current Opinion in Psychiatry</i> , 2014 , 27, 282-8	4.9	46
385	Morale and job perception of community mental health professionals in Berlin and London. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 223-32	4.5	46
384	PatientsPand relativesPassessment of clozapine treatment. <i>Psychological Medicine</i> , 2001 , 31, 509-17	6.9	46
383	Effectiveness of a volunteer befriending programme for patients with schizophrenia: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2020 , 217, 477-483	5.4	46
382	How has the extent of institutional mental healthcare changed in Western Europe? Analysis of data since 1990. <i>BMJ Open</i> , 2016 , 6, e010188	3	45
381	Shared understanding in psychiatrist-patient communication: association with treatment adherence in schizophrenia. <i>Patient Education and Counseling</i> , 2013 , 93, 73-9	3.1	45
380	Housing services for people with mental disorders in England: patient characteristics, care provision and costs. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 805-14	4.5	45
379	Do different subjective evaluation criteria reflect distinct constructs?. <i>Journal of Nervous and Mental Disease</i> , 1998 , 186, 385-92	1.8	45
378	Do negative symptoms of schizophrenia change over time? A meta-analysis of longitudinal data. <i>Psychological Medicine</i> , 2015 , 45, 1613-27	6.9	44
377	Quality of life, autonomy, satisfaction, and costs associated with mental health supported accommodation services in England: a national survey. <i>Lancet Psychiatry,the</i> , 2016 , 3, 1129-1137	23.3	44
376	Friends and symptom dimensions in patients with psychosis: a pooled analysis. <i>PLoS ONE</i> , 2012 , 7, e501	199.7	44
375	Training to enhance psychiatrist communication with patients with psychosis (TEMPO): cluster randomised controlled trial. <i>British Journal of Psychiatry</i> , 2016 , 209, 517-524	5.4	44

(2016-2009)

374	Cost of treatment of schizophrenia in six European countries. Schizophrenia Research, 2009, 111, 70-7	3.6	43
373	Theoretical frameworks for understanding and investigating the therapeutic relationship in psychiatry. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 557-64	4.5	43
372	Treating substance abuse is not enough: comorbidities in consecutively admitted female prisoners. <i>Addictive Behaviors</i> , 2015 , 46, 25-30	4.2	42
371	Why do some voluntary patients feel coerced into hospitalisation? A mixed-methods study. <i>Psychiatry Research</i> , 2011 , 187, 275-82	9.9	42
370	Does quality of life differ in schizophrenic women and men? An empirical study. <i>International Journal of Social Psychiatry</i> , 1997 , 43, 129-43	8.5	42
369	Are therapeutic relationships in psychiatry explained by patientsPsymptoms? Factors influencing patient ratings. <i>European Psychiatry</i> , 2003 , 18, 220-5	6	42
368	SUBJECTIVE ILLNESS THEORY AND ANTIPSYCHOTIC MEDICATION COMPLIANCE BY PATIENTS WITH SCHIZOPHRENIA. <i>Journal of Nervous and Mental Disease</i> , 2002 , 190, 597-603	1.8	42
367	Prevalence rates of mental disorders in Chilean prisons. <i>PLoS ONE</i> , 2013 , 8, e69109	3.7	41
366	Co-occurrence of major depressive episode and posttraumatic stress disorder among survivors of war: how is it different from either condition alone?. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, e212-8	4.6	41
365	An exploratory randomized controlled trial of body psychotherapy for patients with chronic depression. <i>Journal of Affective Disorders</i> , 2013 , 151, 85-91	6.6	40
364	Research on mental disorders and their care in immigrant populations: a review of publications from Germany, Italy and the UK. <i>European Psychiatry</i> , 2005 , 20, 540-9	6	40
363	Assertive outreach teams in London: staff experiences and perceptions. Pan-London Assertive Outreach Study, part 2. <i>British Journal of Psychiatry</i> , 2003 , 183, 139-47	5.4	40
362	Subjective response to and tolerability of long-term supraphysiological doses of levothyroxine in refractory mood disorders. <i>Journal of Affective Disorders</i> , 2001 , 64, 35-42	6.6	40
361	Use of Coercive Measures during Involuntary Psychiatric Admission and Treatment Outcomes: Data from a Prospective Study across 10 European Countries. <i>PLoS ONE</i> , 2016 , 11, e0168720	3.7	40
360	Conceptualizing resilience in adult mental health literature: A systematic review and narrative synthesis. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2019 , 92, 299-341	3.5	39
359	Providing medical care for undocumented migrants in Denmark: what are the challenges for health professionals?. <i>BMC Health Services Research</i> , 2011 , 11, 154	2.9	39
358	Do long-term hospitalised patients benefit from discharge into the community?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 387-92	4.5	39
357	Conserved Senescence Associated Genes and Pathways in Primary Human Fibroblasts Detected by RNA-Seq. <i>PLoS ONE</i> , 2016 , 11, e0154531	3.7	39

356	Volunteering in the care of people with severe mental illness: a systematic review. <i>BMC Psychiatry</i> , 2012 , 12, 226	4.2	38
355	Psychological and endocrine abnormalities in refugees from East Germany: Part II. Serum levels of cortisol, prolactin, luteinizing hormone, follicle stimulating hormone, and testosterone. <i>Psychiatry Research</i> , 1994 , 51, 75-85	9.9	38
354	Economic factors and suicide rates: associations over time in four countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 975-82	4.5	37
353	Concept, development and application of a new mixed method assessment of cultural variations in illness perceptions: Barts Explanatory Model Inventory. <i>Journal of Health Psychology</i> , 2009 , 14, 336-47	3.1	37
352	The impact of routine outcome measurement on treatment processes in community mental health care: approach and methods of the MECCA study. <i>Epidemiologia E Psichiatria Sociale</i> , 2002 , 11, 198-205		37
351	Long-term mental sequelae of political imprisonment in East Germany. <i>Journal of Nervous and Mental Disease</i> , 1993 , 181, 257-62	1.8	37
350	Subjective quality of life in patients with chronic fatigue syndrome. <i>Quality of Life Research</i> , 2005 , 14, 11-9	3.7	36
349	To befriend or to be a friend: a systematic review of the meaning and practice of "befriending" in mental health care. <i>Journal of Mental Health</i> , 2016 , 25, 71-7	2.7	35
348	Health services and the treatment of immigrants: data on service use, interpreting services and immigrant staff members in services across Europe. <i>European Psychiatry</i> , 2012 , 27 Suppl 2, S56-62	6	35
347	Mental health-care provision for marginalized groups across Europe: findings from the PROMO study. <i>European Journal of Public Health</i> , 2013 , 23, 97-103	2.1	35
346	Mental health care systems and their characteristics: a proposal. <i>Acta Psychiatrica Scandinavica</i> , 1996 , 94, 381-5	6.5	35
345	Association of Patient Treatment Preference With Dropout and Clinical Outcomes in Adult Psychosocial Mental Health Interventions: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2020 , 77, 294-302	14.5	35
344	Informal coercion in psychiatry: a focus group study of attitudes and experiences of mental health professionals in ten countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1297-308	4.5	34
343	Effectiveness of group body psychotherapy for negative symptoms of schizophrenia: multicentre randomised controlled trial. <i>British Journal of Psychiatry</i> , 2016 , 209, 54-61	5.4	34
342	Prevalence of depression and posttraumatic stress disorder in adult civilian survivors of war who stay in war-afflicted regions. A systematic review and meta-analysis of epidemiological studies. Journal of Affective Disorders, 2018 , 239, 328-338	6.6	34
341	Post-traumatic growth in mental health recovery: qualitative study of narratives. <i>BMJ Open</i> , 2019 , 9, e029342	3	34
340	Assessing explanatory models for common mental disorders. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 964-71	4.6	34
339	Continuity across inpatient and outpatient mental health care or specialisation of teams? A systematic review. <i>European Psychiatry</i> , 2015 , 30, 258-70	6	33

(2014-2015)

How to support patients with severe mental illness in their parenting role with children aged over 1 year? A systematic review of interventions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1765-83	4.5	32
Gender differences in coerced patients with schizophrenia. <i>BMC Psychiatry</i> , 2013 , 13, 257	4.2	32
Acceptability of offering financial incentives to achieve medication adherence in patients with severe mental illness: a focus group study. <i>Journal of Medical Ethics</i> , 2010 , 36, 463-8	2.5	32
Individual unmet needs for care: are they sensitive as outcome criterion for the effectiveness of mental health services interventions?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 317-24	4.5	32
Money for medication: financial incentives to improve medication adherence in assertive outreach. <i>Psychiatric Bulletin</i> , 2007 , 31, 4-7		32
Subjective evaluation: is there more than one criterion?. <i>Schizophrenia Bulletin</i> , 2002 , 28, 319-27	1.3	32
PatientsPand caregiversPinitial assessments of day-hospital treatment and course of symptoms. <i>Comprehensive Psychiatry</i> , 1994 , 35, 234-8	7.3	32
Long-term impact of war on healthcare costs: an eight-country study. <i>PLoS ONE</i> , 2012 , 7, e29603	3.7	31
Why involve families in acute mental healthcare? A collaborative conceptual review. <i>BMJ Open</i> , 2017 , 7, e017680	3	30
Experience of human rights violations and subsequent mental disorders - a study following the war in the Balkans. <i>Social Science and Medicine</i> , 2010 , 71, 2170-7	5.1	30
Are important patient-rated outcomes in community mental health care explained by only one factor?. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 113-8	6.5	30
Mental health service provision in England. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 104, 47-55	6.5	30
Subjective quality of life and depressive symptoms in women with alcoholism during detoxification treatment. <i>Drug and Alcohol Dependence</i> , 2002 , 66, 71-6	4.9	30
Ethnicity and coercion among involuntarily detained psychiatric in-patients. <i>British Journal of Psychiatry</i> , 2010 , 196, 75-6	5.4	29
The structure of post-traumatic stress symptoms in survivors of war: confirmatory factor analyses of the Impact of Event Scalerevised. <i>Journal of Anxiety Disorders</i> , 2010 , 24, 606-11	10.9	29
Objective and subjective quality of life of first-admitted women and men with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1998 , 248, 250-8	5.1	29
Professional-patient communication in the treatment of mental illness: a review. <i>Communication and Medicine</i> , 2007 , 4, 141-52	О	29
Which values are important for patients during involuntary treatment? A qualitative study with psychiatric inpatients. <i>Journal of Medical Ethics</i> , 2014 , 40, 832-6	2.5	28
	1 year? A systematic review of interventions. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1765-83 Gender differences in coerced patients with schizophrenia. BMC Psychiatry, 2013, 13, 257 Acceptability of offering financial incentives to achieve medication adherence in patients with severe mental illness: a focus group study. Journal of Medical Ethics, 2010, 36, 463-8 Individual unmet needs for care: are they sensitive as outcome criterion for the effectiveness of mental health services interventions?. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 317-24 Money for medication: financial incentives to improve medication adherence in assertive outreach. Psychiatric Bulletin, 2007, 31, 4-7 Subjective evaluation: is there more than one criterion?. Schizophrenia Bulletin, 2002, 28, 319-27 PatientsPand caregiversPinitial assessments of day-hospital treatment and course of symptoms. Comprehensive Psychiatry, 1994, 35, 234-8 Long-term impact of war on healthcare costs: an eight-country study. PLoS ONE, 2012, 7, e29603 Why involve families in acute mental healthcare? A collaborative conceptual review. BMJ Open, 2017, 7, e017680 Experience of human rights violations and subsequent mental disorders - a study following the war in the Balkans. Social Science and Medicine, 2010, 71, 2170-7 Are important patient-rated outcomes in community mental health care explained by only one factor?. Acta Psychiatrica Scandinavica, 2007, 116, 113-8 Mental health service provision in England. Acta Psychiatrica Scandinavica, 2001, 104, 47-55 Subjective quality of life and depressive symptoms in women with alcoholism during detoxification treatment. Drug and Alcohol Dependence, 2002, 66, 71-6 Ethnicity and coercion among involuntarily detained psychiatric in-patients. British Journal of Psychiatry, 2010, 196, 75-6 The structure of post-traumatic stress symptoms in survivors of war: confirmatory factor analyses of the Impact of Event Scale—revised. Journal of Anxiety Disorders, 2010, 24, 606-11 Objectiv	1 year? A systematic review of interventions. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1765-83 Gender differences in coerced patients with schizophrenia. BMC Psychiatry, 2013, 13, 257 Acceptability of offering financial incentives to achieve medication adherence in patients with severe mental illness: a focus group study. Journal of Medical Ethics, 2010, 36, 463-8 Individual unmet needs for care: are they sensitive as outcome criterion for the effectiveness of mental health services interventions?. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 317-24 Money for medication: financial incentives to improve medication adherence in assertive outreach. Psychiatric Bulletin, 2007, 31, 4-7 Subjective evaluation: is there more than one criterion?. Schizophrenia Bulletin, 2002, 28, 319-27 Subjective evaluation: is there more than one criterion?. Schizophrenia Bulletin, 2002, 28, 319-27 1.3 PatientsPand caregiversRniitial assessments of day-hospital treatment and course of symptoms. Comprehensive Psychiatry, 1994, 35, 234-8 Long-term impact of war on healthcare costs: an eight-country study. PLoS ONE, 2012, 7, e29603 37 Why involve families in acute mental healthcare? A collaborative conceptual review. BMJ Open, 2017, 7, e017680 Experience of human rights violations and subsequent mental disorders - a study following the war in the Balkans. Social Science and Medicine, 2010, 71, 2170-7 Are important patient-rated outcomes in community mental health care explained by only one factor?. Acta Psychiatrica Scandinavica, 2007, 116, 113-8 Mental health service provision in England. Acta Psychiatrica Scandinavica, 2001, 104, 47-55 Subjective quality of life and depressive symptoms in women with alcoholism during detoxification treatment. Drug and Alcohol Dependence, 2002, 66, 71-6 Ethnicity and coercion among involuntarily detained psychiatric in-patients. British Journal of Psychiatry, 2010, 196, 75-6 The structure of post-traumatic stress symptoms in survivors of war: confirmatory f

320	Predictors of posttraumatic stress in civilians 1 year after air attacks: a study of Yugoslavian students. <i>Journal of Nervous and Mental Disease</i> , 2002 , 190, 257-62	1.8	28
319	Initial assessment of hospital treatment by patients with paranoid schizophrenia: a predictor of outcome. <i>Psychiatry Research</i> , 1995 , 58, 77-81	9.9	28
318	The relationship between experiential deficits of negative symptoms and subjective quality of life in schizophrenia. <i>Schizophrenia Research</i> , 2016 , 176, 387-391	3.6	27
317	How to make carer involvement in mental health inpatient units happen: a focus group study with patients, carers and clinicians. <i>BMC Psychiatry</i> , 2017 , 17, 101	4.2	27
316	The importance of the first three days: predictors of treatment outcome in depressed in-patients. British Journal of Clinical Psychology, 1995 , 34, 229-36	3.6	27
315	Predictors of length of stay in psychiatric inpatient units: Does their effect vary across countries?. <i>European Psychiatry</i> , 2018 , 48, 6-12	6	26
314	Trauma and suicidality in war affected communities. European Psychiatry, 2013, 28, 514-20	6	26
313	Changes in the provision of institutionalized mental health care in post-communist countries. <i>PLoS ONE</i> , 2012 , 7, e38490	3.7	26
312	Symptoms and subjective quality of life in post-traumatic stress disorder: a longitudinal study. <i>PLoS ONE</i> , 2013 , 8, e60991	3.7	26
311	Ego-pathology, body experience, and body psychotherapy in chronic schizophrenia. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2009 , 82, 19-30	3.5	26
310	Do cenesthesias and body image aberration characterize a subgroup in schizophrenia?. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 276-82	6.5	26
309	Subjective quality of life in female in-patients with depression: a longitudinal study. <i>International Journal of Social Psychiatry</i> , 1999 , 45, 238-46	8.5	26
308	How do healthcare professionals interview patients to assess suicide risk?. <i>BMC Psychiatry</i> , 2017 , 17, 122	4.2	25
307	Are Group Psychotherapeutic Treatments Effective for Patients with Schizophrenia? A Systematic Review and Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2015 , 84, 241-9	9.4	25
306	Psychological symptoms as long-term consequences of war experiences. <i>Psychopathology</i> , 2013 , 46, 45-54	3.4	25
305	European network for promoting the physical health of residents in psychiatric and social care facilities (HELPS): background, aims and methods. <i>BMC Public Health</i> , 2009 , 9, 315	4.1	25
304	Measuring patientsPviews: a bifactor model of distinct patient-reported outcomes in psychosis. <i>Psychological Medicine</i> , 2011 , 41, 277-89	6.9	25
303	Media coverage of mental health care in the UK, USA and Australia. <i>Psychiatric Bulletin</i> , 2003 , 27, 331-3	333	25

(2011-2005)

302	Subjective quality of life and posttraumatic stress disorder. <i>Journal of Nervous and Mental Disease</i> , 2005 , 193, 62-5	1.8	25
301	Subjective quality of life: itß association with other constructs. <i>International Review of Psychiatry</i> , 2002 , 14, 219-224	3.6	25
300	Prediction of hospitalizations by schizophrenia patientsPassessment of treatment: an expanded study. <i>Journal of Psychiatric Research</i> , 1999 , 33, 113-9	5.2	25
299	Scales for assessing patient satisfaction with mental health care: A systematic review. <i>Journal of Psychiatric Research</i> , 2018 , 100, 33-46	5.2	24
298	Subjective quality of life in war-affected populations. <i>BMC Public Health</i> , 2013 , 13, 624	4.1	24
297	Financial incentives to improve adherence to anti-psychotic maintenance medication in non-adherent patients - a cluster randomised controlled trial (FIAT). <i>BMC Psychiatry</i> , 2009 , 9, 61	4.2	24
296	Effectiveness of home treatment for elderly people with depression: randomised controlled trial. British Journal of Psychiatry, 2010 , 197, 463-7	5.4	24
295	Potential impact of physical distancing on physical and mental health: a rapid narrative umbrella review of meta-analyses on the link between social connection and health. <i>BMJ Open</i> , 2021 , 11, e04233	.53	24
294	Reform of psychiatric services in Germany: hospital staffing directive and commissioning of community care. <i>Psychiatric Bulletin</i> , 2004 , 28, 218-221		23
293	Using social network analysis for assessing mental health and social services inter-organisational collaboration: findings in deprived areas in Brussels and London. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2013 , 40, 331-9	3.1	22
292	A comparison of psychiatric day hospitals in five European countries: implications of their diversity for day hospital research. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 777-88	4.5	22
291	Social psychiatry in Germany in the twentieth century: ideas and models. <i>Medical History</i> , 2004 , 48, 449-	72.2	22
290	Goals of new long-stay patients in supported housing: a UK study. <i>International Journal of Social Psychiatry</i> , 2005 , 51, 45-54	8.5	22
289	Skills use and common treatment processes in dialectical behaviour therapy for borderline personality disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2016 , 52, 147-156	2.6	22
288	Shared decision-making with involuntary hospital patients: a qualitative study of barriers and facilitators. <i>BJPsych Open</i> , 2018 , 4, 113-118	5	22
287	Attrition in trials evaluating complex interventions for schizophrenia: Systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2017 , 90, 67-77	5.2	21
286	Mental health care for irregular migrants in Europe: barriers and how they are overcome. <i>BMC Public Health</i> , 2012 , 12, 367	4.1	21
285	Factorial validity and measurement equivalence of the Client Assessment of Treatment Scale for psychiatric inpatient care - a study in three European countries. <i>Psychiatry Research</i> , 2011 , 188, 156-60	9.9	21

284	Non-verbal behaviour of patients with schizophrenia in medical consultationsa comparison with depressed patients and association with symptom levels. <i>Psychopathology</i> , 2010 , 43, 216-22	3.4	21
283	Treatment outcomes and costs at specialized centers for the treatment of PTSD after the war in former Yugoslavia. <i>Psychiatric Services</i> , 2010 , 61, 598-604	3.3	21
282	CaregiversPappraisals of patientsPinvoluntary hospital treatment: European multicentre study. British Journal of Psychiatry, 2012 , 201, 486-91	5.4	21
281	Do personality traits predict post-traumatic stress?: a prospective study in civilians experiencing air attacks. <i>Psychological Medicine</i> , 2005 , 35, 659-63	6.9	21
280	Adaptation of the Quality Indicator for Rehabilitative Care (QuIRC) for use in mental health supported accommodation services (QuIRC-SA). <i>BMC Psychiatry</i> , 2016 , 16, 101	4.2	20
279	PatientsPsubjective initial response and the outcome of inpatient and day hospital treatment. <i>European Psychiatry</i> , 2011 , 26, 408-13	6	20
278	The quality of life of patients with paranoid schizophrenia in London and Berlin. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1997 , 32, 292-7	4.5	20
277	Assessing the stability of schizophrenia patientsPexplanatory models of illness over time. <i>Journal of Mental Health</i> , 2004 , 13, 163-169	2.7	20
276	The course of major depression during imprisonment - A one year cohort study. <i>Journal of Affective Disorders</i> , 2016 , 189, 207-13	6.6	19
275	Post-traumatic stress disorder and the outcome of dialectical behaviour therapy for borderline personality disorder. <i>Personality and Mental Health</i> , 2013 , 7, 181-90	3.1	19
274	Clinician and service user perceptions of implementing contingency management: a focus group study. <i>Drug and Alcohol Dependence</i> , 2011 , 119, 56-63	4.9	19
273	Early subjective reactions predicting the outcome of hospital treatment in depressive patients. <i>Acta Psychiatrica Scandinavica</i> , 1987 , 76, 134-8	6.5	19
272	Long-term mental sequelae of torture in Iranwho seeks treatment?. <i>Journal of Nervous and Mental Disease</i> , 1997 , 185, 74-7	1.8	19
271	Exploring the Mechanisms of a Patient-Centred Assessment with a Solution Focused Approach (DIALOG+) in the Community Treatment of Patients with Psychosis: A Process Evaluation within a Cluster-Randomised Controlled Trial. <i>PLoS ONE</i> , 2016 , 11, e0148415	3.7	19
270	Psychosocial interventions for people with schizophrenia or psychosis on minimal or no antipsychotic medication: A systematic review. <i>Schizophrenia Research</i> , 2020 , 225, 15-30	3.6	19
269	Assessment and determinants of patient satisfaction with mental health care. <i>World Psychiatry</i> , 2019 , 18, 30-31	14.4	18
268	Prevalence of mental disorders at admission to the penal justice system in emerging countries: a study from Chile. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 441-449	5.1	18
267	Interventions for involuntary psychiatric inpatients: A systematic review. <i>European Psychiatry</i> , 2018 , 54, 41-50	6	18

(2016-2012)

266	The validity of subjective quality of life measures in psychotic patients with severe psychopathology and cognitive deficits: an item response model analysis. <i>Quality of Life Research</i> , 2012 , 21, 237-46	3.7	18	
265	Effectiveness of structured patient-clinician communication with a solution focused approach (DIALOG+) in community treatment of patients with psychosisa cluster randomised controlled trial. <i>BMC Psychiatry</i> , 2013 , 13, 173	4.2	18	
264	Specialised teams or personal continuity across inpatient and outpatient mental healthcare? Study protocol for a natural experiment. <i>BMJ Open</i> , 2015 , 5, e008996	3	18	
263	Patient-reported outcome data generated in a clinical intervention in community mental health carepsychometric properties. <i>BMC Psychiatry</i> , 2012 , 12, 113	4.2	18	
262	Morale of mental health professionals in Community Mental Health Services of a Northern Italian Province. <i>Epidemiologia E Psichiatria Sociale</i> , 2004 , 13, 191-7		18	
261	Overcoming Barriers to Skills Training in Borderline Personality Disorder: A Qualitative Interview Study. <i>PLoS ONE</i> , 2015 , 10, e0140635	3.7	18	
260	Systematic review of patientsPparticipation in and experiences of technology-based monitoring of mental health symptoms in the community. <i>BMJ Open</i> , 2016 , 6, e008362	3	18	
259	How to design psychiatric facilities to foster positive social interaction - A systematic review. <i>European Psychiatry</i> , 2019 , 60, 49-62	6	17	
258	Course of post-traumatic stress disorder following war in the Balkans: 1-year follow-up study. <i>Psychological Medicine</i> , 2013 , 43, 1837-47	6.9	17	
257	Recovery from posttraumatic stress symptoms: a qualitative study of attributions in survivors of war. <i>PLoS ONE</i> , 2013 , 8, e70579	3.7	17	
256	Therapeutic processes and clinical outcomes of body psychotherapy in chronic schizophrenia 🖾 open clinical trial. <i>Arts in Psychotherapy</i> , 2011 , 38, 196-203	1.6	17	
255	Be good to your patient: how the therapeutic relationship in the treatment of patients admitted to assertive outreach affects rehospitalization. <i>Journal of Nervous and Mental Disease</i> , 2007 , 195, 789-91	1.8	17	
254	A comparison of the quality of life of severely mentally ill people in UK & German samples. <i>International Journal of Social Psychiatry</i> , 2000 , 46, 47-56	8.5	17	
253	Predictors of moving on from mental health supported accommodation in England: national cohort study. <i>British Journal of Psychiatry</i> , 2020 , 216, 331-337	5.4	17	
252	Social networks of patients with chronic depression: A systematic review. <i>Journal of Affective Disorders</i> , 2018 , 241, 571-578	6.6	16	
251	Assessing morale in community mental health professionals: a pooled analysis of data from four European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 237-43	4.5	16	
250	Financial incentives to improve adherence to antipsychotic maintenance medication in non-adherent patients: a cluster randomised controlled trial. <i>Health Technology Assessment</i> , 2016 , 20, 1-122	4.4	16	
249	Psychometric properties of the symptom check-list-90-R in prison inmates. <i>Psychiatry Research</i> , 2016 , 239, 226-31	9.9	16	

248	Did female prisoners with mental disorders receive psychiatric treatment before imprisonment?. BMC Psychiatry, 2015 , 15, 5	4.2	15
247	Non-verbal communication in meetings of psychiatrists and patients with schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 197-205	6.5	15
246	Intentions and experiences of effective practice in mental health specific supported accommodation services: a qualitative interview study. <i>BMC Health Services Research</i> , 2017 , 17, 471	2.9	15
245	Predicting outcome of assertive outreach across England. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 313-22	4.5	15
244	Symptoms associated with victimization in patients with schizophrenia and related disorders. <i>PLoS ONE</i> , 2013 , 8, e58142	3.7	15
243	Advance statements in adult mental health. <i>Advances in Psychiatric Treatment</i> , 2010 , 16, 448-455		15
242	A comparison of the implementation of assertive community treatment in Melbourne, Australia and London, England. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 151-61	5.1	15
241	Dimensions underlying outcome criteria in bipolar I disorder. <i>Journal of Affective Disorders</i> , 2007 , 99, 1-7	6.6	15
240	What works for whom in a computer-mediated communication intervention in community psychiatry? Moderators of outcome in a cluster randomized trial. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 404-9	6.5	15
239	Patient, client or service user? A survey of patient preferences of dress and address of six mental health professions. <i>Psychiatric Bulletin</i> , 2003 , 27, 305-308		15
238	Randomised controlled trial of gradual antipsychotic reduction and discontinuation in people with schizophrenia and related disorders: the RADAR trial (Research into Antipsychotic Discontinuation and Reduction). <i>BMJ Open</i> , 2019 , 9, e030912	3	15
237	Resource-oriented interventions for patients with severe mental illnesses in low- and middle-income countries: trials in Bosnia-Herzegovina, Colombia and Uganda. <i>BMC Psychiatry</i> , 2019 , 19, 181	4.2	14
236	Effectiveness and cost-effectiveness of body psychotherapy in the treatment of negative symptoms of schizophreniaa multi-centre randomised controlled trial. <i>BMC Psychiatry</i> , 2013 , 13, 26	4.2	14
235	Patient characteristics predicting better treatment outcomes in day hospitals compared with inpatient wards. <i>Psychiatric Services</i> , 2011 , 62, 278-84	3.3	14
234	Media coverage of mental health care in the UK, USA and Australia. <i>Psychiatric Bulletin</i> , 2003 , 27, 331-3	33	14
233	Clinical effectiveness and cost-effectiveness of body psychotherapy in the treatment of negative symptoms of schizophrenia: a multicentre randomised controlled trial. <i>Health Technology Assessment</i> , 2016 , 20, vii-xxiii, 1-100	4.4	14
232	Characteristics, motivations and experiences of volunteer befrienders for people with mental illness: a systematic review and narrative synthesis. <i>BMC Psychiatry</i> , 2018 , 18, 378	4.2	14
231	In-patient treatment in functional and sectorised care: patient satisfaction and length of stay. British Journal of Psychiatry, 2018, 212, 81-87	5.4	13

(2003-2018)

230	Characteristics and motivations of volunteers providing one-to-one support for people with mental illness: a survey in Austria. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 841-847	4.5	13	
229	Effectiveness of one-to-one volunteer support for patients with psychosis: protocol of a randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e011582	3	13	
228	How do psychiatrists address delusions in first meetings in acute care? A qualitative study. <i>BMC Psychiatry</i> , 2014 , 14, 178	4.2	13	
227	Acute psychopathology as a predictor of global functioning in patients with ICD-10 non-affective psychosis: a prospective study in 11 European countries. <i>Schizophrenia Research</i> , 2011 , 131, 105-11	3.6	13	
226	A comparison of participant information elicited by service user and non-service user researchers. <i>Psychiatric Services</i> , 2011 , 62, 210-3	3.3	13	
225	Do financial incentives increase treatment adherence in people with severe mental illness? A systematic review. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 233-242		13	
224	An unholy alliance: substance abuse and social exclusion among assertive outreach patients. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 114, 124-31	6.5	13	
223	A national survey of psychiatric day hospitals. <i>Psychiatric Bulletin</i> , 2004 , 28, 160-163		13	
222	Regional collaboration in reconstruction of mental health services in Bosnia and Herzegovina. <i>Psychiatric Services</i> , 2005 , 56, 1455-7	3.3	13	
221	What can clinicians do to improve outcomes across psychiatric treatments: a conceptual review of non-specific components. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e48	5.1	13	
220	Staff and patient experiences of decision-making about continuous observation in psychiatric hospitals. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 473-483	4.5	12	
219	Psychological interventions for posttraumatic stress disorder and depression in refugees: A meta-analysis of randomized controlled trials. <i>Clinical Psychology and Psychotherapy</i> , 2020 , 27, 489-503	2.9	12	
218	Cost-Effectiveness of Financial Incentives to Promote Adherence to Depot Antipsychotic Medication: Economic Evaluation of a Cluster-Randomised Controlled Trial. <i>PLoS ONE</i> , 2015 , 10, e01388	3767	12	
217	Association of treatment satisfaction and psychopathological sub-syndromes among involuntary patients with psychotic disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 695-702	4.5	12	
216	Loss to follow-up in longitudinal psychiatric research. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 138-	147	12	
215	Health care and community-based interventions for war-traumatized people in Croatia: community-based study of service use and mental health. <i>Croatian Medical Journal</i> , 2008 , 49, 483-90	1.6	12	
214	Economic factors and psychiatric hospital beds han analysis of historical trends. <i>International Journal of Social Economics</i> , 2007 , 34, 788-810	1.1	12	
213	Personality factors and posttraumatic stress: associations in civilians one year after air attacks. Journal of Personality Disorders, 2003 , 17, 537-49	2.6	12	

212	Ensuring and improving quality in community mental health care. <i>International Review of Psychiatry</i> , 2000 , 12, 226-232	3.6	12
211	Healthcare system performance in continuity of care for patients with severe mental illness: A comparison of five European countries. <i>Health Policy</i> , 2020 , 124, 25-36	3.2	12
210	A social paradigm in psychiatry - themes and perspectives. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 521-527	5.1	12
209	Subjective illness theory and antipsychotic medication compliance by patients with schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2002 , 190, 597-603	1.8	12
208	Satisfaction with sex life among patients with schizophrenia. Schizophrenia Research, 2017, 190, 63-67	3.6	11
207	Burden of separation and suicide risk of prisoners with minor children. <i>International Journal of Law and Psychiatry</i> , 2017 , 52, 55-61	2.6	11
206	SchiNet: Automatic Estimation of Symptoms of Schizophrenia from Facial Behaviour Analysis. <i>IEEE Transactions on Affective Computing</i> , 2019 , 1-1	5.7	11
205	Indicators Associated With Job Morale Among Physicians and Dentists in Low-Income and Middle-Income Countries: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2020 , 3, e1913	2 0 2·4	11
204	Preferences for befriending schemes: a survey of patients with severe mental illness. <i>BMC Psychiatry</i> , 2018 , 18, 64	4.2	11
203	The effect of core clinician interpersonal behaviours on depression. <i>Journal of Affective Disorders</i> , 2014 , 167, 112-7	6.6	11
202	Scenarios for the future of mental health care: a social perspective. Lancet Psychiatry, the, 2017, 4, 257-2	2 6 9.3	11
201	Assessing Social Networks in Patients with Psychotic Disorders: A Systematic Review of Instruments. <i>PLoS ONE</i> , 2015 , 10, e0145250	3.7	11
200	How psychiatrists should introduce themselves in the first consultation: an experimental study. British Journal of Psychiatry, 2013 , 202, 459-62	5.4	11
199	Quality of life of Turkish patients with depression in Ankara and in Berlin. <i>European Psychiatry</i> , 2008 , 23 Suppl 1, 4-9	6	11
198	How to select representative geographical areas in mental health service research: a method to combine different selection criteria. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 1004-7	4.5	11
197	Psychopathology and long-term adjustment after crises in refugees from East Germany. <i>International Journal of Social Psychiatry</i> , 1994 , 40, 165-76	8.5	11
196	Political change and course of affective psychoses: Berlin 1989-90. <i>Psychiatry Research</i> , 1991 , 37, 1-4	9.9	11

194	Understanding Identity Changes in Psychosis: A Systematic Review and Narrative Synthesis. <i>Schizophrenia Bulletin</i> , 2021 , 47, 309-322	1.3	11
193	Do financial incentives increase treatment adherence in people with severe mental illness? A systematic review. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 233-42		11
192	Motivations and experiences of volunteers and patients in mental health befriending: a thematic analysis. <i>BMC Psychiatry</i> , 2019 , 19, 116	4.2	10
191	Reciprocity in therapeutic relationships: A conceptual review. <i>International Journal of Mental Health Nursing</i> , 2015 , 24, 460-70	3.8	10
190	Mechanisms of psychological distress following war in the former Yugoslavia: the role of interpersonal sensitivity. <i>PLoS ONE</i> , 2014 , 9, e90503	3.7	10
189	Multilevel ordinal factor analysis of the positive and negative syndrome scale (PANSS). <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23, 25-35	4.3	10
188	What do outpatients with schizophrenia and mood disorders want to learn about their illness?. <i>Psychiatric Services</i> , 2013 , 64, 764-9	3.3	10
187	Reasons for not receiving treatment in people with posttraumatic stress disorder following war. Journal of Nervous and Mental Disease, 2011 , 199, 100-5	1.8	10
186	Functional incapacity and physical and psychological symptoms: how they interconnect in chronic fatigue syndrome. <i>Psychopathology</i> , 2008 , 41, 339-45	3.4	10
185	Patient, client or service user? A survey of patient preferences of dress and address of six mental health professions. <i>Psychiatric Bulletin</i> , 2003 , 27, 305-308		10
184	Establishing mutual understanding in interaction: an analysis of conversational repair in psychiatric consultations. <i>Communication and Medicine</i> , 2009 , 6, 165-76	0	10
183	The same or different psychiatrists for in- and out-patient treatment? A multi-country natural experiment. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 29, e10	5.1	10
182	Peer support for discharge from inpatient to community mental health services: Study protocol clinical trial (SPIRIT Compliant). <i>Medicine (United States)</i> , 2020 , 99, e19192	1.8	10
181	Exploring the initial experience of hospitalisation to an acute psychiatric ward. <i>PLoS ONE</i> , 2018 , 13, e02	203 ,4 57	10
180	Feasibility Randomised Trial Comparing Two Forms of Mental Health Supported Accommodation (Supported Housing and Floating Outreach); a Component of the QuEST (Quality and Effectiveness of Supported Tenancies) Study. <i>Frontiers in Psychiatry</i> , 2019 , 10, 258	5	9
179	What does dependency on community mental health services mean? A conceptual review with a systematic search. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 561-74	4.5	9
178	The impact of gender on treatment effectiveness of body psychotherapy for negative symptoms of schizophrenia: A secondary analysis of the NESS trial data. <i>Psychiatry Research</i> , 2017 , 247, 73-78	9.9	9
177	A pragmatic randomised controlled trial of dialectical behaviour therapy: effects on hospitalisation and post-treatment follow-up. <i>Psychotherapy and Psychosomatics</i> , 2014 , 83, 192-3	9.4	9

176	Community mental health centres initiated by the South-Eastern Europe Stability Pact: evaluation in seven countries. <i>Community Mental Health Journal</i> , 2012 , 48, 352-62	2.1	9
175	Posttraumatic stress disorder in a Serbian community: seven years after trauma exposure. <i>Journal of Nervous and Mental Disease</i> , 2013 , 201, 1040-4	1.8	9
174	RefugeesPviews of the effectiveness of support provided by their host countries. <i>Hgre Utbildning</i> , 2012 , 3,	5	9
173	The impact of the interviewer-interviewee relationship on subjective quality of life ratings in schizophrenia patients. <i>International Journal of Social Psychiatry</i> , 1999 , 45, 292-301	8.5	9
172	Curation of Mental Health Recovery Narrative Collections: Systematic Review and Qualitative Synthesis. <i>JMIR Mental Health</i> , 2019 , 6, e14233	6	9
171	Suicidality and Hostility following Involuntary Hospital Treatment. <i>PLoS ONE</i> , 2016 , 11, e0154458	3.7	9
170	Different forms of informal coercion in psychiatry: a qualitative study. <i>BMC Research Notes</i> , 2019 , 12, 787	2.3	9
169	What drives changes in institutionalised mental health care? A qualitative study of the perspectives of professional experts. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 737-744	4.5	9
168	Staff and patient perspectives on therapeutic engagement during one-to-one observation. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2018 , 25, 546-557	2.4	9
167	Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review. <i>PLoS ONE</i> , 2019 , 14, e0222891	3.7	8
166	Parenthood among patients with psychotic disorders: gender differences in a non-selective clinical sample. <i>Psychiatry Research</i> , 2016 , 246, 474-479	9.9	8
165	Exploration of experiences in therapeutic groups for patients with severe mental illness: development of the Ferrara group experiences scale (FE- GES). <i>BMC Psychiatry</i> , 2013 , 13, 242	4.2	8
164	Feasibility and acceptability of group music therapy vs wait-list control for treatment of patients with long-term depression (the SYNCHRONY trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 149	2.8	8
163	Does routine screening for benzodiazepines help to diagnose dependence in psychiatric inpatients?. <i>Acta Psychiatrica Scandinavica</i> , 1989 , 80, 514-7	6.5	8
162	A pilot trial of treatment changes according to schizophrenic patientsPwishes. <i>Journal of Nervous and Mental Disease</i> , 1999 , 187, 441-3	1.8	8
161	Factors associated with satisfaction of inpatient psychiatric care: a cross country comparison. <i>Psychological Medicine</i> , 2020 , 50, 284-292	6.9	8
160	Why do psychiatric patients attend or not attend treatment groups in the community: A qualitative study. <i>PLoS ONE</i> , 2018 , 13, e0208448	3.7	8
159	Internet Use for Social Interaction by People with Psychosis: A Systematic Review. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2019 , 22, 336-343	4.4	7

158	Offering financial incentives to increase adherence to antipsychotic medication: the clinician experience. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 120-7	1.7	7	
157	Effectiveness of Expressive Writing in the Reduction of Psychological Distress During the COVID-19 Pandemic: A Randomized Controlled Trial. <i>Frontiers in Psychology</i> , 2020 , 11, 587282	3.4	7	
156	Correspondence between negative symptoms and potential sources of secondary negative symptoms over time. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 603-609	5.1	7	
155	Development and psychometric properties of the client® assessment of treatment scale for supported accommodation (CAT-SA). <i>BMC Psychiatry</i> , 2016 , 16, 43	4.2	7	
154	What might affect acceptability of online positive psychology interventions for depression: a qualitative study on patient expectations? <i>BMC Psychiatry</i> , 2018 , 18, 240	4.2	7	
153	The validity of patient- and clinician-rated measures of needs and the therapeutic relationship in psychosis: a pooled analysis. <i>Psychiatry Research</i> , 2013 , 209, 711-20	9.9	7	
152	The availability and quality across Europe of outpatient care for difficult-to-engage patients with severe mental illness: a survey among experts. <i>International Journal of Social Psychiatry</i> , 2014 , 60, 304-1	6 ^{8.5}	7	
151	Non-uniform effectiveness of structured patient-clinician communication in community mental healthcare: an international comparison. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 685-93	₃ 4·5	7	
150	Aetiology of depression and schizophrenia: current views of British psychiatrists. <i>Psychiatric Bulletin</i> , 2009 , 33, 374-377		7	
149	Focussing on quality of life in treatment. International Review of Psychiatry, 2002, 14, 225-230	3.6	7	
148	Survey of specialised UK traumatic stress services. <i>Psychiatric Bulletin</i> , 2005 , 29, 416-418		7	
147	These psychiatrists rate themselves as gods? disengagement and engagement discourses of people living with severe mental illness. <i>Communication and Medicine</i> , 2010 , 7, 43-53	Ο	7	
146	Treatment outcomes and perception of social acknowledgment in war veterans: follow-up study. <i>Croatian Medical Journal</i> , 2007 , 48, 157-66	1.6	7	
145	Effective patient linician interaction to improve treatment outcomes for patients with psychosis: a mixed-methods design. <i>Programme Grants for Applied Research</i> , 2017 , 5, 1-160	1.5	7	
144	Tailored, psychological intervention for anxiety or depression in people with chronic obstructive pulmonary disease (COPD), TANDEM (Tailored intervention for ANxiety and DEpression Management in COPD): protocol for a randomised controlled trial. <i>Trials</i> , 2020 , 21, 18	2.8	7	
143	Differences in access and utilisation of mental health services in the perinatal period for women from ethnic minorities-a population-based study. <i>BMC Medicine</i> , 2020 , 18, 245	11.4	7	
142	Discontinuing financial incentives for adherence to antipsychotic depot medication: long-term outcomes of a cluster randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e011673	3	7	
141	Group therapies for schizophrenia: initial group climate predicts changes in negative symptoms. <i>Psychosis</i> , 2017 , 9, 225-234	1.2	6	

140	How would patients with psychosis like to be in contact with a volunteer: Face-to-face or digitally?. <i>PLoS ONE</i> , 2019 , 14, e0216929	3.7	6
139	Treating suicidal patients in an acute psychiatric day hospital: A challenge to assumptions about risk and overnight care. <i>Journal of Mental Health</i> , 2008 , 17, 375-387	2.7	6
138	Ethical aspects of assertive outreach. <i>Psychiatry (Abingdon, England)</i> , 2007 , 6, 45-48		6
137	Psychosis seminars: an open forum for service users, carers and professionals. <i>BJPsych Open</i> , 2016 , 2, 330-334	5	6
136	Processes of recovery through routine or specialist treatment for borderline personality disorder (BPD): a qualitative study. <i>Journal of Mental Health</i> , 2019 , 28, 604-612	2.7	6
135	A pilot cluster randomised trial to assess the effect of a structured communication approach on quality of life in secure mental health settings: The Comquol Study. <i>BMC Psychiatry</i> , 2016 , 16, 335	4.2	5
134	Study to assess the effect of a structured communication approach on quality of life in secure mental health settings (Comquol): study protocol for a pilot cluster randomized trial. <i>Trials</i> , 2013 , 14, 257	2.8	5
133	Addiction treatment in deprived urban areas in EU countries: Accessibility of care for people from socially marginalized groups. <i>Drugs: Education, Prevention and Policy</i> , 2013 , 20, 74-83	1.2	5
132	Communication about psychotic symptoms in long-term psychiatric illness. <i>Psychopathology</i> , 2013 , 46, 233-40	3.4	5
131	Dropping out of dialectical behaviour therapy in the NHS: the role of care coordination. <i>The Psychiatrist</i> , 2013 , 37, 267-271		5
130	Initial response to active drug and placebo predicts outcome of antidepressant treatment. <i>European Psychiatry</i> , 1997 , 12, 28-33	6	5
129	Inclusion of psychological torture in PTSD criterion A. <i>American Journal of Psychiatry</i> , 1995 , 152, 1691-2	11.9	5
128	Can patientsPviews of a therapeutic system predict outcome? An empirical study with depressive patients. <i>Family Process</i> , 1989 , 28, 349-55	3.9	5
127	A comparison of patients with chronic fatigue syndrome attending separate fatigue clinics based in immunology and psychiatry. <i>Journal of the Royal Society of Medicine</i> , 2002 , 95, 440-4	2.3	5
126	Prevalence and predictive factors of psychological morbidity following facial injury: a prospective study of patients attending a maxillofacial outpatient clinic within a major UK city. <i>Dialogues in Clinical Neuroscience</i> , 2018 , 20, 327-339	5.7	5
125	Psychometric Properties of the German Version of the Scale to Assess the Therapeutic Relationship in Community Mental Health Care (D-STAR). <i>European Journal of Psychological Assessment</i> , 2012 , 28, 255-261	2.2	5
124	Patient and befriender experiences of participating in a befriending programme for adults with psychosis: a qualitative study. <i>BMC Psychiatry</i> , 2020 , 20, 368	4.2	5
123	Job morale: a scoping review of how the concept developed and is used in healthcare research. <i>BMC Public Health</i> , 2020 , 20, 1166	4.1	5

(2021-2021)

122	What makes us the same? What makes us different? Development of a shared model and manual of group therapy practice across art therapy, dance movement therapy and music therapy within community mental health care. <i>Arts in Psychotherapy</i> , 2021 , 72, 101747	1.6	5	
121	Attitudes towards severe mental illness and social distance: A survey of volunteer befrienders in Austria. <i>International Journal of Social Psychiatry</i> , 2018 , 64, 470-475	8.5	5	
120	Global burden of post-traumatic stress disorder and major depression in countries affected by war between 1989 and 2019: a systematic review and meta-analysis. <i>BMJ Global Health</i> , 2021 , 6,	6.6	5	
119	Psychological symptoms and quality of life after repeated exposure to earthquake: A cohort study in Italy. <i>PLoS ONE</i> , 2020 , 15, e0233172	3.7	4	
118	Helping people with psychosis to expand their social networks: the stakeholdersPviews. <i>BMC Psychiatry</i> , 2020 , 20, 29	4.2	4	
117	Incorporating psychotherapeutic methods in routine community treatment for patients with psychotic disorders. <i>Psychosis</i> , 2013 , 5, 154-165	1.2	4	
116	The association of religiosity, spirituality, and ethnic background with ego-pathology in acute schizophrenia. <i>Mental Health, Religion and Culture</i> , 2009 , 12, 515-526	1.1	4	
115	Ego-pathology and common symptom factors in schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2004 , 192, 446-9	1.8	4	
114	A Comparison of Patients with Chronic Fatigue Syndrome Attending Separate Fatigue Clinics Based in Immunology and Psychiatry. <i>Journal of the Royal Society of Medicine</i> , 2002 , 95, 440-444	2.3	4	
113	Expressed emotion and auditory evoked potentials. <i>Psychiatry (New York)</i> , 1990 , 53, 108-14	1	4	
112	Minimum and optimal numbers of psychiatric beds: expert consensus using a Delphi process <i>Molecular Psychiatry</i> , 2022 ,	15.1	4	
111	Psychiatry in the future: Where is mental health care going? a European perspective. <i>Psychiatric Bulletin</i> , 2004 , 28, 315-316		4	
110	Evidence in Mental Health Care		4	
109	Factorial structure of the Manchester Short Assessment of Quality of Life in patients with schizophrenia-spectrum disorders. <i>Quality of Life Research</i> , 2020 , 29, 833-841	3.7	4	
108	Concepts of Resilience in Adolescent Mental Health Research. <i>Journal of Adolescent Health</i> , 2021 , 69, 689-695	5.8	4	
107	Job morale of physicians in low-income and middle-income countries: a systematic literature review of qualitative studies. <i>BMJ Open</i> , 2019 , 9, e028657	3	4	
106	Personal continuity versus specialisation of care approaches in mental healthcare: experiences of patients and clinicians-results of the qualitative study in five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 205-216	4.5	4	
105	Changes in national rates of psychiatric beds and incarceration in Central Eastern Europe and Central Asia from 1990-2019: A retrospective database analysis. <i>Lancet Regional Health - Europe,</i> The 2021 7 100137		4	

104	Mental disorders and mental health symptoms during imprisonment: A three-year follow-up study. <i>PLoS ONE</i> , 2019 , 14, e0213711	3.7	3
103	Testing the Penrose Hypothesis-Reply. <i>JAMA Psychiatry</i> , 2015 , 72, 736	14.5	3
102	Impact of the hospital built environment on treatment satisfaction of psychiatric in-patients. <i>Psychological Medicine</i> , 2020 , 1-12	6.9	3
101	Use of psychiatric hospitals and social integration of patients with psychiatric disorders: a prospective cohort study in five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1425-1438	4.5	3
100	Out of Sight, Out of Mind: Refugees Are Just the Tip of the Iceberg. An Illustration Using the Cases of Depression and Posttraumatic Stress Disorder. <i>Frontiers in Psychiatry</i> , 2020 , 11, 179	5	3
99	Factors associated with quality of services for marginalized groups with mental health problems in 14 European countries. <i>BMC Health Services Research</i> , 2014 , 14, 49	2.9	3
98	Common sense alone is not enough. World Psychiatry, 2017, 16, 157-158	14.4	3
97	Do patients prefer optimistic or cautious psychiatrists? An experimental study with new and long-term patients. <i>BMC Psychiatry</i> , 2017 , 17, 26	4.2	3
96	Using video-annotation software to identify interactions in group therapies for schizophrenia: assessing reliability and associations with outcomes. <i>BMC Psychiatry</i> , 2017 , 17, 65	4.2	3
95	Italian social psychiatry research: What gets published in peer reviewed journals?. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 212-224		3
94	External attributions and outcome in depressive in-patients. <i>British Journal of Clinical Psychology</i> , 1990 , 29, 341-2	3.6	3
93	Effectiveness of a structured intervention to make routine clinical meetings therapeutically effective (DIALOG+) for patients with depressive and anxiety disorders in Bosnia and Herzegovina: A cluster randomised controlled trial <i>Psychiatry Research Communications</i> , 2021 , 1, None		3
92	Supported accommodation for people with mental health problems: the QuEST research programme with feasibility RCT. <i>Programme Grants for Applied Research</i> , 2019 , 7, 1-82	1.5	3
91	The role of acute day hospital treatment for mental health care: Research context and practical problems of carrying out the international multi-centre EDEN-study 2004 , 153-171		3
90	Ethics of Deinstitutionalization. International Library of Ethics, Law, and the New Medicine, 2010, 341-36	10.5	3
89	Experiences and outcomes of group volunteer befriending with patients with severe mental illness: an exploratory mixed-methods study in Colombia. <i>BMC Psychiatry</i> , 2021 , 21, 239	4.2	3
88	Research into mental health supported accommodation - desperately needed but challenging to deliver. <i>British Journal of Psychiatry</i> , 2020 , 1-3	5.4	3
87	The effectiveness of volunteer befriending for improving the quality of life of patients with schizophrenia in Bosnia and Herzegovina - an exploratory randomised controlled trial. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e48	5.1	3

(2020-2021)

86	Virtual Reality Group Therapy for the Treatment of Depression: A Qualitative Study on Stakeholder Perspectives. <i>Frontiers in Virtual Reality</i> , 2021 , 1,	3	3
85	The acceptability of an online intervention using positive psychology for depression: A qualitative study. <i>Internet Interventions</i> , 2018 , 13, 60-66	4.4	2
84	Clinicians have several therapeutic relationships and patients only one: The effect on their assessments of relationships. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27, e1722	4.3	2
83	Symptom levels and initial appraisal of hospital treatment in patients with schizophrenia. <i>Psychiatry Research</i> , 2012 , 199, 79-83	9.9	2
82	Symptoms of Turkish patients with depression in Ankara and Berlin. <i>Culture, Medicine and Psychiatry</i> , 2009 , 33, 412-20	2.5	2
81	Sign of progress or confusion? A commentary on the European Commission Green Paper on mental health. <i>Psychiatric Bulletin</i> , 2006 , 30, 281-282		2
80	Political change and course of schizophrenia in East Germany, 1984-1994. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000 , 35, 255-8	4.5	2
79	Interactional pattern in sleep deprivation therapy: an empirical study. <i>Journal of Nervous and Mental Disease</i> , 1992 , 180, 59-60	1.8	2
78	The therapeutic system as viewed by depressive inpatients and outcome: an expanded study. <i>Family Process</i> , 1992 , 31, 433-9	3.9	2
77	Neuroleptic-induced persistent "open mouth". <i>Pharmacopsychiatry</i> , 1989 , 22, 126-7	2	2
77 76	Neuroleptic-induced persistent "open mouth". <i>Pharmacopsychiatry</i> , 1989 , 22, 126-7 Peer support for discharge from inpatient mental health care versus care as usual in England (ENRICH): a parallel, two-group, individually randomised controlled trial <i>Lancet Psychiatry,the</i> , 2022 , 9, 125-136	2 23.3	2
	Peer support for discharge from inpatient mental health care versus care as usual in England (ENRICH): a parallel, two-group, individually randomised controlled trial Lancet Psychiatry,the,		
76	Peer support for discharge from inpatient mental health care versus care as usual in England (ENRICH): a parallel, two-group, individually randomised controlled trial <i>Lancet Psychiatry,the</i> , 2022 , 9, 125-136 Expert Arguments for Trends of Psychiatric Bed Numbers: A Systematic Review of Qualitative	23.3	2
76 75	Peer support for discharge from inpatient mental health care versus care as usual in England (ENRICH): a parallel, two-group, individually randomised controlled trial <i>Lancet Psychiatry,the</i> , 2022 , 9, 125-136 Expert Arguments for Trends of Psychiatric Bed Numbers: A Systematic Review of Qualitative Data <i>Frontiers in Psychiatry</i> , 2021 , 12, 745247 One-to-one befriending for people with intellectual disability and symptoms of depression:	23.3	2
76 75 74	Peer support for discharge from inpatient mental health care versus care as usual in England (ENRICH): a parallel, two-group, individually randomised controlled trial <i>Lancet Psychiatry,the</i> , 2022 , 9, 125-136 Expert Arguments for Trends of Psychiatric Bed Numbers: A Systematic Review of Qualitative Data <i>Frontiers in Psychiatry</i> , 2021 , 12, 745247 One-to-one befriending for people with intellectual disability and symptoms of depression: protocol for a pilot randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e033989 A mixed methods exploration of the role of multi-family groups in community treatment of patients with depression and anxiety in Pakistan. <i>International Journal of Mental Health Systems</i> ,	23.3	2 2
76 75 74 73	Peer support for discharge from inpatient mental health care versus care as usual in England (ENRICH): a parallel, two-group, individually randomised controlled trial <i>Lancet Psychiatry, the</i> , 2022 , 9, 125-136 Expert Arguments for Trends of Psychiatric Bed Numbers: A Systematic Review of Qualitative Data <i>Frontiers in Psychiatry</i> , 2021 , 12, 745247 One-to-one befriending for people with intellectual disability and symptoms of depression: protocol for a pilot randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e033989 A mixed methods exploration of the role of multi-family groups in community treatment of patients with depression and anxiety in Pakistan. <i>International Journal of Mental Health Systems</i> , 2021 , 15, 78	23.3	2 2 2
76 75 74 73 72	Peer support for discharge from inpatient mental health care versus care as usual in England (ENRICH): a parallel, two-group, individually randomised controlled trial <i>Lancet Psychiatry, the</i> , 2022 , 9, 125-136 Expert Arguments for Trends of Psychiatric Bed Numbers: A Systematic Review of Qualitative Data <i>Frontiers in Psychiatry</i> , 2021 , 12, 745247 One-to-one befriending for people with intellectual disability and symptoms of depression: protocol for a pilot randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e033989 A mixed methods exploration of the role of multi-family groups in community treatment of patients with depression and anxiety in Pakistan. <i>International Journal of Mental Health Systems</i> , 2021 , 15, 78 Volunteering in Mental Health 2019 , 1-28 Electronic reminders and rewards to improve adherence to inhaled asthma treatment in	23.3 5 3 3.6	2 2 2 2

68	Possibilities for the future of global mental health: a scenario planning approach. <i>BMC Psychiatry</i> , 2019 , 19, 392	4.2	2
67	Predictors of personal continuity of care of patients with severe mental illness: A comparison across five European countries. <i>European Psychiatry</i> , 2019 , 56, 69-74	6	2
66	An analysis of views about supported reduction or discontinuation of antipsychotic treatment among people with schizophrenia and other psychotic disorders <i>BMC Psychiatry</i> , 2022 , 22, 185	4.2	2
65	Can Automatic Facial Expression Analysis Be Used for Treatment Outcome Estimation in Schizophrenia? 2019 ,		1
64	Assessment and Treatment of Patients with Comorbidity of Mental Health Problems and Alcohol Use Disorders: Experiences of Clinicians and Patients in the UK and Poland. <i>Alcohol and Alcoholism</i> , 2019 , 54, 279-286	3.5	1
63	Study protocol of personal characteristics and socio-cultural factors associated with mental health and quality of life of residents living in violent territories. <i>BMC Psychiatry</i> , 2020 , 20, 96	4.2	1
62	The Future of Psychiatry Commission - AuthorsPreply. Lancet Psychiatry, the, 2018, 5, 17-18	23.3	1
61	Psychopathological Symptoms and Satisfaction with Mental Health in Patients with Schizophrenia. <i>Psychopathology</i> , 2018 , 51, 192-197	3.4	1
60	Better quality of life in patients offered financial incentives for taking anti-psychotic medication: Linked to improved adherence or more money?. <i>Quality of Life Research</i> , 2016 , 25, 1897-902	3.7	1
59	The utilization and perceived usefulness of health care and other support services by people exposed to traumatic events related to the war in the Balkans. <i>Acta Medica Academica</i> , 2013 , 42, 4-14	0.8	1
58	S112 Estimating Participation Rates of COPD Patients in Pulmonary Rehabilitation and Self-Management Programmes: The Importance of Defining Participation. <i>Thorax</i> , 2012 , 67, A55.1-A55	7.3	1
57	Case Management in the Care of the Severely Mentally Ill. <i>International Journal of Mental Health</i> , 1997 , 26, 67-82	1.4	1
56	The quality of life construct in psychiatrythe state of the art. <i>International Review of Psychiatry</i> , 2002 , 14, 173-174	3.6	1
55	Psychiatry in the future: The prognosis and the vision. <i>Psychiatric Bulletin</i> , 2004 , 28, 273-274		1
54	Cognitive behavioural therapy in virtual reality treatments across mental health conditions: a systematic review. <i>Consortium Psychiatricum</i> , 2020 , 1, 30-46	0.8	1
53	Neighbourhood characteristics and social isolation of people with psychosis: a multi-site cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	1
52	Volunteering in Mental Health 2021 , 1305-1331		1
51	Curation of Mental Health Recovery Narrative Collections: Systematic Review and Qualitative Synthesis (Preprint)		1

50	Using Routine Quality of Life Assessment to Improve Effectiveness of Community Mental Health Care 2016 , 145-155		1
49	Advance statements in adult mental healthcare: an update. <i>BJ Psych Advances</i> , 2020 , 26, 109-115	0.8	1
48	Routine participation in sports and fitness activities among out-patients with psychotic disorders: A multi-site cross-sectional survey in England. <i>Mental Health and Physical Activity</i> , 2021 , 20, 100402	5	1
47	Understanding global mental health: a conceptual review. BMJ Global Health, 2021, 6,	6.6	1
46	Patients in mental healthcare should be referred to as patients and not service users. <i>BJPsych Bulletin</i> , 2021 , 45, 327-328	1.2	1
45	How do you know what you want? Service user views on decision aids for the arts therapies. <i>Arts in Psychotherapy</i> , 2021 , 73, 101757	1.6	1
44	How do participants in clinical trials compare with other patients with schizophrenia?. <i>Contemporary Clinical Trials Communications</i> , 2021 , 22, 100803	1.8	1
43	Comparing discrimination among people with schizophrenia, affective and anxiety disorders. A multilevel study in five European countries. <i>Journal of Affective Disorders</i> , 2021 , 279, 191-202	6.6	1
42	A pilot randomised controlled trial of befriending by volunteers in people with intellectual disability and depressive symptoms. <i>Journal of Intellectual Disability Research</i> , 2021 , 65, 1010-1019	3.2	1
41	I know what I like, and I like what I know: Patient preferences and expectations when choosing an arts therapies group. <i>Arts in Psychotherapy</i> , 2021 , 75, None	1.6	1
40	Structure of Negative Symptoms in Schizophrenia: An Unresolved Issue <i>Frontiers in Psychiatry</i> , 2021 , 12, 785144	5	1
39	Common patient experiences across three resource-oriented interventions for severe mental illness: a qualitative study in low-resource settings. <i>BMC Psychiatry</i> , 2022 , 22,	4.2	1
38	Who wants more social contacts? A cross-sectional study of people with psychotic disorders in England <i>Schizophrenia Research</i> , 2021 , 240, 46-51	3.6	O
37	Behind the screen of voluntary psychiatric hospital admissions: A qualitative exploration of treatment pressures and informal coercion in experiences of patients in Italy, Poland and the United Kingdom. <i>International Journal of Social Psychiatry</i> , 2021 , 207640211003942	8.5	O
36	Social contacts, friends and satisfaction with friendships in patients with psychotic, mood and neurotic disorders 1 year after hospitalisation: data from five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 363-373	4.5	О
35	Living with Psychosis without Mental Health Services: A Narrative Interview Study. <i>BMJ Open</i> , 2021 , 11, e045661	3	O
34	Preferences for group arts therapies: a cross-sectional survey of mental health patients and the general population. <i>BMJ Open</i> , 2021 , 11, e051173	3	О
33	Which resources help young people to prevent and overcome mental distress in deprived urban areas in Latin America? A protocol for a prospective cohort study. <i>BMJ Open</i> , 2021 , 11, e052339	3	Ο

32	Feasibility, experiences and outcomes of using DIALOG+ in primary care to improve quality of life and mental distress of patients with chronic conditions: an exploratory non-controlled trial in Bosnia and Herzegovina, Colombia and Uganda. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 180	1.9	0
31	Experience of neighbourhood violence and mental distress in Brazilian favelas: a cross-sectional household survey. <i>The Lancet Regional Health Americas</i> , 2021 , 4, 100067		O
30	Effectiveness and cost-effectiveness of a structured social coaching intervention for people with psychosis (SCENE): protocol for a randomised controlled trial <i>BMJ Open</i> , 2021 , 11, e050627	3	О
29	Scenarios for the future of mental health care: whose interests, whose perspectives, whose future?-AuthorsPreply. <i>Lancet Psychiatry,the</i> , 2017 , 4, 190	23.3	
28	Involuntary Hospitalization of Suicidal Patients: Time for New Answers to Basic Questions?. <i>American Journal of Bioethics</i> , 2019 , 19, 90-92	1.1	
27	What mental health services should be available after the postnatal period?. <i>European Psychiatry</i> , 2017 , 41, 911-911	6	
26	To what extent could acute general psychiatric day care reduce inpatient admissions?. <i>Journal of Hospital Administration</i> , 2012 , 2, 105	0.3	
25	ECP05-01 - Reforms for mental health care systems and the impact for training in psychiatry. <i>European Psychiatry</i> , 2011 , 26, 1799-1799	6	
24	Mental health and european big cities: London. European Psychiatry, 2011, 26, 2118-2118	6	
23	Day hospital care. <i>Psychiatry (Abingdon, England</i>), 2007 , 6, 321-324		
22	Primary Care Mental Health & Education. <i>Progress in Neurology and Psychiatry</i> , 2007 , 11, 34-38	0.8	
21	The world of real research. Commentary on Research in the real world. <i>Psychiatric Bulletin</i> , 2006 , 30, 45-46		
20	Expressed emotion and lithium prophylaxis. British Journal of Psychiatry, 1990, 157, 624-624	5.4	
19	One-to-one volunteer befriending to reduce symptoms of depression in people with intellectual disability: a feasibility RCT. <i>Public Health Research</i> , 2021 , 9, 1-80	1.7	
18	¿Se explican las relaciones terapliticas en psiquiatr por los s los pacientes? Factores que influyen en las evaluaciones de los pacientes. <i>European Psychiatry (Ed Espa la)</i> , 2003 , 10, 519-526		
17	Investigacifi sobre los trastornos mentales y su asistencia en poblaciones inmigrantes: una revisifi de publicaciones de Alemania, Italia y el Reino Unido. <i>European Psychiatry (Ed Espatola)</i> , 2006 , 13, 177-186		
16	Gemeindepsychiatrische Versorgung von Migranten 2018 , 589-598		
15	Defining what a RarerPis and the role they play in in-patient mental healthcare: A focus group study with patients, carers and clinicians. <i>BJPsych Open</i> , 2020 , 6, e89	5	

LIST OF PUBLICATIONS

14	The sociocultural and behavioural characteristics that patients want in psychiatrists: cross-sectional survey of patientsPviews. <i>BJPsych Bulletin</i> , 2020 , 1-6	1.2
13	La respuesta inicial al filmaco activo y al placebo predice la evolucifi del tratamiento antidepresivo. European Psychiatry (Ed Espalola), 1997, 4, 382-388	
12	Forschung zu sozialpsychiatrischen Interventionen 2013 , 125-131	
11	Scales for assessing the therapeutic milieu in psychiatric inpatient settings: A systematic review. <i>General Hospital Psychiatry</i> , 2020 , 66, 44-50	5.6
10	Do outcomes of psychiatric hospital treatment differ for migrants and non-migrants?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1957-1965	4.5
9	The political and social mission of psychiatry. <i>European Psychiatry</i> , 2016 , 33, S14-S14	6
8	The same or different psychiatrists for in- and out-patient treatment? A multi-country natural experiment - ADDENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e23	5.1
7	Categorizing what patients with psychosis say in clinical interactions: the development of a framework informed by theory of mind, metacognition and cognitive behavioral theory. <i>Journal of Mental Health</i> , 2021 , 1-10	2.7
6	Clinical- and cost-effectiveness of a technology-supported and solution-focused intervention (DIALOG+) in treatment of patients with chronic depression-study protocol for a multi-site, cluster randomised controlled trial [TACK] <i>Trials</i> , 2022 , 23, 237	2.8
5	Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review 2019 , 14, e0222891	
4	Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review 2019 , 14, e0222891	
3	Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review 2019 , 14, e0222891	
2	Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review 2019 , 14, e0222891	
1	What are the expectations and experiences of a GMH research programme delivered in Bosnia-Herzegovina, Colombia and Uganda? A prospective longitudinal qualitative study. <i>BMJ Open</i> , 2022 , 12, e059590	3