

Stefan Priebe

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2329411/stefan-priebe-publications-by-year.pdf>

Version: 2023-09-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

499
papers

18,048
citations

69
h-index

109
g-index

561
ext. papers

21,095
ext. citations

4.6
avg, IF

7.02
L-index

#	Paper	IF	Citations
499	Minimum and optimal numbers of psychiatric beds: expert consensus using a Delphi process.. <i>Molecular Psychiatry</i> , 2022 ,	15.1	4
498	Peer support for discharge from inpatient mental health care versus care as usual in England (ENRICH): a parallel, two-group, individually randomised controlled trial.. <i>Lancet Psychiatry</i> , 2022 , 9, 125-136	23.3	2
497	Clinical- and cost-effectiveness of a technology-supported and solution-focused intervention (DIALOG+) in treatment of patients with chronic depression-study protocol for a multi-site, cluster randomised controlled trial [TACK].. <i>Trials</i> , 2022 , 23, 237	2.8	
496	An analysis of views about supported reduction or discontinuation of antipsychotic treatment among people with schizophrenia and other psychotic disorders.. <i>BMC Psychiatry</i> , 2022 , 22, 185	4.2	2
495	What are the expectations and experiences of a GMH research programme delivered in Bosnia-Herzegovina, Colombia and Uganda? A prospective longitudinal qualitative study. <i>BMJ Open</i> , 2022 , 12, e059590	3	
494	Common patient experiences across three resource-oriented interventions for severe mental illness: a qualitative study in low-resource settings. <i>BMC Psychiatry</i> , 2022 , 22,	4.2	1
493	Expert Arguments for Trends of Psychiatric Bed Numbers: A Systematic Review of Qualitative Data.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 745247	5	2
492	Effectiveness of a structured intervention to make routine clinical meetings therapeutically effective (DIALOG+) for patients with depressive and anxiety disorders in Bosnia and Herzegovina: A cluster randomised controlled trial.. <i>Psychiatry Research Communications</i> , 2021 , 1, None		3
491	Neighbourhood characteristics and social isolation of people with psychosis: a multi-site cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	1
490	Volunteering in Mental Health 2021 , 1305-1331		1
489	Who wants more social contacts? A cross-sectional study of people with psychotic disorders in England.. <i>Schizophrenia Research</i> , 2021 , 240, 46-51	3.6	0
488	A mixed methods exploration of the role of multi-family groups in community treatment of patients with depression and anxiety in Pakistan. <i>International Journal of Mental Health Systems</i> , 2021 , 15, 78	3.6	2
487	One-to-one volunteer befriending to reduce symptoms of depression in people with intellectual disability: a feasibility RCT. <i>Public Health Research</i> , 2021 , 9, 1-80	1.7	
486	Electronic reminders and rewards to improve adherence to inhaled asthma treatment in adolescents: a non-randomised feasibility study in tertiary care. <i>BMJ Open</i> , 2021 , 11, e053268	3	2
485	Understanding Identity Changes in Psychosis: A Systematic Review and Narrative Synthesis. <i>Schizophrenia Bulletin</i> , 2021 , 47, 309-322	1.3	11
484	Routine participation in sports and fitness activities among out-patients with psychotic disorders: A multi-site cross-sectional survey in England. <i>Mental Health and Physical Activity</i> , 2021 , 20, 100402	5	1
483	Potential impact of physical distancing on physical and mental health: a rapid narrative umbrella review of meta-analyses on the link between social connection and health. <i>BMJ Open</i> , 2021 , 11, e042335 ³		24

482	Understanding global mental health: a conceptual review. <i>BMJ Global Health</i> , 2021 , 6,	6.6	1
481	Patients in mental healthcare should be referred to as patients and not service users. <i>BJPsych Bulletin</i> , 2021 , 45, 327-328	1.2	1
480	How do you know what you want? Service user views on decision aids for the arts therapies. <i>Arts in Psychotherapy</i> , 2021 , 73, 101757	1.6	1
479	Behind the screen of voluntary psychiatric hospital admissions: A qualitative exploration of treatment pressures and informal coercion in experiences of patients in Italy, Poland and the United Kingdom. <i>International Journal of Social Psychiatry</i> , 2021 , 207640211003942	8.5	0
478	Do outcomes of psychiatric hospital treatment differ for migrants and non-migrants?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1957-1965	4.5	
477	Concepts of Resilience in Adolescent Mental Health Research. <i>Journal of Adolescent Health</i> , 2021 , 69, 689-695	5.8	4
476	Experiences and outcomes of group volunteer befriending with patients with severe mental illness: an exploratory mixed-methods study in Colombia. <i>BMC Psychiatry</i> , 2021 , 21, 239	4.2	3
475	How do participants in clinical trials compare with other patients with schizophrenia?. <i>Contemporary Clinical Trials Communications</i> , 2021 , 22, 100803	1.8	1
474	Social contacts, friends and satisfaction with friendships in patients with psychotic, mood and neurotic disorders 1 year after hospitalisation: data from five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 363-373	4.5	0
473	Comparing discrimination among people with schizophrenia, affective and anxiety disorders. A multilevel study in five European countries. <i>Journal of Affective Disorders</i> , 2021 , 279, 191-202	6.6	1
472	What makes us the same? What makes us different? Development of a shared model and manual of group therapy practice across art therapy, dance movement therapy and music therapy within community mental health care. <i>Arts in Psychotherapy</i> , 2021 , 72, 101747	1.6	5
471	The effectiveness of volunteer befriending for improving the quality of life of patients with schizophrenia in Bosnia and Herzegovina - an exploratory randomised controlled trial. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e48	5.1	3
470	Virtual Reality Group Therapy for the Treatment of Depression: A Qualitative Study on Stakeholder Perspectives. <i>Frontiers in Virtual Reality</i> , 2021 , 1,	3	3
469	Categorizing what patients with psychosis say in clinical interactions: the development of a framework informed by theory of mind, metacognition and cognitive behavioral theory. <i>Journal of Mental Health</i> , 2021 , 1-10	2.7	
468	Global burden of post-traumatic stress disorder and major depression in countries affected by war between 1989 and 2019: a systematic review and meta-analysis. <i>BMJ Global Health</i> , 2021 , 6,	6.6	5
467	Living with Psychosis without Mental Health Services: A Narrative Interview Study. <i>BMJ Open</i> , 2021 , 11, e045661	3	0
466	Changes in national rates of psychiatric beds and incarceration in Central Eastern Europe and Central Asia from 1990-2019: A retrospective database analysis. <i>Lancet Regional Health - Europe, The</i> , 2021 , 7, 100137		4
465	Preferences for group arts therapies: a cross-sectional survey of mental health patients and the general population. <i>BMJ Open</i> , 2021 , 11, e051173	3	0

464	Which resources help young people to prevent and overcome mental distress in deprived urban areas in Latin America? A protocol for a prospective cohort study. <i>BMJ Open</i> , 2021 , 11, e052339	3	0
463	Feasibility, experiences and outcomes of using DIALOG+ in primary care to improve quality of life and mental distress of patients with chronic conditions: an exploratory non-controlled trial in Bosnia and Herzegovina, Colombia and Uganda. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 180	1.9	0
462	A pilot randomised controlled trial of befriending by volunteers in people with intellectual disability and depressive symptoms. <i>Journal of Intellectual Disability Research</i> , 2021 , 65, 1010-1019	3.2	1
461	I know what I like, and I like what I know: Patient preferences and expectations when choosing an arts therapies group. <i>Arts in Psychotherapy</i> , 2021 , 75, None	1.6	1
460	Experience of neighbourhood violence and mental distress in Brazilian favelas: a cross-sectional household survey. <i>The Lancet Regional Health Americas</i> , 2021 , 4, 100067		0
459	Effectiveness and cost-effectiveness of a structured social coaching intervention for people with psychosis (SCENE): protocol for a randomised controlled trial.. <i>BMJ Open</i> , 2021 , 11, e050627	3	0
458	Structure of Negative Symptoms in Schizophrenia: An Unresolved Issue.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 785144	5	1
457	Impact of the hospital built environment on treatment satisfaction of psychiatric in-patients. <i>Psychological Medicine</i> , 2020 , 1-12	6.9	3
456	Effectiveness of Expressive Writing in the Reduction of Psychological Distress During the COVID-19 Pandemic: A Randomized Controlled Trial. <i>Frontiers in Psychology</i> , 2020 , 11, 587282	3.4	7
455	Psychological symptoms and quality of life after repeated exposure to earthquake: A cohort study in Italy. <i>PLoS ONE</i> , 2020 , 15, e0233172	3.7	4
454	Use of psychiatric hospitals and social integration of patients with psychiatric disorders: a prospective cohort study in five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1425-1438	4.5	3
453	Psychological interventions for posttraumatic stress disorder and depression in refugees: A meta-analysis of randomized controlled trials. <i>Clinical Psychology and Psychotherapy</i> , 2020 , 27, 489-503	2.9	12
452	Study protocol of personal characteristics and socio-cultural factors associated with mental health and quality of life of residents living in violent territories. <i>BMC Psychiatry</i> , 2020 , 20, 96	4.2	1
451	Out of Sight, Out of Mind: Refugees Are Just the Tip of the Iceberg. An Illustration Using the Cases of Depression and Posttraumatic Stress Disorder. <i>Frontiers in Psychiatry</i> , 2020 , 11, 179	5	3
450	Indicators Associated With Job Morale Among Physicians and Dentists in Low-Income and Middle-Income Countries: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2020 , 3, e1913202	10.4	11
449	Helping people with psychosis to expand their social networks: the stakeholdersPviews. <i>BMC Psychiatry</i> , 2020 , 20, 29	4.2	4
448	Cognitive behavioural therapy in virtual reality treatments across mental health conditions: a systematic review. <i>Consortium Psychiatricum</i> , 2020 , 1, 30-46	0.8	1
447	One-to-one befriending for people with intellectual disability and symptoms of depression: protocol for a pilot randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e033989	3	2

446	Defining what a RarePis and the role they play in in-patient mental healthcare: A focus group study with patients, carers and clinicians. <i>BJPsych Open</i> , 2020 , 6, e89	5	
445	The sociocultural and behavioural characteristics that patients want in psychiatrists: cross-sectional survey of patientsPviews. <i>BJPsych Bulletin</i> , 2020 , 1-6	1.2	
444	Factorial structure of the Manchester Short Assessment of Quality of Life in patients with schizophrenia-spectrum disorders. <i>Quality of Life Research</i> , 2020 , 29, 833-841	3.7	4
443	Tailored, psychological intervention for anxiety or depression in people with chronic obstructive pulmonary disease (COPD), TANDEM (Tailored intervention for ANxiety and DEpression Management in COPD): protocol for a randomised controlled trial. <i>Trials</i> , 2020 , 21, 18	2.8	7
442	Advance statements in adult mental healthcare: an update. <i>BJ Psych Advances</i> , 2020 , 26, 109-115	0.8	1
441	Association of Patient Treatment Preference With Dropout and Clinical Outcomes in Adult Psychosocial Mental Health Interventions: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2020 , 77, 294-302	14.5	35
440	Healthcare system performance in continuity of care for patients with severe mental illness: A comparison of five European countries. <i>Health Policy</i> , 2020 , 124, 25-36	3.2	12
439	Scales for assessing the therapeutic milieu in psychiatric inpatient settings: A systematic review. <i>General Hospital Psychiatry</i> , 2020 , 66, 44-50	5.6	
438	Patient and befriender experiences of participating in a befriending programme for adults with psychosis: a qualitative study. <i>BMC Psychiatry</i> , 2020 , 20, 368	4.2	5
437	Routine measurement of satisfaction with life and treatment aspects in mental health patients - the DIALOG scale in East London. <i>BMC Health Services Research</i> , 2020 , 20, 1020	2.9	2
436	Differences in access and utilisation of mental health services in the perinatal period for women from ethnic minorities-a population-based study. <i>BMC Medicine</i> , 2020 , 18, 245	11.4	7
435	Job morale: a scoping review of how the concept developed and is used in healthcare research. <i>BMC Public Health</i> , 2020 , 20, 1166	4.1	5
434	Psychosocial interventions for people with schizophrenia or psychosis on minimal or no antipsychotic medication: A systematic review. <i>Schizophrenia Research</i> , 2020 , 225, 15-30	3.6	19
433	Factors associated with satisfaction of inpatient psychiatric care: a cross country comparison. <i>Psychological Medicine</i> , 2020 , 50, 284-292	6.9	8
432	Predictors of moving on from mental health supported accommodation in England: national cohort study. <i>British Journal of Psychiatry</i> , 2020 , 216, 331-337	5.4	17
431	Effectiveness of a volunteer befriending programme for patients with schizophrenia: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2020 , 217, 477-483	5.4	46
430	Personal continuity versus specialisation of care approaches in mental healthcare: experiences of patients and clinicians-results of the qualitative study in five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 205-216	4.5	4
429	Peer support for discharge from inpatient to community mental health services: Study protocol clinical trial (SPIRIT Compliant). <i>Medicine (United States)</i> , 2020 , 99, e19192	1.8	10

428	Research into mental health supported accommodation - desperately needed but challenging to deliver. <i>British Journal of Psychiatry</i> , 2020 , 1-3	5.4	3
427	Feasibility Randomised Trial Comparing Two Forms of Mental Health Supported Accommodation (Supported Housing and Floating Outreach); a Component of the QuEST (Quality and Effectiveness of Supported Tenancies) Study. <i>Frontiers in Psychiatry</i> , 2019 , 10, 258	5	9
426	Involuntary Hospitalization of Suicidal Patients: Time for New Answers to Basic Questions?. <i>American Journal of Bioethics</i> , 2019 , 19, 90-92	1.1	
425	Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review. <i>PLoS ONE</i> , 2019 , 14, e0222891	3.7	8
424	How would patients with psychosis like to be in contact with a volunteer: Face-to-face or digitally?. <i>PLoS ONE</i> , 2019 , 14, e0216929	3.7	6
423	How to design psychiatric facilities to foster positive social interaction - A systematic review. <i>European Psychiatry</i> , 2019 , 60, 49-62	6	17
422	Can Automatic Facial Expression Analysis Be Used for Treatment Outcome Estimation in Schizophrenia? 2019 ,		1
421	Motivations and experiences of volunteers and patients in mental health befriending: a thematic analysis. <i>BMC Psychiatry</i> , 2019 , 19, 116	4.2	10
420	Assessment and Treatment of Patients with Comorbidity of Mental Health Problems and Alcohol Use Disorders: Experiences of Clinicians and Patients in the UK and Poland. <i>Alcohol and Alcoholism</i> , 2019 , 54, 279-286	3.5	1
419	Mental disorders and mental health symptoms during imprisonment: A three-year follow-up study. <i>PLoS ONE</i> , 2019 , 14, e0213711	3.7	3
418	Assessment and determinants of patient satisfaction with mental health care. <i>World Psychiatry</i> , 2019 , 18, 30-31	14.4	18
417	Severe mental illness and substance use disorders in prisoners in low-income and middle-income countries: a systematic review and meta-analysis of prevalence studies. <i>The Lancet Global Health</i> , 2019 , 7, e461-e471	13.6	76
416	SchiNet: Automatic Estimation of Symptoms of Schizophrenia from Facial Behaviour Analysis. <i>IEEE Transactions on Affective Computing</i> , 2019 , 1-1	5.7	11
415	Internet Use for Social Interaction by People with Psychosis: A Systematic Review. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2019 , 22, 336-343	4.4	7
414	Conceptualizing resilience in adult mental health literature: A systematic review and narrative synthesis. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2019 , 92, 299-341	3.5	39
413	Resource-oriented interventions for patients with severe mental illnesses in low- and middle-income countries: trials in Bosnia-Herzegovina, Colombia and Uganda. <i>BMC Psychiatry</i> , 2019 , 19, 181	4.2	14
412	Post-traumatic growth in mental health recovery: qualitative study of narratives. <i>BMJ Open</i> , 2019 , 9, e029342	3	34
411	Randomised controlled trial of gradual antipsychotic reduction and discontinuation in people with schizophrenia and related disorders: the RADAR trial (Research into Antipsychotic Discontinuation and Reduction). <i>BMJ Open</i> , 2019 , 9, e030912	3	15

410	Curation of Mental Health Recovery Narrative Collections: Systematic Review and Qualitative Synthesis. <i>JMIR Mental Health</i> , 2019 , 6, e14233	6	9
409	Supported accommodation for people with mental health problems: the QuEST research programme with feasibility RCT. <i>Programme Grants for Applied Research</i> , 2019 , 7, 1-82	1.5	3
408	Volunteering in Mental Health 2019 , 1-28		2
407	Job morale of physicians in low-income and middle-income countries: a systematic literature review of qualitative studies. <i>BMJ Open</i> , 2019 , 9, e028657	3	4
406	Different forms of informal coercion in psychiatry: a qualitative study. <i>BMC Research Notes</i> , 2019 , 12, 787	2.3	9
405	Possibilities for the future of global mental health: a scenario planning approach. <i>BMC Psychiatry</i> , 2019 , 19, 392	4.2	2
404	Predictors of personal continuity of care of patients with severe mental illness: A comparison across five European countries. <i>European Psychiatry</i> , 2019 , 56, 69-74	6	2
403	What drives changes in institutionalised mental health care? A qualitative study of the perspectives of professional experts. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 737-744	4.5	9
402	Processes of recovery through routine or specialist treatment for borderline personality disorder (BPD): a qualitative study. <i>Journal of Mental Health</i> , 2019 , 28, 604-612	2.7	6
401	The same or different psychiatrists for in- and out-patient treatment? A multi-country natural experiment - ADDENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e23	5.1	
400	What can clinicians do to improve outcomes across psychiatric treatments: a conceptual review of non-specific components. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e48	5.1	13
399	Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review 2019 , 14, e0222891		
398	Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review 2019 , 14, e0222891		
397	Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review 2019 , 14, e0222891		
396	Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review 2019 , 14, e0222891		
395	Scales for assessing patient satisfaction with mental health care: A systematic review. <i>Journal of Psychiatric Research</i> , 2018 , 100, 33-46	5.2	24
394	In-patient treatment in functional and sectorised care: patient satisfaction and length of stay. <i>British Journal of Psychiatry</i> , 2018 , 212, 81-87	5.4	13
393	The Future of Psychiatry Commission - AuthorsPreply. <i>Lancet Psychiatry,the</i> , 2018 , 5, 17-18	23.3	1

392	Predictors of length of stay in psychiatric inpatient units: Does their effect vary across countries?. <i>European Psychiatry</i> , 2018 , 48, 6-12	6	26
391	Preferences for befriending schemes: a survey of patients with severe mental illness. <i>BMC Psychiatry</i> , 2018 , 18, 64	4.2	11
390	Characteristics and motivations of volunteers providing one-to-one support for people with mental illness: a survey in Austria. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 841-847	4.5	13
389	Prevalence of Posttraumatic Stress Disorder in Prisoners. <i>Epidemiologic Reviews</i> , 2018 , 40, 134-145	4.1	85
388	Psychopathological Symptoms and Satisfaction with Mental Health in Patients with Schizophrenia. <i>Psychopathology</i> , 2018 , 51, 192-197	3.4	1
387	Correspondence between negative symptoms and potential sources of secondary negative symptoms over time. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 603-609	5.1	7
386	Mental health care for adult refugees in high-income countries. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 109-116	5.1	82
385	Prevalence of depression and posttraumatic stress disorder in adult civilian survivors of war who stay in war-afflicted regions. A systematic review and meta-analysis of epidemiological studies. <i>Journal of Affective Disorders</i> , 2018 , 239, 328-338	6.6	34
384	The acceptability of an online intervention using positive psychology for depression: A qualitative study. <i>Internet Interventions</i> , 2018 , 13, 60-66	4.4	2
383	Interventions for involuntary psychiatric inpatients: A systematic review. <i>European Psychiatry</i> , 2018 , 54, 41-50	6	18
382	What might affect acceptability of online positive psychology interventions for depression: a qualitative study on patient expectations? <i>BMC Psychiatry</i> , 2018 , 18, 240	4.2	7
381	Social networks of patients with chronic depression: A systematic review. <i>Journal of Affective Disorders</i> , 2018 , 241, 571-578	6.6	16
380	Clinicians have several therapeutic relationships and patients only one: The effect on their assessments of relationships. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27, e1722	4.3	2
379	Prevalence and predictive factors of psychological morbidity following facial injury: a prospective study of patients attending a maxillofacial outpatient clinic within a major UK city. <i>Dialogues in Clinical Neuroscience</i> , 2018 , 20, 327-339	5.7	5
378	Gemeindepsychiatrische Versorgung von Migranten 2018 , 589-598		
377	The same or different psychiatrists for in- and out-patient treatment? A multi-country natural experiment. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 29, e10	5.1	10
376	Prevalence of and risk factors for mental disorders in refugees. <i>Seminars in Cell and Developmental Biology</i> , 2018 , 77, 144-152	7.5	74
375	Characteristics, motivations and experiences of volunteer befrienders for people with mental illness: a systematic review and narrative synthesis. <i>BMC Psychiatry</i> , 2018 , 18, 378	4.2	14

374	Staff and patient perspectives on therapeutic engagement during one-to-one observation. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2018 , 25, 546-557	2.4	9
373	Why do psychiatric patients attend or not attend treatment groups in the community: A qualitative study. <i>PLoS ONE</i> , 2018 , 13, e0208448	3.7	8
372	Shared decision-making with involuntary hospital patients: a qualitative study of barriers and facilitators. <i>BJPsych Open</i> , 2018 , 4, 113-118	5	22
371	Exploring the initial experience of hospitalisation to an acute psychiatric ward. <i>PLoS ONE</i> , 2018 , 13, e0203457	3.7	10
370	Attitudes towards severe mental illness and social distance: A survey of volunteer befrienders in Austria. <i>International Journal of Social Psychiatry</i> , 2018 , 64, 470-475	8.5	5
369	Attrition in trials evaluating complex interventions for schizophrenia: Systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2017 , 90, 67-77	5.2	21
368	Satisfaction with sex life among patients with schizophrenia. <i>Schizophrenia Research</i> , 2017 , 190, 63-67	3.6	11
367	Scenarios for the future of mental health care: whose interests, whose perspectives, whose future?-AuthorsPreply. <i>Lancet Psychiatry</i> , 2017 , 4, 190	23.3	
366	Burden of separation and suicide risk of prisoners with minor children. <i>International Journal of Law and Psychiatry</i> , 2017 , 52, 55-61	2.6	11
365	Effectiveness of befriending interventions: a systematic review and meta-analysis. <i>BMJ Open</i> , 2017 , 7, e014304	3	57
364	Group therapies for schizophrenia: initial group climate predicts changes in negative symptoms. <i>Psychosis</i> , 2017 , 9, 225-234	1.2	6
363	Staff and patient experiences of decision-making about continuous observation in psychiatric hospitals. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 473-483	4.5	12
362	Effectiveness of one-to-one peer support for patients with severe mental illness—a randomised controlled trial. <i>European Psychiatry</i> , 2017 , 42, 103-110	6	59
361	Why involve families in acute mental healthcare? A collaborative conceptual review. <i>BMJ Open</i> , 2017 , 7, e017680	3	30
360	The WPA-Lancet Psychiatry Commission on the Future of Psychiatry. <i>Lancet Psychiatry</i> , 2017 , 4, 775-818	8.5	211
359	Psychosocial interventions for post-traumatic stress disorder in refugees and asylum seekers resettled in high-income countries: Systematic review and meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0171030	3.7	123
358	Intentions and experiences of effective practice in mental health specific supported accommodation services: a qualitative interview study. <i>BMC Health Services Research</i> , 2017 , 17, 471	2.9	15
357	Common sense alone is not enough. <i>World Psychiatry</i> , 2017 , 16, 157-158	14.4	3

356	Do patients prefer optimistic or cautious psychiatrists? An experimental study with new and long-term patients. <i>BMC Psychiatry</i> , 2017 , 17, 26	4.2	3
355	How do healthcare professionals interview patients to assess suicide risk?. <i>BMC Psychiatry</i> , 2017 , 17, 122	4.2	25
354	Using video-annotation software to identify interactions in group therapies for schizophrenia: assessing reliability and associations with outcomes. <i>BMC Psychiatry</i> , 2017 , 17, 65	4.2	3
353	How to make carer involvement in mental health inpatient units happen: a focus group study with patients, carers and clinicians. <i>BMC Psychiatry</i> , 2017 , 17, 101	4.2	27
352	Feasibility and acceptability of group music therapy vs wait-list control for treatment of patients with long-term depression (the SYNCHRONY trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 149	2.8	8
351	Scenarios for the future of mental health care: a social perspective. <i>Lancet Psychiatry</i> , 2017 , 4, 257-260.3	6.3	11
350	The Application of Positive Psychotherapy in Mental Health Care: A Systematic Review. <i>Journal of Clinical Psychology</i> , 2017 , 73, 638-651	2.8	66
349	The impact of gender on treatment effectiveness of body psychotherapy for negative symptoms of schizophrenia: A secondary analysis of the NESS trial data. <i>Psychiatry Research</i> , 2017 , 247, 73-78	9.9	9
348	What mental health services should be available after the postnatal period?. <i>European Psychiatry</i> , 2017 , 41, 911-911	6	
347	Effective patient/clinician interaction to improve treatment outcomes for patients with psychosis: a mixed-methods design. <i>Programme Grants for Applied Research</i> , 2017 , 5, 1-160	1.5	7
346	The course of major depression during imprisonment - A one year cohort study. <i>Journal of Affective Disorders</i> , 2016 , 189, 207-13	6.6	19
345	To befriend or to be a friend: a systematic review of the meaning and practice of "befriending" in mental health care. <i>Journal of Mental Health</i> , 2016 , 25, 71-7	2.7	35
344	Effectiveness of group body psychotherapy for negative symptoms of schizophrenia: multicentre randomised controlled trial. <i>British Journal of Psychiatry</i> , 2016 , 209, 54-61	5.4	34
343	Quality of life, autonomy, satisfaction, and costs associated with mental health supported accommodation services in England: a national survey. <i>Lancet Psychiatry</i> , 2016 , 3, 1129-1137	23.3	44
342	A pilot cluster randomised trial to assess the effect of a structured communication approach on quality of life in secure mental health settings: The Comquol Study. <i>BMC Psychiatry</i> , 2016 , 16, 335	4.2	5
341	Parenthood among patients with psychotic disorders: gender differences in a non-selective clinical sample. <i>Psychiatry Research</i> , 2016 , 246, 474-479	9.9	8
340	How has the extent of institutional mental healthcare changed in Western Europe? Analysis of data since 1990. <i>BMJ Open</i> , 2016 , 6, e010188	3	45
339	Effectiveness of one-to-one volunteer support for patients with psychosis: protocol of a randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e011582	3	13

338	Adaptation of the Quality Indicator for Rehabilitative Care (QuIRC) for use in mental health supported accommodation services (QuIRC-SA). <i>BMC Psychiatry</i> , 2016 , 16, 101	4.2	20
337	What does dependency on community mental health services mean? A conceptual review with a systematic search. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 561-74	4.5	9
336	Interventions to Reduce Compulsory Psychiatric Admissions: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2016 , 73, 657-64	14.5	67
335	Development and psychometric properties of the client assessment of treatment scale for supported accommodation (CAT-SA). <i>BMC Psychiatry</i> , 2016 , 16, 43	4.2	7
334	The relationship between experiential deficits of negative symptoms and subjective quality of life in schizophrenia. <i>Schizophrenia Research</i> , 2016 , 176, 387-391	3.6	27
333	Prevalence of mental disorders at admission to the penal justice system in emerging countries: a study from Chile. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 441-449	5.1	18
332	Social contacts and loneliness in people with psychotic and mood disorders. <i>Comprehensive Psychiatry</i> , 2016 , 66, 59-66	7.3	48
331	Better quality of life in patients offered financial incentives for taking anti-psychotic medication: Linked to improved adherence or more money?. <i>Quality of Life Research</i> , 2016 , 25, 1897-902	3.7	1
330	Use of Coercive Measures during Involuntary Psychiatric Admission and Treatment Outcomes: Data from a Prospective Study across 10 European Countries. <i>PLoS ONE</i> , 2016 , 11, e0168720	3.7	40
329	Clinical effectiveness and cost-effectiveness of body psychotherapy in the treatment of negative symptoms of schizophrenia: a multicentre randomised controlled trial. <i>Health Technology Assessment</i> , 2016 , 20, vii-xxiii, 1-100	4.4	14
328	Financial incentives to improve adherence to antipsychotic maintenance medication in non-adherent patients: a cluster randomised controlled trial. <i>Health Technology Assessment</i> , 2016 , 20, 1-122	4.4	16
327	Using Routine Quality of Life Assessment to Improve Effectiveness of Community Mental Health Care 2016 , 145-155		1
326	Exploring the Mechanisms of a Patient-Centred Assessment with a Solution Focused Approach (DIALOG+) in the Community Treatment of Patients with Psychosis: A Process Evaluation within a Cluster-Randomised Controlled Trial. <i>PLoS ONE</i> , 2016 , 11, e0148415	3.7	19
325	Suicidality and Hostility following Involuntary Hospital Treatment. <i>PLoS ONE</i> , 2016 , 11, e0154458	3.7	9
324	Conserved Senescence Associated Genes and Pathways in Primary Human Fibroblasts Detected by RNA-Seq. <i>PLoS ONE</i> , 2016 , 11, e0154531	3.7	39
323	Training to enhance psychiatrist communication with patients with psychosis (TEMPO): cluster randomised controlled trial. <i>British Journal of Psychiatry</i> , 2016 , 209, 517-524	5.4	44
322	Discontinuing financial incentives for adherence to antipsychotic depot medication: long-term outcomes of a cluster randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e011673	3	7
321	Systematic review of patients participation in and experiences of technology-based monitoring of mental health symptoms in the community. <i>BMJ Open</i> , 2016 , 6, e008362	3	18

320	A social paradigm in psychiatry - themes and perspectives. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 521-527	5.1	12
319	Psychosis seminars: an open forum for service users, carers and professionals. <i>BJPsych Open</i> , 2016 , 2, 330-334	5	6
318	The political and social mission of psychiatry. <i>European Psychiatry</i> , 2016 , 33, S14-S14	6	
317	Psychometric properties of the symptom check-list-90-R in prison inmates. <i>Psychiatry Research</i> , 2016 , 239, 226-31	9.9	16
316	Skills use and common treatment processes in dialectical behaviour therapy for borderline personality disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2016 , 52, 147-156	2.6	22
315	Informal coercion in psychiatry: a focus group study of attitudes and experiences of mental health professionals in ten countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1297-308	4.5	34
314	Did female prisoners with mental disorders receive psychiatric treatment before imprisonment?. <i>BMC Psychiatry</i> , 2015 , 15, 5	4.2	15
313	Do negative symptoms of schizophrenia change over time? A meta-analysis of longitudinal data. <i>Psychological Medicine</i> , 2015 , 45, 1613-27	6.9	44
312	Offering financial incentives to increase adherence to antipsychotic medication: the clinician experience. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 120-7	1.7	7
311	Testing the Penrose Hypothesis-Reply. <i>JAMA Psychiatry</i> , 2015 , 72, 736	14.5	3
310	Psychiatric hospital beds and prison populations in South America since 1990: does the Penrose hypothesis apply?. <i>JAMA Psychiatry</i> , 2015 , 72, 112-8	14.5	61
309	Non-verbal communication in meetings of psychiatrists and patients with schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 197-205	6.5	15
308	The Effectiveness of a Patient-Centred Assessment with a Solution-Focused Approach (DIALOG+) for Patients with Psychosis: A Pragmatic Cluster-Randomised Controlled Trial in Community Care. <i>Psychotherapy and Psychosomatics</i> , 2015 , 84, 304-13	9.4	49
307	Online social networking in people with psychosis: A systematic review. <i>International Journal of Social Psychiatry</i> , 2015 , 61, 92-101	8.5	56
306	Long-term mental health of war-refugees: a systematic literature review. <i>BMC International Health and Human Rights</i> , 2015 , 15, 29	2.5	410
305	Specialised teams or personal continuity across inpatient and outpatient mental healthcare? Study protocol for a natural experiment. <i>BMJ Open</i> , 2015 , 5, e008996	3	18
304	Can mental health interventions change social networks? A systematic review. <i>BMC Psychiatry</i> , 2015 , 15, 297	4.2	57
303	Social networks of patients with psychosis: a systematic review. <i>BMC Research Notes</i> , 2015 , 8, 560	2.3	53

302	Reciprocity in therapeutic relationships: A conceptual review. <i>International Journal of Mental Health Nursing</i> , 2015 , 24, 460-70	3.8	10
301	Cost-Effectiveness of Financial Incentives to Promote Adherence to Depot Antipsychotic Medication: Economic Evaluation of a Cluster-Randomised Controlled Trial. <i>PLoS ONE</i> , 2015 , 10, e0138816	3.7	12
300	Assessing Social Networks in Patients with Psychotic Disorders: A Systematic Review of Instruments. <i>PLoS ONE</i> , 2015 , 10, e0145250	3.7	11
299	Treating substance abuse is not enough: comorbidities in consecutively admitted female prisoners. <i>Addictive Behaviors</i> , 2015 , 46, 25-30	4.2	42
298	How to support patients with severe mental illness in their parenting role with children aged over 1 year? A systematic review of interventions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1765-83	4.5	32
297	Are Group Psychotherapeutic Treatments Effective for Patients with Schizophrenia? A Systematic Review and Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2015 , 84, 241-9	9.4	25
296	Continuity across inpatient and outpatient mental health care or specialisation of teams? A systematic review. <i>European Psychiatry</i> , 2015 , 30, 258-70	6	33
295	Overcoming Barriers to Skills Training in Borderline Personality Disorder: A Qualitative Interview Study. <i>PLoS ONE</i> , 2015 , 10, e0140635	3.7	18
294	Factors associated with quality of services for marginalized groups with mental health problems in 14 European countries. <i>BMC Health Services Research</i> , 2014 , 14, 49	2.9	3
293	Implementing family involvement in the treatment of patients with psychosis: a systematic review of facilitating and hindering factors. <i>BMJ Open</i> , 2014 , 4, e006108	3	112
292	Resource-oriented therapeutic models in psychiatry: conceptual review. <i>British Journal of Psychiatry</i> , 2014 , 204, 256-61	5.4	81
291	How do psychiatrists address delusions in first meetings in acute care? A qualitative study. <i>BMC Psychiatry</i> , 2014 , 14, 178	4.2	13
290	Remission from post-traumatic stress disorder in adults: a systematic review and meta-analysis of long term outcome studies. <i>Clinical Psychology Review</i> , 2014 , 34, 249-55	10.8	160
289	The effect of core clinician interpersonal behaviours on depression. <i>Journal of Affective Disorders</i> , 2014 , 167, 112-7	6.6	11
288	Mechanisms of psychological distress following war in the former Yugoslavia: the role of interpersonal sensitivity. <i>PLoS ONE</i> , 2014 , 9, e90503	3.7	10
287	Multilevel ordinal factor analysis of the positive and negative syndrome scale (PANSS). <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23, 25-35	4.3	10
286	A pragmatic randomised controlled trial of dialectical behaviour therapy: effects on hospitalisation and post-treatment follow-up. <i>Psychotherapy and Psychosomatics</i> , 2014 , 83, 192-3	9.4	9
285	Which values are important for patients during involuntary treatment? A qualitative study with psychiatric inpatients. <i>Journal of Medical Ethics</i> , 2014 , 40, 832-6	2.5	28

284	The availability and quality across Europe of outpatient care for difficult-to-engage patients with severe mental illness: a survey among experts. <i>International Journal of Social Psychiatry</i> , 2014 , 60, 304-10	8.5	7
283	Providing mental healthcare to immigrants: current challenges and new strategies. <i>Current Opinion in Psychiatry</i> , 2014 , 27, 282-8	4.9	46
282	How do general practitioners experience providing care to refugees with mental health problems? A qualitative study from Denmark. <i>BMC Family Practice</i> , 2013 , 14, 17	2.6	51
281	Effectiveness of structured patient-clinician communication with a solution focused approach (DIALOG+) in community treatment of patients with psychosis--a cluster randomised controlled trial. <i>BMC Psychiatry</i> , 2013 , 13, 173	4.2	18
280	Understanding psychiatric institutionalization: a conceptual review. <i>BMC Psychiatry</i> , 2013 , 13, 169	4.2	83
279	Effectiveness and cost-effectiveness of body psychotherapy in the treatment of negative symptoms of schizophrenia--a multi-centre randomised controlled trial. <i>BMC Psychiatry</i> , 2013 , 13, 26	4.2	14
278	Subjective quality of life in war-affected populations. <i>BMC Public Health</i> , 2013 , 13, 624	4.1	24
277	Using social network analysis for assessing mental health and social services inter-organisational collaboration: findings in deprived areas in Brussels and London. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2013 , 40, 331-9	3.1	22
276	Shared decision-making in ongoing outpatient psychiatric treatment. <i>Patient Education and Counseling</i> , 2013 , 91, 326-8	3.1	48
275	An exploratory randomized controlled trial of body psychotherapy for patients with chronic depression. <i>Journal of Affective Disorders</i> , 2013 , 151, 85-91	6.6	40
274	Exploration of experiences in therapeutic groups for patients with severe mental illness: development of the Ferrara group experiences scale (FE- GES). <i>BMC Psychiatry</i> , 2013 , 13, 242	4.2	8
273	Study to assess the effect of a structured communication approach on quality of life in secure mental health settings (Comquol): study protocol for a pilot cluster randomized trial. <i>Trials</i> , 2013 , 14, 257	2.8	5
272	Addiction treatment in deprived urban areas in EU countries: Accessibility of care for people from socially marginalized groups. <i>Drugs: Education, Prevention and Policy</i> , 2013 , 20, 74-83	1.2	5
271	Experiences with treating immigrants: a qualitative study in mental health services across 16 European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 105-16	4.5	72
270	Shared understanding in psychiatrist-patient communication: association with treatment adherence in schizophrenia. <i>Patient Education and Counseling</i> , 2013 , 93, 73-9	3.1	45
269	Trauma and suicidality in war affected communities. <i>European Psychiatry</i> , 2013 , 28, 514-20	6	26
268	Community treatment orders for patients with psychosis (OCTET): a randomised controlled trial. <i>Lancet, The</i> , 2013 , 381, 1627-33	4.0	251
267	The validity of patient- and clinician-rated measures of needs and the therapeutic relationship in psychosis: a pooled analysis. <i>Psychiatry Research</i> , 2013 , 209, 711-20	9.9	7

266	Post-traumatic stress disorder and the outcome of dialectical behaviour therapy for borderline personality disorder. <i>Personality and Mental Health</i> , 2013 , 7, 181-90	3.1	19
265	Incorporating psychotherapeutic methods in routine community treatment for patients with psychotic disorders. <i>Psychosis</i> , 2013 , 5, 154-165	1.2	4
264	Mental health-care provision for marginalized groups across Europe: findings from the PROMO study. <i>European Journal of Public Health</i> , 2013 , 23, 97-103	2.1	35
263	What do outpatients with schizophrenia and mood disorders want to learn about their illness?. <i>Psychiatric Services</i> , 2013 , 64, 764-9	3.3	10
262	Testing the psychopathology of psychosis: evidence for a general psychosis dimension. <i>Schizophrenia Bulletin</i> , 2013 , 39, 884-95	1.3	85
261	Effectiveness of financial incentives to improve adherence to maintenance treatment with antipsychotics: cluster randomised controlled trial. <i>BMJ, The</i> , 2013 , 347, f5847	5.9	62
260	Posttraumatic stress disorder in a Serbian community: seven years after trauma exposure. <i>Journal of Nervous and Mental Disease</i> , 2013 , 201, 1040-4	1.8	9
259	Communication about psychotic symptoms in long-term psychiatric illness. <i>Psychopathology</i> , 2013 , 46, 233-40	3.4	5
258	Psychological symptoms as long-term consequences of war experiences. <i>Psychopathology</i> , 2013 , 46, 45-54	3.4	25
257	The utilization and perceived usefulness of health care and other support services by people exposed to traumatic events related to the war in the Balkans. <i>Acta Medica Academica</i> , 2013 , 42, 4-14	0.8	1
256	Course of post-traumatic stress disorder following war in the Balkans: 1-year follow-up study. <i>Psychological Medicine</i> , 2013 , 43, 1837-47	6.9	17
255	Gender differences in coerced patients with schizophrenia. <i>BMC Psychiatry</i> , 2013 , 13, 257	4.2	32
254	How psychiatrists should introduce themselves in the first consultation: an experimental study. <i>British Journal of Psychiatry</i> , 2013 , 202, 459-62	5.4	11
253	Dropping out of dialectical behaviour therapy in the NHS: the role of care coordination. <i>The Psychiatrist</i> , 2013 , 37, 267-271		5
252	Symptoms associated with victimization in patients with schizophrenia and related disorders. <i>PLoS ONE</i> , 2013 , 8, e58142	3.7	15
251	Symptoms and subjective quality of life in post-traumatic stress disorder: a longitudinal study. <i>PLoS ONE</i> , 2013 , 8, e60991	3.7	26
250	Prevalence rates of mental disorders in Chilean prisons. <i>PLoS ONE</i> , 2013 , 8, e69109	3.7	41
249	A systematic review of music therapy practice and outcomes with acute adult psychiatric in-patients. <i>PLoS ONE</i> , 2013 , 8, e70252	3.7	49

248	Recovery from posttraumatic stress symptoms: a qualitative study of attributions in survivors of war. <i>PLoS ONE</i> , 2013 , 8, e70579	3.7	17
247	Diagnostic utility of the impact of event scale-revised in two samples of survivors of war. <i>PLoS ONE</i> , 2013 , 8, e83916	3.7	56
246	Co-occurrence of major depressive episode and posttraumatic stress disorder among survivors of war: how is it different from either condition alone?. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, e212-8	4.6	41
245	Forschung zu sozialpsychiatrischen Interventionen 2013 , 125-131		
244	Patient characteristics and symptoms associated with perceived coercion during hospital treatment. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 460-7	6.5	46
243	Group music therapy for patients with persistent post-traumatic stress disorder--an exploratory randomized controlled trial with mixed methods evaluation. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2012 , 85, 179-202	3.5	63
242	Health care for irregular migrants: pragmatism across Europe: a qualitative study. <i>BMC Research Notes</i> , 2012 , 5, 99	2.3	46
241	Predicting outcome of assertive outreach across England. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 313-22	4.5	15
240	The validity of subjective quality of life measures in psychotic patients with severe psychopathology and cognitive deficits: an item response model analysis. <i>Quality of Life Research</i> , 2012 , 21, 237-46	3.7	18
239	Symptom levels and initial appraisal of hospital treatment in patients with schizophrenia. <i>Psychiatry Research</i> , 2012 , 199, 79-83	9.9	2
238	Factors predicting the outcome of psychotherapy for borderline personality disorder: a systematic review. <i>Clinical Psychology Review</i> , 2012 , 32, 400-12	10.8	70
237	Measuring patient-reported outcomes in psychosis: conceptual and methodological review. <i>British Journal of Psychiatry</i> , 2012 , 201, 262-7	5.4	48
236	Good practice in mental health care for socially marginalised groups in Europe: a qualitative study of expert views in 14 countries. <i>BMC Public Health</i> , 2012 , 12, 248	4.1	50
235	Mental health care for irregular migrants in Europe: barriers and how they are overcome. <i>BMC Public Health</i> , 2012 , 12, 367	4.1	21
234	Health services and the treatment of immigrants: data on service use, interpreting services and immigrant staff members in services across Europe. <i>European Psychiatry</i> , 2012 , 27 Suppl 2, S56-62	6	35
233	Volunteering in the care of people with severe mental illness: a systematic review. <i>BMC Psychiatry</i> , 2012 , 12, 226	4.2	38
232	Patient-reported outcome data generated in a clinical intervention in community mental health care--psychometric properties. <i>BMC Psychiatry</i> , 2012 , 12, 113	4.2	18
231	Long-term impact of war on healthcare costs: an eight-country study. <i>PLoS ONE</i> , 2012 , 7, e29603	3.7	31

230	Changes in the provision of institutionalized mental health care in post-communist countries. <i>PLoS ONE</i> , 2012 , 7, e38490	3.7	26
229	Friends and symptom dimensions in patients with psychosis: a pooled analysis. <i>PLoS ONE</i> , 2012 , 7, e50119	3.7	44
228	To what extent could acute general psychiatric day care reduce inpatient admissions?. <i>Journal of Hospital Administration</i> , 2012 , 2, 105	0.3	
227	Psychiatric patients' Views on why their involuntary hospitalisation was right or wrong: a qualitative study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1169-79	4.5	111
226	Community mental health centres initiated by the South-Eastern Europe Stability Pact: evaluation in seven countries. <i>Community Mental Health Journal</i> , 2012 , 48, 352-62	2.1	9
225	Trust, choice and power in mental health care: experiences of patients with psychosis. <i>International Journal of Social Psychiatry</i> , 2012 , 58, 496-504	8.5	59
224	Caregivers' Appraisals of patients' Involuntary hospital treatment: European multicentre study. <i>British Journal of Psychiatry</i> , 2012 , 201, 486-91	5.4	21
223	Effectiveness and cost-effectiveness of dialectical behaviour therapy for self-harming patients with personality disorder: a pragmatic randomised controlled trial. <i>Psychotherapy and Psychosomatics</i> , 2012 , 81, 356-65	9.4	97
222	Factors associated with mental disorders in long-settled war refugees: refugees from the former Yugoslavia in Germany, Italy and the UK. <i>British Journal of Psychiatry</i> , 2012 , 200, 216-23	5.4	142
221	S112 Estimating Participation Rates of COPD Patients in Pulmonary Rehabilitation and Self-Management Programmes: The Importance of Defining Participation. <i>Thorax</i> , 2012 , 67, A55.1-A55	7.3	1
220	Refugees' Views of the effectiveness of support provided by their host countries. <i>Högre Utbildning</i> , 2012 , 3,	5	9
219	The therapeutic relationship and adherence to antipsychotic medication in schizophrenia. <i>PLoS ONE</i> , 2012 , 7, e36080	3.7	85
218	Recovery in Borderline Personality Disorder (BPD): a qualitative study of service users' perspectives. <i>PLoS ONE</i> , 2012 , 7, e36517	3.7	56
217	Psychometric Properties of the German Version of the Scale to Assess the Therapeutic Relationship in Community Mental Health Care (D-STAR). <i>European Journal of Psychological Assessment</i> , 2012 , 28, 255-261	2.2	5
216	ECP05-01 - Reforms for mental health care systems and the impact for training in psychiatry. <i>European Psychiatry</i> , 2011 , 26, 1799-1799	6	
215	Acute psychopathology as a predictor of global functioning in patients with ICD-10 non-affective psychosis: a prospective study in 11 European countries. <i>Schizophrenia Research</i> , 2011 , 131, 105-11	3.6	13
214	Association between symptoms and quality of life in patients with schizophrenia: a pooled analysis of changes over time. <i>Schizophrenia Research</i> , 2011 , 133, 17-21	3.6	61
213	Clinician and service user perceptions of implementing contingency management: a focus group study. <i>Drug and Alcohol Dependence</i> , 2011 , 119, 56-63	4.9	19

212	Why do some voluntary patients feel coerced into hospitalisation? A mixed-methods study. <i>Psychiatry Research</i> , 2011 , 187, 275-82	9.9	42
211	Factorial validity and measurement equivalence of the Client Assessment of Treatment Scale for psychiatric inpatient care - a study in three European countries. <i>Psychiatry Research</i> , 2011 , 188, 156-60	9.9	21
210	How to improve clinical practice on involuntary hospital admissions of psychiatric patients: suggestions from the EUNOMIA study. <i>European Psychiatry</i> , 2011 , 26, 201-7	6	76
209	Patients' subjective initial response and the outcome of inpatient and day hospital treatment. <i>European Psychiatry</i> , 2011 , 26, 408-13	6	20
208	Good communication in psychiatry--a conceptual review. <i>European Psychiatry</i> , 2011 , 26, 403-7	6	66
207	Coerced hospital admission and symptom change--a prospective observational multi-centre study. <i>PLoS ONE</i> , 2011 , 6, e28191	3.7	56
206	Reasons for not receiving treatment in people with posttraumatic stress disorder following war. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 100-5	1.8	10
205	Patient characteristics predicting better treatment outcomes in day hospitals compared with inpatient wards. <i>Psychiatric Services</i> , 2011 , 62, 278-84	3.3	14
204	A comparison of participant information elicited by service user and non-service user researchers. <i>Psychiatric Services</i> , 2011 , 62, 210-3	3.3	13
203	Treatment completion in psychotherapy for borderline personality disorder: a systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 123, 327-38	6.5	102
202	Therapeutic processes and clinical outcomes of body psychotherapy in chronic schizophrenia [An open clinical trial. <i>Arts in Psychotherapy</i> , 2011 , 38, 196-203	1.6	17
201	Predictors of clinical and social outcomes following involuntary hospital admission: a prospective observational study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011 , 261, 377-86	5.1	54
200	Mental disorders, psychological symptoms and quality of life 8 years after an earthquake: findings from a community sample in Italy. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 615-21	4.5	53
199	Non-uniform effectiveness of structured patient-clinician communication in community mental healthcare: an international comparison. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 685-93	4.5	7
198	Association of treatment satisfaction and psychopathological sub-syndromes among involuntary patients with psychotic disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 695-702	4.5	12
197	Economic factors and suicide rates: associations over time in four countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 975-82	4.5	37
196	Good practice in health care for migrants: views and experiences of care professionals in 16 European countries. <i>BMC Public Health</i> , 2011 , 11, 187	4.1	167
195	Health care for immigrants in Europe: is there still consensus among country experts about principles of good practice? A Delphi study. <i>BMC Public Health</i> , 2011 , 11, 699	4.1	58

194	Providing medical care for undocumented migrants in Denmark: what are the challenges for health professionals?. <i>BMC Health Services Research</i> , 2011 , 11, 154	2.9	39
193	Mental health and european big cities: London. <i>European Psychiatry</i> , 2011 , 26, 2118-2118	6	
192	A comparison of the implementation of assertive community treatment in Melbourne, Australia and London, England. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 151-61	5.1	15
191	Measuring patientsPviews: a bifactor model of distinct patient-reported outcomes in psychosis. <i>Psychological Medicine</i> , 2011 , 41, 277-89	6.9	25
190	Does the therapeutic relationship predict outcomes of psychiatric treatment in patients with psychosis? A systematic review. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 70-7	9.4	99
189	Family caregiversPexperiences of involuntary psychiatric hospital admissions of their relatives--a qualitative study. <i>PLoS ONE</i> , 2011 , 6, e25425	3.7	47
188	Ethnicity and coercion among involuntarily detained psychiatric in-patients. <i>British Journal of Psychiatry</i> , 2010 , 196, 75-6	5.4	29
187	Advance statements in adult mental health. <i>Advances in Psychiatric Treatment</i> , 2010 , 16, 448-455		15
186	Do financial incentives increase treatment adherence in people with severe mental illness? A systematic review. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 233-242		13
185	Non-verbal behaviour of patients with schizophrenia in medical consultations--a comparison with depressed patients and association with symptom levels. <i>Psychopathology</i> , 2010 , 43, 216-22	3.4	21
184	PatientsPviews of involuntary hospital admission after 1 and 3 months: prospective study in 11 European countries. <i>British Journal of Psychiatry</i> , 2010 , 196, 179-85	5.4	87
183	Acceptability of offering financial incentives to achieve medication adherence in patients with severe mental illness: a focus group study. <i>Journal of Medical Ethics</i> , 2010 , 36, 463-8	2.5	32
182	Mental disorders following war in the Balkans: a study in 5 countries. <i>Archives of General Psychiatry</i> , 2010 , 67, 518-28		143
181	Coercion and treatment satisfaction among involuntary patients. <i>Psychiatric Services</i> , 2010 , 61, 286-92	3.3	110
180	Treatment outcomes and costs at specialized centers for the treatment of PTSD after the war in former Yugoslavia. <i>Psychiatric Services</i> , 2010 , 61, 598-604	3.3	21
179	Factors influencing subjective quality of life in patients with schizophrenia and other mental disorders: a pooled analysis. <i>Schizophrenia Research</i> , 2010 , 121, 251-8	3.6	71
178	The structure of post-traumatic stress symptoms in survivors of war: confirmatory factor analyses of the Impact of Event Scale--revised. <i>Journal of Anxiety Disorders</i> , 2010 , 24, 606-11	10.9	29
177	Use of coercive measures during involuntary hospitalization: findings from ten European countries. <i>Psychiatric Services</i> , 2010 , 61, 1012-7	3.3	158

176	Effectiveness of home treatment for elderly people with depression: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2010 , 197, 463-7	5.4	24
175	Experience of human rights violations and subsequent mental disorders - a study following the war in the Balkans. <i>Social Science and Medicine</i> , 2010 , 71, 2170-7	5.1	30
174	These psychiatrists rate themselves as gods? Disengagement and engagement discourses of people living with severe mental illness. <i>Communication and Medicine</i> , 2010 , 7, 43-53	0	7
173	Ethics of Deinstitutionalization. <i>International Library of Ethics, Law, and the New Medicine</i> , 2010 , 341-361	0.5	3
172	Do financial incentives increase treatment adherence in people with severe mental illness? A systematic review. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 233-42		11
171	Consequences of untreated posttraumatic stress disorder following war in former Yugoslavia: morbidity, subjective quality of life, and care costs. <i>Croatian Medical Journal</i> , 2009 , 50, 465-75	1.6	54
170	Concept, development and application of a new mixed method assessment of cultural variations in illness perceptions: Barts Explanatory Model Inventory. <i>Journal of Health Psychology</i> , 2009 , 14, 336-47	3.1	37
169	Depression and anxiety in labor migrants and refugees--a systematic review and meta-analysis. <i>Social Science and Medicine</i> , 2009 , 69, 246-57	5.1	421
168	European network for promoting the physical health of residents in psychiatric and social care facilities (HELPS): background, aims and methods. <i>BMC Public Health</i> , 2009 , 9, 315	4.1	25
167	New spaces of inpatient care for people with mental illness: a complex Rebirth? of the clinic?. <i>Health and Place</i> , 2009 , 15, 340-8	4.6	56
166	Symptoms of Turkish patients with depression in Ankara and Berlin. <i>Culture, Medicine and Psychiatry</i> , 2009 , 33, 412-20	2.5	2
165	Individual unmet needs for care: are they sensitive as outcome criterion for the effectiveness of mental health services interventions?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 317-24	4.5	32
164	Posttraumatic stress disorder six months after an earthquake: findings from a community sample in a rural region in Italy. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 393-7	4.5	64
163	Housing services for people with mental disorders in England: patient characteristics, care provision and costs. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 805-14	4.5	45
162	Financial incentives to improve adherence to anti-psychotic maintenance medication in non-adherent patients - a cluster randomised controlled trial (FIAT). <i>BMC Psychiatry</i> , 2009 , 9, 61	4.2	24
161	Ego-pathology, body experience, and body psychotherapy in chronic schizophrenia. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2009 , 82, 19-30	3.5	26
160	Post-traumatic stress disorder, social anxiety disorder, and depression in survivors of the Kosovo War: experiential avoidance as a contributor to distress and quality of life. <i>Journal of Anxiety Disorders</i> , 2009 , 23, 185-96	10.9	126
159	Cost of treatment of schizophrenia in six European countries. <i>Schizophrenia Research</i> , 2009 , 111, 70-7	3.6	43

158	The association of religiosity, spirituality, and ethnic background with ego-pathology in acute schizophrenia. <i>Mental Health, Religion and Culture</i> , 2009 , 12, 515-526	1.1	4
157	Patients' views and readmissions 1 year after involuntary hospitalisation. <i>British Journal of Psychiatry</i> , 2009 , 194, 49-54	5.4	163
156	Aetiology of depression and schizophrenia: current views of British psychiatrists. <i>Psychiatric Bulletin</i> , 2009 , 33, 374-377		7
155	Establishing mutual understanding in interaction: an analysis of conversational repair in psychiatric consultations. <i>Communication and Medicine</i> , 2009 , 6, 165-76	0	10
154	Quality of life of Turkish patients with depression in Ankara and in Berlin. <i>European Psychiatry</i> , 2008 , 23 Suppl 1, 4-9	6	11
153	Mental health, health care utilisation of migrants in Europe. <i>European Psychiatry</i> , 2008 , 23 Suppl 1, 14-206		219
152	Functional incapacity and physical and psychological symptoms: how they interconnect in chronic fatigue syndrome. <i>Psychopathology</i> , 2008 , 41, 339-45	3.4	10
151	Treating suicidal patients in an acute psychiatric day hospital: A challenge to assumptions about risk and overnight care. <i>Journal of Mental Health</i> , 2008 , 17, 375-387	2.7	6
150	Therapeutic relationships in psychiatry: the basis of therapy or therapy in itself?. <i>International Review of Psychiatry</i> , 2008 , 20, 521-6	3.6	88
149	Loss to follow-up in longitudinal psychiatric research. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 138-147		12
148	Mental health care institutions in nine European countries, 2002 to 2006. <i>Psychiatric Services</i> , 2008 , 59, 570-3	3.3	127
147	Health care and community-based interventions for war-traumatized people in Croatia: community-based study of service use and mental health. <i>Croatian Medical Journal</i> , 2008 , 49, 483-90	1.6	12
146	How to select representative geographical areas in mental health service research: a method to combine different selection criteria. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 1004-7	4.5	11
145	Objective social outcomes index (SIX): a method to summarise objective indicators of social outcomes in mental health care. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 57-63	6.5	77
144	What works for whom in a computer-mediated communication intervention in community psychiatry? Moderators of outcome in a cluster randomized trial. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 404-9	6.5	15
143	Patient-reported outcomes in schizophrenia. <i>British Journal of Psychiatry</i> , 2007 , 50, s21-8	5.4	115
142	Staff and patient perspectives on unmet need and therapeutic alliance in community mental health services. <i>British Journal of Psychiatry</i> , 2007 , 191, 543-7	5.4	65
141	Are important patient-rated outcomes in community mental health care explained by only one factor?. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 113-8	6.5	30

140	Dimensions underlying outcome criteria in bipolar I disorder. <i>Journal of Affective Disorders</i> , 2007 , 99, 1-7	6.6	15
139	Ethical aspects of assertive outreach. <i>Psychiatry (Abingdon, England)</i> , 2007 , 6, 45-48		6
138	Deinstitutionalization and reinstitutionalization: major changes in the provision of mental healthcare. <i>Psychiatry (Abingdon, England)</i> , 2007 , 6, 313-316		130
137	Day hospital care. <i>Psychiatry (Abingdon, England)</i> , 2007 , 6, 321-324		
136	Primary Care Mental Health & Education. <i>Progress in Neurology and Psychiatry</i> , 2007 , 11, 34-38	0.8	
135	Assessing morale in community mental health professionals: a pooled analysis of data from four European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 237-43	4.5	16
134	Social outcomes in schizophrenia. <i>British Journal of Psychiatry</i> , 2007 , 50, s15-20	5.4	100
133	Economic factors and psychiatric hospital beds: An analysis of historical trends. <i>International Journal of Social Economics</i> , 2007 , 34, 788-810	1.1	12
132	Patient's experiences of involuntary hospital admission and treatment: a review of qualitative studies. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 172-8		87
131	Structured patient-clinician communication and 1-year outcome in community mental healthcare: cluster randomised controlled trial. <i>British Journal of Psychiatry</i> , 2007 , 191, 420-6	5.4	143
130	Money for medication: financial incentives to improve medication adherence in assertive outreach. <i>Psychiatric Bulletin</i> , 2007 , 31, 4-7		32
129	Therapeutic Landscapes in Hospital Design: A Qualitative Assessment by Staff and Service Users of the Design of a New Mental Health Inpatient Unit. <i>Environment and Planning C: Urban Analytics and City Science</i> , 2007 , 25, 591-610		101
128	Professional-patient communication in the treatment of mental illness: a review. <i>Communication and Medicine</i> , 2007 , 4, 141-52	0	29
127	Italian social psychiatry research: What gets published in peer reviewed journals?. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 212-224		3
126	Does Interpreter-Mediated CBT with Traumatized Refugee People Work? A Comparison of Patient Outcomes in East London. <i>Behavioural and Cognitive Psychotherapy</i> , 2007 , 35, 293-301	2.1	58
125	Social exclusion and mental health: conceptual and methodological review. <i>British Journal of Psychiatry</i> , 2007 , 191, 477-83	5.4	193
124	Be good to your patient: how the therapeutic relationship in the treatment of patients admitted to assertive outreach affects rehospitalization. <i>Journal of Nervous and Mental Disease</i> , 2007 , 195, 789-91	1.8	17
123	A new scale to assess the therapeutic relationship in community mental health care: STAR. <i>Psychological Medicine</i> , 2007 , 37, 85-95	6.9	172

122	Treatment outcomes and perception of social acknowledgment in war veterans: follow-up study. <i>Croatian Medical Journal</i> , 2007 , 48, 157-66	1.6	7
121	Are day hospitals effective for acutely ill psychiatric patients? A European multicenter randomized controlled trial. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 278-87	4.6	61
120	Effectiveness and costs of acute day hospital treatment compared with conventional in-patient care: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2006 , 188, 243-9	5.4	51
119	Use of standardised outcome measures in adult mental health services: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2006 , 189, 330-6	5.4	107
118	Complementary medicines in psychiatry: review of effectiveness and safety. <i>British Journal of Psychiatry</i> , 2006 , 188, 109-21	5.4	71
117	Sign of progress or confusion? A commentary on the European Commission Green Paper on mental health. <i>Psychiatric Bulletin</i> , 2006 , 30, 281-282		2
116	The world of real research. Commentary on Research in the real world. <i>Psychiatric Bulletin</i> , 2006 , 30, 45-46		
115	Effect of body-oriented psychological therapy on negative symptoms in schizophrenia: a randomized controlled trial. <i>Psychological Medicine</i> , 2006 , 36, 669-78	6.9	99
114	The therapeutic relationship in psychiatric settings. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 69-72	6.5	75
113	An unholy alliance: substance abuse and social exclusion among assertive outreach patients. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 114, 124-31	6.5	13
112	Outcomes of involuntary hospital admission--a review. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 114, 232-41	6.5	137
111	Trust, choice and power in mental health: a literature review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 843-52	4.5	98
110	Assessing explanatory models for common mental disorders. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 964-71	4.6	34
109	Investigaci3n sobre los trastornos mentales y su asistencia en poblaciones inmigrantes: una revisi3n de publicaciones de Alemania, Italia y el Reino Unido. <i>European Psychiatry (Ed Espa3ola)</i> , 2006 , 13, 177-186		
108	Reinstitutionalisation in mental health care: comparison of data on service provision from six European countries. <i>BMJ, The</i> , 2005 , 330, 123-6	5.9	304
107	Research on mental disorders and their care in immigrant populations: a review of publications from Germany, Italy and the UK. <i>European Psychiatry</i> , 2005 , 20, 540-9	6	40
106	Subjective quality of life and posttraumatic stress disorder. <i>Journal of Nervous and Mental Disease</i> , 2005 , 193, 62-5	1.8	25
105	Processes of disengagement and engagement in assertive outreach patients: qualitative study. <i>British Journal of Psychiatry</i> , 2005 , 187, 438-43	5.4	136

104	Do personality traits predict post-traumatic stress?: a prospective study in civilians experiencing air attacks. <i>Psychological Medicine</i> , 2005 , 35, 659-63	6.9	21
103	Who seeks treatment after a traumatic event and who does not? A review of findings on mental health service utilization. <i>Journal of Traumatic Stress</i> , 2005 , 18, 595-605	3.8	74
102	Morale and job perception of community mental health professionals in Berlin and London. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 223-32	4.5	46
101	Subjective quality of life in patients with chronic fatigue syndrome. <i>Quality of Life Research</i> , 2005 , 14, 11-9	3.7	36
100	Regional collaboration in reconstruction of mental health services in Bosnia and Herzegovina. <i>Psychiatric Services</i> , 2005 , 56, 1455-7	3.3	13
99	Psychosis seminars: an unconventional approach. <i>Psychiatric Services</i> , 2005 , 56, 1441-3	3.3	47
98	Goals of new long-stay patients in supported housing: a UK study. <i>International Journal of Social Psychiatry</i> , 2005 , 51, 45-54	8.5	22
97	Survey of specialised UK traumatic stress services. <i>Psychiatric Bulletin</i> , 2005 , 29, 416-418		7
96	The EUNOMIA project on coercion in psychiatry: study design and preliminary data. <i>World Psychiatry</i> , 2005 , 4, 168-72	14.4	61
95	Characteristics of teams, staff and patients: associations with outcomes of patients in assertive outreach. <i>British Journal of Psychiatry</i> , 2004 , 185, 306-11	5.4	49
94	Assessing the stability of schizophrenia patients: explanatory models of illness over time. <i>Journal of Mental Health</i> , 2004 , 13, 163-169	2.7	20
93	Morale of mental health professionals in Community Mental Health Services of a Northern Italian Province. <i>Epidemiologia E Psichiatria Sociale</i> , 2004 , 13, 191-7		18
92	The therapeutic relationship in the treatment of severe mental illness: a review of methods and findings. <i>International Journal of Social Psychiatry</i> , 2004 , 50, 115-28	8.5	198
91	A comparison of psychiatric day hospitals in five European countries: implications of their diversity for day hospital research. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 777-88	4.5	22
90	Ego-pathology and common symptom factors in schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2004 , 192, 446-9	1.8	4
89	Social psychiatry in Germany in the twentieth century: ideas and models. <i>Medical History</i> , 2004 , 48, 449-72	2.2	22
88	Explanatory models of illness in schizophrenia: comparison of four ethnic groups. <i>British Journal of Psychiatry</i> , 2004 , 185, 25-30	5.4	184
87	A national survey of psychiatric day hospitals. <i>Psychiatric Bulletin</i> , 2004 , 28, 160-163		13

86	Reform of psychiatric services in Germany: hospital staffing directive and commissioning of community care. <i>Psychiatric Bulletin</i> , 2004 , 28, 218-221		23
85	Psychiatry in the future: The prognosis and the vision. <i>Psychiatric Bulletin</i> , 2004 , 28, 273-274		1
84	Psychiatry in the future: Where is mental health care going? a European perspective. <i>Psychiatric Bulletin</i> , 2004 , 28, 315-316		4
83	The role of acute day hospital treatment for mental health care: Research context and practical problems of carrying out the international multi-centre EDEN-study 2004 , 153-171		3
82	Evidence-based mental health services research. The contribution of some recent EU-funded projects 2004 , 173-187		2
81	Ethnic variations in pathways to and use of specialist mental health services in the UK. Systematic review. <i>British Journal of Psychiatry</i> , 2003 , 182, 105-16	5-4	301
80	Assertive outreach teams in London: models of operation. Pan-London Assertive Outreach Study, part 1. <i>British Journal of Psychiatry</i> , 2003 , 183, 132-8	5-4	52
79	Assertive outreach teams in London: staff experiences and perceptions. Pan-London Assertive Outreach Study, part 2. <i>British Journal of Psychiatry</i> , 2003 , 183, 139-47	5-4	40
78	Patient, client or service user? A survey of patient preferences of dress and address of six mental health professions. <i>Psychiatric Bulletin</i> , 2003 , 27, 305-308		10
77	Media coverage of mental health care in the UK, USA and Australia. <i>Psychiatric Bulletin</i> , 2003 , 27, 331-333		14
76	Assertive outreach teams in London: patient characteristics and outcomes. Pan-London Assertive Outreach Study, part 3. <i>British Journal of Psychiatry</i> , 2003 , 183, 148-54	5-4	49
75	Personality factors and posttraumatic stress: associations in civilians one year after air attacks. <i>Journal of Personality Disorders</i> , 2003 , 17, 537-49	2.6	12
74	Patient, client or service user? A survey of patient preferences of dress and address of six mental health professions. <i>Psychiatric Bulletin</i> , 2003 , 27, 305-308		15
73	Media coverage of mental health care in the UK, USA and Australia. <i>Psychiatric Bulletin</i> , 2003 , 27, 331-333		25
72	Are therapeutic relationships in psychiatry explained by patients' symptoms? Factors influencing patient ratings. <i>European Psychiatry</i> , 2003 , 18, 220-5	6	42
71	¿Se explican las relaciones terapéuticas en psiquiatría por los síntomas de los pacientes? Factores que influyen en las evaluaciones de los pacientes. <i>European Psychiatry (Ed Española)</i> , 2003 , 10, 519-526		
70	Research in supported housing. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 301-15	4.5	123
69	Do long-term hospitalised patients benefit from discharge into the community?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 387-92	4.5	39

68	Detention of the mentally ill in Europe--a review. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 3-8	6.5	97
67	Do cenesthesias and body image aberration characterize a subgroup in schizophrenia?. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 276-82	6.5	26
66	A phenomenological account of usersPexperiences of assertive community treatment. <i>Bioethics</i> , 2002 , 16, 439-54	2	84
65	Focussing on quality of life in treatment. <i>International Review of Psychiatry</i> , 2002 , 14, 225-230	3.6	7
64	Subjective quality of life: itB association with other constructs. <i>International Review of Psychiatry</i> , 2002 , 14, 219-224	3.6	25
63	Engagement of patients with psychosis in the consultation: conversation analytic study. <i>BMJ, The</i> , 2002 , 325, 1148-51	5.9	140
62	Subjective evaluation: is there more than one criterion?. <i>Schizophrenia Bulletin</i> , 2002 , 28, 319-27	1.3	32
61	The impact of routine outcome measurement on treatment processes in community mental health care: approach and methods of the MECCA study. <i>Epidemiologia E Psichiatria Sociale</i> , 2002 , 11, 198-205		37
60	The process of deinstitutionalization: an international overview. <i>Current Opinion in Psychiatry</i> , 2002 , 15, 187-192	4.9	91
59	Predictors of posttraumatic stress in civilians 1 year after air attacks: a study of Yugoslavian students. <i>Journal of Nervous and Mental Disease</i> , 2002 , 190, 257-62	1.8	28
58	SUBJECTIVE ILLNESS THEORY AND ANTIPSYCHOTIC MEDICATION COMPLIANCE BY PATIENTS WITH SCHIZOPHRENIA. <i>Journal of Nervous and Mental Disease</i> , 2002 , 190, 597-603	1.8	42
57	The quality of life construct in psychiatry--the state of the art. <i>International Review of Psychiatry</i> , 2002 , 14, 173-174	3.6	1
56	Subjective quality of life and depressive symptoms in women with alcoholism during detoxification treatment. <i>Drug and Alcohol Dependence</i> , 2002 , 66, 71-6	4.9	30
55	A Comparison of Patients with Chronic Fatigue Syndrome Attending Separate Fatigue Clinics Based in Immunology and Psychiatry. <i>Journal of the Royal Society of Medicine</i> , 2002 , 95, 440-444	2.3	4
54	A comparison of patients with chronic fatigue syndrome attending separate fatigue clinics based in immunology and psychiatry. <i>Journal of the Royal Society of Medicine</i> , 2002 , 95, 440-4	2.3	5
53	Subjective illness theory and antipsychotic medication compliance by patients with schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2002 , 190, 597-603	1.8	12
52	Theoretical frameworks for understanding and investigating the therapeutic relationship in psychiatry. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 557-64	4.5	43
51	Subjective response to and tolerability of long-term supraphysiological doses of levothyroxine in refractory mood disorders. <i>Journal of Affective Disorders</i> , 2001 , 64, 35-42	6.6	40

50	Mental health service provision in England. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 104, 47-55	6.5	30
49	Specific body image pathology in acute schizophrenia. <i>Psychiatry Research</i> , 2001 , 101, 289-301	9.9	64
48	Patients and relatives' assessment of clozapine treatment. <i>Psychological Medicine</i> , 2001 , 31, 509-17	6.9	46
47	Quality of life in first-admitted schizophrenia patients: a follow-up study. <i>Psychological Medicine</i> , 2000 , 30, 225-30	6.9	104
46	Political change and course of schizophrenia in East Germany, 1984-1994. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000 , 35, 255-8	4.5	2
45	Ensuring and improving quality in community mental health care. <i>International Review of Psychiatry</i> , 2000 , 12, 226-232	3.6	12
44	A comparison of the quality of life of severely mentally ill people in UK & German samples. <i>International Journal of Social Psychiatry</i> , 2000 , 46, 47-56	8.5	17
43	The impact of the interviewer-interviewee relationship on subjective quality of life ratings in schizophrenia patients. <i>International Journal of Social Psychiatry</i> , 1999 , 45, 292-301	8.5	9
42	Subjective quality of life in female in-patients with depression: a longitudinal study. <i>International Journal of Social Psychiatry</i> , 1999 , 45, 238-46	8.5	26
41	Therapeutic relationships and quality of life: association of two subjective constructs in schizophrenia patients. <i>International Journal of Social Psychiatry</i> , 1999 , 45, 276-83	8.5	51
40	Application and results of the Manchester Short Assessment of Quality of Life (MANSA). <i>International Journal of Social Psychiatry</i> , 1999 , 45, 7-12	8.5	670
39	Prediction of hospitalizations by schizophrenia patients' assessment of treatment: an expanded study. <i>Journal of Psychiatric Research</i> , 1999 , 33, 113-9	5.2	25
38	A pilot trial of treatment changes according to schizophrenic patients' wishes. <i>Journal of Nervous and Mental Disease</i> , 1999 , 187, 441-3	1.8	8
37	Objective and subjective quality of life of first-admitted women and men with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1998 , 248, 250-8	5.1	29
36	Involuntary admission and posttraumatic stress disorder symptoms in schizophrenia patients. <i>Comprehensive Psychiatry</i> , 1998 , 39, 220-4	7.3	57
35	Employment, attitudes toward work, and quality of life among people with schizophrenia in three countries. <i>Schizophrenia Bulletin</i> , 1998 , 24, 469-77	1.3	111
34	Do different subjective evaluation criteria reflect distinct constructs?. <i>Journal of Nervous and Mental Disease</i> , 1998 , 186, 385-92	1.8	45
33	Does quality of life differ in schizophrenic women and men? An empirical study. <i>International Journal of Social Psychiatry</i> , 1997 , 43, 129-43	8.5	42

32	Case Management in the Care of the Severely Mentally Ill. <i>International Journal of Mental Health</i> , 1997 , 26, 67-82	1.4	1
31	Initial response to active drug and placebo predicts outcome of antidepressant treatment. <i>European Psychiatry</i> , 1997 , 12, 28-33	6	5
30	Profiles of subjective quality of life in schizophrenic in- and out-patient samples. <i>Psychiatry Research</i> , 1997 , 66, 153-66	9.9	65
29	Measuring the quality of life of severely mentally ill people using the Lancashire Quality of Life Profile. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1997 , 32, 76-83	4.5	222
28	The quality of life of patients with paranoid schizophrenia in London and Berlin. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1997 , 32, 292-7	4.5	20
27	Long-term mental sequelae of torture in Iran--who seeks treatment?. <i>Journal of Nervous and Mental Disease</i> , 1997 , 185, 74-7	1.8	19
26	La respuesta inicial al fármaco activo y al placebo predice la evolución del tratamiento antidepressivo. <i>European Psychiatry (Ed Española)</i> , 1997 , 4, 382-388		
25	Mental health care systems and their characteristics: a proposal. <i>Acta Psychiatrica Scandinavica</i> , 1996 , 94, 381-5	6.5	35
24	Patients' assessment of treatment predicting outcome. <i>Schizophrenia Bulletin</i> , 1995 , 21, 87-94	1.3	86
23	Initial assessment of hospital treatment by patients with paranoid schizophrenia: a predictor of outcome. <i>Psychiatry Research</i> , 1995 , 58, 77-81	9.9	28
22	The importance of the first three days: predictors of treatment outcome in depressed in-patients. <i>British Journal of Clinical Psychology</i> , 1995 , 34, 229-36	3.6	27
21	Inclusion of psychological torture in PTSD criterion A. <i>American Journal of Psychiatry</i> , 1995 , 152, 1691-2	11.9	5
20	Psychopathology and long-term adjustment after crises in refugees from East Germany. <i>International Journal of Social Psychiatry</i> , 1994 , 40, 165-76	8.5	11
19	Psychological and endocrine abnormalities in refugees from East Germany: Part I. Prolonged stress, psychopathology, and hypothalamic-pituitary-thyroid axis activity. <i>Psychiatry Research</i> , 1994 , 51, 61-73	9.9	47
18	Psychological and endocrine abnormalities in refugees from East Germany: Part II. Serum levels of cortisol, prolactin, luteinizing hormone, follicle stimulating hormone, and testosterone. <i>Psychiatry Research</i> , 1994 , 51, 75-85	9.9	38
17	Patients' and caregivers' initial assessments of day-hospital treatment and course of symptoms. <i>Comprehensive Psychiatry</i> , 1994 , 35, 234-8	7.3	32
16	The role of the helping alliance in psychiatric community care. A prospective study. <i>Journal of Nervous and Mental Disease</i> , 1993 , 181, 552-7	1.8	121
15	Long-term mental sequelae of political imprisonment in East Germany. <i>Journal of Nervous and Mental Disease</i> , 1993 , 181, 257-62	1.8	37

14	Interactional pattern in sleep deprivation therapy: an empirical study. <i>Journal of Nervous and Mental Disease</i> , 1992 , 180, 59-60	1.8	2
13	The therapeutic system as viewed by depressive inpatients and outcome: an expanded study. <i>Family Process</i> , 1992 , 31, 433-9	3.9	2
12	Prediction of hospitalization within a psychiatric community care system--a five-year study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1992 , 27, 270-3	4.5	11
11	Political change and course of affective psychoses: Berlin 1989-90. <i>Psychiatry Research</i> , 1991 , 37, 1-4	9.9	11
10	External attributions and outcome in depressive in-patients. <i>British Journal of Clinical Psychology</i> , 1990 , 29, 341-2	3.6	3
9	Expressed emotion and auditory evoked potentials. <i>Psychiatry (New York)</i> , 1990 , 53, 108-14	1	4
8	Expressed emotion and lithium prophylaxis. <i>British Journal of Psychiatry</i> , 1990 , 157, 624-624	5.4	
7	Lithium prophylaxis and expressed emotion. <i>British Journal of Psychiatry</i> , 1989 , 154, 396-9	5.4	107
6	Neuroleptic-induced persistent "open mouth". <i>Pharmacopsychiatry</i> , 1989 , 22, 126-7	2	2
5	Can patients' views of a therapeutic system predict outcome? An empirical study with depressive patients. <i>Family Process</i> , 1989 , 28, 349-55	3.9	5
4	Does routine screening for benzodiazepines help to diagnose dependence in psychiatric inpatients?. <i>Acta Psychiatrica Scandinavica</i> , 1989 , 80, 514-7	6.5	8
3	Early subjective reactions predicting the outcome of hospital treatment in depressive patients. <i>Acta Psychiatrica Scandinavica</i> , 1987 , 76, 134-8	6.5	19
2	Evidence in Mental Health Care		4
1	Curation of Mental Health Recovery Narrative Collections: Systematic Review and Qualitative Synthesis (Preprint)		1