

Rodrigo M LeÃ£o

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2330091/publications.pdf>

Version: 2024-02-01

29
papers

769
citations

567281

15
h-index

526287

27
g-index

29
all docs

29
docs citations

29
times ranked

949
citing authors

#	ARTICLE	IF	CITATIONS
1	Dorsal hippocampus plays a causal role in context-induced reinstatement of alcohol-seeking in rats. <i>Behavioural Brain Research</i> , 2021, 398, 112978.	2.2	10
2	Effects of biperiden (cholinergic muscarinic m1/m4 receptor antagonist) on ethanol conditioned place preference in mice. <i>Neuroscience Letters</i> , 2021, 745, 135551.	2.1	6
3	Chronic ethanol vapor exposure potentiates cardiovascular responses to acute stress in male but not in female rats. <i>Biology of Sex Differences</i> , 2021, 12, 27.	4.1	3
4	Ethanol-induced locomotor sensitization: Neuronal activation in the nucleus accumbens and medial prefrontal cortex. <i>Neuroscience Letters</i> , 2021, 749, 135745.	2.1	7
5	Prolonged Exposure to Alcohol Vapor Causes Change in Cardiovascular Function in Female but not in Male Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2019, 43, 1066-1076.	2.4	1
6	Functional inactivation of the orbitofrontal cortex disrupts context-induced reinstatement of alcohol seeking in rats. <i>Drug and Alcohol Dependence</i> , 2018, 186, 102-112.	3.2	25
7	Inactivation of the Prelimbic Cortex Impairs the Context-Induced Reinstatement of Ethanol Seeking. <i>Frontiers in Pharmacology</i> , 2017, 8, 725.	3.5	32
8	Exposure to Nicotine in Adult, but not Adolescent, Rats Increases Alcohol Self-Administration in Adulthood. <i>Journal of Alcoholism and Drug Dependence</i> , 2017, 05, .	0.2	0
9	Stress-Induced Locomotor Sensitization to Amphetamine in Adult, but not in Adolescent Rats, Is Associated with Increased Expression of FosB in the Nucleus Accumbens. <i>Frontiers in Behavioral Neuroscience</i> , 2016, 10, 173.	2.0	6
10	Adolescent vulnerability to cardiovascular consequences of chronic social stress: Immediate and long-term effects of social isolation during adolescence. <i>Developmental Neurobiology</i> , 2016, 76, 34-46.	3.0	31
11	Distinct Fos-Expressing Neuronal Ensembles in the Ventromedial Prefrontal Cortex Mediate Food Reward and Extinction Memories. <i>Journal of Neuroscience</i> , 2016, 36, 6691-6703.	3.6	99
12	Context-Induced Reinstatement of Methamphetamine Seeking Is Associated with Unique Molecular Alterations in Fos-Expressing Dorsolateral Striatum Neurons. <i>Journal of Neuroscience</i> , 2015, 35, 5625-5639.	3.6	76
13	Chronic Nicotine Activates Stress/Reward-Related Brain Regions and Facilitates the Transition to Compulsive Alcohol Drinking. <i>Journal of Neuroscience</i> , 2015, 35, 6241-6253.	3.6	67
14	Stress Vulnerability During Adolescence. <i>Psychosomatic Medicine</i> , 2015, 77, 186-199.	2.0	26
15	Extended access to nicotine leads to a CRF ₁ receptor dependent increase in anxiety-like behavior and hyperalgesia in rats. <i>Addiction Biology</i> , 2015, 20, 56-68.	2.6	65
16	Role of Nucleus Accumbens Shell Neuronal Ensembles in Context-Induced Reinstatement of Cocaine-Seeking. <i>Journal of Neuroscience</i> , 2014, 34, 7437-7446.	3.6	130
17	Cardiovascular Complications following Chronic Treatment with Cocaine and Testosterone in Adolescent Rats. <i>PLoS ONE</i> , 2014, 9, e105172.	2.5	5
18	Enhanced nicotine-seeking behavior following pre-exposure to repeated cocaine is accompanied by changes in BDNF in the nucleus accumbens of rats. <i>Pharmacology Biochemistry and Behavior</i> , 2013, 104, 169-176.	2.9	10

#	ARTICLE	IF	CITATIONS
19	Role of the bed nucleus of the stria terminalis in cardiovascular changes following chronic treatment with cocaine and testosterone: A role beyond drug seeking in addiction?. <i>Neuroscience</i> , 2013, 253, 29-39.	2.3	8
20	Effect of chronic stress on cardiovascular function in adolescent and adult.. <i>FASEB Journal</i> , 2013, 27, 1187.9.	0.5	0
21	Influence of the single or combined administration of cocaine and testosterone in autonomic and neuroendocrine responses to acute restraint stress. <i>Journal of Psychopharmacology</i> , 2012, 26, 1366-1374.	4.0	7
22	Effect of the Single or Combined Administration of Cocaine and Testosterone on Cardiovascular Function and Baroreflex Activity in Unanesthetized Rats. <i>Journal of Cardiovascular Pharmacology</i> , 2012, 59, 231-240.	1.9	15
23	Behavioral and neuroendocrine effects of the exposure to chronic restraint or variable stress in early adolescent rats. <i>International Journal of Developmental Neuroscience</i> , 2012, 30, 19-23.	1.6	30
24	Effects of simultaneous exposure to stress and nicotine on nicotine-induced locomotor activation in adolescent and adult rats. <i>Brazilian Journal of Medical and Biological Research</i> , 2012, 45, 33-37.	1.5	13
25	Stress-induced cross-sensitization to amphetamine is related to changes in the dopaminergic system. <i>Journal of Neural Transmission</i> , 2012, 119, 415-424.	2.8	25
26	Stress induces behavioral sensitization, increases nicotine-seeking behavior and leads to a decrease of CREB in the nucleus accumbens. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 101, 434-442.	2.9	19
27	Stress-induced reinstatement of amphetamine-conditioned place preference and changes in tyrosine hydroxylase in the nucleus accumbens in adolescent rats. <i>Pharmacology Biochemistry and Behavior</i> , 2010, 96, 160-165.	2.9	17
28	Prior exposure to stress delays extinction but does not modify reinstatement of nicotine-induced conditioned place preference.. <i>Psychology and Neuroscience</i> , 2010, 3, 53-57.	0.8	2
29	Exposure to acute restraint stress reinstates nicotine-induced place preference in rats. <i>Behavioural Pharmacology</i> , 2009, 20, 109-113.	1.7	34