

Mathias Lichterfeld

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2330123/mathias-lichterfeld-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers

8,022
citations

48
h-index

88
g-index

136
ext. papers

10,018
ext. citations

11
avg, IF

5.55
L-index

#	Paper	IF	Citations
128	Parallel analysis of transcription, integration, and sequence of single HIV-1 proviruses.. <i>Cell</i> , 2022 , 185, 266-282.e15	56.2	17
127	Near-Full-Length Single-Genome HIV-1 DNA Sequencing.. <i>Methods in Molecular Biology</i> , 2022 , 2407, 357-364	3.4	0
126	Temporal changes in T cell subsets and expansion of cytotoxic CD4+ T cells in the lungs in severe COVID-19.. <i>Clinical Immunology</i> , 2022 , 108991	9	2
125	Signatures of immune selection in intact and defective proviruses distinguish HIV-1 elite controllers.. <i>Science Translational Medicine</i> , 2021 , 13, eabl4097	17.5	6
124	A Possible Sterilizing Cure of HIV-1 Infection Without Stem Cell Transplantation. <i>Annals of Internal Medicine</i> , 2021 ,	8	3
123	Single center, open label dose escalating trial evaluating once weekly oral ixazomib in ART-suppressed, HIV positive adults and effects on HIV reservoir size in vivo.. <i>EClinicalMedicine</i> , 2021 , 42, 101225	11.3	0
122	Long noncoding RNA MIR4435-2HG enhances metabolic function of myeloid dendritic cells from HIV-1 elite controllers. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	6
121	Safety and Efficacy of Starting Antiretroviral Therapy in the First Week of Life. <i>Clinical Infectious Diseases</i> , 2021 , 72, 388-393	11.6	6
120	Viral Reservoir in Early-Treated Human Immunodeficiency Virus-Infected Children and Markers for Sustained Viral Suppression. <i>Clinical Infectious Diseases</i> , 2021 , 73, e997-e1003	11.6	3
119	Drug resistance mutations in HIV provirus are associated with defective proviral genomes with hypermutation. <i>Aids</i> , 2021 , 35, 1015-1020	3.5	1
118	Patterns of pretreatment drug resistance mutations of very early diagnosed and treated infants in Botswana. <i>Aids</i> , 2021 , 35, 2413-2421	3.5	0
117	Functional impairment of HIV-specific CD8 T cells precedes aborted spontaneous control of viremia. <i>Immunity</i> , 2021 , 54, 2372-2384.e7	32.3	2
116	Immune-profiling of ZIKV-infected patients identifies a distinct function of plasmacytoid dendritic cells for immune cross-regulation. <i>Nature Communications</i> , 2020 , 11, 2421	17.4	2
115	HIV diagnostic algorithm requires confirmatory testing for initial indeterminate or positive screens in the first week of life. <i>Aids</i> , 2020 , 34, 1029-1035	3.5	0
114	Immunological Fingerprints of Controllers Developing Neutralizing HIV-1 Antibodies. <i>Cell Reports</i> , 2020 , 30, 984-996.e4	10.6	9
113	Blood and Lymph Node Dissemination of Clonal Genome-Intact Human Immunodeficiency Virus 1 DNA Sequences During Suppressive Antiretroviral Therapy. <i>Journal of Infectious Diseases</i> , 2020 , 222, 655-660	7	7
112	Loss of Bcl-6-Expressing T Follicular Helper Cells and Germinal Centers in COVID-19. <i>Cell</i> , 2020 , 183, 143-152.e13	46.7	134

111	Persistence and Evolution of SARS-CoV-2 in an Immunocompromised Host. <i>New England Journal of Medicine</i> , 2020 , 383, 2291-2293	59.2	533
110	Distinct viral reservoirs in individuals with spontaneous control of HIV-1. <i>Nature</i> , 2020 , 585, 261-267	50.4	97
109	Recommendations for measuring HIV reservoir size in cure-directed clinical trials. <i>Nature Medicine</i> , 2020 , 26, 1339-1350	50.5	43
108	Mother-to-Child HIV Transmission With In Utero Dolutegravir vs. Efavirenz in Botswana. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 84, 235-241	3.1	6
107	HIV Antibody Fc N-Linked Glycosylation Is Associated with Viral Rebound. <i>Cell Reports</i> , 2020 , 33, 108502	10.6	10
106	Antiretroviral Therapy Reduces T-cell Activation and Immune Exhaustion Markers in Human Immunodeficiency Virus Controllers. <i>Clinical Infectious Diseases</i> , 2020 , 70, 1636-1642	11.6	16
105	HIV-1 DNA sequence diversity and evolution during acute subtype C infection. <i>Nature Communications</i> , 2019 , 10, 2737	17.4	29
104	Intact HIV-1 proviruses accumulate at distinct chromosomal positions during prolonged antiretroviral therapy. <i>Journal of Clinical Investigation</i> , 2019 , 129, 988-998	15.9	113
103	Early antiretroviral therapy in neonates with HIV-1 infection restricts viral reservoir size and induces a distinct innate immune profile. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	36
102	Effects of 24-week Toll-like receptor 9 agonist treatment in HIV type 1+ individuals. <i>Aids</i> , 2019 , 33, 1315-1325	13.25	36
101	Treatment of HIV-Infected Individuals with the Histone Deacetylase Inhibitor Panobinostat Results in Increased Numbers of Regulatory T Cells and Limits Lipopolysaccharide-Induced Inflammatory Responses. <i>MSphere</i> , 2018 , 3,	5	11
100	Pegylated Interferon-Induced Natural Killer Cell Activation Is Associated With Human Immunodeficiency Virus-1 DNA Decline in Antiretroviral Therapy-Treated HIV-1/Hepatitis C Virus-Coinfected Patients. <i>Clinical Infectious Diseases</i> , 2018 , 66, 1910-1917	11.6	21
99	A Reproducibility-Based Computational Framework Identifies an Inducible, Enhanced Antiviral State in Dendritic Cells from HIV-1 Elite Controllers. <i>Genome Biology</i> , 2018 , 19, 10	18.3	22
98	HIV-1 proviral landscapes distinguish posttreatment controllers from noncontrollers. <i>Journal of Clinical Investigation</i> , 2018 , 128, 4074-4085	15.9	40
97	Effect of analytical treatment interruption and reinitiation of antiretroviral therapy on HIV reservoirs and immunologic parameters in infected individuals. <i>PLoS Pathogens</i> , 2018 , 14, e1006792	7.6	57
96	Recent progress in understanding HIV reservoirs. <i>Current Opinion in HIV and AIDS</i> , 2018 , 13, 137-142	4.2	19
95	Metabolic pathway activation distinguishes transcriptional signatures of CD8+ T cells from HIV-1 elite controllers. <i>Aids</i> , 2018 , 32, 2669-2677	3.5	15
94	Anti-apoptotic Protein BIRC5 Maintains Survival of HIV-1-Infected CD4 T Cells. <i>Immunity</i> , 2018 , 48, 1183-1194	14.66	66

93	T memory stem cells in health and disease. <i>Nature Medicine</i> , 2017 , 23, 18-27	50.5	234
92	Short-Course Toll-Like Receptor 9 Agonist Treatment Impacts Innate Immunity and Plasma Viremia in Individuals With Human Immunodeficiency Virus Infection. <i>Clinical Infectious Diseases</i> , 2017 , 64, 1686-1695	11.6	82
91	Preferential susceptibility of Th9 and Th2 CD4+ T cells to X4-tropic HIV-1 infection. <i>Aids</i> , 2017 , 31, 2211-2215	3.5	6
90	HLA-G+ HIV-1-specific CD8+ T cells are associated with HIV-1 immune control. <i>Aids</i> , 2017 , 31, 207-212	3.5	10
89	Transcriptional Changes during Naturally Acquired Zika Virus Infection Render Dendritic Cells Highly Conducive to Viral Replication. <i>Cell Reports</i> , 2017 , 21, 3471-3482	10.6	43
88	Circulating CXCR5CXCR3PD-1 Tfh-like cells in HIV-1 controllers with neutralizing antibody breadth. <i>JCI Insight</i> , 2017 , 2, e89574	9.9	36
87	Clonal expansion of genome-intact HIV-1 in functionally polarized Th1 CD4+ T cells. <i>Journal of Clinical Investigation</i> , 2017 , 127, 2689-2696	15.9	164
86	Extensive virologic and immunologic characterization in an HIV-infected individual following allogeneic stem cell transplant and analytic cessation of antiretroviral therapy: A case study. <i>PLoS Medicine</i> , 2017 , 14, e1002461	11.6	29
85	HLA-B*57 and IFNL4-related polymorphisms are associated with protection against HIV-1 disease progression in controllers. <i>Clinical Infectious Diseases</i> , 2017 , 64, 621-628	11.6	26
84	Broad activation of latent HIV-1 in vivo. <i>Nature Communications</i> , 2016 , 7, 12731	17.4	56
83	Diversity of HIV-1 reservoirs in CD4+ T-cell subpopulations. <i>Current Opinion in HIV and AIDS</i> , 2016 , 11, 383-7	4.2	46
82	Integrated and Total HIV-1 DNA Predict Ex Vivo Viral Outgrowth. <i>PLoS Pathogens</i> , 2016 , 12, e1005472	7.6	63
81	A Subset of Latency-Reversing Agents Expose HIV-Infected Resting CD4+ T-Cells to Recognition by Cytotoxic T-Lymphocytes. <i>PLoS Pathogens</i> , 2016 , 12, e1005545	7.6	99
80	Follicular T helper cells: hotspots for HIV-1 persistence. <i>Nature Medicine</i> , 2016 , 22, 711-2	50.5	7
79	T memory stem cells and HIV: a long-term relationship. <i>Current HIV/AIDS Reports</i> , 2015 , 12, 33-40	5.9	35
78	Innate Immune Activity Correlates with CD4 T Cell-Associated HIV-1 DNA Decline during Latency-Reversing Treatment with Panobinostat. <i>Journal of Virology</i> , 2015 , 89, 10176-89	6.6	63
77	Th1/17 Polarization of CD4 T Cells Supports HIV-1 Persistence during Antiretroviral Therapy. <i>Journal of Virology</i> , 2015 , 89, 11284-93	6.6	64
76	Transcriptional Changes in CD8(+) T Cells During Antiretroviral Therapy Intensified With Raltegravir. <i>Open Forum Infectious Diseases</i> , 2015 , 2, ofv045	1	2

75	Potent Cell-Intrinsic Immune Responses in Dendritic Cells Facilitate HIV-1-Specific T Cell Immunity in HIV-1 Elite Controllers. <i>PLoS Pathogens</i> , 2015 , 11, e1004930	7.6	53
74	Second European Round Table on the Future Management of HIV. <i>Journal of Virus Eradication</i> , 2015 , 1, 211-220	2.8	3
73	Prolonged Antiretroviral Therapy Preserves HIV-1-Specific CD8 T Cells with Stem Cell-Like Properties. <i>Journal of Virology</i> , 2015 , 89, 7829-40	6.6	34
72	Second European Round Table on the Future Management of HIV: 10-11 October 2014, Barcelona, Spain. <i>Journal of Virus Eradication</i> , 2015 , 1, 211-20	2.8	
71	HIV-1 persistence in CD4+ T cells with stem cell-like properties. <i>Nature Medicine</i> , 2014 , 20, 139-42	50.5	301
70	Panobinostat, a histone deacetylase inhibitor, for latent-virus reactivation in HIV-infected patients on suppressive antiretroviral therapy: a phase 1/2, single group, clinical trial. <i>Lancet HIV</i> , 2014 , 1, e13-21	7.8	421
69	Long-term antiretroviral treatment initiated at primary HIV-1 infection affects the size, composition, and decay kinetics of the reservoir of HIV-1-infected CD4 T cells. <i>Journal of Virology</i> , 2014 , 88, 10056-65	6.6	185
68	CD4+ T-cell help enhances NK cell function following therapeutic HIV-1 vaccination. <i>Journal of Virology</i> , 2014 , 88, 8349-54	6.6	40
67	A cell-intrinsic inhibitor of HIV-1 reverse transcription in CD4(+) T cells from elite controllers. <i>Cell Host and Microbe</i> , 2014 , 15, 717-728	23.4	35
66	Susceptibility to CD8 T-cell-mediated killing influences the reservoir of latently HIV-1-infected CD4 T cells. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014 , 65, 1-9	3.1	19
65	Blunted response to combination antiretroviral therapy in HIV elite controllers: an international HIV controller collaboration. <i>PLoS ONE</i> , 2014 , 9, e85516	3.7	23
64	Hepatitis C therapy with interferon- α and ribavirin reduces CD4 T-cell-associated HIV-1 DNA in HIV-1/hepatitis C virus-coinfected patients. <i>Journal of Infectious Diseases</i> , 2014 , 209, 1315-20	7	54
63	LILRB2 interaction with HLA class I correlates with control of HIV-1 infection. <i>PLoS Genetics</i> , 2014 , 10, e1004196	6	49
62	Histone deacetylase inhibitors impair the elimination of HIV-infected cells by cytotoxic T-lymphocytes. <i>PLoS Pathogens</i> , 2014 , 10, e1004287	7.6	151
61	Dysfunctional HIV-specific CD8+ T cell proliferation is associated with increased caspase-8 activity and mediated by necroptosis. <i>Immunity</i> , 2014 , 41, 1001-12	32.3	49
60	Studies on quantitative phosphopeptide analysis by matrix-assisted laser desorption/ionization mass spectrometry without label, chromatography or calibration curves. <i>Rapid Communications in Mass Spectrometry</i> , 2014 , 28, 2681-9	2.2	5
59	Dendritic Cells from HIV-1 Neutralizers Efficiently Induce the Generation of CXCR5+ CXCR3+ PD1Lo CD4 T Cells with B Cell Helper Function. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, A74-A74	1.6	
58	Functional characterization of HLA-G+ regulatory T cells in HIV-1 infection. <i>PLoS Pathogens</i> , 2013 , 9, e1003140	10.21	21

57	Acute HIV-1 infection: a call to action. <i>Annals of Internal Medicine</i> , 2013 , 159, 425-7	8	3
56	Reactivation of latent HIV-1 in central memory CD4+ T cells through TLR-1/2 stimulation. <i>Retrovirology</i> , 2013 , 10, 119	3.6	88
55	Systemic inhibition of myeloid dendritic cells by circulating HLA class I molecules in HIV-1 infection. <i>Retrovirology</i> , 2012 , 9, 11	3.6	7
54	The emerging role of leukocyte immunoglobulin-like receptors (LILRs) in HIV-1 infection. <i>Journal of Leukocyte Biology</i> , 2012 , 91, 27-33	6.5	24
53	Antiretroviral combination therapy markedly reduces risk of heterosexual HIV-1 transmission. <i>Evidence-Based Medicine</i> , 2012 , 17, 95-6		
52	Shelterin dysfunction and p16(INK4a)-mediated growth inhibition in HIV-1-specific CD8 T cells. <i>Journal of Virology</i> , 2012 , 86, 5533-40	6.6	5
51	Induction of strong HIV-1-specific CD4+ T-cell responses using an HIV-1 gp120/NefTat vaccine adjuvanted with AS02A in antiretroviral-treated HIV-1-infected individuals. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012 , 59, 1-9	3.1	16
50	CD4 T-cell regeneration in HIV-1 elite controllers. <i>Aids</i> , 2012 , 26, 701-6	3.5	26
49	Transcriptional profiling of CD4 T cells identifies distinct subgroups of HIV-1 elite controllers. <i>Journal of Virology</i> , 2011 , 85, 3015-9	6.6	55
48	Inhibition of HIV-1 integration in ex vivo-infected CD4 T cells from elite controllers. <i>Journal of Virology</i> , 2011 , 85, 9646-50	6.6	39
47	Treating HIV-1 Infection: What Might the Future Hold?. <i>Therapeutic Advances in Chronic Disease</i> , 2011 , 2, 293-305	4.9	3
46	Dendritic cell dysfunction during primary HIV-1 infection. <i>Journal of Infectious Diseases</i> , 2011 , 204, 1557-62	6.2	25
45	CD4+ T cells from elite controllers resist HIV-1 infection by selective upregulation of p21. <i>Journal of Clinical Investigation</i> , 2011 , 121, 1549-60	15.9	136
44	Leukocyte immunoglobulin-like receptors maintain unique antigen-presenting properties of circulating myeloid dendritic cells in HIV-1-infected elite controllers. <i>Journal of Virology</i> , 2010 , 84, 9463-71	6.6	62
43	Soluble HLA-G inhibits myeloid dendritic cell function in HIV-1 infection by interacting with leukocyte immunoglobulin-like receptor B2. <i>Journal of Virology</i> , 2010 , 84, 10784-91	6.6	41
42	High-dose daptomycin for the treatment of endocarditis caused by <i>Staphylococcus aureus</i> with intermediate susceptibility to glycopeptides. <i>International Journal of Antimicrobial Agents</i> , 2010 , 35, 96	14.3	17
41	Epigenetic regulation of telomerase expression in HIV-1-specific CD8+ T cells. <i>Aids</i> , 2010 , 24, 1964-6	3.5	7
40	Mutational escape in HIV-1 CTL epitopes leads to increased binding to inhibitory myelomonocytic MHC class I receptors. <i>PLoS ONE</i> , 2010 , 5, e15084	3.7	5

39	HLA-B*35-Px-mediated acceleration of HIV-1 infection by increased inhibitory immunoregulatory impulses. <i>Journal of Experimental Medicine</i> , 2009 , 206, 2959-66	16.6	64
38	Telomerase activity of HIV-1-specific CD8+ T cells: constitutive up-regulation in controllers and selective increase by blockade of PD ligand 1 in progressors. <i>Blood</i> , 2008 , 112, 3679-87	2.2	67
37	A viral CTL escape mutation leading to immunoglobulin-like transcript 4-mediated functional inhibition of myelomonocytic cells. <i>Journal of Experimental Medicine</i> , 2007 , 204, 2813-24	16.6	80
36	Recognition of a defined region within p24 gag by CD8+ T cells during primary human immunodeficiency virus type 1 infection in individuals expressing protective HLA class I alleles. <i>Journal of Virology</i> , 2007 , 81, 7725-31	6.6	106
35	Selective depletion of high-avidity human immunodeficiency virus type 1 (HIV-1)-specific CD8+ T cells after early HIV-1 infection. <i>Journal of Virology</i> , 2007 , 81, 4199-214	6.6	103
34	Random T-cell receptor recruitment in human immunodeficiency virus type 1 (HIV-1)-specific CD8+ T cells from genetically identical twins infected with the same HIV-1 strain. <i>Journal of Virology</i> , 2007 , 81, 12666-9	6.6	14
33	Mutually exclusive T-cell receptor induction and differential susceptibility to human immunodeficiency virus type 1 mutational escape associated with a two-amino-acid difference between HLA class I subtypes. <i>Journal of Virology</i> , 2007 , 81, 1619-31	6.6	71
32	Decreased CXCR3+ CD8 T cells in advanced human immunodeficiency virus infection suggest that a homing defect contributes to cytotoxic T-lymphocyte dysfunction. <i>Journal of Virology</i> , 2007 , 81, 8439-50	6.6	26
31	T cell receptor cross-recognition of an HIV-1 CD8+ T cell epitope presented by closely related alleles from the HLA-A3 superfamily. <i>International Immunology</i> , 2006 , 18, 1179-88	4.9	18
30	HLA Alleles Associated with Delayed Progression to AIDS Contribute Strongly to the Initial CD8(+) T Cell Response against HIV-1. <i>PLoS Medicine</i> , 2006 , 3, e403	11.6	247
29	Immunological and virological impact of highly active antiretroviral therapy initiated during acute HIV-1 infection. <i>Journal of Infectious Diseases</i> , 2006 , 194, 734-9	7	71
28	Control of human immunodeficiency virus replication by cytotoxic T lymphocytes targeting subdominant epitopes. <i>Nature Immunology</i> , 2006 , 7, 173-8	19.1	193
27	Immunodominance of HIV-1-specific CD8(+) T-cell responses in acute HIV-1 infection: at the crossroads of viral and host genetics. <i>Trends in Immunology</i> , 2005 , 26, 166-71	14.4	43
26	Loss of HIV-1-specific T cell proliferation in chronic HIV-1 infection: cause or consequence of viral replication?. <i>Aids</i> , 2005 , 19, 1225-7	3.5	12
25	High degree of inter-clade cross-reactivity of HIV-1-specific T cell responses at the single peptide level. <i>Aids</i> , 2005 , 19, 1449-56	3.5	26
24	Sequential deregulation of NK cell subset distribution and function starting in acute HIV-1 infection. <i>Blood</i> , 2005 , 106, 3366-9	2.2	265
23	Liver histopathology in human immunodeficiency virus-hepatitis C virus co-infected patients with fatal liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005 , 20, 739-45	4	7
22	Clinical outcomes of HIV-HCV co-infection in a large cohort of hemophiliac patients. <i>Journal of Infection</i> , 2005 , 50, 221-8	18.9	13

21	Treatment of HIV-1-associated Kaposi's sarcoma with pegylated liposomal doxorubicin and HAART simultaneously induces effective tumor remission and CD4+ T cell recovery. <i>Infection</i> , 2005 , 33, 140-7	5.8	44
20	Limited sequence evolution within persistently targeted CD8 epitopes in chronic human immunodeficiency virus type 1 infection. <i>Journal of Virology</i> , 2005 , 79, 8171-81	6.6	39
19	HLA-B63 presents HLA-B57/B58-restricted cytotoxic T-lymphocyte epitopes and is associated with low human immunodeficiency virus load. <i>Journal of Virology</i> , 2005 , 79, 10218-25	6.6	63
18	The majority of currently circulating human immunodeficiency virus type 1 clade B viruses fail to prime cytotoxic T-lymphocyte responses against an otherwise immunodominant HLA-A2-restricted epitope: implications for vaccine design. <i>Journal of Virology</i> , 2005 , 79, 5000-5	6.6	38
17	De novo generation of escape variant-specific CD8+ T-cell responses following cytotoxic T-lymphocyte escape in chronic human immunodeficiency virus type 1 infection. <i>Journal of Virology</i> , 2005 , 79, 12952-60	6.6	117
16	Selection, transmission, and reversion of an antigen-processing cytotoxic T-lymphocyte escape mutation in human immunodeficiency virus type 1 infection. <i>Journal of Virology</i> , 2004 , 78, 7069-78	6.6	216
15	Comprehensive analysis of human immunodeficiency virus type 1-specific CD4 responses reveals marked immunodominance of gag and nef and the presence of broadly recognized peptides. <i>Journal of Virology</i> , 2004 , 78, 4463-77	6.6	157
14	Increased natural killer cell activity in viremic HIV-1 infection. <i>Journal of Immunology</i> , 2004 , 173, 5305-11	5.3	104
13	Loss of HIV-1-specific CD8+ T cell proliferation after acute HIV-1 infection and restoration by vaccine-induced HIV-1-specific CD4+ T cells. <i>Journal of Experimental Medicine</i> , 2004 , 200, 701-12	16.6	293
12	Limited durability of viral control following treated acute HIV infection. <i>PLoS Medicine</i> , 2004 , 1, e36	11.6	126
11	Differences in the expressed HLA class I alleles effect the differential clustering of HIV type 1-specific T cell responses in infected Chinese and caucasians. <i>AIDS Research and Human Retroviruses</i> , 2004 , 20, 557-64	1.6	12
10	Rapid determination of the Delta32 deletion in the human CC-chemokine receptor 5 (CCR5) gene without DNA extraction by lightcycler real-time polymerase chain reaction. <i>AIDS Research and Human Retroviruses</i> , 2004 , 20, 750-4	1.6	8
9	HIV-1 Nef is preferentially recognized by CD8 T cells in primary HIV-1 infection despite a relatively high degree of genetic diversity. <i>Aids</i> , 2004 , 18, 1383-92	3.5	90
8	HIV-1-specific cytotoxicity is preferentially mediated by a subset of CD8(+) T cells producing both interferon-gamma and tumor necrosis factor-alpha. <i>Blood</i> , 2004 , 104, 487-94	2.2	111
7	The tandem-repeat polymorphism of the DC-SIGNR gene does not affect the susceptibility to HIV infection and the progression to AIDS. <i>Clinical Immunology</i> , 2003 , 107, 55-9	9	28
6	Diagnosis of Invasive Septate Mold Infections. <i>American Journal of Clinical Pathology</i> , 2003 , 119, 854-858	1.9	180
5	Diagnosis of invasive septate mold infections. A correlation of microbiological culture and histologic or cytologic examination. <i>American Journal of Clinical Pathology</i> , 2003 , 119, 854-8	1.9	75
4	Reduced CC chemokine receptor (CCR) 1 and CCR5 surface expression on peripheral blood T lymphocytes from patients with chronic hepatitis C infection. <i>Journal of Infectious Diseases</i> , 2002 , 185, 1803-7	7	45

- | | | | |
|---|--|------|----|
| 3 | Antiretroviral drug toxicity -- a challenge for the hepatologist?. <i>Journal of Hepatology</i> , 2002 , 36, 283-94 | 13.4 | 94 |
| 2 | Pilot study of interferon alpha high-dose induction therapy in combination with ribavirin for chronic hepatitis C in HIV-co-infected patients. <i>Aids</i> , 2002 , 16, 2083-5 | 3.5 | 27 |
| 1 | Mobilization of CD34+ haematopoietic stem cells is associated with a functional inactivation of the integrin very late antigen 4. <i>British Journal of Haematology</i> , 2000 , 110, 71-81 | 4.5 | 42 |