

Igor Tadeu Lazzarotto Bresolin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2331544/publications.pdf>

Version: 2024-02-01

22
papers

294
citations

933264

10
h-index

940416

16
g-index

24
all docs

24
docs citations

24
times ranked

323
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of Iminodiacetic Acid (IDA) as an Ionogenic Group for Adsorption of IgG1 Monoclonal Antibodies by Membrane Chromatography. <i>Applied Biochemistry and Biotechnology</i> , 2020, 191, 810-823.	1.4	3
2	Hydrophobic interaction chromatography as polishing step enables obtaining ultra-pure recombinant antibodies. <i>Journal of Biotechnology</i> , 2020, 324, 100020.	1.9	6
3	Human Immunoglobulin G Adsorption in Epoxy Chitosan/Alginate Adsorbents: Evaluation of Isotherms by Artificial Neural Networks. <i>Chemical Product and Process Modeling</i> , 2019, 14, .	0.5	3
4	Phospho-tyrosine-agarose chromatography: Adsorption of human IgG and its proteolytic fragments. <i>Biomedical Chromatography</i> , 2019, 33, e4397.	0.8	3
5	Phosphorylated-tyrosine based pseudobioaffinity adsorbent for the purification of immunoglobulin G. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017, 1052, 10-18.	1.2	10
6	Preface: 10th Brazilian meeting on adsorption. <i>Adsorption</i> , 2015, 21, 1-2.	1.4	2
7	Purification of Anti-Interleukin-6 Monoclonal Antibody Using Precipitation and Immobilized Metal-Ion Affinity Chromatography. <i>Adsorption Science and Technology</i> , 2015, 33, 191-202.	1.5	2
8	Human IgG adsorption using dye-ligand epoxy chitosan/alginate as adsorbent: influence of buffer system. <i>Adsorption</i> , 2014, 20, 925-934.	1.4	10
9	Prediction of the isotherms of human IgG adsorption on Ni(II)-IDA-PEVA membrane using artificial neural networks. <i>Adsorption</i> , 2014, 20, 959-965.	1.4	4
10	The effect of NaCl on the adsorption of human IgG onto CM-Asp-PEVA hollow fiber membrane-immobilized nickel and cobalt metal ions. <i>Adsorption</i> , 2014, 20, 677-688.	1.4	12
11	Behavior of human immunoglobulin G adsorption onto immobilized Cu(II) affinity hollow fiber membranes. <i>Journal of Molecular Recognition</i> , 2013, 26, 514-520.	1.1	4
12	Isolation and purification of bromelain from waste peel of pineapple for therapeutic application. <i>Brazilian Archives of Biology and Technology</i> , 2013, 56, 971-979.	0.5	37
13	Dye Ligand Epoxide Chitosan/Alginate: A Potential New Stationary Phase for Human IgG Purification. <i>Adsorption Science and Technology</i> , 2012, 30, 701-711.	1.5	18
14	Negative chromatography on agarose-TREN as a technique for purification of protein spiked in soybean seeds extract. <i>Process Biochemistry</i> , 2012, 47, 2255-2261.	1.8	3
15	Evaluation of Amino Acid O-Phosphoserine as Ligand for the Capture of Immunoglobulin G from Human Serum. <i>Applied Biochemistry and Biotechnology</i> , 2012, 167, 632-644.	1.4	8
16	IgG purification by negative chromatography in amine-based ligands: A comparison of l-lysine and poly-l-lysine. <i>Process Biochemistry</i> , 2011, 46, 2277-2285.	1.8	18
17	A new process of IgG purification by negative chromatography: Adsorption aspects of human serum proteins onto 1%-aminodecyl-agarose. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 2087-2093.	1.2	32
18	Evaluation of Immobilized Metal-Ion Affinity Chromatography (IMAC) as a Technique for IgG1 Monoclonal Antibodies Purification: The Effect of Chelating Ligand and Support. <i>Applied Biochemistry and Biotechnology</i> , 2010, 160, 2148-2165.	1.4	34

#	ARTICLE	IF	CITATIONS
19	Purification of human IgG by negative chromatography on γ -aminohexyl-agarose. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 557-566.	1.2	20
20	Cromatografia de afinidade por Ânions metálicos imobilizados (IMAC) de biomoléculas: aspectos fundamentais e aplicações tecnológicas. <i>Química Nova</i> , 2009, 32, 1288-1296.	0.3	26
21	Adsorption of human serum proteins onto TREN-agarose: Purification of human IgG by negative chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 17-23.	1.2	17
22	The performance of a three-phase fluidized bed reactor in treatment of wastewater with high organic load. <i>Brazilian Journal of Chemical Engineering</i> , 2004, 21, 219-227.	0.7	22