Ronja Scholz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2333625/publications.pdf Version: 2024-02-01



RONIA SCHOLZ

#	Article	IF	CITATIONS
1	Rods glued in engineered hardwood products part I: Experimental results under quasi-static loading. International Journal of Adhesion and Adhesives, 2019, 90, 163-181.	2.9	47
2	Effects of high-lignin-loading on thermal, mechanical, and morphological properties of bioplastic composites. Composite Structures, 2018, 189, 349-356.	5.8	32
3	Rods glued in engineered hardwood products part II: Numerical modelling and capacity prediction. International Journal of Adhesion and Adhesives, 2019, 90, 182-198.	2.9	30
4	Biomimetic UHMWPE/HA scaffolds with rhBMP-2 and erythropoietin for reconstructive surgery. Materials Science and Engineering C, 2020, 111, 110750.	7.3	27
5	Advances on the Visualization of the Internal Structures of the European Mistletoe: 3D Reconstruction Using Microtomography. Frontiers in Plant Science, 2021, 12, 715711.	3.6	18
6	Direction-dependent mechanical characterization of cellulose-based composite vulcanized fiber. Materialpruefung/Materials Testing, 2016, 58, 813-817.	2.2	10
7	Development of biomimetic in vitro fatigue assessment for UHMWPE implant materials. Journal of the Mechanical Behavior of Biomedical Materials, 2018, 85, 94-101.	3.1	9
8	Experimental study on the actuation and fatigue behavior of the biopolymeric material Cottonid. Materials Today: Proceedings, 2019, 7, 476-483.	1.8	8
9	In Situ Characterization of Damage Development in Cottonid Due to Quasi-Static Tensile Loading. Materials, 2020, 13, 2180.	2.9	8
10	Dataset on the structural characterization of organosolv lignin obtained from ensiled Poaceae grass and load-dependent molecular weight changes during thermoplastic processing. Data in Brief, 2018, 17, 647-652.	1.0	6
11	Humidity-Sensing Material Cottonid – Microstructural Tuning for Improved Actuation and Fatigue Performance. Frontiers in Materials, 2020, 7, .	2.4	5
12	Biomimetic scaffold fabricated with a mammalian trabecular bone template. Polymer Degradation and Stability, 2020, 172, 109076.	5.8	5
13	Mechanical in vitro fatigue testing of implant materials and components using advanced characterization techniques. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2022, 110, 898-909.	3.4	4
14	Service life characterization of orthopedic implant material made of ultra-high molecular weight polyethylene under physiological conditions. Journal of the Mechanical Behavior of Biomedical Materials, 2020, 104, 103617.	3.1	2
15	Impact of solar radiation on chemical structure and micromechanical properties of cellulose-based humidity-sensing material Cottonid. Functional Composite Materials, 2021, 2, .	1.4	2
16	In Situ Characterization of Polycaprolactone Fiber Response to Quasi-Static Tensile Loading in Scanning Electron Microscopy. Polymers, 2021, 13, 2090.	4.5	1
17	Load-Bearing Behaviour of Rods Glued in Hardwood. Adhesion Adhesives and Sealants, 2018, 15, 10-15.	0.1	0
18	Tuneable material properties of Organosolv lignin biocomposites in response to heat and shear forces. European Polymer Journal, 2021, 148, 110359.	5.4	0

#	Article	IF	CITATIONS
19	Micro-CT defect analysis and hardness distribution of flat-face extruded EN AW6060 aluminum chips. Materialpruefung/Materials Testing, 2017, 59, 613-617.	2.2	0