Takahiko NOJIMA

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2333780/publications.pdf Version: 2024-02-01



Τλκλημκό ΝΟΙΙΜΑ

#	Article	IF	CITATIONS
1	PDMS–glass hybrid microreactor array with embedded temperature control device. Application to cell-free protein synthesis. Lab on A Chip, 2002, 2, 197-202.	6.0	114
2	Electrochemical Telomerase Assay with Ferrocenylnaphthalene Diimide as a Tetraplex DNA-Specific Binder. Analytical Chemistry, 2005, 77, 7304-7309.	6.5	79
3	G Quadruplex-Based FRET Probes with the Thrombin-Binding Aptamer (TBA) Sequence Designed for the Efficient Fluorometric Detection of the Potassium Ion. ChemBioChem, 2006, 7, 1730-1737.	2.6	70
4	Fluorescence energy transfer probes based on the guanine quadruplex formation for the fluorometric detection of potassium ion. Analytica Chimica Acta, 2007, 581, 125-131.	5.4	59
5	Supramolecular Complex Formation by \hat{l}^2 -Cyclodextrin and Ferrocenylnaphthalene Diimide-intercalated Double Stranded DNA and Improved Electrochemical Gene Detection. Molecules, 2005, 10, 693-707.	3.8	38
6	Ferrocenylnaphthalene diimide-based electrochemical detection of methylated gene. Analytica Chimica Acta, 2006, 578, 82-87.	5.4	33
7	How amino acids control the binding of Cu(II) ions to DNA: l—The role of the hydroxyl group of serine and threonine in fixing the orientation of the complexes. Journal of Inorganic Biochemistry, 1996, 64, 273-285.	3.5	27
8	Electrochemical gene detection based on supramolecular complex formation by ferrocenyl-1²-cyclodextrin and adamantylnaphthalene diimide bound to double stranded DNA. Journal of Organometallic Chemistry, 2004, 689, 4722-4728.	1.8	26
9	Synthesis of ferrocenylcarbodiimide as a convenient electrochemically active labeling reagent for nucleic acids. Tetrahedron, 2005, 61, 11705-11715.	1.9	23
10	Millisecond denaturation dynamics of fluorescent proteins revealed by femtoliter container on micro-thermodevice. Lab on A Chip, 2008, 8, 1436.	6.0	22
11	Direct Modification of mRNA by Ferrocenyl Carbodiimide and Its Application to Electrochemical Detection of mRNA. Analytical Sciences, 2007, 23, 115-119.	1.6	21
12	Comparison of potassium ion preference of potassium-sensing oligonucleotides, PSO-1 and PSO-2, carrying the human and Oxytricha telomeric sequence, respectively. Analytical and Bioanalytical Chemistry, 2003, 375, 1006-1010.	3.7	19
13	Modification of the Glass Surface Property in PDMS-Glass Hybrid Microfluidic Devices. Analytical Sciences, 2012, 28, 39-44.	1.6	18
14	Direct Detection of Single Nucleotide Polymorphism (SNP) with Genomic DNA by the Ferrocenylnaphthalene Diimide-based Electrochemical Hybridization Assay (FND-EHA) Analytical Sciences, 2003, 19, 79-83.	1.6	15
15	Evaluation of Cell-free Protein Synthesis Using PDMS-based Microreactor Arrays. Analytical Sciences, 2008, 24, 243-246.	1.6	12
16	Fluorescence enhancement of bis-acridine orange peptide, BAO, upon binding to double stranded DNA. Organic and Biomolecular Chemistry, 2005, 3, 578.	2.8	10
17	Fluorescent lanthanide chelates for biological systems. Macromolecular Symposia, 2002, 186, 117-121.	0.7	9
18	Immobilization of sunflower trypsin inhibitor (SFTI-1) peptide onto a gold surface and analysis of its interaction with trypsin. Analyst, The, 2004, 129, 888.	3.5	9

ΤΑΚΑΗΙΚΟ ΝΟJIMA

#	Article	IF	CITATIONS
19	Determination of the Termination Efficiency of the Transcription Terminator Using Different Fluorescent Profiles in Green Fluorescent Protein Mutants. Analytical Sciences, 2005, 21, 1479-1481.	1.6	9
20	Preparation of Carbodiimide-terminated Dithiolane Self-Assembly Monolayers as a New DNA-Immobilization Method. Analytical Sciences, 2006, 22, 349-355.	1.6	8
21	Microbiochemical reactors for enzymatic reactions including cell-free mRNA translation. Journal of Micromechatronics, 2000, 1, 85-98.	1.9	7
22	Bis-intercalation-triggered fluorescence: Specific detection of double stranded DNA and AT content estimation. Analyst, The, 2004, 129, 886.	3.5	7
23	Pneumatic handling of droplets onâ€demand on a microfluidic device for seamless processing of reaction and electrophoretic separation. Electrophoresis, 2010, 31, 3719-3726.	2.4	6
24	Interaction Analysis of the Carcinoembryonic Antigen (CEA) with Its Monoclonal Antibody Immobilized on a Gold Surface Using Fourier Transform Infrared Reflection-Absorption Spectroscopy (FT-IR RAS). Analytical Sciences, 2005, 21, 215-218.	1.6	5
25	Immobilization of RNase S-Peptide on a single-stranded DNA-fixed gold surface and effective masking of its surface by an acridinyl poly(ethylene glycol). Analyst, The, 2006, 131, 55-61.	3.5	5
26	Gene Detection Based on the Tetrakis-acridinyl Peptide (TAP) Cassette. Chemistry Letters, 2004, 33, 1550-1551.	1.3	4
27	Genotyping of the Human Lipoprotein Lipase Gene by Ferrocenylnaphthalene Diimide-based Electrochemical Hybridization Assay. Analytical Sciences, 2005, 21, 1437-1441.	1.6	4
28	Synthesis of DNA Templates Containing the Fifth Base, 2-Amino-6-(dimethylamino)purine, for Specific Transcription Involving Unnatural Base Pairs. Chemistry Letters, 2001, 30, 914-915.	1.3	2
29	Tetrakis-acridinyl peptide: Distance dependence of photoinduced electron transfer in deoxyribonucleic acid assemblies. Analytica Chimica Acta, 2006, 578, 88-92.	5.4	2
30	Reactivity of Ferrocenylcarbodiimide with DNA Duplex Containing Single-mismatched Base Pairs. Analytical Sciences, 2007, 23, 645-649.	1.6	2
31	On-chip Capillary Electrophoresis Fractionation of DNA Construct for Cell-free Protein Expression. Chemistry Letters, 2007, 36, 1346-1347.	1.3	2
32	A Rapid Method for Optimizing Running Temperature of Electrophoresis through Repetitive On-Chip CE Operations. International Journal of Molecular Sciences, 2011, 12, 4271-4281.	4.1	2
33	Supramolecular Assembly of Fullerene Derivatives in the Absence or Presence of Double Stranded DNA in Water. Bunseki Kagaku, 2005, 54, 449-454.	0.2	0
34	Cell-free Protein Synthesis Conducted by Template DNA with Repetitive Sequence. Chemistry Letters, 2008, 37, 648-649.	1.3	0
35	Development of Hybrid Microreactor for Protein Synthesis. IEEJ Transactions on Sensors and Micromachines, 2001, 121, 163-168.	0.1	0