## Katarzyna Nuc

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2334743/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	In situ approaches show the limitation of the spoilage potential of Juniperus phoenicea L. essential oil against cold-tolerant Pseudomonas fluorescens KM24. Applied Microbiology and Biotechnology, 2021, 105, 4255-4268.	3.6	11
2	Functional Analysis of the Lupinus luteus Cyclophilin Gene Promoter Region in Lotus japonicus. Agriculture (Switzerland), 2021, 11, 435.	3.1	1
3	Cyclophilins and Their Functions in Abiotic Stress and Plant–Microbe Interactions. Biomolecules, 2021, 11, 1390.	4.0	12
4	Effect of black pepper essential oil on quorum sensing and efflux pump systems in the fish-borne spoiler Pseudomonas psychrophila KMO2 identified by RNA-seq, RT-qPCR and molecular docking analyses. Food Control, 2021, 130, 108284.	5.5	13
5	What nature separated, and human joined together: About a spontaneous hybridization between two allopatric dogwood species (Cornus controversa and C. alternifolia). PLoS ONE, 2019, 14, e0226985.	2.5	3
6	Title is missing!. , 2019, 14, e0226985.		0
7	Title is missing!. , 2019, 14, e0226985.		0
8	Title is missing!. , 2019, 14, e0226985.		0
9	Title is missing!. , 2019, 14, e0226985.		0
10	Regulation of proline biosynthesis and resistance to drought stress in two barley (Hordeum vulgare) Tj ETQq0 0 C	) rgBT /Ove 9.8	erlock 10 Tf 106
11	Cryopreservation changes the DNA methylation of embryonic axes of Quercus robur and Fagus sylvatica seeds during in vitro culture. Trees - Structure and Function, 2016, 30, 1831-1841.	1.9	11
12	Exogenous adenosine 5′-phosphoramidate behaves as a signal molecule in plants; it augments metabolism of phenylpropanoids andÂsalicylic acid in Arabidopsis thaliana seedlings. Plant Physiology and Biochemistry, 2015, 94, 144-152.	5.8	8
13	Both cyclic-AMP and cyclic-GMP can act as regulators of the phenylpropanoid pathway in Arabidopsis thaliana seedlings. Plant Physiology and Biochemistry, 2013, 70, 142-149.	5.8	15

14	Diadenosine polyphosphates (Ap <sub>3</sub> A and Ap <sub>4</sub> A) behave as alarmones triggering the synthesis of enzymes of the phenylpropanoid pathway in <i>Arabidopsis thaliana</i> . FEBS Open Bio, 2011, 1, 1-6.	2.3	25
15	Sucrose controls storage lipid breakdown on gene expression level in germinating yellow lupine (Lupinus luteus L.) seeds. Journal of Plant Physiology, 2011, 168, 1795-1803.	3.5	26
16	Phenylalanine Ammonia Lyase Under Combined Effects of Enhanced UV-B Radiation and Allelopathy Stress. Acta Biologica Cracoviensia Series Botanica, 2011, 53, .	0.5	3
17	5'-Methylthioadenosine Nucleosidase from Yellow Lupine (Lupinus luteus): Molecular Characterization and Mutational Analysis. Protein and Peptide Letters, 2011, 18, 817-824.	0.9	1
18	Cold-regulated proteins with potent antifreeze and cryoprotective activities in spruces (Picea spp.). Cryobiology, 2009, 58, 268-274.	0.7	40

2

Katarzyna Nuc

#	Article	IF	CITATIONS
19	Yellow Lupine Cyclophilin Interacts with Nucleic Acids. Protein and Peptide Letters, 2008, 15, 719-723.	0.9	5
20	Lupin nad 9 and nad 6 genes and their expression: 5′ termini of the nad 9 gene transcripts differentiate lupin species. Gene, 2003, 315, 123-132.	2.2	1
21	Yellow Lupine Cyclophilin Transcripts Are Highly Accumulated in the Nodule Meristem Zone. Molecular Plant-Microbe Interactions, 2001, 14, 1384-1394.	2.6	16
22	Sequence polymorphism of exon 17 of the ryanodine receptor gene ( <i>ryr1</i> ) in the Canidae. Journal of Animal and Feed Sciences, 2000, 9, 721-726.	1.1	1
23	Homology of DNA sequences encompassing malignant hyperthermia mutation site in the ovine (Ovis) Tj ETQq1	1 0,78431 2.0	.4 rgBT /Over