

Fabio Francesco di Mola

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2335681/publications.pdf>

Version: 2024-02-01

66
papers

2,836
citations

185998

28
h-index

168136

53
g-index

68
all docs

68
docs citations

68
times ranked

3212
citing authors

#	ARTICLE	IF	CITATIONS
1	Outcome after single-site robotic cholecystectomy: An initial single center's experience. <i>Asian Journal of Endoscopic Surgery</i> , 2021, 14, 496-503.	0.4	5
2	Transduodenal surgical ampullectomy: a procedure that requires a multidisciplinary approach. <i>Updates in Surgery</i> , 2021, 73, 2215-2223.	0.9	1
3	Laparoscopic Versus Open Hartmann Reversal: A Case-Control Study. <i>Surgery Research and Practice</i> , 2021, 2021, 1-7.	0.1	3
4	P.02.4 TOTALLY LAPAROSCOPIC COMPLETE MESOCOLON EXCISION FOR SPLENIC FLEXURE CANCER. <i>Digestive and Liver Disease</i> , 2019, 51, e149.	0.4	0
5	How we do it: totally laparoscopic complete mesocolon excision for splenic flexure cancer. <i>Langenbeck's Archives of Surgery</i> , 2018, 403, 769-775.	0.8	3
6	A surgical department for intensified care. <i>Langenbeck's Archives of Surgery</i> , 2017, 402, 475-479.	0.8	0
7	MicroRNA co-expression networks exhibit increased complexity in pancreatic ductal compared to Vater's papilla adenocarcinoma. <i>Oncotarget</i> , 2017, 8, 105320-105339.	0.8	9
8	Support Vector Machine Based on microRNA Expression Profiles to Predict Histological Origin of Ampullary Carcinoma. <i>Pancreas</i> , 2016, 45, 626-629.	0.5	1
9	Borderline resectable pancreatic cancer and the role of neoadjuvant chemoradiotherapy. <i>Updates in Surgery</i> , 2016, 68, 235-239.	0.9	8
10	SIRT1 and circadian gene expression in pancreatic ductal adenocarcinoma: Effect of starvation. <i>Chronobiology International</i> , 2015, 32, 497-512.	0.9	20
11	BAG3 promotes pancreatic ductal adenocarcinoma growth by activating stromal macrophages. <i>Nature Communications</i> , 2015, 6, 8695.	5.8	81
12	Modeling interactions between Human Equilibrative Nucleoside Transporter-1 and other factors involved in the response to gemcitabine treatment to predict clinical outcomes in pancreatic ductal adenocarcinoma patients. <i>Journal of Translational Medicine</i> , 2014, 12, 248.	1.8	10
13	Influence of preoperative biliary drainage on surgical outcome after pancreaticoduodenectomy: single centre experience. <i>Langenbeck's Archives of Surgery</i> , 2014, 399, 649-57.	0.8	21
14	A tumour score with multidetector spiral CT for venous infiltration in pancreatic cancer: influence on borderline resectable. <i>Radiologia Medica</i> , 2014, 119, 334-42.	4.7	18
15	Genetic variants of membrane metalloproteinase genes in inflammatory bowel diseases. <i>Digestive and Liver Disease</i> , 2013, 45, 1003-1010.	0.4	4
16	Preoperative biliary drainage and surgical outcome after pancreaticoduodenectomy. <i>Pancreatology</i> , 2013, 13, e5-e6.	0.5	0
17	BAG3 Is a Novel Serum Biomarker for Pancreatic Adenocarcinomas. <i>American Journal of Gastroenterology</i> , 2013, 108, 1178-1180.	0.2	30
18	Correlations among PPAR, DNMT1, and DNMT3B Expression Levels and Pancreatic Cancer. <i>PPAR Research</i> , 2012, 2012, 1-7.	1.1	14

#	ARTICLE	IF	CITATIONS
19	Changes in miR-143 and miR-21 Expression and Clinicopathological Correlations in Pancreatic Cancers. <i>Pancreas</i> , 2012, 41, 1280-1284.	0.5	39
20	Time-Qualified Patterns of Variation of PPAR α , DNMT1, and DNMT3B Expression in Pancreatic Cancer Cell Lines. <i>PPAR Research</i> , 2012, 2012, 1-8.	1.1	7
21	Substance P and Neprilysin in Chronic Pancreatitis. <i>European Surgical Research</i> , 2012, 48, 131-138.	0.6	7
22	Expression of the Antiapoptotic Protein BAG3 Is a Feature of Pancreatic Adenocarcinoma and Its Overexpression Is Associated With Poorer Survival. <i>American Journal of Pathology</i> , 2012, 181, 1524-1529.	1.9	53
23	Neuroimmune interactions in patients with inflammatory bowel diseases: Disease activity and clinical behavior based on Substance P serum levels. <i>Journal of Crohn's and Colitis</i> , 2012, 6, 563-570.	0.6	23
24	Mirna Expression Profiles Identify Drivers in Colorectal and Pancreatic Cancers. <i>PLoS ONE</i> , 2012, 7, e33663.	1.1	138
25	A modified fast-track program for pancreatic surgery: a prospective single-center experience. <i>Langenbeck's Archives of Surgery</i> , 2011, 396, 345-351.	0.8	73
26	Surgical aspects in management of hepato-pancreatico-biliary tumours in the elderly. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2009, 23, 919-923.	1.0	13
27	Pain and pain generation in pancreatic cancer. <i>Langenbeck's Archives of Surgery</i> , 2008, 393, 919-922.	0.8	45
28	R2 resection in pancreatic cancer—does it make sense?. <i>Langenbeck's Archives of Surgery</i> , 2008, 393, 929-934.	0.8	33
29	Re: Red Hot Chilli Consumption Is Harmful in Patients Operated for Anal Fissure—A Randomized, Double-Blind, Controlled Study. <i>Digestive Surgery</i> , 2008, 25, 124-125.	0.6	0
30	Increase in substance P precursor mRNA in noninflamed small-bowel sections in patients with Crohn's disease. <i>American Journal of Surgery</i> , 2007, 193, 476-481.	0.9	21
31	Pain and pain generation in pancreatic diseases. <i>American Journal of Surgery</i> , 2007, 194, S65-S70.	0.9	4
32	Human inflammatory bowel disease does not associate with <i>Lawsonia intracellularis</i> infection. <i>BMC Microbiology</i> , 2006, 6, 81.	1.3	13
33	Haemorrhoids and transient receptor potential vanilloid 1. <i>Gut</i> , 2006, 55, 1665-1666.	6.1	5
34	The ECM proteoglycan decorin links desmoplasia and inflammation in chronic pancreatitis. <i>Journal of Clinical Pathology</i> , 2006, 59, 21-27.	1.0	34
35	Vanilloids in pancreatic cancer: potential for chemotherapy and pain management. <i>Gut</i> , 2006, 55, 519-528.	6.1	123
36	Transforming growth factor- β 2 pathway is activated in cholecystolithiasis. <i>Langenbeck's Archives of Surgery</i> , 2005, 390, 21-28.	0.8	14

#	ARTICLE	IF	CITATIONS
37	Differential Expression of Connective Tissue Growth Factor in Inflammatory Bowel Disease. <i>Digestion</i> , 2004, 69, 245-253.	1.2	29
38	Overexpressed Decorin in Pancreatic Cancer. <i>Clinical Cancer Research</i> , 2004, 10, 4776-4783.	3.2	82
39	Oligoclonal T-cell populations in an inflammatory pseudotumor of the pancreas possibly related to autoimmune pancreatitis: an immunohistochemical and molecular analysis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2004, 444, 119-126.	1.4	44
40	Desmoplastic Reaction Influences Pancreatic Cancer Growth Behavior. <i>World Journal of Surgery</i> , 2004, 28, 818-825.	0.8	97
41	Pathogenesis of Pain in Chronic Pancreatitis. <i>Digestive Diseases</i> , 2004, 22, 267-272.	0.8	63
42	Pancreatic tumor cells influence the composition of the extracellular matrix. <i>Biochemical and Biophysical Research Communications</i> , 2004, 322, 943-949.	1.0	81
43	Up-regulation of p75 neurotrophin receptor (p75NTR) is associated with apoptosis in chronic pancreatitis. <i>Digestive Diseases and Sciences</i> , 2003, 48, 717-725.	1.1	16
44	Differential expression of connective tissue growth factor (CTGF) in inflammatory bowel disease (IBD). <i>Gastroenterology</i> , 2003, 124, A329-A330.	0.6	0
45	Chronic pancreatitis: the perspective of pain generation by neuroimmune interaction. <i>Gut</i> , 2003, 52, 907-911.	6.1	98
46	Connective Tissue Growth Factor is Involved in Pancreatic Repair and Tissue Remodeling in Human and Rat Acute Necrotizing Pancreatitis. <i>Annals of Surgery</i> , 2002, 235, 60-67.	2.1	29
47	Connective Tissue Growth Factor Gene Expression Alters Tumor Progression in Esophageal Cancer. <i>World Journal of Surgery</i> , 2002, 26, 420-427.	0.8	91
48	Beneficial Effects of Batimastat (BB-94), a Matrix Metalloproteinase Inhibitor, in Rat Experimental Colitis. <i>Digestion</i> , 2001, 63, 234-239.	1.2	70
49	NK-1 receptor gene expression is related to pain in chronic pancreatitis. <i>Pain</i> , 2001, 91, 209-217.	2.0	88
50	Nerve growth factor and Trk high affinity receptor (TrkA) gene expression in inflammatory bowel disease. <i>Gut</i> , 2000, 46, 670-679.	6.1	126
51	Expression of interleukin 8 (IL-8) and substance P in human chronic pancreatitis. <i>Gut</i> , 2000, 47, 423-428.	6.1	89
52	Connective tissue growth factor in human liver cirrhosis. <i>Liver</i> , 2000, 20, 296-304.	0.1	98
53	Connective tissue growth factor as an inducer of fibrosis in human liver cirrhosis. <i>Gastroenterology</i> , 2000, 118, A452.	0.6	0
54	Nerve growth factor (NGF) and its high affinity receptor (TrkA) are up-regulated in inflammatory bowel disease. <i>Gastroenterology</i> , 2000, 118, A798.	0.6	0

#	ARTICLE	IF	CITATIONS
55	Nerve Growth Factor Expression Correlates With Perineural Invasion and Pain in Human Pancreatic Cancer. <i>Journal of Clinical Oncology</i> , 1999, 17, 2419-2419.	0.8	218
56	SR140333, a substance P receptor antagonist, influences morphological and motor changes in rat experimental colitis. <i>Digestive Diseases and Sciences</i> , 1999, 44, 439-444.	1.1	71
57	Neuroimmune appendicitis. <i>Lancet, The</i> , 1999, 354, 461-466.	6.3	114
58	Transforming Growth Factor- β 2s and Their Signaling Receptors Are Coexpressed in Crohn's Disease. <i>Annals of Surgery</i> , 1999, 229, 67-75.	2.1	69
59	Connective Tissue Growth Factor Is a Regulator for Fibrosis in Human Chronic Pancreatitis. <i>Annals of Surgery</i> , 1999, 230, 63.	2.1	123
60	Nerve Growth Factor and Its High-Affinity Receptor in Chronic Pancreatitis. <i>Annals of Surgery</i> , 1999, 230, 615.	2.1	156
61	KAI1, A new metastasis suppressor gene, is reduced in metastatic hepatocellular carcinoma. <i>Hepatology</i> , 1998, 28, 1481-1488.	3.6	82
62	Kal1 influences the metastatic potential in hepatocellular carcinomas. <i>Gastroenterology</i> , 1998, 114, A1242-A1243.	0.6	0
63	TGF- β 2s and their receptors influence the outcome in Crohn's disease. <i>Gastroenterology</i> , 1998, 114, A966.	0.6	0
64	Changes in cytokinine but not tachykinin gene expression in patients with chronic pancreatitis. <i>Gastroenterology</i> , 1998, 114, A453.	0.6	0
65	Changes of peptidergic innervation in the inflamed appendix. <i>Gastroenterology</i> , 1998, 114, A1139.	0.6	0
66	ACTIVATION OF THE SERINE PROTEINASE SYSTEM IN CHRONIC KIDNEY REJECTION1. <i>Transplantation</i> , 1998, 65, 1628-1634.	0.5	29