

# Yongxin Song

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2335749/publications.pdf>

Version: 2024-02-01

102  
papers

4,155  
citations

147801  
31  
h-index

118850  
62  
g-index

102  
all docs

102  
docs citations

102  
times ranked

3608  
citing authors

#	ARTICLE	IF	CITATIONS
1	Zeta-potential measurement using the Smoluchowski equation and the slope of the current–time relationship in electroosmotic flow. <i>Journal of Colloid and Interface Science</i> , 2003, 261, 402-410.	9.4	626
2	Influence of Surface Heterogeneity on Electrokinetically Driven Microfluidic Mixing. <i>Langmuir</i> , 2002, 18, 1883-1892.	3.5	273
3	Heterogeneous Surface Charge Enhanced Micromixing for Electrokinetic Flows. <i>Analytical Chemistry</i> , 2004, 76, 3208-3213.	6.5	252
4	DC-Dielectrophoretic separation of biological cells by size. <i>Biomedical Microdevices</i> , 2008, 10, 243-249.	2.8	243
5	The $\zeta$ -Potential of Glass Surface in Contact with Aqueous Solutions. <i>Journal of Colloid and Interface Science</i> , 2000, 226, 328-339.	9.4	171
6	Electrokinetic motion of particles and cells in microchannels. <i>Microfluidics and Nanofluidics</i> , 2009, 6, 431-460.	2.2	171
7	Micromixing using induced-charge electrokinetic flow. <i>Electrochimica Acta</i> , 2008, 53, 5827-5835.	5.2	144
8	Multiscale phenomena in microfluidics and nanofluidics. <i>Chemical Engineering Science</i> , 2007, 62, 3443-3454.	3.8	135
9	Continuous particle separation with localized AC-dielectrophoresis using embedded electrodes and an insulating hurdle. <i>Electrochimica Acta</i> , 2009, 54, 1715-1720.	5.2	113
10	DC-dielectrophoretic separation of microparticles using an oil droplet obstacle. <i>Lab on A Chip</i> , 2006, 6, 274-279.	6.0	97
11	Electroosmotic Flow in Heterogeneous Microchannels. <i>Journal of Colloid and Interface Science</i> , 2001, 243, 255-261.	9.4	96
12	Effect of Joule heating on electrokinetic transport. <i>Electrophoresis</i> , 2008, 29, 994-1005.	2.4	93
13	Microchannel Flow with Patchwise and Periodic Surface Heterogeneity. <i>Langmuir</i> , 2002, 18, 8949-8959.	3.5	71
14	Continuous Cell Characterization and Separation by Microfluidic Alternating Current Dielectrophoresis. <i>Analytical Chemistry</i> , 2019, 91, 6304-6314.	6.5	62
15	In-situ silica nanoparticle assembly technique to develop an omniphobic membrane for durable membrane distillation. <i>Desalination</i> , 2021, 499, 114832.	8.2	53
16	An integrated microfluidic device for rapid and high-sensitivity analysis of circulating tumor cells. <i>Scientific Reports</i> , 2017, 7, 42612.	3.3	52
17	Microfluidic and Nanofluidic Resistive Pulse Sensing: A Review. <i>Micromachines</i> , 2017, 8, 204.	2.9	52
18	Eccentric electrophoretic motion of a sphere in circular cylindrical microchannels. <i>Microfluidics and Nanofluidics</i> , 2005, 1, 234-241.	2.2	50

#	ARTICLE	IF	CITATIONS
19	Three-Dimensional Structure of Electroosmotic Flow over Heterogeneous Surfaces. Journal of Physical Chemistry B, 2003, 107, 12212-12220.	2.6	48
20	Experimental validation of induced-charge electrokinetic motion of electrically conducting particles. Electrochimica Acta, 2013, 87, 270-276.	5.2	47
21	Dielectrophoretic Force on a Sphere near a Planar Boundary. Langmuir, 2005, 21, 12037-12046.	3.5	45
22	Dielectric Force and Relative Motion between Two Spherical Particles in Electrophoresis. Langmuir, 2006, 22, 1602-1608.	3.5	45
23	A microfluidic chip for heterogeneous immunoassay using electrokinetical control. Microfluidics and Nanofluidics, 2005, 1, 346-355.	2.2	43
24	A Label-Free Microfluidic Biosensor for Activity Detection of Single Microalgae Cells Based on Chlorophyll Fluorescence. Sensors, 2013, 13, 16075-16089.	3.8	42
25	Counting bacteria on a microfluidic chip. Analytica Chimica Acta, 2010, 681, 82-86.	5.4	41
26	Joule heating effects on electroosmotic entry flow. Electrophoresis, 2017, 38, 572-579.	2.4	41
27	Near-wall electrophoretic motion of spherical particles in cylindrical capillaries. Journal of Colloid and Interface Science, 2005, 289, 286-290.	9.4	38
28	Induced charge effects on electrokinetic entry flow. Physics of Fluids, 2017, 29, .	4.0	35
29	Separation of nanoparticles by a nano-orifice based DC-dielectrophoresis method in a pressure-driven flow. Nanoscale, 2016, 8, 18945-18955.	5.6	34
30	Electrokinetic preconcentration of particles and cells in microfluidic reservoirs. Analyst, The, 2015, 140, 2869-2875.	3.5	33
31	Simultaneous diamagnetic and magnetic particle trapping in ferrofluid microflows via a single permanent magnet. Biomicrofluidics, 2015, 9, 044102.	2.4	32
32	Nanoparticle detection by microfluidic Resistive Pulse Sensor with a submicron sensing gate and dual detecting channels-two stage differential amplifier. Sensors and Actuators B: Chemical, 2011, 155, 930-936.	7.8	30
33	A novel microfluidic resistive pulse sensor with multiple voltage input channels and a side sensing gate for particle and cell detection. Analytica Chimica Acta, 2019, 1052, 113-123.	5.4	28
34	DC dielectrophoresis separation of marine algae and particles in a microfluidic chip. Science China Chemistry, 2012, 55, 524-530.	8.2	27
35	Capacitive detection of living microalgae in a microfluidic chip. Sensors and Actuators B: Chemical, 2014, 194, 164-172.	7.8	27
36	Electrophoretic mobility of oil droplets in electrolyte and surfactant solutions. Electrophoresis, 2015, 36, 2489-2497.	2.4	26

#	ARTICLE	IF	CITATIONS
37	Detection of size spectrum of microalgae cells in an integrated underwater microfluidic device. Journal of Experimental Marine Biology and Ecology, 2015, 473, 129-137.	1.5	26
38	Recent advances in dielectrophoresisâ€¢based cell viability assessment. Electrophoresis, 2020, 41, 917-932.	2.4	22
39	Smartphone based microfluidic lab-on-chip device for real-time detection, counting and sizing of living algae. Measurement: Journal of the International Measurement Confederation, 2022, 187, 110304.	5.0	22
40	Focusing particles by induced charge electrokinetic flow in a microchannel. Electrophoresis, 2016, 37, 666-675.	2.4	21
41	Manipulation and separation of oil droplets by using asymmetric nano-orifice induced DC dielectrophoretic method. Journal of Colloid and Interface Science, 2018, 512, 389-397.	9.4	21
42	Automatic particle detection and sorting in an electrokinetic microfluidic chip. Electrophoresis, 2013, 34, 684-690.	2.4	20
43	AC dielectrophoretic deformable particleâ€¢particle interactions and their relative motions. Electrophoresis, 2020, 41, 952-958.	2.4	20
44	Deformation and Interaction of Droplet Pairs in a Microchannel Under ac Electric Fields. Physical Review Applied, 2015, 4, .	3.8	19
45	Vortex trapping and separation of particles in shear thinning fluids. Applied Physics Letters, 2020, 116, .	3.3	19
46	Highâ€¢throughput and sensitive particle counting by a novel microfluidic differential resistive pulse sensor with multidetecting channels and a common reference channel. Electrophoresis, 2015, 36, 495-501.	2.4	18
47	Electrokinetic motion of a spherical polystyrene particle at a liquid-fluid interface. Journal of Colloid and Interface Science, 2018, 509, 432-439.	9.4	16
48	An induction current method for determining the critical micelle concentration and the polarity of surfactants. Colloid and Polymer Science, 2015, 293, 1525-1534.	2.1	15
49	Sizeâ€¢based cell sorting with a resistive pulse sensor and an electromagnetic pump in a microfluidic chip. Electrophoresis, 2015, 36, 398-404.	2.4	15
50	Sheathless electrokinetic particle separation in a bifurcating microchannel. Biomicrofluidics, 2016, 10, 054104.	2.4	15
51	Surface-conduction enhanced dielectrophoretic-like particle migration in electric-field driven fluid flow through a straight rectangular microchannel. Physics of Fluids, 2017, 29, .	4.0	15
52	Insulatorâ€¢based dielectrophoretic focusing and trapping of particles in nonâ€¢Newtonian fluids. Electrophoresis, 2021, 42, 2154-2161.	2.4	15
53	Ionic Diode Based on an Asymmetricâ€¢Shaped Carbon Black Nanoparticle Membrane. Advanced Functional Materials, 2021, 31, 2104341.	14.9	15
54	Translational motion of a spherical particle near a planar liquidâ€¢fluid interface. Journal of Colloid and Interface Science, 2008, 319, 344-352.	9.4	14

#	ARTICLE	IF	CITATIONS
55	Electrokinetic motion of a spherical micro particle at an oil/water interface in microchannel. Electrophoresis, 2018, 39, 807-815.	2.4	14
56	A simple, flexible, and porous polypyrrole/wax gourd evaporator with excellent light absorption for efficient solar steam generation. International Journal of Energy Research, 2021, 45, 21476-21486.	4.5	14
57	Tunable particle/cell separation across aqueous two-phase system interface by electric pulse in microfluidics. Journal of Colloid and Interface Science, 2022, 612, 23-34.	9.4	14
58	Effects of sodium hypochlorite treatment on the chlorophyll fluorescence in photosystem II of microalgae. Science of the Total Environment, 2022, 833, 155192.	8.0	14
59	Improving particle detection sensitivity of a microfluidic resistive pulse sensor by a novel electrokinetic flow focusing method. Microfluidics and Nanofluidics, 2017, 21, 1.	2.2	13
60	Electrokinetic motion of a submerged oil droplet near an air/water interface. Chemical Engineering Science, 2018, 192, 264-272.	3.8	13
61	Automatic detecting and counting magnetic beads-labeled target cells from a suspension in a microfluidic chip. Electrophoresis, 2019, 40, 897-905.	2.4	13
62	Zeta potentials of PDMS surfaces modified with poly(ethylene glycol) by physisorption. Electrophoresis, 2020, 41, 761-768.	2.4	13
63	Detecting zeta potential of polydimethylsiloxane (PDMS) in electrolyte solutions with atomic force microscope. Journal of Colloid and Interface Science, 2020, 578, 116-123.	9.4	13
64	ALGAE DETECTION AND SHIP'S BALLAST WATER ANALYSIS BY A MICROFLUIDIC LAB-ON-CHIP DEVICE. Instrumentation Science and Technology, 2012, 40, 305-315.	1.8	12
65	Induced-charge electrokinetics in a conducting nanochannel with broken geometric symmetry: Towards a flexible control of ionic transport. Physics of Fluids, 2015, 27, .	4.0	12
66	Quantitative evaluation of radiation dose by $\gamma$ -H2AX on a microfluidic chip in a miniature fluorescence cytometer. Radiation Measurements, 2014, 62, 71-77.	1.4	11
67	An induced current method for measuring zeta potential of electrolyte solution/air interface. Journal of Colloid and Interface Science, 2014, 416, 101-104.	9.4	11
68	A novel method for measuring zeta potentials of solid/liquid interfaces. Analytica Chimica Acta, 2015, 853, 689-695.	5.4	11
69	Zeta potentials of polydimethylsiloxane surfaces modified by polybrene of different concentrations. Electrophoresis, 2016, 37, 567-572.	2.4	11
70	Detection of activity of single microalgae cells in a new microfluidic cell capturing chip. Measurement Science and Technology, 2016, 27, 125701.	2.6	11
71	Vortex generation in electroosmotic flow in a straight polydimethylsiloxane microchannel with different polybrene modified-to-unmodified section length ratios. Microfluidics and Nanofluidics, 2019, 23, 1.	2.2	11
72	Flow of Non-Newtonian Fluids in a Single-Cavity Microchannel. Micromachines, 2021, 12, 836.	2.9	11

#	ARTICLE	IF	CITATIONS
73	A new hand-held microfluidic cytometer for evaluating irradiation damage by analysis of the damaged cells distribution. Scientific Reports, 2016, 6, 23165.	3.3	10
74	Charge-based separation of particles and cells with similar sizes via the wall-induced electrical lift. Electrophoresis, 2017, 38, 320-326.	2.4	10
75	Electrokinetic-vortex formation near a two-part cylinder with same-sign zeta potentials in a straight microchannel. Electrophoresis, 2020, 41, 793-801.	2.4	10
76	Insights into the impact of polydopamine modification on permeability and anti-fouling performance of forward osmosis membrane. Chemosphere, 2022, 291, 132744.	8.2	10
77	Near-infrared surface plasmon resonance sensor with a graphene-gold surface architecture for ultra-sensitive biodetection. Analytica Chimica Acta, 2022, 1205, 339692.	5.4	10
78	Nanoparticle and microorganism detection with a side-micron-orifice-based resistive pulse sensor. Analyst, The, 2020, 145, 5466-5474.	3.5	9
79	Joule heating-enabled electrothermal enrichment of nanoparticles in insulator-based dielectrophoretic microdevices. Electrophoresis, 2021, 42, 626-634.	2.4	9
80	Constriction length dependent instabilities in the microfluidic entry flow of polymer solutions. Soft Matter, 2021, 17, 9198-9209.	2.7	9
81	Electrokinetic Motion of an Oil Droplet Attached to a Water-Air Interface from Below. Journal of Physical Chemistry B, 2018, 122, 1738-1746.	2.6	8
82	Detection of viability of micro-algae cells by optofluidic hologram pattern. Biomicrofluidics, 2018, 12, 024111.	2.4	8
83	Revisit of wall-induced lateral migration in particle electrophoresis through a straight rectangular microchannel: Effects of particle zeta potential. Electrophoresis, 2019, 40, 955-960.	2.4	8
84	Electrokinetic detection and separation of living algae in a microfluidic chip: implication for ship's ballast water analysis. Environmental Science and Pollution Research, 2021, 28, 22853-22863.	5.3	8
85	Conductivity-difference-enhanced DC dielectrophoretic particle separation in a microfluidic chip. Analyst, The, 2022, 147, 1106-1116.	3.5	8
86	Automatic and Selective Single Cell Manipulation in a Pressure-Driven Microfluidic Lab-On-Chip Device. Micromachines, 2017, 8, 172.	2.9	7
87	A Fiber-Optic Surface Plasmon Resonance Sensor for Bio-Detection in Visible to Near-Infrared Images. Biosensors, 2022, 12, 9.	4.7	7
88	Effect of induced surface charge of metal particles on particle sizing by resistive pulse sensing technique. Journal of Colloid and Interface Science, 2014, 423, 20-24.	9.4	6
89	Coalescence of a Water Drop with an Air-Liquid Interface: Electric Current Generation and Critical Micelle Concentration (CMC) Sensing Application. ACS Applied Materials & Interfaces, 2019, 11, 16981-16990.	8.0	6
90	Simultaneous and continuous particle separation and counting via localized DC-dielectrophoresis in a microfluidic chip. RSC Advances, 2021, 11, 3827-3833.	3.6	6

#	ARTICLE	IF	CITATIONS
91	Novel strategy to enhance the desalination performance of flow-electrode capacitive deionization process via the assistance of electro-catalytic water splitting. Separation and Purification Technology, 2021, 279, 119753.	7.9	6
92	A Novel Dielectric Barrier Discharge (DBD) Reactor with Streamer and Glow Corona Discharge for Improved Ozone Generation at Atmospheric Pressure. Micromachines, 2021, 12, 1287.	2.9	6
93	Thin liquid film between a floating oil droplet and a glass slide under DC electric field. Journal of Colloid and Interface Science, 2019, 534, 262-269.	9.4	5
94	Electrokinetically driven continuous-flow enrichment of colloidal particles by Joule heating induced temperature gradient focusing in a convergent-divergent microfluidic structure. Scientific Reports, 2017, 7, 10803.	3.3	4
95	Corrosion of marine carbon steel by electrochemically treated ballast water. Journal of Marine Engineering and Technology, 2009, 8, 49-55.	4.1	3
96	Electrokinetic motion of a micro oil droplet under a glass slide. Electrophoresis, 2019, 40, 1034-1040.	2.4	3
97	Quantitative viability detection for a single microalgae cell by two-level photoexcitation. Analyst, The, 2020, 145, 3931-3938.	3.5	3
98	Interplay of induced charge electroosmosis and electrothermal flow in insulator-based dielectrophoresis. Physical Review Fluids, 2021, 6, .	2.5	3
99	Fluid rheological effects on streaming dielectrophoresis in a postâ€array microchannel. Electrophoresis, 2022, 43, 717-723.	2.4	3
100	Sizeâ€dependent electrophoretic motion of polystyrene particles at polyethylene glycolâ€dextran interfaces. Electrophoresis, 2022, 43, 2112-2119.	2.4	3
101	Living algae detection with a PDMS-liquid chlorophyll fluorescence microfluidic chip filter and a smartphone. Analyst, The, 2022, 147, 3723-3731.	3.5	1
102	Probing zeta potential of glass in electrolyte solutions by colloidal probe technique. , 2021, , .		0