

# MarÃ-a-EncarnaciÃ³n FernÃ¡ndez-cont

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2335825/publications.pdf>

Version: 2024-02-01

7  
papers

85  
citations

1478505

6  
h-index

1720034

7  
g-index

7  
all docs

7  
docs citations

7  
times ranked

173  
citing authors

#	ARTICLE	IF	CITATIONS
1	Overexpression of insulin receptor substrate-4 is correlated with clinical staging in colorectal cancer patients. <i>Journal of Molecular Histology</i> , 2018, 49, 39-49.	2.2	12
2	Ratio of Circulating Estrogen Receptors Beta and Alpha (ER <sup>β</sup> /ER <sup>α</sup> ) Indicates Endoscopic Activity in Patients with Crohn's Disease. <i>Digestive Diseases and Sciences</i> , 2017, 62, 2744-2754.	2.3	22
3	Influence of thymidylate synthase DNA polymorphisms and gender on the clinical evolution of patients with advanced colorectal cancer. <i>Oncology Reports</i> , 2010, 23, 1393-400.	2.6	12
4	Combination of polymorphisms within 5' and 3' untranslated regions of thymidylate synthase gene modulates survival in 5 fluorouracil-treated colorectal cancer patients. <i>International Journal of Oncology</i> , 2009, 34, 219-29.	3.3	9
5	Intratumoral Lymphatic Vessels and VEGF-C Expression Are Predictive Factors of Lymph Node Relapse in T1-T4 NO Laryngopharyngeal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2006, 14, 248-257.	1.5	19
6	Thymidylate synthase expression pattern, expression level and single nucleotide polymorphism are predictors for disease-free survival in patients of colorectal cancer treated with 5-fluorouracil. <i>International Journal of Oncology</i> , 2006, 28, 1303-10.	3.3	7
7	Thymidylate synthase expression pattern is a prognostic factor in patients of colorectal cancer treated with 5-fluorouracil. <i>International Journal of Oncology</i> , 2004, 25, 877-85.	3.3	4