
## Takuya Kanamaru

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2336138/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Carotid ultrasound findings among patients successfully treated with endovascular thrombectomy for atherosclerotic internal carotid artery origin occlusion. Nosotchu, 2021, 43, 320-326.	0.1	0
2	Global Impact of COVID-19 on Stroke Care and IV Thrombolysis. Neurology, 2021, 96, e2824-e2838.	1.1	95
3	Pre-stroke cognitive impairment in acute ischemic stroke patients predicts poor functional outcome after mechanical thrombectomy. Neurological Sciences, 2021, 42, 4629-4635.	1.9	5
4	Decline in subarachnoid haemorrhage volumes associated with the first wave of the COVID-19 pandemic. Stroke and Vascular Neurology, 2021, 6, 542-552.	3.3	35
5	Fluid-Attenuated Inversion Recovery May Serve As a Tissue Clock in Patients Treated With Endovascular Thrombectomy. Stroke, 2021, 52, 2232-2240.	2.0	5
6	Cholesterol Crystal in Thrombus Removed by Mechanical Thrombectomy Should be a Strong Marker for Aortogenic Embolic Stroke. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 105178.	1.6	5
7	Impact of complete recanalization on clinical recovery in cardioembolic stroke patients with M2 occlusion. Journal of the Neurological Sciences, 2020, 415, 116873.	0.6	9
8	Association between mitral regurgitation and clinical outcome after endovascular thrombectomy in stroke patients. Neurological Research, 2020, 42, 605-611.	1.3	1
9	Early Cognitive Impairment after Minor Stroke: Associated Factors and Functional Outcome. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 104749.	1.6	17
10	Reducing door-to-reperfusion time in acute stroke endovascular therapy using magnetic resonance imaging as a screening modality. Journal of NeuroInterventional Surgery, 2020, 12, 1080-1084.	3.3	3
11	Good recanalization is associated with long term favorable outcomes in acute stroke patients with large vessel occlusion treated with endovascular therapy. Journal of the Neurological Sciences, 2020, 416, 117009.	0.6	1
12	Early Cognitive Assessment Following Acute Stroke: Feasibility and Comparison between Mini-Mental State Examination and Montreal Cognitive Assessment. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 104688.	1.6	21
13	Association between initial NIHSS score and recanalization rate after endovascular thrombectomy. Journal of the Neurological Sciences, 2019, 403, 127-132.	0.6	28
14	Design and rationale of the STroke secondary prevention with catheter ABLation and EDoxaban clinical trial in patients with non-valvular atrial fibrillation: The STABLED study. Journal of Cardiology, 2019, 74, 539-542.	1.9	5
15	Safety of Anticoagulant Therapy Including Direct Oral Anticoagulants in Patients With Acute Spontaneous Intracerebral Hemorrhage. Circulation Journal, 2019, 83, 441-446.	1.6	12
16	Presence of Plaque Neovascularization on Optical Frequency Domain Imaging Predicts Progression of Carotid Artery Stenosis. World Neurosurgery, 2019, 127, e330-e336.	1.3	2
17	Ischemic stroke during anticoagulant interruption by healthcare professionals in stroke patients with atrial fibrillation. Journal of the Neurological Sciences, 2019, 400, 113-118.	0.6	5
18	Accurate etiology diagnosis in patients with stroke and atrial fibrillation: A role for brain natriuretic peptide. Journal of the Neurological Sciences, 2019, 400, 153-157.	0.6	10

Takuya Kanamaru

#	Article	IF	CITATIONS
19	Characteristics of Acute Spontaneous Intracerebral Hemorrhage in Patients Receiving Oral Anticoagulants. Journal of Stroke and Cerebrovascular Diseases, 2019, 28, 1007-1014.	1.6	8
20	Preliminary Experience of Preoperative Modification of Platelet Aggregation. Journal of Neuroendovascular Therapy, 2019, 13, 250-256.	0.1	2
21	Anticoagulants, Reperfusion Therapy, and Outcomes in Ischemic Stroke Patients With Non-Valvular Atrial Fibrillation ― A Single-Center, 6-Year Experience of 546 Consecutive Patients ―. Circulation Journal, 2018, 82, 2647-2654.	1.6	8
22	Insufficient Warfarin Therapy Is Associated With Higher Severity of Stroke Than No Anticoagulation in Patients With Atrial Fibrillation and Acute Anterior-Circulation Stroke. Circulation Journal, 2018, 82, 1437-1442.	1.6	9
23	Low Free Triiodothyronine Predicts 3-Month Poor Outcome After Acute Stroke. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 2804-2809.	1.6	12
24	High urinary albumin/creatinine ratio at admission predicts poor functional outcome in patients with acute ischaemic stroke. Nephrology, 2017, 22, 199-204.	1.6	1
25	Urinary albumin-to-creatinine ratio is associated with white matter lesions severity in first-ever stroke patients. Journal of the Neurological Sciences, 2017, 373, 258-262.	0.6	6
26	Albuminuria predicts early neurological deterioration in patients with acute ischemic stroke. Journal of the Neurological Sciences, 2017, 372, 417-420.	0.6	21
27	Feasibility of using magnetic resonance imaging as a screening tool for acute stroke thrombolysis. Journal of the Neurological Sciences, 2016, 368, 168-172.	0.6	10
28	Low free triiodothyronine predicts poor functional outcome after acute ischemic stroke. Journal of the Neurological Sciences, 2016, 368, 89-93.	0.6	37
29	Oxidative stress accelerates amyloid deposition and memory impairment in a double-transgenic mouse model of Alzheimer's disease. Neuroscience Letters, 2015, 587, 126-131.	2.1	48
30	Intravenous transplantation of bone marrow-derived mononuclear cells prevents memory impairment in transgenic mouse models of Alzheimer's disease. Brain Research, 2015, 1605, 49-58.	2.2	22
31	A Case of Wallenberg Syndrome due to Vertebral Artery Dissection. Nihon Ika Daigaku Igakkai Zasshi, 2011, 7, 175-178.	0.0	Ο