

Tiziana Pivetta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2337622/publications.pdf>

Version: 2024-02-01

45
papers

1,034
citations

361413
20
h-index

434195
31
g-index

46
all docs

46
docs citations

46
times ranked

1560
citing authors

#	ARTICLE	IF	CITATIONS
1	Coordination compounds in cancer: Past, present and perspectives. Journal of Applied Biomedicine, 2015, 13, 79-103.	1.7	113
2	Potentiometric, spectrophotometric and calorimetric study on iron(III) and copper(II) complexes with 1,2-dimethyl-3-hydroxy-4-pyridinone. Journal of Inorganic Biochemistry, 2008, 102, 684-692.	3.5	95
3	Effect of substituents on complex stability aimed at designing new iron(III) and aluminum(III) chelators. Journal of Inorganic Biochemistry, 2009, 103, 227-236.	3.5	70
4	Iron(III) and aluminum(III) complexes with hydroxypyrrone ligands aimed to design kojic acid derivatives with new perspectives. Journal of Inorganic Biochemistry, 2010, 104, 560-569.	3.5	55
5	A Windmill-Shaped Hexacopper(II) Molecule Built Up by Template Core-Controlled Expansion of Diaquatetrakis(1/42-adeninato-N3,N9)dicopper(II) with Aqua(oxydiacetato)copper(II). Inorganic Chemistry, 2006, 45, 877-882.	4.0	51
6	Mixed-1,10-phenanthroline-Cu(II) complexes: Synthesis, cytotoxic activity versus hematological and solid tumor cells and complex formation equilibria with glutathione. Journal of Inorganic Biochemistry, 2012, 114, 28-37.	3.5	41
7	Novel copper(II) complexes as new promising antitumour agents. A crystal structure of [Cu(1,10-phenanthroline-5,6-dione) 2 (OH 2)(OCIO 3)](ClO 4). Journal of Inorganic Biochemistry, 2014, 141, 103-113.	3.5	32
8	Equilibrium study on Cd(II) and Zn(II) chelates of mercapto carboxylic acids. Polyhedron, 2002, 21, 1319-1327.	2.2	30
9	Extraction, Separation and Isolation of Volatiles and Dyes from <i>Calendula officinalis</i> L. and <i>Aloysia triphylla</i> (L'Her.) Britton by Supercritical CO ₂ . Journal of Essential Oil Research, 2003, 15, 350-355.	2.7	28
10	Development and validation of a general approach to predict and quantify the synergism of anti-cancer drugs using experimental design and artificial neural networks. Talanta, 2013, 115, 84-93.	5.5	28
11	Speciation of the Potential Antitumor Agent Vanadocene Dichloride in the Blood Plasma and Model Systems. Inorganic Chemistry, 2015, 54, 8237-8250.	4.0	28
12	Thiodiacetato-copper(II) chelates with or without N-heterocyclic donor ligands: molecular and/or crystal structures of [Cu(tda) _n], [Cu(tda)(Him) ₂ (H ₂ O)] and [Cu(tda)(5Mphen)]·2H ₂ O (Him=imidazole,) Tj ETQq0240 rgBT 20overlock 1	2.4	20
13	Copper(II) Phenanthroline-Based Complexes as Potential AntiCancer Drugs: A Walkthrough on the Mechanisms of Action. Molecules, 2022, 27, 49.	3.8	26
14	Structural correlations in nickel(II)-thiodiacetato complexes: molecular and crystal structures and properties of [Ni(tda)(H ₂ O) ₃]. Inorganic Chemistry Communication, 2004, 7, 1277-1280.	3.9	25
15	Essential oil composition and variability of <i>Laurus nobilis</i> L. growing in Tunisia, comparison and chemometric investigation of different plant organs. Natural Product Research, 2009, 23, 343-354.	1.8	25
16	A novel ratiometric and turn-on fluorescent coumarin-based probe for Fe(III). New Journal of Chemistry, 2019, 43, 12032-12041.	2.8	24
17	Mixed copper-platinum complex formation could explain synergistic antiproliferative effect exhibited by binary mixtures of cisplatin and copper-1,10-phenanthroline compounds: An ESI-MS study. Journal of Inorganic Biochemistry, 2015, 151, 107-114.	3.5	23
18	Competitive reactions among glutathione, cisplatin and copper-phenanthroline complexes. Journal of Inorganic Biochemistry, 2017, 173, 126-133.	3.5	22

#	ARTICLE	IF	CITATIONS
19	Substituent effects on ionisation and ^{13}C NMR properties of some monosubstituted phenols: A potentiometric, spectrophotometric and ^{13}C NMR study. <i>Talanta</i> , 2002, 56, 441-449.	5.5	21
20	Mixed copper(II)-phenanthroline complexes induce cell death of ovarian cancer cells by evoking the unfolded protein response. <i>Metallomics</i> , 2019, 11, 1481-1489.	2.4	21
21	Potentiometric and spectrophotometric equilibrium study on Fe(III) and new catechol-bisphosphonate conjugates. <i>Journal of Inorganic Biochemistry</i> , 2008, 102, 209-215.	3.5	20
22	Synthesis, structural characterization, formation constants and in vitro cytotoxicity of phenanthroline and imidazolidine-2-thione copper(II) complexes. <i>Journal of Inorganic Biochemistry</i> , 2011, 105, 329-338.	3.5	20
23	Novel coumarins and related copper complexes with biological activity: DNA binding, molecular docking and in vitro antiproliferative activity. <i>Journal of Inorganic Biochemistry</i> , 2017, 177, 101-109.	3.5	20
24	The first copper(II) complex with 1,10-phenanthroline and salubrinol with interesting biochemical properties. <i>Metallomics</i> , 2020, 12, 891-901.	2.4	20
25	Towards a new attenuating compound: A potentiometric, spectrophotometric and NMR equilibrium study on Fe(III), Al(III) and a new tetradentate mixed bisphosphonate-hydroxypyridinonate ligand. <i>Journal of Inorganic Biochemistry</i> , 2008, 102, 1486-1494.	3.5	19
26	Gold and palladium oxidation/complexation in water by a thioamide-iodine leaching system. <i>Green Chemistry</i> , 2017, 19, 4591-4599.	9.0	17
27	Extraction, Separation and Isolation of Volatiles and Dyes from <i>Calendula officinalis</i> L. and <i>Aloysia triphylla</i> (L'Her.) Britton by Supercritical CO_2 . <i>Journal of Essential Oil Research</i> , 2003, 15, 272-277.	2.7	16
28	(1,3-Dimethylimidazolidine-2-selone- I^{Se})bis(1,10-phenanthroline- I^{N})bis(perchlorate) and bis(2,2'-bipyridyl- I^{N})(imidazolidine-2-thione- I^{S})copper(II) bis(perchlorate). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2007, 63, m364-m367.	0.4	14
29	Synthesis, protonation constants and biological activity determination of amino acid-salicylaldehyde-derived Schiff bases. <i>Amino Acids</i> , 2020, 52, 397-407.	2.7	13
30	Multivariate Calibration Approach for Quantitative Determination of Cell-Line Cross Contamination by Intact Cell Mass Spectrometry and Artificial Neural Networks. <i>PLoS ONE</i> , 2016, 11, e0147414.	2.5	13
31	Evaluation of a Fibre Optic Device in Solution Equilibria Studies. Application to 3-Hydroxybenzoic Acid Ionization. <i>Annali Di Chimica</i> , 2004, 94, 147-153.	0.6	12
32	N,N'-Ethylenediaminobis(benzylphosphonic acids) as a potent class of chelators for metal ions. <i>Inorganica Chimica Acta</i> , 2009, 362, 707-713.	2.4	10
33	Cisplatin, glutathione and the third wheel: a copper-(1,10-phenanthroline) complex modulates cisplatin-GSH interactions from antagonism to synergism in cancer cells resistant to cisplatin. <i>RSC Advances</i> , 2019, 9, 5362-5376.	3.6	9
34	Spectrophotometric and potentiometric study on platinum(II) chelates of mercapto carboxylic acids. <i>Polyhedron</i> , 2000, 19, 2435-2440.	2.2	7
35	Zinc(II)-methimazole complexes: synthesis and reactivity. <i>Dalton Transactions</i> , 2015, 44, 9805-9814.	3.3	7
36	Mass spectrometric discrimination of phospholipid patterns in cisplatin-resistant and -sensitive cancer cells. <i>Rapid Communications in Mass Spectrometry</i> , 2019, 33, 97-106.	1.5	6

#	ARTICLE	IF	CITATIONS
37	Interaction between aspergillilic acid and iron(III): A potentiometric, UV-Vis, ¹ H NMR and quantum chemical study. Polyhedron, 2009, 28, 763-768.	2.2	5
38	Oxidant/complexing properties of the methimazole (MelmHS)/iodine system towards palladium and gold metals. Crystal structure of the complex cation [Pd ^{II} (MelmHS) ₄] ²⁺ balanced by a tetraiodide/iodide mixture. New Journal of Chemistry, 2020, 44, 2652-2660.	2.8	5
39	Spectrophotometric and potentiometric study on iron(II) complexes with some macrocyclic ligands. Inorganica Chimica Acta, 2001, 323, 62-68.	2.4	4
40	Coordination Chemistry and Sensing Properties Towards Anions and Metal Ions of a Simple Fluorescent Urea. European Journal of Inorganic Chemistry, 2021, 2021, 3878.	2.0	3
41	Hydroxylated 3-(pyridin-2-yl)coumarins as radical scavengers with potent lipoxygenase inhibitor activity. New Journal of Chemistry, 2021, 45, 10749-10760.	2.8	3
42	Stabilization of caesium ions by simple organic molecules: crystal structures of Cs(OXL) (OXL =) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5. Cs ₃ (CYH ₃) ₄ (OH) ₃ (CYH ₃ = cyanuric acid). New Journal of Chemistry, 2021, 45, 3263-3270.	2.8	2
43	Intact Cell Mass Spectrometry for Embryonic Stem Cell Biotyping. , 0, , .		2
44	Specific electrolyte effects on hemoglobin in denaturing medium investigated through electro spray ionization mass spectrometry. Journal of Inorganic Biochemistry, 2022, 234, 111872.	3.5	2
45	A new assembly of diiodine molecules at the 1,3-dimethylimidazole-2-thione (Me ₂ ImS) template: crystal structure of (Me ₂ ImS) ₂ ·(I ₂) ₅ . New Journal of Chemistry, 0, , .	2.8	0