

Tiziana Pivetta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2337622/publications.pdf>

Version: 2024-02-01

45
papers

1,034
citations

361296

20
h-index

434063

31
g-index

46
all docs

46
docs citations

46
times ranked

1560
citing authors

#	ARTICLE	IF	CITATIONS
1	Copper(II) Phenanthroline-Based Complexes as Potential AntiCancer Drugs: A Walkthrough on the Mechanisms of Action. <i>Molecules</i> , 2022, 27, 49.	1.7	26
2	Specific electrolyte effects on hemoglobin in denaturing medium investigated through electro spray ionization mass spectrometry. <i>Journal of Inorganic Biochemistry</i> , 2022, 234, 111872.	1.5	2
3	Stabilization of caesium ions by simple organic molecules: crystal structures of Cs(OXL) (OXL = Tj ETQq1 1 0.784314 rgBT /Overlock Cs ₃ (CYH ₃) ₄ (OH) ₃ (CYH ₃ = cyanuric acid). <i>New Journal of Chemistry</i> , 2021, 45, 3263-3270.	1.4	2
4	Coordination Chemistry and Sensing Properties Towards Anions and Metal Ions of a Simple Fluorescent Urea. <i>European Journal of Inorganic Chemistry</i> , 2021, 2021, 3878.	1.0	3
5	Hydroxylated 3-(pyridin-2-yl)coumarins as radical scavengers with potent lipoxygenase inhibitor activity. <i>New Journal of Chemistry</i> , 2021, 45, 10749-10760.	1.4	3
6	Synthesis, protonation constants and biological activity determination of amino acid salicylaldehyde-derived Schiff bases. <i>Amino Acids</i> , 2020, 52, 397-407.	1.2	13
7	The first copper(II) complex with 1,10-phenanthroline and salubrinal with interesting biochemical properties. <i>Metallomics</i> , 2020, 12, 891-901.	1.0	20
8	Oxidant/complexing properties of the methimazole (MelmHS)/iodine system towards palladium and gold metals. Crystal structure of the complex cation [Pd ^{II} (MelmHS) ₄] ²⁺ balanced by a tetraiodide/iodide mixture. <i>New Journal of Chemistry</i> , 2020, 44, 2652-2660.	1.4	5
9	Mixed copper(II)-phenanthroline complexes induce cell death of ovarian cancer cells by evoking the unfolded protein response. <i>Metallomics</i> , 2019, 11, 1481-1489.	1.0	21
10	A novel ratiometric and turn-on fluorescent coumarin-based probe for Fe(III). <i>New Journal of Chemistry</i> , 2019, 43, 12032-12041.	1.4	24
11	Cisplatin, glutathione and the third wheel: a copper-(1,10-phenanthroline) complex modulates cisplatin-GSH interactions from antagonism to synergism in cancer cells resistant to cisplatin. <i>RSC Advances</i> , 2019, 9, 5362-5376.	1.7	9
12	Mass spectrometric discrimination of phospholipid patterns in cisplatin-resistant and -sensitive cancer cells. <i>Rapid Communications in Mass Spectrometry</i> , 2019, 33, 97-106.	0.7	6
13	Competitive reactions among glutathione, cisplatin and copper-phenanthroline complexes. <i>Journal of Inorganic Biochemistry</i> , 2017, 173, 126-133.	1.5	22
14	Novel coumarins and related copper complexes with biological activity: DNA binding, molecular docking and in vitro antiproliferative activity. <i>Journal of Inorganic Biochemistry</i> , 2017, 177, 101-109.	1.5	20
15	Gold and palladium oxidation/complexation in water by a thioamide-iodine leaching system. <i>Green Chemistry</i> , 2017, 19, 4591-4599.	4.6	17
16	Multivariate Calibration Approach for Quantitative Determination of Cell-Line Cross Contamination by Intact Cell Mass Spectrometry and Artificial Neural Networks. <i>PLoS ONE</i> , 2016, 11, e0147414.	1.1	13
17	Zinc(II)-methimazole complexes: synthesis and reactivity. <i>Dalton Transactions</i> , 2015, 44, 9805-9814.	1.6	7
18	Coordination compounds in cancer: Past, present and perspectives. <i>Journal of Applied Biomedicine</i> , 2015, 13, 79-103.	0.6	113

#	ARTICLE	IF	CITATIONS
19	Mixed copper-platinum complex formation could explain synergistic antiproliferative effect exhibited by binary mixtures of cisplatin and copper-1,10-phenanthroline compounds: An ESI-MS study. <i>Journal of Inorganic Biochemistry</i> , 2015, 151, 107-114.	1.5	23
20	Speciation of the Potential Antitumor Agent Vanadocene Dichloride in the Blood Plasma and Model Systems. <i>Inorganic Chemistry</i> , 2015, 54, 8237-8250.	1.9	28
21	Novel copper(II) complexes as new promising antitumour agents. A crystal structure of [Cu(1,10-phenanthroline-5,6-dione) 2 (OH 2)(OCIO 3)](ClO 4). <i>Journal of Inorganic Biochemistry</i> , 2014, 141, 103-113.	1.5	32
22	Development and validation of a general approach to predict and quantify the synergism of anti-cancer drugs using experimental design and artificial neural networks. <i>Talanta</i> , 2013, 115, 84-93.	2.9	28
23	Mixed-1,10-phenanthroline-Cu(II) complexes: Synthesis, cytotoxic activity versus hematological and solid tumor cells and complex formation equilibria with glutathione. <i>Journal of Inorganic Biochemistry</i> , 2012, 114, 28-37.	1.5	41
24	Synthesis, structural characterization, formation constants and in vitro cytotoxicity of phenanthroline and imidazolidine-2-thione copper(II) complexes. <i>Journal of Inorganic Biochemistry</i> , 2011, 105, 329-338.	1.5	20
25	Iron(III) and aluminum(III) complexes with hydroxypyrrone ligands aimed to design kojic acid derivatives with new perspectives. <i>Journal of Inorganic Biochemistry</i> , 2010, 104, 560-569.	1.5	55
26	N,N'-Ethylenediaminobis(benzylphosphonic acids) as a potent class of chelators for metal ions. <i>Inorganica Chimica Acta</i> , 2009, 362, 707-713.	1.2	10
27	Effect of substituents on complex stability aimed at designing new iron(III) and aluminum(III) chelators. <i>Journal of Inorganic Biochemistry</i> , 2009, 103, 227-236.	1.5	70
28	Interaction between aspergillic acid and iron(III): A potentiometric, UV-Vis, 1H NMR and quantum chemical study. <i>Polyhedron</i> , 2009, 28, 763-768.	1.0	5
29	Essential oil composition and variability of <i>Laurus nobilis</i> L. growing in Tunisia, comparison and chemometric investigation of different plant organs. <i>Natural Product Research</i> , 2009, 23, 343-354.	1.0	25
30	Potentiometric and spectrophotometric equilibrium study on Fe(III) and new catechol-bisphosphonate conjugates. <i>Journal of Inorganic Biochemistry</i> , 2008, 102, 209-215.	1.5	20
31	Potentiometric, spectrophotometric and calorimetric study on iron(III) and copper(II) complexes with 1,2-dimethyl-3-hydroxy-4-pyridinone. <i>Journal of Inorganic Biochemistry</i> , 2008, 102, 684-692.	1.5	95
32	Towards a new attenuating compound: A potentiometric, spectrophotometric and NMR equilibrium study on Fe(III), Al(III) and a new tetradentate mixed bisphosphonate-hydroxypyridinonate ligand. <i>Journal of Inorganic Biochemistry</i> , 2008, 102, 1486-1494.	1.5	19
33	(1,3-Dimethylimidazolidine-2-selone- μ -bis(1,10-phenanthroline- μ -2)- μ -bis(perchlorate) and bis(2,2'-bipyridyl- μ -2)- μ -bis(perchlorate)) (imidazolidine-2-thione- μ -S)-copper(II) bis(perchlorate). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2007, 63, 1061-1067.	0.4	14
34	A Windmill-Shaped Hexacopper(II) Molecule Built Up by Template Core-Controlled Expansion of Diaquatetrakis(1/4-adeninato-N3,N9)dicopper(II) with Aqua(oxydiacetato)copper(II). <i>Inorganic Chemistry</i> , 2006, 45, 877-882.	1.9	51
35	Thiodiacetato-copper(II) chelates with or without N-heterocyclic donor ligands: molecular and/or crystal structures of [Cu(tda) _n], [Cu(tda)(Him) ₂ (H ₂ O)] and [Cu(tda)(5Mphen)]·2H ₂ O (Him=imidazole,) Tj ETQq1.10.784327 rgBT		
36	Evaluation of a Fibre Optic Device in Solution Equilibria Studies. Application to 3-Hydroxybenzoic Acid Ionization. <i>Annali Di Chimica</i> , 2004, 94, 147-153.	0.6	12

#	ARTICLE	IF	CITATIONS
37	Structural correlations in nickel(II)â€“thiodiacetato complexes: molecular and crystal structures and properties of [Ni(tda)(H ₂ O) ₃]. <i>Inorganic Chemistry Communication</i> , 2004, 7, 1277-1280.	1.8	25
38	Extraction, Separation and Isolation of Volatiles and Dyes from <i>Calendula officinalis</i> L. and <i>Aloysia triphylla</i> (L'Her.) Britton by Supercritical CO ₂ . <i>Journal of Essential Oil Research</i> , 2003, 15, 350-355.	1.3	28
39	Extraction, Separation and Isolation of Volatiles and Dyes from <i>Calendula officinalis</i> L. and <i>Aloysia triphylla</i> (L'Her.) Britton by Supercritical CO ₂ . <i>Journal of Essential Oil Research</i> , 2003, 15, 272-277.	1.3	16
40	Substituent effects on ionisation and ¹³ C NMR properties of some monosubstituted phenols: potentiometric, spectrophotometric and ¹³ C NMR study. <i>Talanta</i> , 2002, 56, 441-449.	2.9	21
41	Equilibrium study on Cd(II) and Zn(II) chelates of mercapto carboxylic acids. <i>Polyhedron</i> , 2002, 21, 1319-1327.	1.0	30
42	Spectrophotometric and potentiometric study on iron(II) complexes with some macrocyclic ligands. <i>Inorganica Chimica Acta</i> , 2001, 323, 62-68.	1.2	4
43	Spectrophotometric and potentiometric study on platinum(II) chelates of mercapto carboxylic acids. <i>Polyhedron</i> , 2000, 19, 2435-2440.	1.0	7
44	Intact Cell Mass Spectrometry for Embryonic Stem Cell Biotyping. , 0, , .		2
45	A new assembly of diiodine molecules at the 1,3-dimethylimidazole-2-thione (Me ₂ ImS) template: crystal structure of (Me ₂ ImS) ₂ ·(I ₂) ₅ . <i>New Journal of Chemistry</i> , 0, , .	1.4	0