

Ehab Elkady

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2337974/ehab-elkady-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55
papers

437
citations

11
h-index

17
g-index

57
ext. papers

528
ext. citations

2.7
avg, IF

4.08
L-index

#	Paper	IF	Citations
55	Liquid chromatographic determination of sitagliptin either alone or in ternary mixture with metformin and sitagliptin degradation product. <i>Talanta</i> , 2011 , 85, 673-80	6.2	48
54	Simultaneous determination of diclofenac potassium and methocarbamol in ternary mixture with guaifenesin by reversed phase liquid chromatography. <i>Talanta</i> , 2010 , 82, 1604-7	6.2	35
53	Enhanced LC-MS/MS determination of alogliptin and metformin in plasma: Application to a pharmacokinetic study. <i>Microchemical Journal</i> , 2017 , 130, 360-365	4.8	25
52	Reversed-Phase Ion-Pair HPLC and TLC-Densitometric Methods for the Simultaneous Determination of Ciprofloxacin Hydrochloride and Metronidazole in Tablets. <i>Chromatographia</i> , 2011 , 73, 297-305	2.1	18
51	Development and validation of a reversed-phase column liquid chromatographic method for simultaneous determination of two novel gliptins in their binary mixtures with Metformin. <i>European Journal of Chemistry</i> , 2012 , 3, 152-155	0.6	18
50	Validated spectrophotometric methods for the simultaneous determination of ciprofloxacin hydrochloride and metronidazole in tablets. <i>Chemical and Pharmaceutical Bulletin</i> , 2011 , 59, 1485-93	1.9	17
49	Stability-indicating RP-LC method for determination of azilsartan medoxomil and chlorthalidone in pharmaceutical dosage forms: application to degradation kinetics. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 6701-12	4.4	15
48	Reversed-Phase Liquid Chromatographic Method for Determination of Daclatasvir Dihydrochloride and Study of Its Degradation Behavior. <i>Chromatographia</i> , 2017 , 80, 1101-1107	2.1	13
47	Simultaneous determination of timolol maleate in combination with some other anti-glaucoma drugs in rabbit aqueous humor by high performance liquid chromatography-tandem mass spectroscopy. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 1022, 109-117	3.2	13
46	LC-MS-MS simultaneous determination of atorvastatin and ezetimibe in human plasma. <i>Journal of Chromatographic Science</i> , 2014 , 52, 773-80	1.4	12
45	Spectrophotometric and spectrofluorimetric studies on azilsartan medoxomil and chlorthalidone to be utilized in their determination in pharmaceuticals. <i>Analytical Chemistry Insights</i> , 2014 , 9, 33-40		12
44	Analysis and bio-analysis of omarigliptin, trelagliptin and alogliptin: Applied to biological samples and degradation kinetic study. <i>Microchemical Journal</i> , 2019 , 148, 253-261	4.8	11
43	Improved reversed phase liquid chromatographic method with pulsed electrochemical detection for tobramycin in bulk and pharmaceutical formulation. <i>Journal of Pharmaceutical Analysis</i> , 2013 , 3, 161-167	1.4	11
42	Spectrofluorometric determination of linagliptin in bulk and in pharmaceutical dosage form. <i>European Journal of Chemistry</i> , 2014 , 5, 380-382	0.6	11
41	Simultaneous UPLC-MS/MS determination of antiepileptic agents for dose adjustment. <i>Biomedical Chromatography</i> , 2017 , 31, e3921	1.7	10
40	Simultaneous spectrophotometric determination of glimepiride and pioglitazone in binary mixture and combined dosage form using chemometric-assisted techniques. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017 , 182, 175-182	4.4	9
39	Validated Liquid Chromatographic Method for the Determination of (Canagliflozin, Dapagliflozin or Empagliflozin) and Metformin in the Presence of (1-Cyanoguanidine). <i>Journal of Chromatographic Science</i> , 2019 , 57, 697-707	1.4	9

38	Ion-Pair LC Method for Simultaneous Determination of Aliskiren Hemifumarate, Amlodipine Besylate and Hydrochlorothiazide in Pharmaceuticals. <i>Chromatographia</i> , 2014 , 77, 257-264	2.1	9
37	Simultaneous Determination of Aliskiren Hemifumarate, Amlodipine Besylate and Hydrochlorothiazide in Spiked Human Plasma Using UPLC-MS/MS. <i>Journal of Chromatographic Science</i> , 2015 , 53, 1178-84	1.4	9
36	Development and validation of a reversed phase liquid chromatographic method for the determination of three Gliptins and Metformin in the presence of Metformin impurity (1-cyanoguanidine). <i>European Journal of Chemistry</i> , 2013 , 4, 444-449	0.6	9
35	Simultaneous spectrophotometric determination of diclofenac potassium and methocarbamol in binary mixture using chemometric techniques and artificial neural networks. <i>Drug Testing and Analysis</i> , 2011 , 3, 228-33	3.5	9
34	Validated spectrofluorimetric methods for the determination of apixaban and tirofiban hydrochloride in pharmaceutical formulations. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017 , 174, 326-330	4.4	8
33	LC-MS/MS bioassay of four proton pump inhibitors. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1076, 61-69	3.2	8
32	Sequential liquid-liquid extraction coupled to LC-MS/MS for simultaneous determination of amlodipine, olmesartan and hydrochlorothiazide in plasma samples: Application to pharmacokinetic studies. <i>Microchemical Journal</i> , 2020 , 155, 104757	4.8	7
31	Spectrofluorometric Determination of Certain Antihyperlipidemic Agents in Bulk and Pharmaceutical Preparations. <i>Spectroscopy</i> , 2012 , 27, 83-92		7
30	A validated LC-MS/MS bioanalytical method for the simultaneous determination of dapagliflozin or saxagliptin with metformin in human plasma. <i>Microchemical Journal</i> , 2019 , 149, 104017	4.8	6
29	Simultaneous determination of sitagliptin and metformin in ternary mixture with sitagliptin acid degradation product. <i>European Journal of Chemistry</i> , 2013 , 4, 360-365	0.6	6
28	Forced degradation study to develop and validate stability-indicating RP-LC method for the determination of ciclesonide in bulk drug and metered dose inhalers. <i>Talanta</i> , 2011 , 87, 222-9	6.2	6
27	Validated LCMS/MS method for the determination of some prescribed CNS drugs: Application to an in vivo pharmacokinetic study of drug-herb metabolic interaction potential of khat. <i>Microchemical Journal</i> , 2020 , 158, 105261	4.8	6
26	Synchronized Determination of Four Antidiabetic and Antihyperlipidemic Drugs by a Validated LC Method. <i>Chromatographia</i> , 2017 , 80, 87-97	2.1	5
25	Spectrophotometric methods for the simultaneous determination of paracetamol and dantrolene sodium in pharmaceutical dosage form. <i>European Journal of Chemistry</i> , 2014 , 5, 96-100	0.6	5
24	Simultaneous determination of sildenafil citrate and some nitric oxide releasing drugs in human plasma using UPLC MS/MS. <i>Clinical Biochemistry</i> , 2014 , 47, 654-6	3.5	5
23	Simultaneous determination of miconazole and hydrocortisone or mometasone using reversed phase liquid chromatography. <i>European Journal of Chemistry</i> , 2012 , 3, 421-425	0.6	5
22	Indirect synchronous fluorescence spectroscopy and direct high-performance thin-layer chromatographic methods for enantioseparation of zopiclone and determination of chiral-switching eszopiclone: Evaluation of thermodynamic quantities of chromatographic separation. <i>Chirality</i> , 2019 , 31, 362-374	2.1	4
21	Simultaneous determination of ciprofloxacin hydrochloride and metronidazole in spiked human plasma by ultra performance liquid chromatography-tandem mass spectroscopy. <i>Journal of Applied Pharmaceutical Science</i> , 041-047	2	4

20	HPLC-UV vs. UPLC-DAD for Estimation of Tinidazole, Benzyl Alcohol and Hydrocortisone Acetate Simultaneously with Tioconazole and Its Related Impurities in Bulk and Pharmaceutical Formulations. <i>Analytical Chemistry Letters</i> , 2017 , 7, 153-169	1	3
19	Forced degradation study and validated stability-indicating RP-LC method for determination of nilotinib in bulk and capsules. <i>Acta Chromatographica</i> , 2014 , 26, 637-647	1.5	3
18	A Versatile Stability-indicating Liquid Chromatographic Method for the Simultaneous Determination of Atenolol, Hydrochlorothiazide and Chlorthalidone. <i>Current Pharmaceutical Analysis</i> , 2020 , 16, 1037-1051	0.6	3
17	A novel method for tizanidine hydrochloride determination in aqueous solution based on fluorescence quenching of functionalised CdS quantum dots as luminescent probes. <i>European Journal of Chemistry</i> , 2012 , 3, 40-43	0.6	3
16	A comparative study of HPLC-UV and UPLC-DAD methods for simultaneous estimation of aspirin and cilostazol in the presence of their related impurities in bulk and capsules. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2017 , 40, 190-198	1.3	2
15	Development and Validation of RP-HPLC Method for Simultaneous Estimation of Tiotropium Bromide, Formoterol Fumarate, and Olodaterol HCl in Bulk and Metered Dose Aerosols: Application to Olodaterol HCl Forced Degradation Study and Degradation Kinetics. <i>Chromatographia</i> , 2017 , 80, 1719-1728	2.1	2
14	RP-LC Method for the Determination of Seven Antiviral Drugs and Bioanalytical Application for Simultaneous Determination of Lamivudine and Penciclovir in Human Plasma. <i>Chromatographia</i> , 2018 , 81, 289-301	2.1	2
13	A new rapid and economic liquid chromatographic method for simultaneous determination of meglitinides with metformin: application in the presence of metformin and repaglinide impurities and related compounds. <i>Journal of the Iranian Chemical Society</i> , 2018 , 15, 61-74	2	2
12	Stability Indicating HPLC-UV vs. UPLC-DAD for Estimation of Atorvastatin Simultaneously with Aspirin, Clopidogrel and their Related Impurities in Bulk and Capsules. <i>Analytical Chemistry Letters</i> , 2017 , 7, 596-610	1	2
11	Development and validation of a stability-indicating RP-LC method for the simultaneous determination of otilonium bromide and its expected degradation product in bulk drug and pharmaceutical preparation. <i>European Journal of Chemistry</i> , 2016 , 7, 97-101	0.6	2
10	Analysis of Aspirin, Prasugrel and Clopidogrel in Counterfeit Pharmaceutical and Herbal Products: Plackett-Burman Screening and Box-Behnken Optimization. <i>Journal of Chromatographic Science</i> , 2021 , 59, 730-747	1.4	2
9	Analysis of Metformin and Five Gliptins in Counterfeit Herbal Products: Designs of Experiment Screening and Optimization. <i>Journal of AOAC INTERNATIONAL</i> , 2021 , 104, 1667-1680	1.7	2
8	Simultaneous Spectrophotometric Determination of Imipramine Hydrochloride with Chlordiazepoxide and Nortriptyline Hydrochloride with Fluphenazine Hydrochloride. <i>Analytical Letters</i> , 2017 , 50, 1778-1802	2.2	1
7	Study of gender-related pharmacokinetics of ezogabine in Egyptian volunteers by a validated LC-MS/MS bioanalytical method. <i>Journal of Advanced Research</i> , 2020 , 22, 99-104	13	1
6	A novel method for determination of tinidazole and metronidazole in aqueous solutions based on fluorescence quenching of functionalized CdS quantum dots as luminescent probes. <i>Future Journal of Pharmaceutical Sciences</i> , 2018 , 4, 185-190	2.1	1
5	Stability Indicating RP-HPLC Method for Simultaneous Determination of Bambuterol HCl and Na Benzoate in the Presence of Bambuterol HCl Alkaline Degradation Product in Bulk and Syrups: Application to Degradation Kinetics. <i>Analytical Chemistry Letters</i> , 2017 , 7, 689-705	1	0
4	Chiral and achiral liquid chromatographic separation of palonosetron hydrochloride and its related impurities utilizing two different stationary phases: Polysaccharide and alkyl amide columns. <i>Microchemical Journal</i> , 2021 , 168, 106398	4.8	0
3	RP-HPLC-UV Detection Method for the Simultaneous Determination of Econazole Nitrate, Triamcinolone Acetonide and Benzoic Acid in Ternary Mixture. <i>Current Pharmaceutical Analysis</i> , 2019 , 15, 738-744	0.6	

- | | | |
|---|---|-----|
| 2 | Bio-analytical methods for investigating the effect of age, body mass index and gender on the PK/PD ratio of antibiotics. <i>Biomedical Chromatography</i> , 2020 , 34, e4733 | 1.7 |
| 1 | Preparation and characterization of two new forced degradation products of letrozole and development of a stability-indicating RP-LC method for its determination. <i>Pakistan Journal of Pharmaceutical Sciences</i> , 2015 , 28, 2041-51 | 0.4 |