List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2339314/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Beyond liquid biopsy: Toward non-invasive assays for distanced cancer diagnostics in pandemics. Biosensors and Bioelectronics, 2022, 196, 113698. | 10.1 | 23 |
| 2 | Portable, low cost and sensitive cavity enhanced absorption (CEA) detection. Analyst, The, 2021, 146, 196-206. | 3.5 | 2 |
| 3 | Fabrication Methods for Microfluidic Devices: An Overview. Micromachines, 2021, 12, 319. | 2.9 | 172 |
| 4 | Design and Evaluation of a Flexible Dual-Band Meander Line Monopole Antenna for On- and Off-Body Healthcare Applications. Micromachines, 2021, 12, 475. | 2.9 | 13 |
| 5 | Towards More Predictive, Physiological and Animal-free <i>In Vitro</i> Models: Advances in Cell and Tissue Culture 2020 Conference Proceedings. ATLA Alternatives To Laboratory Animals, 2021, 49, 93-110. | 1.0 | 6 |
| 6 | Shunting microfluidic PCR device for rapid bacterial detection. Talanta, 2020, 207, 120303. | 5.5 | 40 |
| 7 | An Efficient Data Compression Algorithm For Real-Time Monitoring Applications In Healthcare. , 2020, , | | 5 |
| 8 | Entangled cellulose nanofibrils/nanosheets derived from native mexican agave for lead(II) ion removal. Cellulose, 2020, 27, 8785-8798. | 4.9 | 14 |
| 9 | Biosorption of copper using nopal fibres: moolooite formation and magnesium role in the reactive crystallization mechanism. Cellulose, 2020, 27, 10259-10276. | 4.9 | 3 |
| 10 | Microbioreactor for lower cost and faster optimisation of protein production. Analyst, The, 2020, 145, 6148-6161. | 3.5 | 11 |
| 11 | Modulation of Macrophage Function by Lactobacillus-Conditioned Medium. Frontiers in Cell and Developmental Biology, 2020, 8, 723. | 3.7 | 9 |
| 12 | Biomarkers for Point-of-Care Diagnosis of Sepsis. Micromachines, 2020, 11, 286. | 2.9 | 52 |
| 13 | Developments in Transduction, Connectivity and Al/Machine Learning for Point-of-Care Testing. Sensors, 2019, 19, 1917. | 3.8 | 15 |
| 14 | Impedimetric array in polymer microfluidic cartridge for low cost point-of-care diagnostics. Biosensors and Bioelectronics, 2019, 129, 147-154. | 10.1 | 34 |
| 15 | Cavity enhanced liquid-phase stopped-flow kinetics. Analyst, The, 2018, 143, 493-502. | 3.5 | 8 |
| 16 | Measuring resource efficiency and resource effectiveness in manufacturing. International Journal of Productivity and Performance Management, 2018, 67, 1854-1881. | 3.7 | 16 |
| 17 | Investigation of pressure drop in horizontal pipes with different diameters. International Journal of Multiphase Flow, 2017, 91, 120-129. | 3.4 | 38 |
| 18 | Cavity-Enhanced Immunoassay Measurements in Microtiter Plates Using BBCEAS. Analytical Chemistry, 2016, 88, 5264-5270. | 6.5 | 11 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Lactobacillus rhamnosus GG conditioned media modulates acute reactive oxygen species and nitric oxide in J774 murine macrophages. Biochemistry and Biophysics Reports, 2016, 6, 68-75. | 1.3 | 11 |
| 20 | Clarifying the disagreements on various reuse options: Repair, recondition, refurbish and remanufacture. Waste Management and Research, 2016, 34, 995-1005. | 3.9 | 26 |
| 21 | Analysis of waste hierarchy in the European waste directive 2008/98/EC. Waste Management, 2015, 39, 305-313. | 7.4 | 174 |
| 22 | Low cost microfluidic cell culture array using normally closed valves for cytotoxicity assay. Talanta, 2014, 129, 491-498. | 5.5 | 31 |
| 23 | Microbioreactor Integrated with a Sensor for Monitoring Intracellular Green Fluorescence Protein (GFP). IFMBE Proceedings, 2014, , 888-891. | 0.3 | 0 |
| 24 | Discrimination of Sri Lankan black teas using fluorescence spectroscopy and linear discriminant analysis. Journal of the Science of Food and Agriculture, 2013, 93, 2308-2314. | 3.5 | 31 |
| 25 | Fabrication of Microfluidic Devices for Forensic Molecular Diagnostics. Measurement and Control, 2012, 45, 306-310. | 1.8 | 2 |
| 26 | Replication of micro-feature using variety of polymer and commonly used mould at elevated temperature and pressure. IOP Conference Series: Materials Science and Engineering, 2012, 40, 012044. | 0.6 | 3 |
| 27 | Effect of annealing on structural and optoelectronic properties of nanostructured ZnSe thin films. Journal of Alloys and Compounds, 2011, 509, 2414-2419. | 5.5 | 118 |
| 28 | Microfluidic Bioreactors for Cell Culturing: A Review. Micro and Nanosystems, 2011, 3, 137-160. | 0.6 | 38 |
| 29 | Production of rhamnolipid biosurfactants by <i>Pseudomonas aeruginosa</i> DS10â€129 in a microfluidic bioreactor. Biotechnology and Applied Biochemistry, 2010, 55, 45-52. | 3.1 | 66 |
| 30 | Effect of electrical conditions on an impedimetric immunosensor based on a modified conducting polypyrrole. Sensors and Actuators B: Chemical, 2010, 144, 323-331. | 7.8 | 50 |
| 31 | Electrochemical detection of d-dimer as deep vein thrombosis marker using single-chain d-dimer antibody immobilized on functionalized polypyrrole. Biosensors and Bioelectronics, 2010, 26, 736-742. | 10.1 | 51 |
| 32 | Assembly of a polymer lab-on-chip device for impedimetric measurements of D-dimers in whole blood. , 2010, , . | | 0 |
| 33 | Recent Developments in Polymer Microfluidic Devices with Capillary Electrophoresis and Electrochemical Detection. Micro and Nanosystems, 2010, 2, 108-136. | 0.6 | 8 |
| 34 | Development of a simple and low cost microbioreactor for high-throughput bioprocessing. Biotechnology Letters, 2009, 31, 209-214. | 2.2 | 28 |
| 35 | Broadband Cavity Enhanced Absorption Spectroscopy as a Detector for HPLC. Analytical Chemistry, 2009, 81, 4106-4112. | 6.5 | 34 |
| 36 | A Novel Isotherm, Modeling Self-Assembled Monolayer Adsorption and Structural Changes. Langmuir, 2009, 25, 931-938. | 3.5 | 12 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Liquid-phase broadband cavity enhanced absorption spectroscopy (BBCEAS) studies in a 20 cm cell. Analyst, The, 2009, 134, 1887. | 3.5 | 28 |
| 38 | Impedimetric Measurements for Monitoring Avidin-Biotin Interaction on Self-Assembled Monolayer. Particulate Science and Technology, 2008, 26, 136-144. | 2.1 | 10 |
| 39 | Impedimetric microanalysis system for Deep Vein Thrombosis point-of-care testing. , 2008, 2008, 1856. | | 1 |
| 40 | Making Laboratory Measurements on a Chip. Measurement and Control, 2007, 40, 76-79. | 1.8 | 1 |
| 41 | Liquid-Phase Broadband Cavity-Enhanced Absorption Spectroscopy Measurements in a 2 mm Cuvette. Applied Spectroscopy, 2007, 61, 649-658. | 2.2 | 37 |
| 42 | Polymer Based Microchip for Combined Capillary Electrophoresis and Electrochemical Detection. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 111-4. | 0.5 | 0 |
| 43 | A Novel Point of Care Diagnostic Device: Impedimetric Detection of a Biomarker in Whole Blood. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 115-8. | 0.5 | 5 |
| 44 | Data analysis for electronic nose systems. Mikrochimica Acta, 2006, 156, 183-207. | 5.0 | 377 |
| 45 | Discrimination of teas based on total luminescence spectroscopy and pattern recognition. Journal of the Science of Food and Agriculture, 2006, 86, 2092-2098. | 3.5 | 31 |
| 46 | Investigation of Electrochemical Properties of Carbon Nanofibers Prepared by CCVD Method. Particulate Science and Technology, 2006, 24, 311-320. | 2.1 | 11 |
| 47 | Chemical Sensors for Electronic Nose Systems. Mikrochimica Acta, 2005, 149, 1-17. | 5.0 | 317 |
| 48 | Lab-on-a-Chip for Terrorist Weapons Management. Measurement and Control, 2005, 38, 87-91. | 1.8 | 5 |
| 49 | Optimising of the sensing chamber of an array of a volatile detection system. Journal of Thermal Analysis and Calorimetry, 2004, 76, 693-708. | 3.6 | 10 |
| 50 | Classification of fresh edible oils using a coated piezoelectric sensor array-based electronic nose with soft computing approach for pattern recognition. Transactions of the Institute of Measurement and Control, 2004, 26, 3-18. | 1.7 | 17 |
| 51 | Radial basis neural network for the classification of fresh edible oils using an electronic nose. Magyar Apróvad Közlemények, 2003, 71, 147-154. | 1.4 | 17 |
| 52 | Gas-phase pre-concentration for a quartz crystal microbalance based electronic nose. Magyar AprĂ³vad Közlemények, 2003, 71, 163-171. | 1.4 | 7 |
| 53 | Title is missing!. Magyar Apróvad Közlemények, 2003, 71, 25-29. | 1.4 | 10 |
| 54 | Title is missing!. Magyar Apróvad Közlemények, 2003, 71, 155-161. | 1.4 | 28 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Survey on mass determination systems: Part I. Fundamentals and history. Magyar Apróvad Közlemények, 2003, 71, 19-23. | 1.4 | 9 |
| 56 | Title is missing!. Magyar Apróvad Közlemények, 2003, 71, 31-35. | 1.4 | 9 |
| 57 | First human experiments with a novel non-invasive, non-optical continuous glucose monitoring system. Biosensors and Bioelectronics, 2003, 19, 209-217. | 10.1 | 206 |
| 58 | Fuzzy logic and fuzzy classification techniques. Studies in Fuzziness and Soft Computing, 2003, , 95-134. | 0.8 | 4 |
| 59 | Total luminescence spectroscopy with pattern recognition for classification of edible oils. Analyst, The, 2003, 128, 966. | 3.5 | 31 |
| 60 | Analysis of Seafood Aroma/Odour by Electronic Nose Technology and Direct Analysis. , 2002, , 105-121. | | 2 |
| 61 | A rapid, non-destructive method for the determination of Staphylococcus epidermidis adhesion to surfaces using quartz crystal resonant sensor technology. Letters in Applied Microbiology, 2001, 33, 344-348. | 2.2 | 18 |
| 62 | Simple dip strip ELISA for airborne estrogenic steroids. Analytica Chimica Acta, 2001, 444, 79-86. | 5.4 | 16 |
| 63 | Application of the California mastitis test in intramammary Streptococcus agalactiae and Staphylococcus aureus infections of camels (Camelus dromedarius) in Kenya. Preventive Veterinary Medicine, 2001, 51, 307-316. | 1.9 | 37 |
| 64 | <title>Microbial analysis using Sharma's reaction</title> ., 1999, , . | | 0 |
| 65 | Application of the quartz crystal microbalance to the monitoring of Staphylococcus epidermidis antigen–antibody agglutination. Journal of Pharmaceutical and Biomedical Analysis, 1999, 20, 241-245. | 2.8 | 33 |
| 66 | Acoustic Wave Mass Sensors. Magyar Apróvad Közlemények, 1999, 55, 397-412. | 1.4 | 11 |
| 67 | Title is missing!. Magyar Apróvad Közlemények, 1999, 55, 371-381. | 1.4 | 9 |
| 68 | <title>Atmospheric deposition of TiO<formula><inf><roman>2</roman></inf></formula> films on glass substrates for antibacterial activity</title> . , 1999, , . | | 0 |
| 69 | <title>Organic vapor sensing using a coated piezoelectric quartz crystal sensor array</title> . , 1999, 3853, 116. | | 0 |
| 70 | <title>Measurement of hydrogen sulphide gas using fluorescence quenching</title> . , 1992, , . | | 3 |
| 71 | <title>Indicators for the optical measurement of sulphur dioxide gas</title> . , 1992, , . | | 0 |
| 72 | <title>Measurement of hydrogen chloride gas using fluorescence quenching</title> ., 1992, 1637, 91. | | 0 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | <title>Measurement of ammonia gas using fluorescence quenching</title> ., 1992, , . | | 1 |
| 74 | Electrochemical immobilisation of enzymes. Part 4.—Co-immobilisation of glucose oxidase and ferro/ferricyanide in poly(N-methylpyrrole) films. Journal of the Chemical Society, Faraday Transactions, 1992, 88, 2677-2683. | 1.7 | 62 |
| 75 | Denuder tube preconcentration and detection of gaseous ammonia using a coated quartz piezoelectric crystal. Analyst, The, 1992, 117, 899. | 3.5 | 12 |
| 76 | Denuder tubes for sampling of gaseous species. A review. Analyst, The, 1989, 114, 759. | 3.5 | 80 |