

Ivan Literak

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2339744/publications.pdf>

Version: 2024-02-01

179
papers

4,121
citations

136950
32
h-index

161849
54
g-index

180
all docs

180
docs citations

180
times ranked

4516
citing authors

#	ARTICLE	IF	CITATIONS
1	Combined Analysis of Variation in Core, Accessory and Regulatory Genome Regions Provides a Super-Resolution View into the Evolution of Bacterial Populations. <i>PLoS Genetics</i> , 2016, 12, e1006280.	3.5	177
2	Implications of fluoroquinolone contamination for the aquatic environment—A review. <i>Environmental Toxicology and Chemistry</i> , 2016, 35, 2647-2656.	4.3	143
3	High prevalence of <i>Salmonella</i> and IMP-4-producing Enterobacteriaceae in the silver gull on Five Islands, Australia. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 63-70.	3.0	140
4	Antibiotic-Resistant <i>Escherichia coli</i> Bacteria, Including Strains with Genes Encoding the Extended-Spectrum Beta-Lactamase and QnrS, in Waterbirds on the Baltic Sea Coast of Poland. <i>Applied and Environmental Microbiology</i> , 2010, 76, 8126-8134.	3.1	134
5	Antimicrobial-resistant faecal <i>Escherichia coli</i> in wild mammals in central Europe: multiresistant <i>Escherichia coli</i> producing extended-spectrum beta-lactamases in wild boars. <i>Journal of Applied Microbiology</i> , 2010, 108, 1702-1711.	3.1	132
6	TOXOPLASMOSIS IN WILD MAMMALS FROM THE CZECH REPUBLIC. <i>Journal of Wildlife Diseases</i> , 1997, 33, 480-485.	0.8	120
7	Blackbirds and Song Thrushes Constitute a Key Reservoir of <i>Borrelia garinii</i> , the Causative Agent of Borreliosis in Central Europe. <i>Applied and Environmental Microbiology</i> , 2008, 74, 1289-1293.	3.1	116
8	Wildlife Is Overlooked in the Epidemiology of Medically Important Antibiotic-Resistant Bacteria. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	3.2	110
9	Differential Role of Passerine Birds in Distribution of <i>Borrelia</i> Spirochetes, Based on Data from Ticks Collected from Birds during the Postbreeding Migration Period in Central Europe. <i>Applied and Environmental Microbiology</i> , 2009, 75, 596-602.	3.1	104
10	CTX-M-15-producing <i>Escherichia coli</i> clone B2-O25b-ST131 and <i>Klebsiella</i> spp. isolates in municipal wastewater treatment plant effluents. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 2784-2790.	3.0	104
11	Plasmids carrying blaCTX-M-1 and qnr genes in <i>Escherichia coli</i> isolates from an equine clinic and a horseback riding centre. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 757-764.	3.0	95
12	Genomic and Functional Analysis of Emerging Virulent and Multidrug-Resistant <i>Escherichia coli</i> Lineage Sequence Type 648. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	3.2	71
13	American crows as carriers of vancomycin-resistant enterococci with vanA gene. <i>Environmental Microbiology</i> , 2014, 16, 939-949.	3.8	67
14	Ticks of the <i>Hyalomma marginatum</i> complex transported by migratory birds into Central Europe. <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 489-493.	2.7	66
15	Plasmid-Mediated Resistance to Cephalosporins and Fluoroquinolones in Various <i>Escherichia coli</i> Sequence Types Isolated from Rooks Wintering in Europe. <i>Applied and Environmental Microbiology</i> , 2015, 81, 648-657.	3.1	60
16	<i>Escherichia coli</i> with extended-spectrum β -lactamase and plasmid-mediated quinolone resistance genes in great cormorants and mallards in Central Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 1103-1107.	3.0	59
17	Complete genomes and phylogenetic positions of bovine papillomavirus type 8 and a variant type from a European bison. <i>Virus Genes</i> , 2007, 35, 243-249.	1.6	53
18	Characteristics of Quinolone Resistance in <i>Escherichia coli</i> Isolates from Humans, Animals, and the Environment in the Czech Republic. <i>Frontiers in Microbiology</i> , 2016, 7, 2147.	3.5	53

#	ARTICLE	IF	CITATIONS
19	IncN plasmids carrying blaCTX-M-1 in <i>Escherichia coli</i> isolates on a dairy farm. <i>Veterinary Microbiology</i> , 2011, 149, 513-516.	1.9	52
20	Highly Variable Patterns of Antimicrobial Resistance in Commensal <i>< i>Escherichia coli</i></i> Isolates from Pigs, Sympatric Rodents, and Flies. <i>Microbial Drug Resistance</i> , 2009, 15, 229-237.	2.0	50
21	Extended spectrum beta-lactamase and fluoroquinolone resistance genes and plasmids among <i>< i>Escherichia coli</i></i> isolates from zoo animals, Czech Republic. <i>FEMS Microbiology Ecology</i> , 2013, 85, 604-611.	2.7	48
22	Tortoise tick <i>Hyalomma aegyptium</i> as long term carrier of Q fever agent <i>Coxiella burnetii</i> —evidence from experimental infection. <i>Parasitology Research</i> , 2010, 107, 1515-1520.	1.6	46
23	Dissemination of IncFIIK-type plasmids in multiresistant CTX-M-15-producing Enterobacteriaceae isolates from children in hospital paediatric oncology wards. <i>International Journal of Antimicrobial Agents</i> , 2012, 40, 510-515.	2.5	45
24	Ticks (Ixodidae) from passerine birds in the Carpathian region. <i>Wiener Klinische Wochenschrift</i> , 2006, 118, 759-764.	1.9	43
25	The Importance of <i>< i>Ixodes arboricola</i></i> in Transmission of <i>< i>Rickettsia</i></i> spp., <i>< i>Anaplasma phagocytophilum</i></i> , and <i>< i>Borrelia burgdorferi</i></i> Sensu Lato in the Czech Republic, Central Europe. <i>Vector-Borne and Zoonotic Diseases</i> , 2011, 11, 1235-1241.	1.5	43
26	Bacteria of the genus <i>Rickettsia</i> in ticks (Acar: Ixodidae) collected from birds in Costa Rica. <i>Ticks and Tick-borne Diseases</i> , 2015, 6, 478-482.	2.7	43
27	Host dispersal shapes the population structure of a tick-borne bacterial pathogen. <i>Molecular Ecology</i> , 2020, 29, 485-501.	3.9	43
28	Rickettsial infections in ticks from reptiles, birds and humans in Honduras. <i>Ticks and Tick-borne Diseases</i> , 2015, 6, 737-742.	2.7	40
29	<i>Neospora</i> spp. and <i>Toxoplasma gondii</i> antibodies in horses in the Czech Republic. <i>Parasitology Research</i> , 2010, 107, 783-785.	1.6	39
30	Dogs of Nomadic Pastoralists in Northern Kenya Are Reservoirs of Plasmid-Mediated Cephalosporin- and Quinolone-Resistant <i>Escherichia coli</i> , Including Pandemic Clone B2-O25-ST131. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 4013-4017.	3.2	36
31	Vancomycin-resistant enterococci with vanA gene in treated municipal wastewater and their association with human hospital strains. <i>Science of the Total Environment</i> , 2017, 609, 633-643.	8.0	36
32	Wild black-headed gulls (<i>Larus ridibundus</i>) as an environmental reservoir of <i>Salmonella</i> strains resistant to antimicrobial drugs. <i>European Journal of Wildlife Research</i> , 2007, 53, 55-60.	1.4	33
33	Eye trematode infection in small passerines in Peru caused by <i>Philophthalmus lucipetus</i> , an agent with a zoonotic potential spread by an invasive freshwater snail. <i>Parasitology International</i> , 2013, 62, 390-396.	1.3	33
34	Antimicrobial-resistant Enterobacteriaceae from humans and wildlife in Dzanga-Sangha Protected Area, Central African Republic. <i>Veterinary Microbiology</i> , 2014, 171, 422-431.	1.9	33
35	Extensive Genetic Commonality among Wildlife, Wastewater, Community, and Nosocomial Isolates of <i>Escherichia coli</i> Sequence Type 131 (<i>< i>H</i></i> 30R1 and <i>< i>H</i></i> 30Rx Subclones) That Carry <i>< i>bla</i></i> <i>< sub>CTX-M-27</sub></i> or <i>< i>bla</i></i> <i>< sub>CTX-M-15</sub></i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	33
36	Vancomycin-resistant enterococci in rooks (<i>< i>C</i></i> <i>< sc>Corvus frugilegus</sc></i>) wintering throughout <i>Euro</i> pae. <i>Environmental Microbiology</i> , 2013, 15, 548-556.	3.8	32

#	ARTICLE	IF	CITATIONS
37	High susceptibility of partridges (<i>Perdix perdix</i>) to toxoplasmosis compared with other gallinaceous birds. <i>Avian Pathology</i> , 2000, 29, 563-569.	2.0	29
38	Larvae of chigger mites <i>Neotrombicula</i> spp. (Acari: Trombiculidae) exhibited <i>Borrelia</i> but no <i>Anaplasma</i> infections: a field study including birds from the Czech Carpathians as hosts of chiggers. <i>Experimental and Applied Acarology</i> , 2008, 44, 307-314.	1.6	29
39	Rickettsial infections in ticks from wild birds in Paraguay. <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 83-89.	2.7	29
40	â€˜Candidatus <i>Rickettsia mendelii</i> â€™, a novel basal group rickettsia detected in <i>Ixodes ricinus</i> ticks in the Czech Republic. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 482-486.	2.7	29
41	<i>Rickettsia bellii</i> in ticks <i>Amblyomma varium</i> Koch, 1844, from birds in Peru. <i>Ticks and Tick-borne Diseases</i> , 2012, 3, 254-256.	2.7	28
42	A <i>Rickettsia parkeri</i> -like agent infecting <i>Amblyomma calcaratum</i> nymphs from wild birds in Mato Grosso do Sul, Brazil. <i>Ticks and Tick-borne Diseases</i> , 2013, 4, 145-147.	2.7	28
43	Molecular phylogenetic characterization of <i>Collyriclum faba</i> with reference to its three host-specific ecotypes. <i>Parasitology International</i> , 2013, 62, 262-267.	1.3	28
44	Broilers as a Source of Quinolone-Resistant and Extraintestinal Pathogenic <i>Escherichia coli</i> in the Czech Republic. <i>Microbial Drug Resistance</i> , 2013, 19, 57-63.	2.0	28
45	Synanthropic Birds Influence the Distribution of <i>Borrelia</i> Species: Analysis of <i>Ixodes ricinus</i> Ticks Feeding on Passerine Birds. <i>Applied and Environmental Microbiology</i> , 2011, 77, 1115-1117.	3.1	27
46	Plasmid-Mediated Quinolone Resistance Genes in Fecal Bacteria from Rooks Commonly Wintering Throughout Europe. <i>Microbial Drug Resistance</i> , 2012, 18, 567-573.	2.0	27
47	Host generalists and specialists emerging side by side: an analysis of evolutionary patterns in the cosmopolitan chewing louse genus <i>Menacanthus</i> . <i>International Journal for Parasitology</i> , 2015, 45, 63-73.	3.1	27
48	Phenotypic and genotypic characteristics of antimicrobial resistant <i>Escherichia coli</i> isolated from symbovine flies, cattle and sympatric insectivorous house martins from a farm in the Czech Republic (2006â€“2007). <i>Research in Veterinary Science</i> , 2010, 89, 179-183.	1.9	26
49	<i>Rickettsia vini</i> n. sp. (Rickettsiaceae) infecting the tick <i>Ixodes arboricola</i> (Acari: Ixodidae). <i>Parasites and Vectors</i> , 2016, 9, 469.	2.5	26
50	Ticks and tick-borne pathogens in wild birds in Greece. <i>Parasitology Research</i> , 2016, 115, 2011-2016.	1.6	26
51	Plasmid-mediated resistance to cephalosporins and quinolones in <i>Escherichia coli</i> from American crows in the USA. <i>Environmental Microbiology</i> , 2017, 19, 2025-2036.	3.8	26
52	Winter infestation of wild birds by ticks and chiggers (Acari: Ixodidae, Trombiculidae) in the Czech Republic. <i>Parasitology Research</i> , 2007, 101, 1709-1711.	1.6	24
53	Serologic survey for toxoplasmosis in domestic birds from the Czech Republic. <i>Avian Pathology</i> , 2009, 38, 317-320.	2.0	24
54	<i>Salmonella enterica</i> resistant to antimicrobials in wastewater effluents and black-headed gulls in the Czech Republic, 2012. <i>Science of the Total Environment</i> , 2016, 542, 102-107.	8.0	24

#	ARTICLE	IF	CITATIONS
55	Cutaneous Trematode <i>Collyriclum faba</i> in Wild Birds in the Central European Carpathians. <i>Journal of Parasitology</i> , 2003, 89, 412-416.	0.7	22
56	Papillomatosis in a European Bison. <i>Journal of Wildlife Diseases</i> , 2006, 42, 149-153.	0.8	21
57	Low Rates of Antimicrobial-Resistant Enterobacteriaceae in Wildlife in Taï National Park, Côte d'Ivoire, Surrounded by Villages with High Prevalence of Multiresistant ESBL-Producing <i>Escherichia coli</i> in People and Domestic Animals. <i>PLoS ONE</i> , 2014, 9, e113548.	2.5	21
58	Urban Wildlife Crisis: Australian Silver Gull Is a Bystander Host to Widespread Clinical Antibiotic Resistance. <i>MSystems</i> , 2022, 7, e0015822.	3.8	21
59	Plasmid-Mediated <i>mcr-1</i> Colistin Resistance in <i>Escherichia coli</i> from a Black Kite in Russia. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	3.2	20
60	Susceptibility of the domestic duck (<i>Anas platyrhynchos</i>) to experimental infection with <i>Toxoplasma gondii</i> oocysts. <i>Avian Pathology</i> , 2004, 33, 153-157.	2.0	19
61	Detection of <i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> in Two Brown Bears in the Central European Carpathians. <i>Journal of Wildlife Diseases</i> , 2006, 42, 691-695.	0.8	19
62	Avipoxvirus in blackcaps (<i>Sylvia atricapilla</i>). <i>Avian Pathology</i> , 2008, 37, 101-107.	2.0	18
63	Mitochondrial DNA and nuclear microsatellites reveal high diversity and genetic structure in an avian top predator, the white-tailed sea eagle, in central Europe. <i>Biological Journal of the Linnean Society</i> , 0, 99, 727-737.	1.6	18
64	Plasmid-Mediated Quinolone Resistance Genes in Enterobacteriaceae from American Crows: High Prevalence of Bacteria with Variable <i>qnrB</i> Genes. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 1257-1258.	3.2	18
65	Vancomycin-resistant <i>Enterococcus faecium</i> with <i>vanA</i> gene isolated for the first time from wildlife in Slovakia. <i>Veterinary Microbiology</i> , 2016, 194, 43-47.	1.9	18
66	Common wintering of black kites (<i>Milvus migrans migrans</i>) in Greece, and new data on their wintering elsewhere in Europe. <i>Slovak Raptor Journal</i> , 2017, 11, 91-102.	0.4	18
67	New species and new records of chewing lice (Phthiraptera: Amblycera and Ischnocera) from bulbuls (Passeriformes: Pycnonotidae) in Vietnam. <i>Zootaxa</i> , 2012, 3357, 37.	0.5	17
68	Molecular characterization of plasmid-mediated AmpC beta-lactamase- and extended-spectrum beta-lactamase-producing <i>Escherichia coli</i> and <i>Klebsiella pneumoniae</i> among corvids (<i>Corvus</i>) Tj ETQq0 O 0 rgBT /Overlock 10Tf 50 217		
69	First record of metacestodes of <i>Mesocestoides</i> sp. in the common starling (<i>Sturnus vulgaris</i>) in Europe, with an 18S rDNA characterisation of the isolate. <i>Folia Parasitologica</i> , 2004, 51, 45-49.	1.3	17
70	High Prevalence and Variability of CTX-M-15-Producing and Fluoroquinolone-Resistant <i>Escherichia coli</i> Observed in Stray Dogs in Rural Angola. <i>Microbial Drug Resistance</i> , 2014, 20, 372-375.	2.0	16
71	Intermediate hosts of the trematode <i>Collyriclum faba</i> (Plagiochiida: Collyriclidae) identified by an integrated morphological and genetic approach. <i>Parasites and Vectors</i> , 2015, 8, 85.	2.5	16
72	Survival of <i>Salmonellas</i> in a Colony of Common Black-Headed Gulls <i>Larus ridibundus</i> between Two Nesting Periods. <i>Waterbirds</i> , 1996, 19, 268.	0.4	15

#	ARTICLE	IF	CITATIONS
73	Antimicrobial Resistance in Fecal <i>Escherichia coli</i> Isolates from Healthy Urban Children of Two Age Groups in Relation to Their Antibiotic Therapy. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 3005-3007.	3.2	15
74	Chewing lice (Phthiraptera) from wild birds in Senegal, with descriptions of three new species of the genera <i>Brueelia</i> and <i>Philopterooides</i> . <i>Acta Parasitologica</i> , 2012, 57, 90-8.	1.1	15
75	Molecular characterization of "Candidatus <i>Rickettsia vini</i> " in <i>Ixodes arboricola</i> from the Czech Republic and Slovakia. <i>Ticks and Tick-borne Diseases</i> , 2015, 6, 330-333.	2.7	15
76	An Outbreak of the Polyomavirus Infection in Budgerigars and Cockatiels in Slovakia, Including a Genome Analysis of an Avian Polyomavirus Isolate. <i>Avian Diseases</i> , 2006, 50, 120-123.	1.0	14
77	Where in Europe should we look for sources of the cutaneous trematode <i>Collyriclum faba</i> infections in migrating birds?. <i>Journal of Helminthology</i> , 2006, 80, 349-355.	1.0	14
78	Blood parasites (Haemoproteus and microfilariae) in birds from the Caribbean slope of Costa Rica. <i>Acta Parasitologica</i> , 2009, 54, .	1.1	14
79	<i>Neospora caninum</i> and <i>Toxoplasma gondii</i> antibodies in European brown hares in the Czech Republic, Slovakia and Austria. <i>Veterinary Parasitology</i> , 2010, 171, 155-158.	1.8	14
80	Chewing lice (Phthiraptera: Amblycera, Ischnocera) from wild passerines (Aves: Passeriformes) in northern Vietnam, with descriptions of three new species. <i>Zootaxa</i> , 2012, 3530, 59.	0.5	14
81	An outbreak of philophthalmosis in <i>Larus michahellis</i> and <i>Larus fuscus</i> gulls in Iberian Peninsula. <i>Parasitology International</i> , 2018, 67, 253-261.	1.3	14
82	Chewing lice (Phthiraptera) from typical antbirds and ground ant-birds (Passeriformes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td (Th Formicaphagus and Myrsidea. <i>Zootaxa</i> , 2006, 1206, 47.	0.5	14
83	TOXOPLASMOSIS IN NILGAIS (BOSELAPHUS TRAGOCAMELUS) AND A SAIGA ANTELOPE (SAIGA TATARICA). <i>Journal of Zoo and Wildlife Medicine</i> , 2004, 35, 530-533.	0.6	13
84	Collyriclosis in Central European hirundines. <i>Parasitology Research</i> , 2011, 109, 699-706.	1.6	13
85	Use of the manganese-dependent superoxide dismutase gene sodA for rapid identification of recently described enterococcal species. <i>Folia Microbiologica</i> , 2012, 57, 439-442.	2.3	13
86	Chewing Lice in Azorean Blackcaps (<i>Sylvia atricapilla</i>): A Contribution to Parasite Island Syndromes. <i>Journal of Parasitology</i> , 2015, 101, 252-254.	0.7	13
87	Wild corvid birds colonized with vancomycin-resistant <i>Enterococcus faecium</i> of human origin harbor epidemic vanA plasmids. <i>Environment International</i> , 2018, 118, 125-133.	10.0	13
88	Ascid mites (Acari: Mesostigmata: Ascidae) from Costa Rican hummingbirds (Aves: Trochilidae), with description of three new species and a key to the <i>Proctolaelaps belemensis</i> species group. <i>Zootaxa</i> , 2007, 1484, 51-68.	0.5	12
89	Chewing lice of the genus <i>Myrsidea</i> (Phthiraptera: Menoponidae) from the Cardinalidae, Emberizidae, Fringillidae and Thraupidae (Aves: Passeriformes) from Costa Rica, with descriptions of four new species. <i>Zootaxa</i> , 2011, 3032, 1.	0.5	12
90	Surface-enhanced laser desorption ionization/time-of-flight (SELDI-TOF) mass spectrometry (MS) as a phenotypic method for rapid identification of antibiotic resistance. <i>Anaerobe</i> , 2011, 17, 444-447.	2.1	12

#	ARTICLE	IF	CITATIONS
91	Vancomycin-resistant enterococci with <i>vanA</i> and <i>vanB</i> genes in Australian gulls. Environmental Microbiology Reports, 2017, 9, 316-318.	2.4	12
92	Diverse natal dispersal in four sibling red kites originating from Austria, including wintering in Tunisia. Biologia (Poland), 2020, 75, 1399-1407.	1.5	12
93	Dispersal and philopatry in Central European Red Kites <i>Milvus milvus</i> . Journal of Ornithology, 2022, 163, 469-479.	1.1	12
94	Subalar cutaneous cysts with <i>Harpirkynchus nidulans</i> bearded tits and hawfinches in Central Europe. Avian Pathology, 2005, 34, 26-28.	2.0	11
95	Tick-borne zoonotic pathogens in ticks feeding on the common nightingale including a novel strain of <i>Rickettsia</i> sp.. Ticks and Tick-borne Diseases, 2012, 3, 265-268.	2.7	11
96	<i>Enterococcus alcedinis</i> sp. nov., isolated from common kingfisher (<i>Alcedo atthis</i>). International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3069-3074.	1.7	11
97	<i>Enterobacter cloacae</i> with a novel variant of ACT AmpC beta-lactamase originating from glaucous gull (<i>Larus hyperboreus</i>) in Svalbard. Veterinary Microbiology, 2014, 171, 432-435.	1.9	11
98	Isolated populations of <i>Ixodes luidus</i> ticks in the Czech Republic and Belgium host genetically homogeneous <i>Rickettsia vini</i> . Ticks and Tick-borne Diseases, 2018, 9, 479-484.	2.7	11
99	Chigger mites (Acarı: Trombiculidae) from wild birds in Costa Rica, with a description of three new species. Folia Parasitologica, 2007, 54, 59-67.	1.3	11
100	Age, landscape, and arrival date explain ranging behavior of wintering red kites in southwest Europe. Journal of Wildlife Management, 2022, 86, .	1.8	11
101	Three new species of <i>Isospora</i> Schneider, 1881 (Apicomplexa: Eimeriidae) from the lesser seed-finch, <i>Oryzoborus angolensis</i> (Passeriformes: Emberizidae) from Brazil. Memorias Do Instituto Oswaldo Cruz, 2006, 101, 573-576.	1.6	10
102	Chewing lice from wild passerines (Aves, Passeriformes) from Vietnam, with description of a new species of the genus <i>Brueelia</i> (Phthiraptera, Ischnocera, Philopteridae). Acta Parasitologica, 2009, 54, .	1.1	10
103	New species of the feather mite subfamily Pterodectinae (Astigmata, Proctophyllodidae) from passerines in Senegal. Acta Parasitologica, 2010, 55, .	1.1	10
104	First record of vancomycin-resistant <sc><i>E</i></sc><i>Enterococcus faecium</i> in <sc>Canadian</sc> wildlife. Environmental Microbiology Reports, 2014, 6, 210-211.	2.4	10
105	Prevalence, diversity and characterization of enterococci from three coraciiform birds. Antonie Van Leeuwenhoek, 2015, 107, 1281-1289.	1.7	10
106	Natal dispersal in Black Kites <i>Milvus migrans</i> in Europe. Journal of Ornithology, 2020, 161, 935-951.	1.1	10
107	Comparison of virulence of <i>Coxiella burnetii</i> isolates from bovine milk and from ticks. Folia Parasitologica, 2001, 48, 235-239.	1.3	10
108	A review of the European Harpirhynchidae (Acarı, Prostigmata) with the description of a new species. Acta Parasitologica, 2006, 51, .	1.1	9

#	ARTICLE	IF	CITATIONS
109	Chewing lice (Phthiraptera) on manakins (Passeriformes: Pipridae) from Costa Rica, with description of a new species of the genus <i>Tyranniphilopterus</i> (Phthiraptera: Philopteridae). Parasitology Research, 2010, 106, 925-931.	1.6	9
110	Avipoxvirus in great tits (<i>Parus major</i>). European Journal of Wildlife Research, 2010, 56, 529-534.	1.4	9
111	Chewing lice (Insecta: Phthiraptera) from estrildid finches (Aves: Passeriformes: Estrildidae) and louse-flies (Insecta: Diptera: Hippoboscidae) from birds in Senegal, with descriptions of three new species of the genus <i>Brueelia</i> . Zootaxa, 2010, 2714, 59.	0.5	9
112	Microfilariae in birds in the Czech Republic, including a note on adult nematodes <i>Eufilaria delicata</i> in a song thrush <i>Turdus philomelos</i> . Parasitology Research, 2011, 109, 645-655.	1.6	9
113	Mites of the genus <i>Neharpyrhynchus</i> Fain (Acariformes, Harpirhynchidae) from Neotropical birds. ZooKeys, 2011, 89, 15-31.	1.1	9
114	Feather mites (Acari, Astigmata) from Azorean passerines (Aves, Passeriformes): lower species richness compared to European mainland. Parasite, 2015, 22, 8.	2.0	9
115	Natural and anthropogenic influences on the population structure of white-tailed eagles in the Carpathian Basin and central Europe. Journal of Avian Biology, 2016, 47, 795-805.	1.2	9
116	Conservation of the Red Kite <i>Milvus milvus</i> (Aves: Accipitriformes) Is Not Affected by the Establishment of a Broad Hybrid Zone with the Black Kite <i>Milvus migrans migrans</i> in Central Europe. PLoS ONE, 2016, 11, e0159202.	2.5	9
117	Pinching Off Syndrome In Free-ranging White-tailed Sea Eagles (<i>Haliaeetus Albicilla</i>) In Europe: Frequency And Geographic Distribution Of A Generalized Feather Abnormality. , 2007, 21, 103-109.		8
118	Chewing lice of genus Myrsidea (Phthiraptera: Menoponidae) from Turdidae (Passeriformes) of Costa Rica, with descriptions of seven new species. Zootaxa, 2013, 3620, 201-222.	0.5	8
119	New species and additional data on the chewing louse genus <i>Myrsidea</i> (Phthiraptera: Menoponidae) from wild Neotropical Passeriformes (Aves). Zootaxa, 2018, 4418, 401-431.	0.5	8
120	First record of metacestodes of <i>Mesocestoides</i> sp. in the common starling (<i>Sturnus vulgaris</i>) in Europe, with an 18S rDNA characterisation of the isolate. Folia Parasitologica, 2004, 51, 45-9.	1.3	8
121	Phospholipase D-neutralization in serodiagnosis of <i>Arcanobacterium haemolyticum</i> and <i>Corynebacterium pseudotuberculosis</i> Infections. Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology, 1998, 288, 463-470.	0.5	7
122	Susceptibility of Common Voles to Experimental Toxoplasmosis. Journal of Wildlife Diseases, 2001, 37, 640-642.	0.8	7
123	<i>Neharpyrhynchus baileyi</i> n. sp. (Prostigmata: Harpirhynchidae) parasitizing <i>Turdus leucomelas</i> Vieillot (Aves: Turdidae) from Brazil. International Journal of Acarology, 2007, 33, 35-39.	0.7	7
124	Chewing lice of the genus <i>Myrsidea</i> (Phthiraptera: Menoponidae) from New World warblers (Passeriformes: Parulidae) from Costa Rica, with descriptions of four new species. Zootaxa, 2011, 3137, .	0.5	7
125	Where are the species limits? Morphology versus genetics in Neotropical chewing lice of the genus <i>Myrsidea</i> (Phthiraptera: Menoponidae), with description of three new species. Zootaxa, 2017, 4324, 161.	0.5	7
126	Insect ectoparasites from wild passerine birds in the Azores Islands. Parasite, 2020, 27, 64.	2.0	7

#	ARTICLE	IF	CITATIONS
127	Three species of the genus <i>Pellonyssus</i> (Acari: Macronyssidae) including a new species from Costa Rican birds. International Journal of Acarology, 2006, 32, 175-178.	0.7	6
128	Chewing lice of the genus <i>Myrsidea waterston</i> (Phthiraptera: Menoponidae) from the emberizidae and thraupidae (Passeriformes) in Mato Grosso do Sul, Brazil. Neotropical Entomology, 2009, 38, 501-503.	1.2	6
129	Ticks on passerines from the Archipelago of the Azores as hosts of borreliae and rickettsiae. Ticks and Tick-borne Diseases, 2015, 6, 607-610.	2.7	6
130	<p>Two new species and new records of chiggers (Acari: Leeuwenhoekiidae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6 Zootaxa, 2016, 4061, 483.	0.5	6
131	A kite <i>Milvus migrans migrans/lineatus</i> in Ukraine. Biologia (Poland), 2019, 74, 1669-1673.	1.5	6
132	Natal dispersal of black kites from Slovakia. Biologia (Poland), 2020, 75, 591-598.	1.5	6
133	Weather-influenced water-crossing behaviour of black kites (<i>Milvus migrans</i>) during migration. Biologia (Poland), 2021, 76, 1267-1273.	1.5	6
134	Multi-Drug Resistant Plasmids with ESBL/AmpC and mcr-5.1 in Paraguayan Poultry Farms: The Linkage of Antibiotic Resistance and Hatcheries. Microorganisms, 2021, 9, 866.	3.6	6
135	Description of the life stages of <i>Harpyrhynchoides rubeculinus</i> (Cerny and Sixl, 1971) (Prostigmata: Harpirhynchidae). International Journal of Acarology, 2008, 34, 227-236.	0.7	5
136	Pinching Off Syndrome in Two White-Tailed Sea Eagles (<i>Haliaeetus albicilla</i>) in the Czech Republic. Journal of Raptor Research, 2008, 42, 65-66.	0.6	5
137	A review of mites of the genus <i>Neharpyrhynchus</i> Fain (Acari: Harpirhynchidae) – ectoparasites of wild birds, including description of four new species. International Journal of Acarology, 2008, 34, 197-209.	0.7	5
138	<i>Myrsidea sylviae</i> (Phthiraptera, Menoponidae), a new species of chewing louse from <i>Sylvia atricapilla</i> (Passeriformes, Sylviidae). Mitteilungen Aus Dem Museum Fur Naturkunde in Berlin - Deutsche Entomologische Zeitschrift, 2008, 55, 241-243.	0.8	5
139	A new feather mite species of the genus <i>Picalgoides Černý</i> , 1974 (Astigmata: Psoroptoididae) from a passerine host in Costa Rica. Systematic Parasitology, 2011, 79, 63-70.	1.1	5
140	Specific association between the mites <i>Androlaelaps fahrenholzi</i> (Acari: Laelapidae) and birds <i>Premnoplex brunnescens</i> in Costa Rica: possible evidence of a recent host switch. Experimental and Applied Acarology, 2013, 60, 281-287.	1.6	5
141	Active chi-like sequences are present in the ITS1 region of polyembryonic adult <i>Collyriclum faba</i> trematodes encysted in pairs. Parasitology Research, 2014, 113, 3211-3220.	1.6	5
142	Chewing lice from wild birds in northern Greece. Parasitology International, 2017, 66, 699-706.	1.3	5
143	A mixed pair of black and red kites in Ukraine, including DNA analysis of hybrid offspring. Biologia (Poland), 2020, 75, 115-120.	1.5	5
144	Kites <i>Milvus migrans lineatus</i> (<i>Milvus migrans migrans/lineatus</i>) are spreading west across Europe. Journal of Ornithology, 2021, 162, 317-323.	1.1	5

#	ARTICLE	IF	CITATIONS
145	Occurrence of Red Kites <i>Milvus milvus</i> in Serbia based on birds tracked by telemetry devices. <i>Acrocephalus</i> , 2018, 39, 27-32.	0.4	5
146	Use of human buildings by Eurasian badgers in the Moravskoslezské Beskydy Mountains, Czech Republic. <i>Acta Theriologica</i> , 2004, 49, 567-570.	1.1	4
147	<i>Lasioseius aquilarum</i> . sp. (Acaria: Ascidae) from the nares of Costa Rican hummingbirds (Trochilidae). <i>International Journal of Acarology</i> , 2006, 32, 293-296.	0.7	4
148	Identity of Menacanthus obrteli Baláž (Phthiraptera: Menoponidae) from the Saviá™s warbler (Passeriformes: Sylviidae). <i>Biologia (Poland)</i> , 2008, 63, 686-688.	1.5	4
149	New data on the taxonomy and distribution of ten Neotropical chewing lice of the genus <i>Myrsidea</i> (Phthiraptera: Menoponidae), including the description of a new species. <i>Zootaxa</i> , 2016, 4085, 233-47.	0.5	4
150	First-year dispersal in white-tailed eagles <i>Haliaeetus albicilla</i> . <i>European Journal of Wildlife Research</i> , 2021, 67, 1.	1.4	4
151	Spatial and numerical responses of Red Kites <i>Milvus milvus</i> to the Common Vole <i>Microtus arvalis</i> population outbreak in central Europe. <i>European Journal of Wildlife Research</i> , 2021, 67, 1.	1.4	4
152	Phylogeography and demographic history of the black kite <i>Milvus migrans</i> , a widespread raptor in Eurasia, Australia and Africa. <i>Journal of Avian Biology</i> , 2021, 52, .	1.2	4
153	Status of the Red Kite <i>Milvus milvus</i> in Croatia, based on telemetry research: spatiotemporal distribution and new breeding record. <i>Larus Godi Činjak Zavoda Za Ornitologiju Hrvatske Akademije Znanosti i Umjetnosti</i> , 2019, 54, 7-22.	0.3	4
154	TWO NEW SPECIES OF THE FEATHER MITE GENUS <i>MESALGOIDES</i> GAUD ET ATYEO (ACARIFORMES: PSOROPTOIDIDAE) FROM EUROPEAN SERINS (PASSERIFORMES: FRINGILLIDAE). <i>Acarina</i> , 2018, 26, 97-110.	0.8	4
155	Black Kites on a flyway between Western Siberia and the Indian Subcontinent. <i>Scientific Reports</i> , 2022, 12, 5581.	3.3	4
156	Adoptions of Young Common Buzzards in White-tailed Sea Eagle Nests. <i>Wilson Journal of Ornithology</i> , 2011, 123, 174-176.	0.2	3
157	A new mite species of the genus <i>Lasioseius</i> (Acarina: Gamasina, Blattisociidae) associated with the flowers of <i>Englerina lecardii</i> and <i>Chalcomitra senegalensis</i> (Aves: Nectariniidae) in Senegal. <i>International Journal of Acarology</i> , 2011, 37, 511-524.	0.7	3
158	<i>ESCHERICHIA COLI</i> PRODUCING EXTENDED-SPECTRUM BETA-LACTAMASE CTX-M-15 IN A CAPTIVE SOUTH AMERICAN TAPIR (<i>TAURUS TERRESTRIS</i>). <i>Journal of Zoo and Wildlife Medicine</i> , 2013, 44, 173-175.	0.6	3
159	Chewing lice of genus <i>Ricinus</i> (Phthiraptera, Ricinidae) deposited at the Zoological Institute of the Russian Academy of Sciences, Saint Petersburg, Russia, with description of a new species. <i>Parasite</i> , 2016, 23, 7.	2.0	3
160	Mites <i>Proctolaelaps superaguisp. nov.</i> and <i>Tropicoseius brasiliensis</i> on <i>bromelia</i> and <i>Quesnelia arvensis</i> in Brazil. <i>International Journal of Acarology</i> , 2016, 42, 265-273.	0.7	3
161	Morphological and Molecular Assessment of Pentastomes from Gulls in Portugal. <i>Journal of Parasitology</i> , 2017, 103, 588-592.	0.7	3
162	Characterization of blaKPC-3-positive plasmids from an <i>Enterobacter aerogenes</i> isolated from a corvid in Canada. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 73, 2573-2575.	3.0	3

#	ARTICLE	IF	CITATIONS
163	Genetic diversity, differentiation and historical origin of the isolated population of rooks <i>Corvus frugilegus</i> in Iberia. Journal of Avian Biology, 2021, 52, .	1.2	3
164	Myrsidea quadrifasciata (Phthiraptera: Amblycera) – a unique host generalist among highly host-specific chewing lice. Arthropod Systematics and Phylogeny, 0, 79, 379-400.	1.1	3
165	Parentage Analysis in the White-Tailed Eagle <i>Haliaeetus albicilla</i> : Are Molted Feathers from Nest Sites a Reliable Source of Parental DNA?. Acta Ornithologica, 2020, 55, ..	0.5	3
166	The identity of Menacanthus eisenachensis BalÁjt (Insecta, Phthiraptera, Amblycera, Menoponidae) from the Reed Warbler (Passeriformes, Sylviidae). Acta Parasitologica, 2008, 53, 404.	1.1	2
167	Fleas on Wild Birds in Costa Rica. Proceedings of the Entomological Society of Washington, 2013, 115, 1-8.	0.2	2
168	Massive infection of a song thrush by Mesocestoides sp. (Cestoda) tetrathyridia that genetically match acephalic metacestodes causing lethal peritoneal larval cestodiasis in domesticated mammals. Parasites and Vectors, 2019, 12, 230.	2.5	2
169	Observations on feeding order in a group of Eurasian lynx. Acta Theriologica, 2000, 45, 427-430.	1.1	2
170	New species and records of chiggers (Acariformes: Trombiculidae) from birds of the Neotropics. Zootaxa, 2022, 5141, 501-552.	0.5	2
171	Myrsidea povedai (Phthiraptera: Menoponidae), a New Species of Chewing Louse From <i>Phainoptila melanoxantha</i> (Passeriformes: Bombycillidae). Journal of Parasitology, 2011, 97, 593-595.	0.7	1
172	Redescriptions and new host records of chewing lice of the genus RicinusÂ(Phthiraptera: Ricinidae) from the Neotropical Region. Zootaxa, 2016, 4154, 179.	0.5	1
173	Extension of the Avian Host Range of Collyriclosis in Europe. Journal of Wildlife Diseases, 2017, 53, 344-348.	0.8	1
174	Migration of Black Storks <i>Ciconia nigra</i> at a migratory divide: two different routes used by siblings from one nest and two different routes used by one individual. Ringing and Migration, 2017, 32, 19-24.	0.4	1
175	The chiggers (Acari: Trombiculidae) on wild birds in Honduras. Folia Parasitologica, 2018, 65, .	1.3	1
176	History, dispersal and habitat selection in Central European Caspian gulls Larus cachinnans: a study of birds originating from a single breeding colony. Biologia (Poland), 0, , 1.	1.5	1
177	Causes of admission and outcomes of white-tailed eagles <i>Haliaeetus albicilla</i> in wildlife rescue centres in the Czech Republic during 2010–2020. Avian Biology Research, 0, , 175815592211070.	0.9	1
178	A description of the male of Geckobiella donnae Paredes-Leon, Klompen et Perez, 2012 (Acari: Tlj ETQq0 0 0 rgBT /Overlock 10 Tf 50 14).		
179	Individual Movements and Habitat Use in Temporary Settlement Areas, Wintering Grounds and Breeding Areas of Saker Falcons Falco cherrug in the Pannonian Basin. Acta Ornithologica, 2022, 56, .	0.5	0