

# Ivan Literak

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2339744/publications.pdf>

Version: 2024-02-01

179  
papers

4,121  
citations

136950  
32  
h-index

161849  
54  
g-index

180  
all docs

180  
docs citations

180  
times ranked

4516  
citing authors

#	ARTICLE	IF	CITATIONS
1	Dispersal and philopatry in Central European Red Kites <i>Milvus milvus</i> . <i>Journal of Ornithology</i> , 2022, 163, 469-479.	1.1	12
2	Age, landscape, and arrival date explain ranging behavior of wintering red kites in southwest Europe. <i>Journal of Wildlife Management</i> , 2022, 86, .	1.8	11
3	Individual Movements and Habitat Use in Temporary Settlement Areas, Wintering Grounds and Breeding Areas of Saker Falcons <i>Falco cherrug</i> in the Pannonian Basin. <i>Acta Ornithologica</i> , 2022, 56, .	0.5	0
4	Black Kites on a flyway between Western Siberia and the Indian Subcontinent. <i>Scientific Reports</i> , 2022, 12, 5581.	3.3	4
5	Urban Wildlife Crisis: Australian Silver Gull Is a Bystander Host to Widespread Clinical Antibiotic Resistance. <i>MSystems</i> , 2022, 7, e0015822.	3.8	21
6	New species and records of chiggers (Acariformes: Trombiculidae) from birds of the Neotropics. <i>Zootaxa</i> , 2022, 5141, 501-552.	0.5	2
7	Weather-influenced water-crossing behaviour of black kites ( <i>Milvus migrans</i> ) during migration. <i>Biologia (Poland)</i> , 2021, 76, 1267-1273.	1.5	6
8	Kites <i>Milvus migrans lineatus</i> ( <i>Milvus migrans migrans/lineatus</i> ) are spreading west across Europe. <i>Journal of Ornithology</i> , 2021, 162, 317-323.	1.1	5
9	Genetic diversity, differentiation and historical origin of the isolated population of rooks <i>&lt; i&gt;Corvus frugilegus&lt;/i&gt;</i> in Iberia. <i>Journal of Avian Biology</i> , 2021, 52, .	1.2	3
10	Multi-Drug Resistant Plasmids with ESBL/AmpC and mcr-5.1 in Paraguayan Poultry Farms: The Linkage of Antibiotic Resistance and Hatcheries. <i>Microorganisms</i> , 2021, 9, 866.	3.6	6
11	First-year dispersal in white-tailed eagles <i>Haliaeetus albicilla</i> . <i>European Journal of Wildlife Research</i> , 2021, 67, 1.	1.4	4
12	Spatial and numerical responses of Red Kites <i>Milvus milvus</i> to the Common Vole <i>Microtus arvalis</i> population outbreak in central Europe. <i>European Journal of Wildlife Research</i> , 2021, 67, 1.	1.4	4
13	Phylogeography and demographic history of the black kite <i>&lt; i&gt;Milvus migrans&lt;/i&gt;</i> , a widespread raptor in Eurasia, Australia and Africa. <i>Journal of Avian Biology</i> , 2021, 52, .	1.2	4
14	A mixed pair of black and red kites in Ukraine, including DNA analysis of hybrid offspring. <i>Biologia (Poland)</i> , 2020, 75, 115-120.	1.5	5
15	Natal dispersal of black kites from Slovakia. <i>Biologia (Poland)</i> , 2020, 75, 591-598.	1.5	6
16	Host dispersal shapes the population structure of a tick-borne bacterial pathogen. <i>Molecular Ecology</i> , 2020, 29, 485-501.	3.9	43
17	Diverse natal dispersal in four sibling red kites originating from Austria, including wintering in Tunisia. <i>Biologia (Poland)</i> , 2020, 75, 1399-1407.	1.5	12
18	Natal dispersal in Black Kites <i>Milvus migrans migrans</i> in Europe. <i>Journal of Ornithology</i> , 2020, 161, 935-951.	1.1	10

#	ARTICLE	IF	CITATIONS
19	Insect ectoparasites from wild passerine birds in the Azores Islands. Parasite, 2020, 27, 64.	2.0	7
20	Parentage Analysis in the White-Tailed Eagle <i>Haliaeetus albicilla</i> : Are Molted Feathers from Nest Sites a Reliable Source of Parental DNA?. Acta Ornithologica, 2020, 55, .	0.5	3
21	A kite <i>Milvus migrans migrans/lineatus</i> in Ukraine. Biologia (Poland), 2019, 74, 1669-1673.	1.5	6
22	Plasmid-Mediated <i>mcr-1</i> Colistin Resistance in <i>Escherichia coli</i> from a Black Kite in Russia. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	20
23	Massive infection of a song thrush by <i>Mesocestoides</i> sp. (Cestoda) tetrathyridia that genetically match acephalic metacercodes causing lethal peritoneal larval cestodiasis in domesticated mammals. Parasites and Vectors, 2019, 12, 230.	2.5	2
24	Wildlife Is Overlooked in the Epidemiology of Medically Important Antibiotic-Resistant Bacteria. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	110
25	Genomic and Functional Analysis of Emerging Virulent and Multidrug-Resistant <i>Escherichia coli</i> Lineage Sequence Type 648. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	71
26	Status of the Red Kite <i>Milvus milvus</i> in Croatia, based on telemetry research: spatiotemporal distribution and new breeding record. Larus Godi Čunjak Zavoda Za Ornitologiju Hrvatske Akademije Znanosti i Umjetnosti, 2019, 54, 7-22.	0.3	4
27	A description of the male of <i>Geckobiella donnae</i> Paredes-Leon, Klompen et Perez, 2012 (Acar: Tj ETQq1 1 0.784314 rgBT /Overlock 10		
28	Isolated populations of <i>Ixodes luidus</i> ticks in the Czech Republic and Belgium host genetically homogeneous <i>Rickettsia vini</i> . Ticks and Tick-borne Diseases, 2018, 9, 479-484.	2.7	11
29	An outbreak of philophthalmosis in <i>Larus michahellis</i> and <i>Larus fuscus</i> gulls in Iberian Peninsula. Parasitology International, 2018, 67, 253-261.	1.3	14
30	Molecular characterization of plasmid-mediated AmpC beta-lactamase- and extended-spectrum beta-lactamase-producing <i>Escherichia coli</i> and <i>Klebsiella pneumoniae</i> among corvids ( <i>Corvus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 297		
31	New species and additional data on the chewing louse genus <i>Myrsidea</i> (Phthiraptera: Menoponidae) from wild Neotropical Passeriformes (Aves). Zootaxa, 2018, 4418, 401-431.	0.5	8
32	Extensive Genetic Commonality among Wildlife, Wastewater, Community, and Nosocomial Isolates of <i>Escherichia coli</i> Sequence Type 131 ( <i>&lt; i&gt;H&lt;/i&gt; 30R1 and &lt; i&gt;H&lt;/i&gt; 30Rx Subclones) That Carry &lt; i&gt;bla&lt;/i&gt; &lt;sub&gt;CTX-M-27&lt;/sub&gt; or &lt; i&gt;bla&lt;/i&gt; &lt;sub&gt;CTX-M-15&lt;/sub&gt;. Antimicrobial Agents and Chemotherapy, 2018, 62, .</i>	3.2	33
33	Wild corvid birds colonized with vancomycin-resistant <i>Enterococcus faecium</i> of human origin harbor epidemic <i>vanA</i> plasmids. Environment International, 2018, 118, 125-133.	10.0	13
34	Characterization of blaKPC-3-positive plasmids from an <i>Enterobacter aerogenes</i> isolated from a corvid in Canada. Journal of Antimicrobial Chemotherapy, 2018, 73, 2573-2575.	3.0	3
35	Occurrence of Red Kites <i>Milvus milvus</i> in Serbia based on birds tracked by telemetry devices. Acrocephalus, 2018, 39, 27-32.	0.4	5
36	TWO NEW SPECIES OF THE FEATHER MITE GENUS &lt;i&gt;MESALGOIDES&lt;/i&gt; GAUD ET ATYEO (ACARIFORMES: PSOROPTOIDIDAE) FROM EUROPEAN SERINS (PASSERIFORMES: FRINGILLIDAE). Acarina, 2018, 26, 97-110.	0.8	4

#	ARTICLE	IF	CITATIONS
37	The chiggers (Acari: Trombiculidae) on wild birds in Honduras. <i>Folia Parasitologica</i> , 2018, 65, .	1.3	1
38	Extension of the Avian Host Range of Collyriclosis in Europe. <i>Journal of Wildlife Diseases</i> , 2017, 53, 344-348.	0.8	1
39	Plasmid-mediated resistance to cephalosporins and quinolones in <i>&lt; i&gt;Escherichia coli&lt;/i&gt;</i> from American crows in the USA. <i>Environmental Microbiology</i> , 2017, 19, 2025-2036.	3.8	26
40	Vancomycin-resistant enterococci with <i>&lt; i&gt;vanA&lt;/i&gt;</i> and <i>&lt; i&gt;vanB&lt;/i&gt;</i> genes in Australian gulls. <i>Environmental Microbiology Reports</i> , 2017, 9, 316-318.	2.4	12
41	Migration of Black Storks <i>&lt; i&gt;Ciconia nigra&lt;/i&gt;</i> at a migratory divide: two different routes used by siblings from one nest and two different routes used by one individual. <i>Ringing and Migration</i> , 2017, 32, 19-24.	0.4	1
42	Chewing lice from wild birds in northern Greece. <i>Parasitology International</i> , 2017, 66, 699-706.	1.3	5
43	Vancomycin-resistant enterococci with <i>vanA</i> gene in treated municipal wastewater and their association with human hospital strains. <i>Science of the Total Environment</i> , 2017, 609, 633-643.	8.0	36
44	Morphological and Molecular Assessment of Pentastomes from Gulls in Portugal. <i>Journal of Parasitology</i> , 2017, 103, 588-592.	0.7	3
45	Where are the species limits? Morphology versus genetics in Neotropical chewing lice of the genus <i>Myrsidea</i> (Phthiraptera: Menoponidae), with description of three new species. <i>Zootaxa</i> , 2017, 4324, 161.	0.5	7
46	Common wintering of black kites ( <i>Milvus migrans migrans</i> ) in Greece, and new data on their wintering elsewhere in Europe. <i>Slovak Raptor Journal</i> , 2017, 11, 91-102.	0.4	18
47	Chewing lice of genus <i>&lt; i&gt;Ricinus&lt;/i&gt;</i> (Phthiraptera, Ricinidae) deposited at the Zoological Institute of the Russian Academy of Sciences, Saint Petersburg, Russia, with description of a new species. <i>Parasite</i> , 2016, 23, 7.	2.0	3
48	Combined Analysis of Variation in Core, Accessory and Regulatory Genome Regions Provides a Super-Resolution View into the Evolution of Bacterial Populations. <i>PLoS Genetics</i> , 2016, 12, e1006280.	3.5	177
49	Natural and anthropogenic influences on the population structure of white-tailed eagles in the Carpathian Basin and central Europe. <i>Journal of Avian Biology</i> , 2016, 47, 795-805.	1.2	9
50	<i>Rickettsia vini</i> n. sp. (Rickettsiaceae) infecting the tick <i>Ixodes arboricola</i> (Acari: Ixodidae). <i>Parasites and Vectors</i> , 2016, 9, 469.	2.5	26
51	&lt;p&gt;&lt;strong&gt;Two new species and new records of chiggers (Acari: Leeuwenhoekiidae,) Tj ETQq1 1 0.784314 rgBT /Overlock 1 Zootaxa, 2016, 4061, 483.	0.5	6
52	New data on the taxonomy and distribution of ten Neotropical chewing lice of the genus <i>Myrsidea</i> (Phthiraptera: Menoponidae), including the description of a new species. <i>Zootaxa</i> , 2016, 4085, 233-47.	0.5	4
53	Mites <i>Proctolaelaps superaguisp.</i> nov. and <i>Tropicoseius brasiliensis</i> <i>bromeliad</i> <i>Quesnelia arvensis</i> in Brazil. <i>International Journal of Acarology</i> , 2016, 42, 265-273.	0.7	3
54	Redescriptions and new host records of chewing lice of the genus <i>Ricinus</i> (Phthiraptera: Ricinidae) from the Neotropical Region. <i>Zootaxa</i> , 2016, 4154, 179.	0.5	1

#	ARTICLE	IF	CITATIONS
55	Implications of fluoroquinolone contamination for the aquatic environment—A review. Environmental Toxicology and Chemistry, 2016, 35, 2647-2656.	4.3	143
56	Vancomycin-resistant Enterococcus faecium with vanA gene isolated for the first time from wildlife in Slovakia. Veterinary Microbiology, 2016, 194, 43-47.	1.9	18
57	Ticks and tick-borne pathogens in wild birds in Greece. Parasitology Research, 2016, 115, 2011-2016.	1.6	26
58	“Candidatus Rickettsia mendelii”™, a novel basal group rickettsia detected in Ixodes ricinus ticks in the Czech Republic. Ticks and Tick-borne Diseases, 2016, 7, 482-486.	2.7	29
59	Salmonella enterica resistant to antimicrobials in wastewater effluents and black-headed gulls in the Czech Republic, 2012. Science of the Total Environment, 2016, 542, 102-107.	8.0	24
60	High prevalence of <i>Salmonella</i> and IMP-4-producing Enterobacteriaceae in the silver gull on Five Islands, Australia. Journal of Antimicrobial Chemotherapy, 2016, 71, 63-70.	3.0	140
61	Characteristics of Quinolone Resistance in Escherichia coli Isolates from Humans, Animals, and the Environment in the Czech Republic. Frontiers in Microbiology, 2016, 7, 2147.	3.5	53
62	Conservation of the Red Kite Milvus milvus (Aves: Accipitriformes) Is Not Affected by the Establishment of a Broad Hybrid Zone with the Black Kite Milvus migrans migrans in Central Europe. PLoS ONE, 2016, 11, e0159202.	2.5	9
63	Feather mites (Acaria, Astigmata) from Azorean passerines (Aves, Passeriformes): lower species richness compared to European mainland. Parasite, 2015, 22, 8.	2.0	9
64	Bacteria of the genus Rickettsia in ticks (Acari: Ixodidae) collected from birds in Costa Rica. Ticks and Tick-borne Diseases, 2015, 6, 478-482.	2.7	43
65	Ticks on passerines from the Archipelago of the Azores as hosts of borreliae and rickettsiae. Ticks and Tick-borne Diseases, 2015, 6, 607-610.	2.7	6
66	Plasmid-Mediated Resistance to Cephalosporins and Fluoroquinolones in Various Escherichia coli Sequence Types Isolated from Rooks Wintering in Europe. Applied and Environmental Microbiology, 2015, 81, 648-657.	3.1	60
67	Intermediate hosts of the trematode <i>Collyriclum faba</i> (Plagiochiida: Collyriclidae) identified by an integrated morphological and genetic approach. Parasites and Vectors, 2015, 8, 85.	2.5	16
68	Rickettsial infections in ticks from reptiles, birds and humans in Honduras. Ticks and Tick-borne Diseases, 2015, 6, 737-742.	2.7	40
69	Prevalence, diversity and characterization of enterococci from three coraciiform birds. Antonie Van Leeuwenhoek, 2015, 107, 1281-1289.	1.7	10
70	Molecular characterization of “Candidatus Rickettsia vini”™ in Ixodes arboricola from the Czech Republic and Slovakia. Ticks and Tick-borne Diseases, 2015, 6, 330-333.	2.7	15
71	Chewing Lice in Azorean Blackcaps ( <i>Sylvia atricapilla</i> ): A Contribution to Parasite Island Syndromes. Journal of Parasitology, 2015, 101, 252-254.	0.7	13
72	Host generalists and specialists emerging side by side: an analysis of evolutionary patterns in the cosmopolitan chewing louse genus Menacanthus. International Journal for Parasitology, 2015, 45, 63-73.	3.1	27

#	ARTICLE	IF	CITATIONS
73	Plasmid-Mediated Quinolone Resistance Genes in Enterobacteriaceae from American Crows: High Prevalence of Bacteria with Variable qnrB Genes. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 1257-1258.	3.2	18
74	First record of vancomycin-resistant <i>&lt;scp&gt;&lt;i&gt;E&lt;/i&gt;&lt;/scp&gt;&lt;i&gt;Enterococcus faecium&lt;/i&gt;</i> in <i>&lt;scp&gt;C&lt;/scp&gt;</i> anadian wildlife. <i>Environmental Microbiology Reports</i> , 2014, 6, 210-211.	2.4	10
75	<i>&lt;scp&gt;A&lt;/scp&gt;</i> merican crows as carriers of vancomycin-resistant enterococci with <i>&lt;scp&gt;&lt;i&gt;vanA&lt;/i&gt;&lt;/scp&gt;</i> gene. <i>Environmental Microbiology</i> , 2014, 16, 939-949.	3.8	67
76	High Prevalence and Variability of CTX-M-15-Producing and Fluoroquinolone-Resistant <i>&lt;i&gt;Escherichia coli&lt;/i&gt;</i> Observed in Stray Dogs in Rural Angola. <i>Microbial Drug Resistance</i> , 2014, 20, 372-375.	2.0	16
77	Active chi-like sequences are present in the ITS1 region of polyembryonic adult <i>Collyriclum faba</i> trematodes encysted in pairs. <i>Parasitology Research</i> , 2014, 113, 3211-3220.	1.6	5
78	Rickettsial infections in ticks from wild birds in Paraguay. <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 83-89.	2.7	29
79	Ticks of the <i>Hyalomma marginatum</i> complex transported by migratory birds into Central Europe. <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 489-493.	2.7	66
80	Antimicrobial-resistant Enterobacteriaceae from humans and wildlife in Dzanga-Sangha Protected Area, Central African Republic. <i>Veterinary Microbiology</i> , 2014, 171, 422-431.	1.9	33
81	<i>Enterobacter cloacae</i> with a novel variant of ACT AmpC beta-lactamase originating from glaucous gull ( <i>Larus hyperboreus</i> ) in Svalbard. <i>Veterinary Microbiology</i> , 2014, 171, 432-435.	1.9	11
82	Low Rates of Antimicrobial-Resistant Enterobacteriaceae in Wildlife in Taï National Park, Côte d'Ivoire, Surrounded by Villages with High Prevalence of Multiresistant ESBL-Producing <i>Escherichia coli</i> in People and Domestic Animals. <i>PLoS ONE</i> , 2014, 9, e113548.	2.5	21
83	A Rickettsia parkeri-like agent infecting <i>Amblyomma calcaratum</i> nymphs from wild birds in Mato Grosso do Sul, Brazil. <i>Ticks and Tick-borne Diseases</i> , 2013, 4, 145-147.	2.7	28
84	<i>&lt;i&gt;ESCHERICHIA COLI&lt;/i&gt;</i> PRODUCING EXTENDED-SPECTRUM BETA-LACTAMASE CTX-M-15 IN A CAPTIVE SOUTH AMERICAN TAPIR ( <i>&lt;i&gt;TAPIRUS TERRESTRIS&lt;/i&gt;</i> ). <i>Journal of Zoo and Wildlife Medicine</i> , 2013, 44, 173-175.	0.6	3
85	Fleas on Wild Birds in Costa Rica. <i>Proceedings of the Entomological Society of Washington</i> , 2013, 115, 1-8.	0.2	2
86	Molecular phylogenetic characterization of <i>Collyriclum faba</i> with reference to its three host-specific ecotypes. <i>Parasitology International</i> , 2013, 62, 262-267.	1.3	28
87	Eye trematode infection in small passerines in Peru caused by <i>Philophthalmus lucipetus</i> , an agent with a zoonotic potential spread by an invasive freshwater snail. <i>Parasitology International</i> , 2013, 62, 390-396.	1.3	33
88	Extended spectrum beta-lactamase and fluoroquinolone resistance genes and plasmids among <i>&lt;i&gt;Escherichia coli&lt;/i&gt;</i> isolates from zoo animals, Czech Republic. <i>FEMS Microbiology Ecology</i> , 2013, 85, 604-611.	2.7	48
89	Specific association between the mites <i>Androlaelaps fahrenholzi</i> (Acari: Laelapidae) and birds <i>Premnoplex brunneascens</i> in Costa Rica: possible evidence of a recent host switch. <i>Experimental and Applied Acarology</i> , 2013, 60, 281-287.	1.6	5
90	Broilers as a Source of Quinolone-Resistant and Extraintestinal Pathogenic <i>&lt;i&gt;Escherichia coli&lt;/i&gt;</i> in the Czech Republic. <i>Microbial Drug Resistance</i> , 2013, 19, 57-63.	2.0	28

#	ARTICLE	IF	CITATIONS
91	Vancomycin-resistant enterococci in rooks (<i>C</i><em>orvus frugilegus</em></i>) wintering throughout Europe. Environmental Microbiology, 2013, 15, 548-556.	3.8	32
92	Enterococcus alcedinis sp. nov., isolated from common kingfisher (Alcedo atthis). International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3069-3074.	1.7	11
93	&lt;strong&gt;Chewing lice of genus &lt;em&gt;Myrsidea&lt;/em&gt; (Phthiraptera: Menoponidae) from Turdidae (Passeriformes) of Costa Rica, with descriptions of seven new species&lt;/strong&gt;. Zootaxa, 2013, 3620, 201-222.	0.5	8
94	Dogs of Nomadic Pastoralists in Northern Kenya Are Reservoirs of Plasmid-Mediated Cephalosporin- and Quinolone-Resistant Escherichia coli, Including Pandemic Clone B2-O25-ST131. Antimicrobial Agents and Chemotherapy, 2012, 56, 4013-4017.	3.2	36
95	Escherichia coli with extended-spectrum $\beta$ -lactamase and plasmid-mediated quinolone resistance genes in great cormorants and mallards in Central Europe. Journal of Antimicrobial Chemotherapy, 2012, 67, 1103-1107.	3.0	59
96	Plasmid-Mediated Quinolone Resistance Genes in Fecal Bacteria from Rooks Commonly Wintering Throughout Europe. Microbial Drug Resistance, 2012, 18, 567-573.	2.0	27
97	Tick-borne zoonotic pathogens in ticks feeding on the common nightingale including a novel strain of <i>Rickettsia</i> sp.. Ticks and Tick-borne Diseases, 2012, 3, 265-268.	2.7	11
98	<i>Rickettsia bellii</i> in ticks <i>Amblyomma varium</i> Koch, 1844, from birds in Peru. Ticks and Tick-borne Diseases, 2012, 3, 254-256.	2.7	28
99	Dissemination of IncFIIK-type plasmids in multiresistant CTX-M-15-producing Enterobacteriaceae isolates from children in hospital paediatric oncology wards. International Journal of Antimicrobial Agents, 2012, 40, 510-515.	2.5	45
100	Use of the manganese-dependent superoxide dismutase gene sodA for rapid identification of recently described enterococcal species. Folia Microbiologica, 2012, 57, 439-442.	2.3	13
101	New species and new records of chewing lice (Phthiraptera: Amblycera and Ischnocera) from bulbul (Passeriformes: Pycnonotidae) in Vietnam. Zootaxa, 2012, 3357, 37.	0.5	17
102	Chewing lice (Phthiraptera: Amblycera, Ischnocera) from wild passerines (Aves: Passeriformes) in northern Vietnam, with descriptions of three new species. Zootaxa, 2012, 3530, 59.	0.5	14
103	Chewing lice (Phthiraptera) from wild birds in Senegal, with descriptions of three new species of the genera Brueelia and Philopteroides. Acta Parasitologica, 2012, 57, 90-8.	1.1	15
104	<i>Myrsidea povedai</i> (Phthiraptera: Menoponidae), a New Species of Chewing Louse From <i>Phainoptila melanoxantha</i> (Passeriformes: Bombycillidae). Journal of Parasitology, 2011, 97, 593-595.	0.7	1
105	The Importance of <i>Ixodes arboricola</i> in Transmission of <i>Rickettsia</i> spp., <i>Anaplasma phagocytophilum</i> , and <i>Borrelia burgdorferi</i> Sensu Lato in the Czech Republic, Central Europe. Vector-Borne and Zoonotic Diseases, 2011, 11, 1235-1241.	1.5	43
106	Adoptions of Young Common Buzzards in White-tailed Sea Eagle Nests. Wilson Journal of Ornithology, 2011, 123, 174-176.	0.2	3
107	Chewing lice of the genus <i>Myrsidea</i> (Phthiraptera: Menoponidae) from New World warblers (Passeriformes: Parulidae) from Costa Rica, with descriptions of four new species. Zootaxa, 2011, 3137, .	0.5	7
108	Chewing lice of the genus <i>Myrsidea</i> (Phthiraptera: Menoponidae) from the Cardinalidae, Emberizidae, Fringillidae and Thraupidae (Aves: Passeriformes) from Costa Rica, with descriptions of four new species. Zootaxa, 2011, 3032, 1.	0.5	12

#	ARTICLE	IF	CITATIONS
109	IncN plasmids carrying blaCTX-M-1 in <i>Escherichia coli</i> isolates on a dairy farm. <i>Veterinary Microbiology</i> , 2011, 149, 513-516.	1.9	52
110	Surface-enhanced laser desorption ionization/time-of-flight (SELDI-TOF) mass spectrometry (MS) as a phenotypic method for rapid identification of antibiotic resistance. <i>Anaerobe</i> , 2011, 17, 444-447.	2.1	12
111	A new feather mite species of the genus <i>Picalgooides</i> ÄŒernÄ½, 1974 (Astigmata: Psoroptoididae) from a passerine host in Costa Rica. <i>Systematic Parasitology</i> , 2011, 79, 63-70.	1.1	5
112	Microfilariae in birds in the Czech Republic, including a note on adult nematodes <i>Eufilaria delicata</i> in a song thrush <i>Turdus philomelos</i> . <i>Parasitology Research</i> , 2011, 109, 645-655.	1.6	9
113	Collyriclosis in Central European hirundines. <i>Parasitology Research</i> , 2011, 109, 699-706.	1.6	13
114	Plasmids carrying blaCTX-M-1 and qnr genes in <i>Escherichia coli</i> isolates from an equine clinic and a horseback riding centre. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 757-764.	3.0	95
115	Antimicrobial Resistance in Fecal <i>Escherichia coli</i> Isolates from Healthy Urban Children of Two Age Groups in Relation to Their Antibiotic Therapy. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 3005-3007.	3.2	15
116	Synanthropic Birds Influence the Distribution of <i>Borrelia</i> Species: Analysis of <i>Ixodes ricinus</i> Ticks Feeding on Passerine Birds. <i>Applied and Environmental Microbiology</i> , 2011, 77, 1115-1117.	3.1	27
117	Mites of the genus <i>Neharpyrhynchus</i> Fain (Acariformes, Harpirhynchidae) from Neotropical birds. <i>ZooKeys</i> , 2011, 89, 15-31.	1.1	9
118	CTX-M-15-producing <i>Escherichia coli</i> clone B2-O25b-ST131 and <i>Klebsiella</i> spp. isolates in municipal wastewater treatment plant effluents. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 2784-2790.	3.0	104
119	A new mite species of the genus <i>Lasioseius</i> (Acarina: Gamasina, Blattisociidae) associated with the flowers of <i>Englerina lecardii</i> and <i>Chalcomitra senegalensis</i> (Aves: Nectariniidae) in Senegal. <i>International Journal of Acarology</i> , 2011, 37, 511-524.	0.7	3
120	New species of the feather mite subfamily Pterodectinae (Astigmata, Proctophyllodidae) from passerines in Senegal. <i>Acta Parasitologica</i> , 2010, 55, .	1.1	10
121	Chewing lice (Phthiraptera) on manakins (Passeriformes: Pipridae) from Costa Rica, with description of a new species of the genus <i>Tyrannophilopterus</i> (Phthiraptera: Philopteridae). <i>Parasitology Research</i> , 2010, 106, 925-931.	1.6	9
122	<i>Neospora</i> spp. and <i>Toxoplasma gondii</i> antibodies in horses in the Czech Republic. <i>Parasitology Research</i> , 2010, 107, 783-785.	1.6	39
123	Tortoise tick <i>Hyalomma aegyptium</i> as long term carrier of Q fever agent <i>Coxiella burnetii</i> —evidence from experimental infection. <i>Parasitology Research</i> , 2010, 107, 1515-1520.	1.6	46
124	Avipoxvirus in great tits ( <i>Parus major</i> ). <i>European Journal of Wildlife Research</i> , 2010, 56, 529-534.	1.4	9
125	<i>Neospora caninum</i> and <i>Toxoplasma gondii</i> antibodies in European brown hares in the Czech Republic, Slovakia and Austria. <i>Veterinary Parasitology</i> , 2010, 171, 155-158.	1.8	14
126	Antimicrobial-resistant faecal <i>&lt; i&gt;Escherichia coli&lt;/i&gt;</i> in wild mammals in central Europe: multiresistant <i>&lt; i&gt;Escherichia coli&lt;/i&gt;</i> producing extended-spectrum beta-lactamases in wild boars. <i>Journal of Applied Microbiology</i> , 2010, 108, 1702-1711.	3.1	132

#	ARTICLE	IF	CITATIONS
127	Chewing lice (Insecta: Phthiraptera) from estrildid finches (Aves: Passeriformes: Estrildidae) and louse-flies (Insecta: Diptera: Hippoboscidae) from birds in Senegal, with descriptions of three new species of the genus <i>Brueelia</i> . <i>Zootaxa</i> , 2010, 2714, 59.	0.5	9
128	Antibiotic-Resistant <i>&lt; i&gt;Escherichia coli&lt;/i&gt;</i> Bacteria, Including Strains with Genes Encoding the Extended-Spectrum Beta-Lactamase and QnrS, in Waterbirds on the Baltic Sea Coast of Poland. <i>Applied and Environmental Microbiology</i> , 2010, 76, 8126-8134.	3.1	134
129	Phenotypic and genotypic characteristics of antimicrobial resistant <i>Escherichia coli</i> isolated from symbovine flies, cattle and sympatric insectivorous house martins from a farm in the Czech Republic (2006–2007). <i>Research in Veterinary Science</i> , 2010, 89, 179-183.	1.9	26
130	Chewing lice of the genus <i>Myrsidea waterston</i> (Phthiraptera: Menoponidae) from the emberizidae and thraupidae (Passeriformes) in Mato Grosso do Sul, Brazil. <i>Neotropical Entomology</i> , 2009, 38, 501-503.	1.2	6
131	Highly Variable Patterns of Antimicrobial Resistance in Commensal <i>&lt; i&gt;Escherichia coli&lt;/i&gt;</i> Isolates from Pigs, Sympatric Rodents, and Flies. <i>Microbial Drug Resistance</i> , 2009, 15, 229-237.	2.0	50
132	Serologic survey for toxoplasmosis in domestic birds from the Czech Republic. <i>Avian Pathology</i> , 2009, 38, 317-320.	2.0	24
133	Chewing lice from wild passerines (Aves, Passeriformes) from Vietnam, with description of a new species of the genus <i>Brueelia</i> (Phthiraptera, Ischnocera, Philopteridae). <i>Acta Parasitologica</i> , 2009, 54, .	1.1	10
134	Blood parasites (Haemoproteus and microfilariae) in birds from the Caribbean slope of Costa Rica. <i>Acta Parasitologica</i> , 2009, 54, .	1.1	14
135	Differential Role of Passerine Birds in Distribution of <i>Borrelia</i> Spirochetes, Based on Data from Ticks Collected from Birds during the Postbreeding Migration Period in Central Europe. <i>Applied and Environmental Microbiology</i> , 2009, 75, 596-602.	3.1	104
136	Larvae of chigger mites <i>Neotrombicula</i> spp. (Acari: Trombiculidae) exhibited <i>Borrelia</i> but no <i>Anaplasma</i> infections: a field study including birds from the Czech Carpathians as hosts of chiggers. <i>Experimental and Applied Acarology</i> , 2008, 44, 307-314.	1.6	29
137	The identity of <i>Menacanthus eisenachensis</i> Baláž (Insecta, Phthiraptera, Amblycera, Menoponidae) from the Reed Warbler (Passeriformes, Sylviidae). <i>Acta Parasitologica</i> , 2008, 53, 404.	1.1	2
138	Identity of <i>Menacanthus obrteli</i> Baláž (Phthiraptera: Menoponidae) from the Saviá™s warbler (Passeriformes: Sylviidae). <i>Biologia</i> (Poland), 2008, 63, 686-688.	1.5	4
139	Description of the life stages of <i>&lt; i&gt;Harpyrhynchoides rubeculinus&lt;/i&gt;</i> (Cerny and Sixl, 1971) (Prostigmata: Harpirhynchidae). <i>International Journal of Acarology</i> , 2008, 34, 227-236.	0.7	5
140	Pinching Off Syndrome in Two White-Tailed Sea Eagles ( <i>Haliaeetus albicilla</i> ) in the Czech Republic. <i>Journal of Raptor Research</i> , 2008, 42, 65-66.	0.6	5
141	Avipoxvirus in blackcaps ( <i>&lt; i&gt;Sylvia atricapilla&lt;/i&gt;</i> ). <i>Avian Pathology</i> , 2008, 37, 101-107.	2.0	18
142	Blackbirds and Song Thrushes Constitute a Key Reservoir of <i>&lt; i&gt;Borrelia garinii&lt;/i&gt;</i> , the Causative Agent of Borreliosis in Central Europe. <i>Applied and Environmental Microbiology</i> , 2008, 74, 1289-1293.	3.1	116
143	A review of mites of the genus <i>&lt; i&gt;Neharpyrhynchus&lt;/i&gt;</i> Fain (Acari: Harpirhynchidae) – ectoparasites of wild birds, including description of four new species. <i>International Journal of Acarology</i> , 2008, 34, 197-209.	0.7	5
144	<i>Myrsidea sylviae</i> (Phthiraptera, Menoponidae), a new species of chewing louse from <i>Sylvia atricapilla</i> (Passeriformes, Sylviidae). <i>Mitteilungen Aus Dem Museum Fur Naturkunde in Berlin - Deutsche Entomologische Zeitschrift</i> , 2008, 55, 241-243.	0.8	5

#	ARTICLE	IF	CITATIONS
145	Pinching Off Syndrome In Free-ranging White-tailed Sea Eagles ( <i>Haliaeetus Albicilla</i> ) In Europe: Frequency And Geographic Distribution Of A Generalized Feather Abnormality. , 2007, 21, 103-109.	8	
146	< i>Neharpyrhynchus baile</i>n. sp. (Prostigmata: Harpirhynchidae) parasitizing< i>Turdus leucomelas</i> Vieillot (Aves: Turdidae) from Brazil. International Journal of Acarology, 2007, 33, 35-39.	0.7	7
147	Ascid mites (Acari: Mesostigmata: Ascidae) from Costa Rican hummingbirds (Aves: Trochilidae), with description of three new species and a key to the Proctolaelaps belemensis species group. Zootaxa, 2007, 1484, 51-68.	0.5	12
148	Complete genomes and phylogenetic positions of bovine papillomavirus type 8 and a variant type from a European bison. Virus Genes, 2007, 35, 243-249.	1.6	53
149	Wild black-headed gulls ( <i>Larus ridibundus</i> ) as an environmental reservoir of <i>Salmonella</i> strains resistant to antimicrobial drugs. European Journal of Wildlife Research, 2007, 53, 55-60.	1.4	33
150	Winter infestation of wild birds by ticks and chiggers (Acari: Ixodidae, Trombiculidae) in the Czech Republic. Parasitology Research, 2007, 101, 1709-1711.	1.6	24
151	Chigger mites (Acari: Trombiculidae) from wild birds in Costa Rica, with a description of three new species. Folia Parasitologica, 2007, 54, 59-67.	1.3	11
152	<i>Lasioseius aquilarum</i> . sp. (Acari: Ascidae) from the nares of costa rican hummingbirds (Trochilidae). International Journal of Acarology, 2006, 32, 293-296.	0.7	4
153	An Outbreak of the Polyomavirus Infection in Budgerigars and Cockatiels in Slovakia, Including a Genome Analysis of an Avian Polyomavirus Isolate. Avian Diseases, 2006, 50, 120-123.	1.0	14
154	Three new species of <i>Isospora Schneider, 1881</i> (Apicomplexa: Eimeriidae) from the lesser seed-finches, <i>Oryzoborus angolensis</i> (Passeriformes: Emberizidae) from Brazil. Memorias Do Instituto Oswaldo Cruz, 2006, 101, 573-576.	1.6	10
155	Three species of the genus< i>Pellonyssus</i>(Acari: Macronyssidae) including a new species from Costa Rican birds. International Journal of Acarology, 2006, 32, 175-178.	0.7	6
156	Where in Europe should we look for sources of the cutaneous trematode <i>Collyriculum faba</i> infections in migrating birds?. Journal of Helminthology, 2006, 80, 349-355.	1.0	14
157	A review of the European Harpirhynchidae (Acari, Prostigmata) with the description of a new species. Acta Parasitologica, 2006, 51, .	1.1	9
158	Ticks (Ixodidae) from passerine birds in the Carpathian region. Wiener Klinische Wochenschrift, 2006, 118, 759-764.	1.9	43
159	Papillomatosis in a European Bison. Journal of Wildlife Diseases, 2006, 42, 149-153.	0.8	21
160	Detection of <i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> in Two Brown Bears in the Central European Carpathians. Journal of Wildlife Diseases, 2006, 42, 691-695.	0.8	19
161	Chewing lice (Phthiraptera) from typical antbirds and ground ant-birds (Passeriformes:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 10 Formicaphagus and Myrsidea. Zootaxa, 2006, 1206, 47.	0.5	14
162	Subalar cutaneous cysts with <i>Harpiphyynchus nidulans</i> in bearded tits and hawfinches in Central Europe. Avian Pathology, 2005, 34, 26-28.	2.0	11

#	ARTICLE	IF	CITATIONS
163	TOXOPLASMOSIS IN NILGAIS ( <i>BOSELAPHUS TRAGOCAMELUS</i> ) AND A SAIGA ANTELOPE ( <i>SAIGA TATARICA</i> ). Journal of Zoo and Wildlife Medicine, 2004, 35, 530-533.	0.6	13
164	Use of human buildings by Eurasian badgers in the Moravskoslezské Beskydy Mountains, Czech Republic. Acta Theriologica, 2004, 49, 567-570.	1.1	4
165	Susceptibility of the domestic duck ( <i>Anas platyrhynchos</i> ) to experimental infection with <i>Toxoplasma gondii</i> oocysts. Avian Pathology, 2004, 33, 153-157.	2.0	19
166	First record of metacestodes of <i>Mesocestoides</i> sp. in the common starling ( <i>Sturnus vulgaris</i> ) in Europe, with an 18S rDNA characterisation of the isolate. Folia Parasitologica, 2004, 51, 45-49.	1.3	17
167	First record of metacestodes of <i>Mesocestoides</i> sp. in the common starling ( <i>Sturnus vulgaris</i> ) in Europe, with an 18S rDNA characterisation of the isolate. Folia Parasitologica, 2004, 51, 45-9.	1.3	8
168	Cutaneous Trematode <i>Collyriclum faba</i> in Wild Birds in the Central European Carpathians. Journal of Parasitology, 2003, 89, 412-416.	0.7	22
169	Susceptibility of Common Voles to Experimental Toxoplasmosis. Journal of Wildlife Diseases, 2001, 37, 640-642.	0.8	7
170	Comparison of virulence of <i>Coxiella burnetii</i> isolates from bovine milk and from ticks. Folia Parasitologica, 2001, 48, 235-239.	1.3	10
171	High susceptibility of partridges ( <i>Perdix perdix</i> ) to toxoplasmosis compared with other gallinaceous birds. Avian Pathology, 2000, 29, 563-569.	2.0	29
172	Observations on feeding order in a group of Eurasian lynx. Acta Theriologica, 2000, 45, 427-430.	1.1	2
173	Phospholipase D-neutralization in serodiagnosis of <i>Arcanobacterium haemolyticum</i> and <i>Corynebacterium pseudotuberculosis</i> Infections. Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology, 1998, 288, 463-470.	0.5	7
174	TOXOPLASMOSIS IN WILD MAMMALS FROM THE CZECH REPUBLIC. Journal of Wildlife Diseases, 1997, 33, 480-485.	0.8	120
175	Survival of <i>Salmonellas</i> in a Colony of Common Black-Headed Gulls <i>Larus ridibundus</i> between Two Nesting Periods. Waterbirds, 1996, 19, 268.	0.4	15
176	Mitochondrial DNA and nuclear microsatellites reveal high diversity and genetic structure in an avian top predator, the white-tailed sea eagle, in central Europe. Biological Journal of the Linnean Society, 0, 99, 727-737.	1.6	18
177	<i>Myrsidea quadrifasciata</i> (Phthiraptera: Amblycera) – a unique host generalist among highly host-specific chewing lice. Arthropod Systematics and Phylogeny, 0, 79, 379-400.	1.1	3
178	History, dispersal and habitat selection in Central European Caspian gulls <i>Larus cachinnans</i> : a study of birds originating from a single breeding colony. Biologia (Poland), 0, , 1.	1.5	1
179	Causes of admission and outcomes of white-tailed eagles <i>Haliaeetus albicilla</i> in wildlife rescue centres in the Czech Republic during 2010–2020. Avian Biology Research, 0, , 175815592211070.	0.9	1