

# Matthew P Fox

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2340399/matthew-p-fox-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

260  
papers

9,543  
citations

51  
h-index

90  
g-index

273  
ext. papers

11,082  
ext. citations

5.5  
avg, IF

6.38  
L-index

#	Paper	IF	Citations
260	Retention in HIV care between testing and treatment in sub-Saharan Africa: a systematic review. <i>PLoS Medicine</i> , <b>2011</b> , 8, e1001056	11.6	576
259	Patient retention in antiretroviral therapy programs in sub-Saharan Africa: a systematic review. <i>PLoS Medicine</i> , <b>2007</b> , 4, e298	11.6	572
258	Patient retention in antiretroviral therapy programs up to three years on treatment in sub-Saharan Africa, 2007-2009: systematic review. <i>Tropical Medicine and International Health</i> , <b>2010</b> , 15 Suppl 1, 1-15	2.3	407
257	Life expectancies of South African adults starting antiretroviral treatment: collaborative analysis of cohort studies. <i>PLoS Medicine</i> , <b>2013</b> , 10, e1001418	11.6	277
256	Good practices for quantitative bias analysis. <i>International Journal of Epidemiology</i> , <b>2014</b> , 43, 1969-85	7.8	272
255	Adherence to tamoxifen over the five-year course. <i>Breast Cancer Research and Treatment</i> , <b>2006</b> , 99, 215-20	4.0	257
254	Applying Quantitative Bias Analysis to Epidemiologic Data <b>2009</b> ,		251
253	Retention of Adult Patients on Antiretroviral Therapy in Low- and Middle-Income Countries: Systematic Review and Meta-analysis 2008-2013. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2015</b> , 69, 98-108	3.1	206
252	A method to automate probabilistic sensitivity analyses of misclassified binary variables. <i>International Journal of Epidemiology</i> , <b>2005</b> , 34, 1370-6	7.8	197
251	Improved diagnostic testing and malaria treatment practices in Zambia. <i>JAMA - Journal of the American Medical Association</i> , <b>2007</b> , 297, 2227-31	27.4	188
250	Nurse versus doctor management of HIV-infected patients receiving antiretroviral therapy (CIPRA-SA): a randomised non-inferiority trial. <i>Lancet, The</i> , <b>2010</b> , 376, 33-40	4.0	186
249	Temporal changes in programme outcomes among adult patients initiating antiretroviral therapy across South Africa, 2002-2007. <i>Aids</i> , <b>2010</b> , 24, 2263-70	3.5	181
248	Initiating Antiretroviral Therapy for HIV at a Patient's First Clinic Visit: The RapIT Randomized Controlled Trial. <i>PLoS Medicine</i> , <b>2016</b> , 13, e1002015	11.6	173
247	Ambulatory short-course high-dose oral amoxicillin for treatment of severe pneumonia in children: a randomised equivalency trial. <i>Lancet, The</i> , <b>2008</b> , 371, 49-56	4.0	127
246	Correcting mortality for loss to follow-up: a nomogram applied to antiretroviral treatment programmes in sub-Saharan Africa. <i>PLoS Medicine</i> , <b>2011</b> , 8, e1000390	11.6	125
245	Immunodeficiency at the start of combination antiretroviral therapy in low-, middle-, and high-income countries. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2014</b> , 65, e8-16	3.1	122
244	Effect of training traditional birth attendants on neonatal mortality (Lufwanyama Neonatal Survival Project): randomised controlled study. <i>BMJ, The</i> , <b>2011</b> , 342, d346	5.9	107

243	Rates and predictors of failure of first-line antiretroviral therapy and switch to second-line ART in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2012</b> , 60, 428-37	3.1	107
242	The impact of HIV/AIDS on labour productivity in Kenya. <i>Tropical Medicine and International Health</i> , <b>2004</b> , 9, 318-24	2.3	105
241	Mammography surveillance and mortality in older breast cancer survivors. <i>Journal of Clinical Oncology</i> , <b>2007</b> , 25, 3001-6	2.2	102
240	Cough aerosols of Mycobacterium tuberculosis predict new infection: a household contact study. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2013</b> , 187, 1007-15	10.2	95
239	Using vital registration data to update mortality among patients lost to follow-up from ART programmes: evidence from the Themba Lethu Clinic, South Africa. <i>Tropical Medicine and International Health</i> , <b>2010</b> , 15, 405-13	2.3	94
238	Treatment outcomes and cost-effectiveness of shifting management of stable ART patients to nurses in South Africa: an observational cohort. <i>PLoS Medicine</i> , <b>2011</b> , 8, e1001055	11.6	92
237	Mortality in patients with HIV-1 infection starting antiretroviral therapy in South Africa, Europe, or North America: a collaborative analysis of prospective studies. <i>PLoS Medicine</i> , <b>2014</b> , 11, e1001718	11.6	89
236	Outcomes of antiretroviral treatment in programmes with and without routine viral load monitoring in Southern Africa. <i>Aids</i> , <b>2011</b> , 25, 1761-9	3.5	88
235	Rapid point-of-care CD4 testing at mobile HIV testing sites to increase linkage to care: an evaluation of a pilot program in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2012</b> , 61, e13-7	3.1	87
234	Early loss to follow up after enrolment in pre-ART care at a large public clinic in Johannesburg, South Africa. <i>Tropical Medicine and International Health</i> , <b>2010</b> , 15 Suppl 1, 43-7	2.3	85
233	Loss to follow-up before and after delivery among women testing HIV positive during pregnancy in Johannesburg, South Africa. <i>Tropical Medicine and International Health</i> , <b>2013</b> , 18, 451-60	2.3	82
232	Patient retention from HIV diagnosis through one year on antiretroviral therapy at a primary health care clinic in Johannesburg, South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2013</b> , 62, e39-46	3.1	76
231	Global strategies to reduce the price of antiretroviral medicines: evidence from transactional databases. <i>Bulletin of the World Health Organization</i> , <b>2009</b> , 87, 520-8	8.2	76
230	Under utilization of surveillance mammography among older breast cancer survivors. <i>Journal of General Internal Medicine</i> , <b>2008</b> , 23, 158-63	4	74
229	Persistent High Burden of Advanced HIV Disease Among Patients Seeking Care in South Africa's National HIV Program: Data From a Nationwide Laboratory Cohort. <i>Clinical Infectious Diseases</i> , <b>2018</b> , 66, S111-S117	11.6	73
228	Effectiveness of community case management of severe pneumonia with oral amoxicillin in children aged 2-59 months in Matiari district, rural Pakistan: a cluster-randomised controlled trial. <i>Lancet, The</i> , <b>2012</b> , 379, 729-37	4.0	71
227	Cohort profile: the Themba Lethu Clinical Cohort, Johannesburg, South Africa. <i>International Journal of Epidemiology</i> , <b>2013</b> , 42, 430-9	7.8	71
226	Community case management of severe pneumonia with oral amoxicillin in children aged 2-59 months in Haripur district, Pakistan: a cluster randomised trial. <i>Lancet, The</i> , <b>2011</b> , 378, 1796-803	4.0	69

225	Outcomes of stable HIV-positive patients down-referred from a doctor-managed antiretroviral therapy clinic to a nurse-managed primary health clinic for monitoring and treatment. <i>Aids</i> , <b>2011</b> , 25, 2027-36	3.5	68
224	The high cost of second-line antiretroviral therapy for HIV/AIDS in South Africa. <i>Aids</i> , <b>2010</b> , 24, 915-9	3.5	68
223	Gender differences in mortality and CD4 count response among virally suppressed HIV-positive patients. <i>Journal of Women's Health</i> , <b>2013</b> , 22, 113-20	3	67
222	Relationship between renal dysfunction, nephrotoxicity and death among HIV adults on tenofovir. <i>Aids</i> , <b>2011</b> , 25, 1603-9	3.5	67
221	High rates of survival, immune reconstitution, and virologic suppression on second-line antiretroviral therapy in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2010</b> , 53, 500-6	3.1	65
220	Effect of home based HIV counselling and testing intervention in rural South Africa: cluster randomised trial. <i>BMJ, The</i> , <b>2013</b> , 346, f3481	5.9	62
219	Linkage to care following a home-based HIV counselling and testing intervention in rural South Africa. <i>Journal of the International AIDS Society</i> , <b>2015</b> , 18, 19843	5.4	58
218	Initiating patients on antiretroviral therapy at CD4 cell counts above 200 cells/microl is associated with improved treatment outcomes in South Africa. <i>Aids</i> , <b>2010</b> , 24, 2041-50	3.5	58
217	Early effects of antiretroviral therapy on work performance: preliminary results from a cohort study of Kenyan agricultural workers. <i>Aids</i> , <b>2008</b> , 22, 421-5	3.5	58
216	Barriers to initiation of antiretroviral treatment in rural and urban areas of Zambia: a cross-sectional study of cost, stigma, and perceptions about ART. <i>Journal of the International AIDS Society</i> , <b>2010</b> , 13, 8	5.4	57
215	The importance of clinic attendance in the first six months on antiretroviral treatment: a retrospective analysis at a large public sector HIV clinic in South Africa. <i>Journal of the International AIDS Society</i> , <b>2010</b> , 13, 49	5.4	56
214	Why do people living with HIV not initiate treatment? A systematic review of qualitative evidence from low- and middle-income countries. <i>Social Science and Medicine</i> , <b>2018</b> , 213, 72-84	5.1	56
213	Mobility and Clinic Switching Among Postpartum Women Considered Lost to HIV Care in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2017</b> , 74, 383-389	3.1	55
212	Retention and mortality on antiretroviral therapy in sub-Saharan Africa: collaborative analyses of HIV treatment programmes. <i>Journal of the International AIDS Society</i> , <b>2018</b> , 21, e25084	5.4	55
211	Systematic review of retention of pediatric patients on HIV treatment in low and middle-income countries 2008-2013. <i>Aids</i> , <b>2015</b> , 29, 493-502	3.5	53
210	Lost opportunities to complete CD4+ lymphocyte testing among patients who tested positive for HIV in South Africa. <i>Bulletin of the World Health Organization</i> , <b>2010</b> , 88, 675-80	8.2	51
209	Attrition through multiple stages of pre-treatment and ART HIV care in South Africa. <i>PLoS ONE</i> , <b>2014</b> , 9, e110252	3.7	50
208	Outpatient treatment of children with severe pneumonia with oral amoxicillin in four countries: the MASS study. <i>Tropical Medicine and International Health</i> , <b>2011</b> , 16, 995-1006	2.3	49

207	Interventions to improve the rate or timing of initiation of antiretroviral therapy for HIV in sub-Saharan Africa: meta-analyses of effectiveness. <i>Journal of the International AIDS Society</i> , <b>2016</b> , 19, 20888	5.4	49
206	A new cascade of HIV care for the era of "treat all". <i>PLoS Medicine</i> , <b>2017</b> , 14, e1002268	11.6	48
205	Outcomes of Patients Lost to Follow-up in African Antiretroviral Therapy Programs: Individual Patient Data Meta-analysis. <i>Clinical Infectious Diseases</i> , <b>2018</b> , 67, 1643-1652	11.6	47
204	How to estimate the cost of point-of-care CD4 testing in program settings: an example using the Alere Pima Analyzer in South Africa. <i>PLoS ONE</i> , <b>2012</b> , 7, e35444	3.7	46
203	Use of directed acyclic graphs (DAGs) to identify confounders in applied health research: review and recommendations. <i>International Journal of Epidemiology</i> , <b>2021</b> , 50, 620-632	7.8	45
202	Estimating retention in HIV care accounting for patient transfers: A national laboratory cohort study in South Africa. <i>PLoS Medicine</i> , <b>2018</b> , 15, e1002589	11.6	45
201	Stressful events during pregnancy and postpartum depressive symptoms. <i>Journal of Womens Health</i> , <b>2015</b> , 24, 384-93	3	44
200	Adherence clubs and decentralized medication delivery to support patient retention and sustained viral suppression in care: Results from a cluster-randomized evaluation of differentiated ART delivery models in South Africa. <i>PLoS Medicine</i> , <b>2019</b> , 16, e1002874	11.6	44
199	Initiating antiretroviral therapy when presenting with higher CD4 cell counts results in reduced loss to follow-up in a resource-limited setting. <i>Aids</i> , <b>2013</b> , 27, 645-50	3.5	44
198	Treatment eligibility and retention in clinical HIV care: A regression discontinuity study in South Africa. <i>PLoS Medicine</i> , <b>2017</b> , 14, e1002463	11.6	43
197	Mortality among adults transferred and lost to follow-up from antiretroviral therapy programmes in South Africa: a multicenter cohort study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2014</b> , 67, e67-75	3.1	43
196	Twelve-year mortality in adults initiating antiretroviral therapy in South Africa. <i>Journal of the International AIDS Society</i> , <b>2017</b> , 20, 21902	5.4	40
195	Kaposi's Sarcoma in HIV-infected patients in South Africa: Multicohort study in the antiretroviral therapy era. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 2644-52	7.5	40
194	The cost of HIV/AIDS to businesses in southern Africa. <i>Aids</i> , <b>2004</b> , 18, 317-24	3.5	40
193	Cost and cost-effectiveness of switching from stavudine to tenofovir in first-line antiretroviral regimens in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2008</b> , 48, 334-44	3.1	38
192	Poorer ART outcomes with increasing age at a large public sector HIV clinic in Johannesburg, South Africa. <i>Journal of the International Association of Providers of AIDS Care</i> , <b>2012</b> , 11, 57-65		36
191	High frequency of multidrug-resistant gram-negative rods in 2 neonatal intensive care units in the Philippines. <i>Infection Control and Hospital Epidemiology</i> , <b>2009</b> , 30, 543-9	2	36
190	Changing the South African national antiretroviral therapy guidelines: The role of cost modelling. <i>PLoS ONE</i> , <b>2017</b> , 12, e0186557	3.7	34

189	Treatment outcomes after 7 years of public-sector HIV treatment. <i>Aids</i> , <b>2012</b> , 26, 1823-8	3.5	33
188	Intensive adherence counselling for HIV-infected individuals failing second-line antiretroviral therapy in Johannesburg, South Africa. <i>Tropical Medicine and International Health</i> , <b>2016</b> , 21, 1131-7	2.3	32
187	Poor CD4 recovery and risk of subsequent progression to AIDS or death despite viral suppression in a South African cohort. <i>Journal of the International AIDS Society</i> , <b>2014</b> , 17, 18651	5.4	31
186	Treatment response and mortality among patients starting antiretroviral therapy with and without Kaposi sarcoma: a cohort study. <i>PLoS ONE</i> , <b>2013</b> , 8, e64392	3.7	31
185	Economic outcomes of patients receiving antiretroviral therapy for HIV/AIDS in South Africa are sustained through three years on treatment. <i>PLoS ONE</i> , <b>2010</b> , 5, e12731	3.7	31
184	AIDS is your business. <i>Harvard Business Review</i> , <b>2003</b> , 81, 80-7, 125		31
183	Tuberculosis in HIV programmes in lower-income countries: practices and risk factors. <i>International Journal of Tuberculosis and Lung Disease</i> , <b>2011</b> , 15, 620-7	2.1	30
182	CD4 count at antiretroviral therapy initiation and the risk of loss to follow-up: results from a multicentre cohort study. <i>Journal of Epidemiology and Community Health</i> , <b>2016</b> , 70, 549-55	5.1	28
181	Same-Day CD4 Testing to Improve Uptake of HIV Care and Treatment in South Africa: Point-of-Care Is Not Enough. <i>AIDS Research and Treatment</i> , <b>2013</b> , 2013, 941493	2.3	28
180	Marginal Structural Models to Assess Delays in Second-Line HIV Treatment Initiation in South Africa. <i>PLoS ONE</i> , <b>2016</b> , 11, e0161469	3.7	28
179	A comparison of death recording by health centres and civil registration in South Africans receiving antiretroviral treatment. <i>Journal of the International AIDS Society</i> , <b>2015</b> , 18, 20628	5.4	27
178	Rates and cost of hospitalization before and after initiation of antiretroviral therapy in urban and rural settings in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2013</b> , 62, 322-328 <sup>3.1</sup>		27
177	Reduced mortality rate associated with annual mammograms after breast cancer therapy. <i>Breast Journal</i> , <b>2006</b> , 12, 2-6	1.2	27
176	Accelerating the Uptake and Timing of Antiretroviral Therapy Initiation in Sub-Saharan Africa: An Operations Research Agenda. <i>PLoS Medicine</i> , <b>2016</b> , 13, e1002106	11.6	27
175	Adolescent HIV treatment in South Africa's national HIV programme: a retrospective cohort study. <i>Lancet HIV</i> , <b>2019</b> , 6, e760-e768	7.8	27
174	A Clinical Validation of Self-Reported Periodontitis Among Participants in the Black Women's Health Study. <i>Journal of Periodontology</i> , <b>2017</b> , 88, 582-592	4.6	26
173	Changes in estimated glomerular filtration rate over time in South African HIV-1-infected patients receiving tenofovir: a retrospective cohort study. <i>Journal of the International AIDS Society</i> , <b>2017</b> , 20, 2131-7 <sup>4</sup>	5.7	26
172	Failure of standard antimicrobial therapy in children aged 3-59 months with mild or asymptomatic HIV infection and severe pneumonia. <i>Bulletin of the World Health Organization</i> , <b>2006</b> , 84, 269-75	8.2	25



171	Predicting the Need for Third-Line Antiretroviral Therapy by Identifying Patients at High Risk for Failing Second-Line Antiretroviral Therapy in South Africa. <i>AIDS Patient Care and STDs</i> , <b>2017</b> , 31, 205-212	5.8	24
170	Comparison of Kaposi Sarcoma Risk in Human Immunodeficiency Virus-Positive Adults Across 5 Continents: A Multiregional Multicohort Study. <i>Clinical Infectious Diseases</i> , <b>2017</b> , 65, 1316-1326	11.6	23
169	HIV viral load as an independent risk factor for tuberculosis in South Africa: collaborative analysis of cohort studies. <i>Journal of the International AIDS Society</i> , <b>2017</b> , 20, 21327	5.4	23
168	Third-Line Antiretroviral Therapy Program in the South African Public Sector: Cohort Description and Virological Outcomes. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2019</b> , 80, 73-78	3.1	23
167	The interplay between CD4 cell count, viral load suppression and duration of antiretroviral therapy on mortality in a resource-limited setting. <i>Tropical Medicine and International Health</i> , <b>2013</b> , 18, 619-31	2.3	22
166	The net cost of incorporating resistance testing into HIV/AIDS treatment in South Africa: a Markov model with primary data. <i>Journal of the International AIDS Society</i> , <b>2011</b> , 14, 24	5.4	22
165	Using probabilistic corrections to account for abstractor agreement in medical record reviews. <i>American Journal of Epidemiology</i> , <b>2007</b> , 165, 1454-61	3.8	22
164	Prevalence, incidence, predictors, treatment, and control of hypertension among HIV-positive adults on antiretroviral treatment in public sector treatment programs in South Africa. <i>PLoS ONE</i> , <b>2018</b> , 13, e0204020	3.7	22
163	On the Need for Quantitative Bias Analysis in the Peer-Review Process. <i>American Journal of Epidemiology</i> , <b>2017</b> , 185, 865-868	3.8	21
162	CD4 count slope and mortality in HIV-infected patients on antiretroviral therapy: multicohort analysis from South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2013</b> , 63, 34-41	3.1	21
161	Initiating antiretroviral therapy for HIV at a patient's first clinic visit: a cost-effectiveness analysis of the rapid initiation of treatment randomized controlled trial. <i>Aids</i> , <b>2017</b> , 31, 1611-1619	3.5	20
160	Low rates of nucleoside reverse transcriptase inhibitor resistance in a well-monitored cohort in South Africa on antiretroviral therapy. <i>Antiviral Therapy</i> , <b>2012</b> , 17, 313-20	1.6	20
159	Role of breastfeeding cessation in mediating the relationship between maternal HIV disease stage and increased child mortality among HIV-exposed uninfected children. <i>International Journal of Epidemiology</i> , <b>2009</b> , 38, 569-76	7.8	20
158	Retention in care and viral suppression in differentiated service delivery models for HIV treatment delivery in sub-Saharan Africa: a rapid systematic review. <i>Journal of the International AIDS Society</i> , <b>2020</b> , 23, e25640	5.4	19
157	Quantitative Bias Analysis in Regulatory Settings. <i>American Journal of Public Health</i> , <b>2016</b> , 106, 1227-30	5.1	19
156	Timing of pregnancy, postpartum risk of virologic failure and loss to follow-up among HIV-positive women. <i>Aids</i> , <b>2017</b> , 31, 1593-1602	3.5	18
155	Alcohol Consumption in Later Life and Mortality in the United States: Results from 9 Waves of the Health and Retirement Study. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2019</b> , 43, 1734-1746	3.7	18
154	Recurrent Yeast Infections and Vulvodynia: Can We Believe Associations Based on Self-Reported Data?. <i>Journal of Women's Health</i> , <b>2017</b> , 26, 1069-1076	3	18

153	Health facility and skilled birth deliveries among poor women with Jamkesmas health insurance in Indonesia: a mixed-methods study. <i>BMC Health Services Research</i> , <b>2017</b> , 17, 105	2.9	18
152	Effect of eliminating CD4-count thresholds on HIV treatment initiation in South Africa: An empirical modeling study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0178249	3.7	18
151	"I will leave the baby with my mother": Long-distance travel and follow-up care among HIV-positive pregnant and postpartum women in South Africa. <i>Journal of the International AIDS Society</i> , <b>2018</b> , 21 Suppl 4, e25121	5.4	18
150	Effectiveness and safety of 30 mg versus 40 mg stavudine regimens: a cohort study among HIV-infected adults initiating HAART in South Africa. <i>Journal of the International AIDS Society</i> , <b>2012</b> , 15, 13	5.4	17
149	Tuberculosis and the risk of opportunistic infections and cancers in HIV-infected patients starting ART in Southern Africa. <i>Tropical Medicine and International Health</i> , <b>2013</b> , 18, 194-8	2.3	17
148	Prevalence and predictors of kaposi sarcoma herpes virus seropositivity: a cross-sectional analysis of HIV-infected adults initiating ART in Johannesburg, South Africa. <i>Infectious Agents and Cancer</i> , <b>2011</b> , 6, 22	3.5	17
147	Global Health Research Mentoring Competencies for Individuals and Institutions in Low- and Middle-Income Countries. <i>American Journal of Tropical Medicine and Hygiene</i> , <b>2019</b> , 100, 15-19	3.2	17
146	Simplified clinical algorithm for identifying patients eligible for same-day HIV treatment initiation (SLATE): Results from an individually randomized trial in South Africa and Kenya. <i>PLoS Medicine</i> , <b>2019</b> , 16, e1002912	11.6	16
145	Incidence and predictors of herpes zoster among antiretroviral therapy-naïve patients initiating HIV treatment in Johannesburg, South Africa. <i>International Journal of Infectious Diseases</i> , <b>2014</b> , 23, 56-62	10.5	16
144	Imputing HIV treatment start dates from routine laboratory data in South Africa: a validation study. <i>BMC Health Services Research</i> , <b>2017</b> , 17, 41	2.9	16
143	Increases in regimen durability associated with the introduction of tenofovir at a large public-sector clinic in Johannesburg, South Africa. <i>Journal of the International AIDS Society</i> , <b>2013</b> , 16, 18794	5.4	16
142	Improvements in physical wellbeing over the first two years on antiretroviral therapy in western Kenya. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2010</b> , 22, 137-45	2.2	16
141	The High Cost of HIV-Positive Inpatient Care at an Urban Hospital in Johannesburg, South Africa. <i>PLoS ONE</i> , <b>2016</b> , 11, e0148546	3.7	16
140	Effectiveness of interventions for unstable patients on antiretroviral therapy in South Africa: results of a cluster-randomised evaluation. <i>Tropical Medicine and International Health</i> , <b>2018</b> , 23, 1314-1323	3.3	16
139	Applying the E Value to Assess the Robustness of Epidemiologic Fields of Inquiry to Unmeasured Confounding. <i>American Journal of Epidemiology</i> , <b>2019</b> , 188, 1174-1180	3.8	15
138	Common misconceptions about validation studies. <i>International Journal of Epidemiology</i> , <b>2020</b> , 49, 1392-1396	4.396	15
137	Cohort profile: the Right to Care Clinical HIV Cohort, South Africa. <i>BMJ Open</i> , <b>2017</b> , 7, e015620	3	15
136	Reduced mortality associated with breast-feeding-acquired HIV infection and breast-feeding among HIV-infected children in Zambia. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2008</b> , 48, 90-6	3.1	15



135	Use of directed acyclic graphs (DAGs) in applied health research: review and recommendations		15
134	Multimonth dispensing of up to 6 months of antiretroviral therapy in Malawi and Zambia (INTERVAL): a cluster-randomised, non-blinded, non-inferiority trial. <i>The Lancet Global Health</i> , <b>2021</b> , 9, e628-e638	13.6	15
133	A Meta-analysis Assessing Diarrhea and Pneumonia in HIV-Exposed Uninfected Compared With HIV-Unexposed Uninfected Infants and Children. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2019</b> , 82, 1-8	3.1	15
132	Are we shifting attrition downstream in the HIV cascade?. <i>Lancet HIV</i> , <b>2016</b> , 3, e554-e555	7.8	14
131	Maternal Recall Error in Retrospectively Reported Time-to-Pregnancy: an Assessment and Bias Analysis. <i>Paediatric and Perinatal Epidemiology</i> , <b>2015</b> , 29, 576-88	2.7	14
130	Insights into Adherence among a Cohort of Adolescents Aged 12-20 Years in South Africa: Reported Barriers to Antiretroviral Treatment. <i>AIDS Research and Treatment</i> , <b>2016</b> , 2016, 4161738	2.3	14
129	Failure to initiate HIV treatment in patients with high CD4 counts: evidence from demographic surveillance in rural South Africa. <i>Tropical Medicine and International Health</i> , <b>2018</b> , 23, 206-220	2.3	14
128	IVF success corrected for drop-out: use of inverse probability weighting. <i>Human Reproduction</i> , <b>2018</b> , 33, 2295-2301	5.7	14
127	Antiretroviral therapy, labor productivity, and sex: a longitudinal cohort study of tea pluckers in Kenya. <i>Aids</i> , <b>2013</b> , 27, 115-23	3.5	13
126	Simplified clinical algorithm for identifying patients eligible for immediate initiation of antiretroviral therapy for HIV (SLATE): protocol for a randomised evaluation. <i>BMJ Open</i> , <b>2017</b> , 7, e016340	3	12
125	Assessing the impact of the National Department of Health's National Adherence Guidelines for Chronic Diseases in South Africa using routinely collected data: a cluster-randomised evaluation. <i>BMJ Open</i> , <b>2018</b> , 8, e019680	3	12
124	Predictors of switch to and early outcomes on third-line antiretroviral therapy at a large public-sector clinic in Johannesburg, South Africa. <i>AIDS Research and Therapy</i> , <b>2018</b> , 15, 10	3	12
123	Adverse Drug Reactions Among Patients Initiating Second-Line Antiretroviral Therapy in South Africa. <i>Drug Safety</i> , <b>2018</b> , 41, 1343-1353	5.1	12
122	Stratified Probabilistic Bias Analysis for Body Mass Index-related Exposure Misclassification in Postmenopausal Women. <i>Epidemiology</i> , <b>2018</b> , 29, 604-613	3.1	12
121	Has the phasing out of stavudine in accordance with changes in WHO guidelines led to a decrease in single-drug substitutions in first-line antiretroviral therapy for HIV in sub-Saharan Africa?. <i>Aids</i> , <b>2017</b> , 31, 147-157	3.5	12
120	The relation between efavirenz versus nevirapine and virologic failure in Johannesburg, South Africa. <i>Journal of the International AIDS Society</i> , <b>2014</b> , 17, 19065	5.4	12
119	Creating a demand for bias analysis in epidemiological research. <i>Journal of Epidemiology and Community Health</i> , <b>2009</b> , 63, 91	5.1	12
118	Developing a predictive risk model for first-line antiretroviral therapy failure in South Africa. <i>Journal of the International AIDS Society</i> , <b>2016</b> , 19, 20987	5.4	12

117	Acceptability and feasibility of a financial incentive intervention to improve retention in HIV care among pregnant women in Johannesburg, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2018</b> , 30, 453-460	2.2	12
116	Prevalence and predictors of postpartum depression by HIV status and timing of HIV diagnosis in Gauteng, South Africa. <i>PLoS ONE</i> , <b>2019</b> , 14, e0214849	3.7	11
115	Varying intervals of antiretroviral medication dispensing to improve outcomes for HIV patients (The INTERVAL Study): study protocol for a randomized controlled trial. <i>Trials</i> , <b>2017</b> , 18, 476	2.8	11
114	Low rates of treatment failure in children aged 2-59 months treated for severe pneumonia: a multisite pooled analysis. <i>Clinical Infectious Diseases</i> , <b>2013</b> , 56, 978-87	11.6	11
113	"Patients are not the same, so we cannot treat them the same" - A qualitative content analysis of provider, patient and implementer perspectives on differentiated service delivery models for HIV treatment in South Africa. <i>Journal of the International AIDS Society</i> , <b>2020</b> , 23, e25544	5.4	11
112	Life expectancy trends in adults on antiretroviral treatment in South Africa. <i>Aids</i> , <b>2016</b> , 30, 2545-2550	3.5	11
111	Impact of the test and treat policy on delays in antiretroviral therapy initiation among adult HIV positive patients from six clinics in Johannesburg, South Africa: results from a prospective cohort study. <i>BMJ Open</i> , <b>2020</b> , 10, e030228	3	11
110	The Impact of Delayed Switch to Second-Line Antiretroviral Therapy on Mortality, Depending on Definition of Failure Time and CD4 Count at Failure. <i>American Journal of Epidemiology</i> , <b>2020</b> , 189, 811-819	3.8	10
109	The right combination - treatment outcomes among HIV-positive patients initiating first-line fixed-dose antiretroviral therapy in a public sector HIV clinic in Johannesburg, South Africa. <i>Clinical Epidemiology</i> , <b>2018</b> , 10, 17-29	5.9	10
108	CD4 criteria improves the sensitivity of a clinical algorithm developed to identify viral failure in HIV-positive patients on antiretroviral therapy. <i>Journal of the International AIDS Society</i> , <b>2014</b> , 17, 19139	5.4	10
107	Kaposi sarcoma-associated herpes virus and response to antiretroviral therapy: a prospective study of HIV-infected adults. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2013</b> , 63, 442-8	3.1	10
106	Resolving design problems in equivalency trials. <i>Journal of Pediatrics</i> , <b>2006</b> , 149, 12-6	3.6	10
105	The revolving door of HIV care: Revising the service delivery cascade to achieve the UNAIDS 95-95-95 goals. <i>PLoS Medicine</i> , <b>2021</b> , 18, e1003651	11.6	10
104	Addressing Measurement Error in Random Forests Using Quantitative Bias Analysis. <i>American Journal of Epidemiology</i> , <b>2021</b> , 190, 1830-1840	3.8	10
103	"My future is bright I won't die with the cause of AIDS": ten-year patient ART outcomes and experiences in South Africa. <i>Journal of the International AIDS Society</i> , <b>2018</b> , 21, e25184	5.4	10
102	Can Short-Term Use of Electronic Patient Adherence Monitoring Devices Improve Adherence in Patients Failing Second-Line Antiretroviral Therapy? Evidence from a Pilot Study in Johannesburg, South Africa. <i>AIDS and Behavior</i> , <b>2016</b> , 20, 2717-2728	4.3	9
101	Risk of ischemic placental disease is increased following in vitro fertilization with oocyte donation: a retrospective cohort study. <i>Journal of Assisted Reproduction and Genetics</i> , <b>2019</b> , 36, 1917-1926	3.4	9
100	Differentiated HIV care in South Africa: the effect of fast-track treatment initiation counselling on ART initiation and viral suppression as partial results of an impact evaluation on the impact of a package of services to improve HIV treatment adherence. <i>Journal of the International AIDS Society</i> , <b>2019</b> , 22, e25409	5.4	9

99	Impact of choice of NRTI in first-line antiretroviral therapy: a cohort analysis of stavudine vs. tenofovir. <i>Tropical Medicine and International Health</i> , <b>2014</b> , 19, 490-8	2.3	9
98	Treatment Outcomes and Costs of Providing Antiretroviral Therapy at a Primary Health Clinic versus a Hospital-Based HIV Clinic in South Africa. <i>PLoS ONE</i> , <b>2016</b> , 11, e0168118	3.7	9
97	HIV Treatment Outcomes Among Patients Initiated on Antiretroviral Therapy Pre and Post-Universal Test and Treat Guidelines in South Africa. <i>Therapeutics and Clinical Risk Management</i> , <b>2020</b> , 16, 169-180	2.9	8
96	Treatment outcomes of over 1000 patients on second-line, protease inhibitor-based antiretroviral therapy from four public-sector HIV treatment facilities across Johannesburg, South Africa. <i>Tropical Medicine and International Health</i> , <b>2017</b> , 22, 221-231	2.3	8
95	The impact of choice of NNRTI on short-term treatment outcomes among HIV-infected patients prescribed tenofovir and lamivudine in Johannesburg, South Africa. <i>PLoS ONE</i> , <b>2013</b> , 8, e71719	3.7	8
94	The Critical Importance of Asking Good Questions: The Role of Epidemiology Doctoral Training Programs. <i>American Journal of Epidemiology</i> , <b>2020</b> , 189, 261-264	3.8	8
93	Tenofovir stock shortages have limited impact on clinic- and patient-level HIV treatment outcomes in public sector clinics in South Africa. <i>Tropical Medicine and International Health</i> , <b>2017</b> , 22, 241-251	2.3	7
92	The Impact of Joint Misclassification of Exposures and Outcomes on the Results of Epidemiologic Research. <i>Current Epidemiology Reports</i> , <b>2018</b> , 5, 166-174	2.9	7
91	Implementation and Operational Research: Risk Charts to Guide Targeted HIV-1 Viral Load Monitoring of ART: Development and Validation in Patients From Resource-Limited Settings. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2015</b> , 70, e110-9	3.1	7
90	Impact of systematic HIV testing on case finding and retention in care at a primary care clinic in South Africa. <i>Tropical Medicine and International Health</i> , <b>2014</b> , 19, 1411-9	2.3	7
89	The early effects of stavudine compared with tenofovir on adipocyte gene expression, mitochondrial DNA copy number and metabolic parameters in South African HIV-infected patients: a randomized trial. <i>HIV Medicine</i> , <b>2013</b> , 14, 217-25	2.7	7
88	Prevalent tuberculosis and mortality among HAART initiators. <i>Aids</i> , <b>2012</b> , 26, 770-3	3.5	7
87	The impact of AIDS on government service delivery: the case of the Zambia Wildlife Authority. <i>Aids</i> , <b>2007</b> , 21 Suppl 3, S53-9	3.5	7
86	Delays in repeat HIV viral load testing for those with elevated viral loads: a national perspective from South Africa. <i>Journal of the International AIDS Society</i> , <b>2020</b> , 23, e25542	5.4	7
85	Trends in CD4 and viral load testing 2005 to 2018: multi-cohort study of people living with HIV in Southern Africa. <i>Journal of the International AIDS Society</i> , <b>2020</b> , 23, e25546	5.4	7
84	Bias Analysis Gone Bad. <i>American Journal of Epidemiology</i> , <b>2021</b> , 190, 1604-1612	3.8	7
83	Quantitative Bias Analysis for Collaborative Science. <i>Epidemiology</i> , <b>2018</b> , 29, 627-630	3.1	7
82	Who is seeking antiretroviral treatment for HIV now? Characteristics of patients presenting in Kenya and South Africa in 2017-2018. <i>Journal of the International AIDS Society</i> , <b>2019</b> , 22, e25358	5.4	6

81	Brief Report: Does Most Mortality in Patients on ART Occur in Care or After Lost to Follow-Up? Evidence From the Themba Lethu Clinic, South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2015</b> , 70, 323-8	3.1	6
80	Building a National HIV Cohort from Routine Laboratory Data: Probabilistic Record-Linkage with Graphs		6
79	Comparison of pregnancy outcomes following preimplantation genetic testing for aneuploidy using a matched propensity score design. <i>Human Reproduction</i> , <b>2020</b> , 35, 2356-2364	5.7	6
78	Medication Side Effects and Retention in HIV Treatment: A Regression Discontinuity Study of Tenofovir Implementation in South Africa and Zambia. <i>American Journal of Epidemiology</i> , <b>2018</b> , 187, 1990-2001 <sup>6</sup>	2.8	6
77	Do HIV treatment eligibility expansions crowd out the sickest? Evidence from rural South Africa. <i>Tropical Medicine and International Health</i> , <b>2018</b> , 23, 968-979	2.3	6
76	Clinical predictor score to identify patients at risk of poor viral load suppression at six months on antiretroviral therapy: results from a prospective cohort study in Johannesburg, South Africa. <i>Clinical Epidemiology</i> , <b>2019</b> , 11, 359-373	5.9	5
75	Quantitative bias analysis for study and grant planning. <i>Annals of Epidemiology</i> , <b>2020</b> , 43, 32-36	6.4	5
74	Social and behavioral factors associated with failing second-line ART - results from a cohort study at the Themba Lethu Clinic, Johannesburg, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2018</b> , 30, 863-870	2.2	5
73	Awareness of and potential for dependent error in the observational epidemiologic literature: A review. <i>Annals of Epidemiology</i> , <b>2019</b> , 36, 15-19.e2	6.4	5
72	Frequency and trajectory of abnormalities in respiratory rate, temperature and oxygen saturation in severe pneumonia in children. <i>Pediatric Infectious Disease Journal</i> , <b>2012</b> , 31, 863-5	3.4	5
71	Changes in second-line regimen durability and continuity of care in relation to national ART guideline changes in South Africa. <i>Journal of the International AIDS Society</i> , <b>2016</b> , 19, 20675	5.4	5
70	Comparison of 3 Days Amoxicillin Versus 5 Days Co-Trimoxazole for Treatment of Fast-breathing Pneumonia by Community Health Workers in Children Aged 2-59 Months in Pakistan: A Cluster-randomized Trial. <i>Clinical Infectious Diseases</i> , <b>2019</b> , 69, 397-404	11.6	5
69	Concerns About the Special Article on Hydroxychloroquine and Azithromycin in High-Risk Outpatients With COVID-19. <i>American Journal of Epidemiology</i> , <b>2021</b> , 190, 491-495	3.8	5
68	Attrition in HIV care following HIV diagnosis: a comparison of the pre-UTT and UTT eras in South Africa. <i>Journal of the International AIDS Society</i> , <b>2021</b> , 24, e25652	5.4	5
67	Characterizing the double-sided cascade of care for adolescents living with HIV transitioning to adulthood across Southern Africa. <i>Journal of the International AIDS Society</i> , <b>2020</b> , 23, e25447	5.4	4
66	Seasonal variations in tuberculosis diagnosis among HIV-positive individuals in Southern Africa: analysis of cohort studies at antiretroviral treatment programmes. <i>BMJ Open</i> , <b>2018</b> , 8, e017405	3	4
65	A novel approach to accounting for loss to follow-up when estimating the relationship between CD4 Count at ART initiation and mortality. <i>PLoS ONE</i> , <b>2013</b> , 8, e69300	3.7	4
64	Growth curve modelling to determine distinct BMI trajectory groups in HIV-positive adults on antiretroviral therapy in South Africa. <i>Aids</i> , <b>2019</b> , 33, 2049-2059	3.5	4

63	Low prevalence of depressive symptoms among stable patients on antiretroviral therapy in Johannesburg, South Africa. <i>PLoS ONE</i> , <b>2018</b> , 13, e0203797	3.7	4
62	Understanding Predictors of Early Antenatal Care Initiation in Relationship to Timing of HIV Diagnosis in South Africa. <i>AIDS Patient Care and STDs</i> , <b>2018</b> , 32, 251-256	5.8	4
61	Citizenship status and engagement in HIV care: an observational cohort study to assess the association between reporting a national ID number and retention in public-sector HIV care in Johannesburg, South Africa. <i>BMJ Open</i> , <b>2017</b> , 7, e013908	3	3
60	Antibiotic trials for community-acquired pneumonia. <i>Lancet Respiratory Medicine</i> , <b>2015</b> , 3, e4-5	35.1	3
59	Commentary: The value of E-values and why they are not enough. <i>International Journal of Epidemiology</i> , <b>2020</b> , 49, 1505-1506	7.8	3
58	A Clinical Prediction Score Including Trial of Antibiotics and C-Reactive Protein to Improve the Diagnosis of Tuberculosis in Ambulatory People With HIV. <i>Open Forum Infectious Diseases</i> , <b>2020</b> , 7, ofz543	1	3
57	The WelTel Trial in context and the importance of null findings. <i>Lancet Public Health</i> , <b>2018</b> , 3, e107-e108	108	3
56	The feasibility of using screening criteria to reduce clinic visits for stable patients on antiretroviral therapy in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2013</b> , 62, e82-6	3.1	3
55	A sensitivity analysis of a randomized controlled trial of zinc in treatment of falciparum malaria in children. <i>Contemporary Clinical Trials</i> , <b>2005</b> , 26, 281-9	2.3	3
54	A clinical algorithm for same-day HIV treatment initiation in settings with high TB symptom prevalence in South Africa: The SLATE II individually randomized clinical trial. <i>PLoS Medicine</i> , <b>2020</b> , 17, e1003226	11.6	3
53	Will differentiated care for stable HIV patients reduce healthcare systems costs?. <i>Journal of the International AIDS Society</i> , <b>2020</b> , 23, e25541	5.4	3
52	Prevalence of TB symptoms, diagnosis and treatment among people living with HIV (PLHIV) not on ART presenting at outpatient clinics in South Africa and Kenya: baseline results from a clinical trial. <i>BMJ Open</i> , <b>2020</b> , 10, e035794	3	3
51	Variation in HIV care and treatment outcomes by facility in South Africa, 2011-2015: A cohort study. <i>PLoS Medicine</i> , <b>2021</b> , 18, e1003479	11.6	3
50	Regimen durability in HIV-infected children and adolescents initiating first-line antiretroviral therapy in a large public sector HIV cohort in South Africa. <i>Tropical Medicine and International Health</i> , <b>2018</b> , 23, 650-660	2.3	2
49	Re: Promoting healthy skepticism in the news: helping journalists get it right. <i>Journal of the National Cancer Institute</i> , <b>2010</b> , 102, 829-30; author reply 830	9.7	2
48	Validation of self-reported opioid agonist treatment among people who inject drugs using prescription dispensation records. <i>Epidemiology</i> , <b>2021</b> , 33,	3.1	2
47	Recording of HIV viral loads and viral suppression in South African patients receiving antiretroviral treatment: a multicentre cohort study. <i>Antiviral Therapy</i> , <b>2020</b> , 25, 257-266	1.6	2
46	The impact of delayed switch to second-line antiretroviral therapy on mortality, depending on failure time definition and CD4 count at failure		2



45	A systematic review of quantitative bias analysis applied to epidemiological research. <i>International Journal of Epidemiology</i> , <b>2021</b> , 50, 1708-1730	7.8	2
44	A comorbid mental disorder paradox: Using causal diagrams to understand associations between posttraumatic stress disorder and suicide. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , <b>2021</b> , 13, 725-729	7.8	2
43	Tracing people living with HIV who are lost to follow-up at ART programs in Southern Africa: A sampling-based cohort study in six countries. <i>Clinical Infectious Diseases</i> , <b>2021</b> ,	11.6	2
42	Extending Visit Intervals for Clinically Stable Patients on Antiretroviral Therapy: Multicohort Analysis of HIV Programs in Southern Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2019</b> , 81, 439-447	3.1	2
41	Iron status and self-reported fatigue in blood donors. <i>Transfusion</i> , <b>2021</b> , 61, 124-133	2.9	2
40	Patient Perspectives of Quality of the Same-Day Antiretroviral Therapy Initiation Process in Gauteng Province, South Africa: Qualitative Dominant Mixed-Methods Analysis of the SLATE II Trial. <i>Patient</i> , <b>2021</b> , 14, 175-186	3.7	2
39	Understanding the Reasons for Deferring ART Among Patients Diagnosed Under the Same-Day-ART Policy in Johannesburg, South Africa. <i>AIDS and Behavior</i> , <b>2021</b> , 25, 2779-2792	4.3	2
38	Routine data underestimates the incidence of first-line antiretroviral drug discontinuations due to adverse drug reactions: Observational study in two South African cohorts. <i>PLoS ONE</i> , <b>2018</b> , 13, e0203530	3.7	2
37	Implementation of Option B and a fixed-dose combination antiretroviral regimen for prevention of mother-to-child transmission of HIV in South Africa: A model of uptake and adherence to care. <i>PLoS ONE</i> , <b>2018</b> , 13, e0201955	3.7	2
36	What the hashtag? Using twitter and podcasting to extend your scientific reach. <i>Paediatric and Perinatal Epidemiology</i> , <b>2020</b> , 34, 553-555	2.7	1
35	Flexibly Accounting for Exposure Misclassification With External Validation Data. <i>American Journal of Epidemiology</i> , <b>2020</b> , 189, 850-860	3.8	1
34	Using a Self-Administered Electronic Adherence Questionnaire to Identify Poor Adherence Amongst Adolescents and Young Adults on First-Line Antiretroviral Therapy in Johannesburg, South Africa. <i>Patient Preference and Adherence</i> , <b>2020</b> , 14, 133-151	2.4	1
33	Virologic non-suppression and early loss to follow up among pregnant and non-pregnant adolescents aged 15-19 years initiating antiretroviral therapy in South Africa: a retrospective cohort study.. <i>Journal of the International AIDS Society</i> , <b>2022</b> , 25, e25870	5.4	1
32	Assessing Knowledge, Attitudes, and Practices towards Causal Directed Acyclic Graphs: a qualitative research project		1
31	Impact of Viral Load Monitoring on Retention and Viral Suppression: A Regression Discontinuity Analysis of South Africa's National Laboratory Cohort. <i>American Journal of Epidemiology</i> , <b>2020</b> , 189, 1492-1501	3.8	1
30	Adverse psychosocial factors in pregnancy and preterm delivery. <i>Paediatric and Perinatal Epidemiology</i> , <b>2021</b> , 35, 519-529	2.7	1
29	Will Podcasting and Social Media Replace Journals and Traditional Science Communication? No, but. <i>American Journal of Epidemiology</i> , <b>2021</b> , 190, 1625-1631	3.8	1
28	An underappreciated misclassification mechanism: implications of nondifferential dependent misclassification of covariate and exposure. <i>Annals of Epidemiology</i> , <b>2021</b> , 58, 104-123	6.4	1



27	Elevated serum progesterone during in vitro fertilization treatment and the risk of ischemic placental disease. <i>Pregnancy Hypertension</i> , <b>2021</b> , 24, 7-12	2.6	1
26	Assessing knowledge, attitudes, and practices towards causal directed acyclic graphs: a qualitative research project. <i>European Journal of Epidemiology</i> , <b>2021</b> , 36, 659-667	12.1	1
25	Simulation as a Tool for Teaching and Learning Epidemiologic Methods. <i>American Journal of Epidemiology</i> , <b>2021</b> , 190, 900-907	3.8	1
24	Health provider perspectives on the implementation of the same-day-ART initiation policy in the Gauteng province of South Africa. <i>Health Research Policy and Systems</i> , <b>2021</b> , 19, 2	3.7	1
23	Attrition from HIV care among youth initiating ART in youth-only clinics compared with general primary healthcare clinics in Khayelitsha, South Africa: a matched propensity score analysis.. <i>Journal of the International AIDS Society</i> , <b>2022</b> , 25, e25854	5.4	0
22	Retention in care and viral suppression after same-day ART initiation: One-year outcomes of the SLATE I and II individually randomized clinical trials in South Africa. <i>Journal of the International AIDS Society</i> , <b>2021</b> , 24, e25825	5.4	0
21	Lash et al. Respond to "Better Bias Analysis" and "Toward Better Bias Analysis". <i>American Journal of Epidemiology</i> , <b>2021</b> , 190, 1622-1624	3.8	0
20	Fast-track treatment initiation counselling in South Africa: A cost-outcomes analysis. <i>PLoS ONE</i> , <b>2021</b> , 16, e0248551	3.7	0
19	Psychotropic medication use during pregnancy and gestational age at delivery. <i>Annals of Epidemiology</i> , <b>2021</b> , 53, 34-41.e2	6.4	0
18	Mortality following workplace injury: Quantitative bias analysis. <i>Annals of Epidemiology</i> , <b>2021</b> , 64, 155-160	6.4	0
17	Introduction, Objectives, and an Alternative. <i>Statistics in the Health Sciences</i> , <b>2021</b> , 1-24		0
16	PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the leDEA Collaboration. <i>PLoS ONE</i> , <b>2020</b> , 15, e0220165	3.7	
15	Response to: defaulting from antiretroviral treatment programmes in sub-Saharan Africa: a problem of definition. <i>Tropical Medicine and International Health</i> , <b>2011</b> , 16, 392-392	2.3	
14	Response to Lawn et al.. <i>Aids</i> , <b>2012</b> , 26, 1728-1729	3.5	
13	Using intervention mapping in motivational interviewing training to improve ART uptake in Gauteng, South Africa. <i>Journal of Health Psychology</i> , <b>2020</b> , 1359105320962241	3.1	
12	Regression discontinuity analysis demonstrated varied effect of Treat-All on CD4 testing among Southern African countries. <i>Journal of Clinical Epidemiology</i> , <b>2021</b> , 140, 101-110	5.7	
11	Multiple Bias Modeling. <i>Statistics in the Health Sciences</i> , <b>2021</b> , 415-440		
10	Misclassification. <i>Statistics in the Health Sciences</i> , <b>2021</b> , 141-195		

- 9 Preparing for Probabilistic Bias Analysis. *Statistics in the Health Sciences*, **2021**, 197-231
- 8 Best Practices for Quantitative Bias Analysis. *Statistics in the Health Sciences*, **2021**, 441-452
- 7 A Guide to Implementing Quantitative Bias Analysis. *Statistics in the Health Sciences*, **2021**, 25-55
- 6 PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the leDEA Collaboration **2020**, 15, e0220165
- 5 PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the leDEA Collaboration **2020**, 15, e0220165
- 4 PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the leDEA Collaboration **2020**, 15, e0220165
- 3 PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the leDEA Collaboration **2020**, 15, e0220165
- 2 PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the leDEA Collaboration **2020**, 15, e0220165
- 1 PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the leDEA Collaboration **2020**, 15, e0220165