

Brigitte Chabbert

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2340519/brigitte-chabbert-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104
papers

4,895
citations

38
h-index

67
g-index

105
ext. papers

5,367
ext. citations

5.5
avg, IF

5.21
L-index

#	Paper	IF	Citations
104	Exploring the dew retting feasibility of hemp in very contrasting European environments: Influence on the tensile mechanical properties of fibres and composites. <i>Industrial Crops and Products</i> , 2021 , 164, 113337	5.9	11
103	Unveiling the impact of embedding resins on the physicochemical traits of wood cell walls with subcellular functional probing. <i>Composites Science and Technology</i> , 2021 , 201, 108485	8.6	6
102	Multiscale modeling of microbial degradation of outer tissues of fiber-crop stems during the dew retting process. <i>Bioresource Technology</i> , 2020 , 311, 123558	11	1
101	Multimodal assessment of flax dew retting and its functional impact on fibers and natural fiber composites. <i>Industrial Crops and Products</i> , 2020 , 148, 112255	5.9	10
100	Dual Antioxidant Properties and Organic Radical Stabilization in Cellulose Nanocomposite Films Functionalized by In Situ Polymerization of Coniferyl Alcohol. <i>Biomacromolecules</i> , 2020 , 21, 3163-3175	6.9	5
99	Hemp harvest time impacts on the dynamics of microbial colonization and hemp stems degradation during dew retting. <i>Industrial Crops and Products</i> , 2020 , 145, 112122	5.9	7
98	Atomic force microscopy reveals how relative humidity impacts the Young's modulus of lignocellulosic polymers and their adhesion with cellulose nanocrystals at the nanoscale. <i>International Journal of Biological Macromolecules</i> , 2020 , 147, 1064-1075	7.9	10
97	Influence of the polarity of the matrix on the breakage mechanisms of lignocellulosic fibers during twin-screw extrusion. <i>Polymer Composites</i> , 2020 , 41, 1106-1117	3	5
96	Targeted Metagenomics of Retting in Flax: The Beginning of the Quest to Harness the Secret Powers of the Microbiota. <i>Frontiers in Genetics</i> , 2020 , 11, 581664	4.5	6
95	Effect of the Interplay of Composition and Environmental Humidity on the Nanomechanical Properties of Hemp Fibers. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 6381-6390	8.3	7
94	Tracking of enzymatic biomass deconstruction by fungal secretomes highlights markers of lignocellulose recalcitrance. <i>Biotechnology for Biofuels</i> , 2019 , 12, 76	7.8	14
93	Real Time and Quantitative Imaging of Lignocellulosic Films Hydrolysis by Atomic Force Microscopy Reveals Lignin Recalcitrance at Nanoscale. <i>Biomacromolecules</i> , 2019 , 20, 515-527	6.9	5
92	Multimodal analysis of pretreated biomass species highlights generic markers of lignocellulose recalcitrance. <i>Biotechnology for Biofuels</i> , 2018 , 11, 52	7.8	43
91	Fluorescence techniques can reveal cell wall organization and predict saccharification in pretreated wood biomass. <i>Industrial Crops and Products</i> , 2018 , 123, 84-92	5.9	22
90	Langmuir-Blodgett Procedure to Precisely Control the Coverage of Functionalized AFM Cantilevers for SMFS Measurements: Application with Cellulose Nanocrystals. <i>Langmuir</i> , 2018 , 34, 9376-9386	4	10
89	Distribution of Lignin, Hemicellulose, and Arabinogalactan Protein in Hemp Phloem Fibers. <i>Microscopy and Microanalysis</i> , 2018 , 24, 442-452	0.5	10
88	Tracking the dynamics of hemp dew retting under controlled environmental conditions. <i>Industrial Crops and Products</i> , 2018 , 123, 55-63	5.9	26

87	Influence of flax fibre variety and year-to-year variability on composite properties. <i>Industrial Crops and Products</i> , 2017 , 98, 1-9	5.9	32
86	Classification of lignocellulosic biomass by weighted-covariance factor fuzzy C-means clustering of mid-infrared and near-infrared spectra. <i>Journal of Chemometrics</i> , 2017 , 31, e2865	1.6	1
85	Understanding the structural and chemical changes of plant biomass following steam explosion pretreatment. <i>Biotechnology for Biofuels</i> , 2017 , 10, 36	7.8	150
84	Bioinspired lignocellulosic films to understand the mechanical properties of lignified plant cell walls at nanoscale. <i>Scientific Reports</i> , 2017 , 7, 44065	4.9	23
83	Exploring accessibility of pretreated poplar cell walls by measuring dynamics of fluorescent probes. <i>Biotechnology for Biofuels</i> , 2017 , 10, 15	7.8	22
82	Action of lytic polysaccharide monooxygenase on plant tissue is governed by cellular type. <i>Scientific Reports</i> , 2017 , 7, 17792	4.9	18
81	Saccharification Performances of Miscanthus at the Pilot and Miniaturized Assay Scales: Genotype and Year Variabilities According to the Biomass Composition. <i>Frontiers in Plant Science</i> , 2017 , 8, 740	6.2	10
80	Changes in hemp secondary fiber production related to technical fiber variability revealed by light microscopy and attenuated total reflectance Fourier transform infrared spectroscopy. <i>PLoS ONE</i> , 2017 , 12, e0179794	3.7	14
79	Laser Microdissection and Spatiotemporal Pinoresinol-Lariciresinol Reductase Gene Expression Assign the Cell Layer-Specific Accumulation of Secoisolariciresinol Diglucoside in Flaxseed Coats. <i>Frontiers in Plant Science</i> , 2016 , 7, 1743	6.2	11
78	Functional analyses of cellulose synthase genes in flax (<i>Linum usitatissimum</i>) by virus-induced gene silencing. <i>Plant Biotechnology Journal</i> , 2015 , 13, 1312-24	11.6	30
77	Fungal elicitor-mediated enhancement in phenylpropanoid and naphthodianthrone contents of <i>Hypericum perforatum</i> L. cell cultures. <i>Plant Cell, Tissue and Organ Culture</i> , 2015 , 122, 213-226	2.7	30
76	Use of food and packaging model matrices to investigate the antioxidant properties of biorefinery grass lignins. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 10022-31	5.7	29
75	Impact of lignin on water sorption properties of bioinspired self-assemblies of lignocellulosic polymers. <i>European Polymer Journal</i> , 2015 , 64, 21-35	5.2	16
74	Evaluation of Lignocellulosic Biomass Degradation by Combining Mid- and Near-Infrared Spectra by the Outer Product and Selecting Discriminant Wavenumbers Using a Genetic Algorithm. <i>Applied Spectroscopy</i> , 2015 , 69, 1303-12	3.1	2
73	Organosolv lignin as natural grafting additive to improve the water resistance of films using cellulose nanocrystals. <i>Chemical Engineering Journal</i> , 2015 , 264, 780-788	14.7	42
72	Ectopic lignification in the flax lignified bast fiber1 mutant stem is associated with tissue-specific modifications in gene expression and cell wall composition. <i>Plant Cell</i> , 2014 , 26, 4462-82	11.6	37
71	Implications of productivity and nutrient requirements on greenhouse gas balance of annual and perennial bioenergy crops. <i>GCB Bioenergy</i> , 2014 , 6, 425-438	5.6	49
70	Impact of fine litter chemistry on lignocellulolytic enzyme efficiency during decomposition of maize leaf and root in soil. <i>Biogeochemistry</i> , 2014 , 117, 169-183	3.8	57

69	Changes in Phenolics Distribution After Chemical Pretreatment and Enzymatic Conversion of <i>Miscanthus giganteus</i> Internode. <i>Bioenergy Research</i> , 2013 , 6, 506-518	3.1	18
68	PT-Flax (phenotyping and TILLING of flax): development of a flax (<i>Linum usitatissimum</i> L.) mutant population and TILLING platform for forward and reverse genetics. <i>BMC Plant Biology</i> , 2013 , 13, 159	5.3	29
67	Novel surface-based methodologies for investigating GH11 xylanase-lignin derivative interactions. <i>Analyst, The</i> , 2013 , 138, 6889-99	5	9
66	Modeling progression of fluorescent probes in bioinspired lignocellulosic assemblies. <i>Biomacromolecules</i> , 2013 , 14, 2196-205	6.9	13
65	Characterization of arabinoxylan/cellulose nanocrystals gels to investigate fluorescent probes mobility in bioinspired models of plant secondary cell wall. <i>Biomacromolecules</i> , 2012 , 13, 206-14	6.9	27
64	Natural organic UV-absorbent coatings based on cellulose and lignin: designed effects on spectroscopic properties. <i>Biomacromolecules</i> , 2012 , 13, 4081-8	6.9	110
63	Plant Fiber Formation: State of the Art, Recent and Expected Progress, and Open Questions. <i>Critical Reviews in Plant Sciences</i> , 2012 , 31, 201-228	5.6	100
62	Natural hypolignification is associated with extensive oligolignol accumulation in flax stems. <i>Plant Physiology</i> , 2012 , 158, 1893-915	6.6	71
61	Effect of lignin content on a GH11 endoxylanase acting on glucuronoarabinoxylan-lignin nanocomposites. <i>Carbohydrate Polymers</i> , 2012 , 89, 423-31	10.3	2
60	Structure and optical properties of plant cell wall bio-inspired materials: cellulose-lignin multilayer nanocomposites. <i>Comptes Rendus - Biologies</i> , 2011 , 334, 839-50	1.4	27
59	Impact of epiphytic and endogenous enzyme activities of senescent maize leaves and roots on the soil biodegradation process. <i>Comptes Rendus - Biologies</i> , 2011 , 334, 824-36	1.4	1
58	Saccharification of <i>Miscanthus x giganteus</i> , incorporation of lignocellulosic by-product in cementitious matrix. <i>Comptes Rendus - Biologies</i> , 2011 , 334, 837.e1-837.e11	1.4	18
57	Impact of plant cell wall network on biodegradation in soil: Role of lignin composition and phenolic acids in roots from 16 maize genotypes. <i>Soil Biology and Biochemistry</i> , 2011 , 43, 1544-1552	7.5	53
56	Probing a family GH11 endo- β -1,4-xylanase inhibition mechanism by phenolic compounds: Role of functional phenolic groups. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2011 , 72, 130-138		45
55	A thermostable feruloyl-esterase from the hemicellulolytic bacterium <i>Thermobacillus xylanilyticus</i> releases phenolic acids from non-pretreated plant cell walls. <i>Applied Microbiology and Biotechnology</i> , 2011 , 90, 541-52	5.7	33
54	Non-lignified helical cell wall thickenings in root cortical cells of Aspleniaceae (Polypodiales): histology and taxonomical significance. <i>Annals of Botany</i> , 2011 , 107, 195-207	4.1	17
53	Assessment of Lignin-Related Compounds in Soils and Maize Roots by Alkaline Oxidations and Thioacidolysis. <i>Soil Science Society of America Journal</i> , 2011 , 75, 542-552	2.5	9
52	O-methyltransferase(s)-suppressed plants produce lower amounts of phenolic vir inducers and are less susceptible to <i>Agrobacterium tumefaciens</i> infection. <i>Planta</i> , 2010 , 232, 975-86	4.7	18

51	Development and validation of a flax (<i>Linum usitatissimum</i> L.) gene expression oligo microarray. <i>BMC Genomics</i> , 2010 , 11, 592	4.5	51
50	Development of antibodies against secoisolariciresinol--application to the immunolocalization of lignans in <i>Linum usitatissimum</i> seeds. <i>Phytochemistry</i> , 2010 , 71, 1979-87	4	20
49	Combination of ammonia and xylanase pretreatments: impact on enzymatic xylan and cellulose recovery from wheat straw. <i>Bioresource Technology</i> , 2010 , 101, 6712-7	11	80
48	Effect of harvesting date on the composition and saccharification of <i>Miscanthus x giganteus</i> . <i>Bioresource Technology</i> , 2010 , 101, 8224-31	11	84
47	Soil biodegradation of maize root residues: Interaction between chemical characteristics and the presence of colonizing micro-organisms. <i>Soil Biology and Biochemistry</i> , 2009 , 41, 1253-1261	7.5	14
46	Decomposition in soil and chemical changes of maize roots with genetic variations affecting cell wall quality. <i>European Journal of Soil Science</i> , 2009 , 60, 176-185	3.4	32
45	Caffeoyl coenzyme A O-methyltransferase down-regulation is associated with modifications in lignin and cell-wall architecture in flax secondary xylem. <i>Plant Physiology and Biochemistry</i> , 2009 , 47, 9-19	5.4	61
44	Soil decomposition of wheat internodes of different maturity stages: relative impact of the soluble and structural fractions. <i>Bioresource Technology</i> , 2009 , 100, 155-63	11	33
43	Concomitant changes in viscoelastic properties and amorphous polymers during the hydrothermal treatment of hardwood and softwood. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 6830-7	5.7	48
42	In vitro model assemblies to study the impact of lignin-carbohydrate interactions on the enzymatic conversion of xylan. <i>Biomacromolecules</i> , 2009 , 10, 2489-98	6.9	37
41	Supramolecular organization of heteroxylan-dehydrogenation polymers (synthetic lignin) nanoparticles. <i>Biomacromolecules</i> , 2008 , 9, 487-93	6.9	17
40	Characterization of arabinoxylan-dehydrogenation polymer (synthetic lignin polymer) nanoparticles. <i>Biomacromolecules</i> , 2007 , 8, 1236-45	6.9	33
39	Studies of xylan interactions and cross-linking to synthetic lignins formed by bulk and end-wise polymerization: a model study of lignin carbohydrate complex formation. <i>Planta</i> , 2007 , 226, 267-81	4.7	50
38	Effect of reaction media concentration on the solubility and the chemical structure of lignin model compounds. <i>Phytochemistry</i> , 2007 , 68, 2118-25	4	28
37	Can the Biochemical Features and Histology of Wheat Residues Explain their Decomposition in Soil?. <i>Plant and Soil</i> , 2006 , 281, 291-307	4.2	96
36	Differential accumulation of monolignol-derived compounds in elicited flax (<i>Linum usitatissimum</i>) cell suspension cultures. <i>Planta</i> , 2006 , 223, 975-89	4.7	109
35	Lignification in the flax stem: evidence for an unusual lignin in bast fibers. <i>Planta</i> , 2005 , 222, 234-45	4.7	124
34	Structure and chemical composition of bast fibers isolated from developing hemp stem. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 8279-89	5.7	106

33	Model systems for the understanding of lignified plant cell wall formation. <i>Plant Biosystems</i> , 2005 , 139, 93-97	1.6	8
32	ESTs from the fibre-bearing stem tissues of flax (<i>Linum usitatissimum</i> L.): expression analyses of sequences related to cell wall development. <i>Plant Biology</i> , 2005 , 7, 23-32	3.7	39
31	Probing the cell wall heterogeneity of micro-dissected wheat caryopsis using both active and inactive forms of a GH11 xylanase. <i>Planta</i> , 2005 , 222, 246-57	4.7	33
30	Xylanase-Mediated Hydrolysis of Wheat Bran: Evidence for Subcellular Heterogeneity of Cell Walls. <i>International Journal of Plant Sciences</i> , 2004 , 165, 553-563	2.6	23
29	Arabinoxylan and hydroxycinnamate content of wheat bran in relation to endoxylanase susceptibility. <i>Journal of Cereal Science</i> , 2004 , 40, 223-230	3.8	73
28	Impact and efficiency of GH10 and GH11 thermostable endoxylanases on wheat bran and alkali-extractable arabinoxylans. <i>Carbohydrate Research</i> , 2004 , 339, 2529-40	2.9	115
27	Structure, chemical composition, and xylanase degradation of external layers isolated from developing wheat grain. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 7108-17	5.7	63
26	Genetic and molecular basis of grass cell wall biosynthesis and degradability. II. Lessons from brown-midrib mutants. <i>Comptes Rendus - Biologies</i> , 2004 , 327, 847-60	1.4	120
25	Lignification and tension wood. <i>Comptes Rendus - Biologies</i> , 2004 , 327, 889-901	1.4	105
24	Mechanical, chemical and X-ray analysis of wood in the two tropical lianas <i>Bauhinia guianensis</i> and <i>Condylocarpon guianense</i> : variations during ontogeny. <i>Planta</i> , 2003 , 217, 32-40	4.7	26
23	Synthesis and characterization of dehydrogenation polymers in <i>Gluconacetobacter xylinus</i> cellulose and cellulose/pectin composite. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 981-6	5.7	52
22	Effect of industrial processing on alfalfa cell walls. <i>Journal of the Science of Food and Agriculture</i> , 2002 , 82, 1806-1815	4.3	2
21	A Chemical and Histological Study on the Effect of (1-4)- β -Endo-xylanase Treatment on Wheat Bran. <i>Journal of Cereal Science</i> , 2002 , 36, 253-260	3.8	82
20	In situ analysis of lignins in transgenic tobacco reveals a differential impact of individual transformations on the spatial patterns of lignin deposition at the cellular and subcellular levels. <i>Plant Journal</i> , 2001 , 28, 271-82	6.9	146
19	Synthesis, characterisation and water sorption properties of pectin-dehydrogenation polymer (lignin model compound) complex. <i>Phytochemistry</i> , 2001 , 56, 195-202	4	20
18	Overexpression of a heterologous sam gene encoding S-adenosylmethionine synthetase in flax (<i>Linum usitatissimum</i>) cells: Consequences on methylation of lignin precursors and pectins. <i>Physiologia Plantarum</i> , 2001 , 112, 223-232	4.6	19
17	Caffeoyl-coenzyme A 3-O-methyltransferase enzyme activity, protein and transcript accumulation in flax (<i>Linum usitatissimum</i>) stem during development. <i>Physiologia Plantarum</i> , 2001 , 113, 275-284	4.6	11
16	Lignification in transgenic poplars with extremely reduced caffeic acid O-methyltransferase activity. <i>Plant Physiology</i> , 2000 , 123, 1363-74	6.6	177

15	Down-regulation of cinnamyl alcohol dehydrogenase in transgenic alfalfa (<i>Medicago sativa</i> L.) and the effect on lignin composition and digestibility. <i>Plant Molecular Biology</i> , 1999 , 39, 437-47	4.6	176
14	Applications of molecular genetics for biosynthesis of novel lignins. <i>Polymer Degradation and Stability</i> , 1998 , 59, 47-52	4.7	8
13	Brown-midrib maize (bm1)--a mutation affecting the cinnamyl alcohol dehydrogenase gene. <i>Plant Journal</i> , 1998 , 14, 545-53	6.9	228
12	Cell Wall Fractionation of Alfalfa Stem in Relation to Internode Development: Biochemistry Aspect. <i>Journal of Agricultural and Food Chemistry</i> , 1998 , 46, 3458-3467	5.7	12
11	Extractibility of structural carbohydrates and lignin deposition in maturing alfalfa internodes. <i>International Journal of Biological Macromolecules</i> , 1997 , 21, 201-6	7.9	6
10	Characterisation of Lignin from Parenchyma and Sclerenchyma Cell Walls of the Maize Internode. <i>Journal of the Science of Food and Agriculture</i> , 1997 , 73, 10-16	4.3	30
9	Histochemistry of Lignin Deposition during Sclerenchyma Differentiation in Alfalfa Stems. <i>Annals of Botany</i> , 1996 , 78, 625-632	4.1	68
8	Altered lignin composition in transgenic tobacco expressing O-methyltransferase sequences in sense and antisense orientation. <i>Plant Journal</i> , 1995 , 8, 465-477	6.9	228
7	A novel lignin in poplar trees with a reduced caffeic acid/5-hydroxyferulic acid O-methyltransferase activity. <i>Plant Journal</i> , 1995 , 8, 855-864	6.9	176
6	Manipulation of lignin quality by downregulation of cinnamyl alcohol dehydrogenase. <i>Plant Journal</i> , 1994 , 6, 339-350	6.9	297
5	Biological variability in lignification of maize: Expression of the brown midrib bm3 mutation in three maize cultivars. <i>Journal of the Science of Food and Agriculture</i> , 1994 , 64, 349-355	4.3	41
4	Biological variability in lignification of maize: Expression of the brown midrib bm2 mutation. <i>Journal of the Science of Food and Agriculture</i> , 1994 , 64, 455-460	4.3	39
3	Breeding silage maize with brown-midrib genes. Feeding value and biochemical characteristics. <i>Agronomy for Sustainable Development</i> , 1994 , 14, 15-25		22
2	Bench-scale composting of two agricultural wastes. <i>Bioresource Technology</i> , 1992 , 40, 119-124	11	22
1	Evidence for the involvement of activated oxygen in fungal degradation of lignocellulose. <i>Biochimie</i> , 1983 , 65, 283-9	4.6	34