

# Brigitte Chabbert

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2340519/publications.pdf>

Version: 2024-02-01

105  
papers

5,896  
citations

76196

40  
h-index

79541

73  
g-index

105  
all docs

105  
docs citations

105  
times ranked

5262  
citing authors

#	ARTICLE	IF	CITATIONS
1	Unveiling the impact of embedding resins on the physicochemical traits of wood cell walls with subcellular functional probing. <i>Composites Science and Technology</i> , 2021, 201, 108485.	3.8	21
2	Exploring the dew retting feasibility of hemp in very contrasting European environments: Influence on the tensile mechanical properties of fibres and composites. <i>Industrial Crops and Products</i> , 2021, 164, 113337.	2.5	24
3	Atomic force microscopy reveals how relative humidity impacts the Young's modulus of lignocellulosic polymers and their adhesion with cellulose nanocrystals at the nanoscale. <i>International Journal of Biological Macromolecules</i> , 2020, 147, 1064-1075.	3.6	27
4	Influence of the polarity of the matrix on the breakage mechanisms of lignocellulosic fibers during twin-screw extrusion. <i>Polymer Composites</i> , 2020, 41, 1106-1117.	2.3	18
5	Targeted Metagenomics of Retting in Flax: The Beginning of the Quest to Harness the Secret Powers of the Microbiota. <i>Frontiers in Genetics</i> , 2020, 11, 581664.	1.1	13
6	Multiscale modeling of microbial degradation of outer tissues of fiber-crop stems during the dew retting process. <i>Bioresource Technology</i> , 2020, 311, 123558.	4.8	2
7	Multimodal assessment of flax dew retting and its functional impact on fibers and natural fiber composites. <i>Industrial Crops and Products</i> , 2020, 148, 112255.	2.5	25
8	Dual Antioxidant Properties and Organic Radical Stabilization in Cellulose Nanocomposite Films Functionalized by In Situ Polymerization of Coniferyl Alcohol. <i>Biomacromolecules</i> , 2020, 21, 3163-3175.	2.6	19
9	Hemp harvest time impacts on the dynamics of microbial colonization and hemp stems degradation during dew retting. <i>Industrial Crops and Products</i> , 2020, 145, 112122.	2.5	14
10	Effect of the Interplay of Composition and Environmental Humidity on the Nanomechanical Properties of Hemp Fibers. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 6381-6390.	3.2	12
11	Tracking of enzymatic biomass deconstruction by fungal secretomes highlights markers of lignocellulose recalcitrance. <i>Biotechnology for Biofuels</i> , 2019, 12, 76.	6.2	25
12	Real Time and Quantitative Imaging of Lignocellulosic Films Hydrolysis by Atomic Force Microscopy Reveals Lignin Recalcitrance at Nanoscale. <i>Biomacromolecules</i> , 2019, 20, 515-527.	2.6	11
13	Multimodal analysis of pretreated biomass species highlights generic markers of lignocellulose recalcitrance. <i>Biotechnology for Biofuels</i> , 2018, 11, 52.	6.2	59
14	Distribution of Lignin, Hemicellulose, and Arabinogalactan Protein in Hemp Phloem Fibers. <i>Microscopy and Microanalysis</i> , 2018, 24, 442-452.	0.2	19
15	Tracking the dynamics of hemp dew retting under controlled environmental conditions. <i>Industrial Crops and Products</i> , 2018, 123, 55-63.	2.5	34
16	Fluorescence techniques can reveal cell wall organization and predict saccharification in pretreated wood biomass. <i>Industrial Crops and Products</i> , 2018, 123, 84-92.	2.5	38
17	Langmuir-Blodgett Procedure to Precisely Control the Coverage of Functionalized AFM Cantilevers for SMFS Measurements: Application with Cellulose Nanocrystals. <i>Langmuir</i> , 2018, 34, 9376-9386.	1.6	26
18	Influence of flax fibre variety and year-to-year variability on composite properties. <i>Industrial Crops and Products</i> , 2017, 98, 1-9.	2.5	46

#	ARTICLE	IF	CITATIONS
19	Classification of lignocellulosic biomass by weighted covariance factor fuzzy C-means clustering of mid-infrared and near-infrared spectra. <i>Journal of Chemometrics</i> , 2017, 31, e2865.	0.7	3
20	Understanding the structural and chemical changes of plant biomass following steam explosion pretreatment. <i>Biotechnology for Biofuels</i> , 2017, 10, 36.	6.2	214
21	Bioinspired lignocellulosic films to understand the mechanical properties of lignified plant cell walls at nanoscale. <i>Scientific Reports</i> , 2017, 7, 44065.	1.6	26
22	Exploring accessibility of pretreated poplar cell walls by measuring dynamics of fluorescent probes. <i>Biotechnology for Biofuels</i> , 2017, 10, 15.	6.2	26
23	Action of lytic polysaccharide monoxygenase on plant tissue is governed by cellular type. <i>Scientific Reports</i> , 2017, 7, 17792.	1.6	21
24	Saccharification Performances of Miscanthus at the Pilot and Miniaturized Assay Scales: Genotype and Year Variabilities According to the Biomass Composition. <i>Frontiers in Plant Science</i> , 2017, 8, 740.	1.7	11
25	Changes in hemp secondary fiber production related to technical fiber variability revealed by light microscopy and attenuated total reflectance Fourier transform infrared spectroscopy. <i>PLoS ONE</i> , 2017, 12, e0179794.	1.1	18
26	Laser Microdissection and Spatiotemporal Pinoresinol-Lariciresinol Reductase Gene Expression Assign the Cell Layer-Specific Accumulation of Secoisolariciresinol Diglucoside in Flaxseed Coats. <i>Frontiers in Plant Science</i> , 2016, 7, 1743.	1.7	13
27	Evaluation of Lignocellulosic Biomass Degradation by Combining Mid- and Near-Infrared Spectra by the Outer Product and Selecting Discriminant Wavenumbers Using a Genetic Algorithm. <i>Applied Spectroscopy</i> , 2015, 69, 1303-1312.	1.2	3
28	Organosolv lignin as natural grafting additive to improve the water resistance of films using cellulose nanocrystals. <i>Chemical Engineering Journal</i> , 2015, 264, 780-788.	6.6	52
29	Functional analyses of cellulose synthase genes in flax ( <i>Linum usitatissimum</i> ) by virus-induced gene silencing. <i>Plant Biotechnology Journal</i> , 2015, 13, 1312-1324.	4.1	41
30	Fungal elicitor-mediated enhancement in phenylpropanoid and naphthodianthrone contents of <i>Hypericum perforatum</i> L. cell cultures. <i>Plant Cell, Tissue and Organ Culture</i> , 2015, 122, 213-226.	1.2	39
31	Use of Food and Packaging Model Matrices to Investigate the Antioxidant Properties of Biorefinery Grass Lignins. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 10022-10031.	2.4	32
32	Impact of lignin on water sorption properties of bioinspired self-assemblies of lignocellulosic polymers. <i>European Polymer Journal</i> , 2015, 64, 21-35.	2.6	20
33	Ectopic Lignification in the Flax lignified bast fiber1 Mutant Stem Is Associated with Tissue-Specific Modifications in Gene Expression and Cell Wall Composition. <i>Plant Cell</i> , 2014, 26, 4462-4482.	3.1	42
34	Implications of productivity and nutrient requirements on greenhouse gas balance of annual and perennial bioenergy crops. <i>GCB Bioenergy</i> , 2014, 6, 425-438.	2.5	56
35	Impact of fine litter chemistry on lignocellulolytic enzyme efficiency during decomposition of maize leaf and root in soil. <i>Biogeochemistry</i> , 2014, 117, 169-183.	1.7	65
36	Changes in Phenolics Distribution After Chemical Pretreatment and Enzymatic Conversion of <i>Miscanthus giganteus</i> Internode. <i>Bioenergy Research</i> , 2013, 6, 506-518.	2.2	20

#	ARTICLE	IF	CITATIONS
37	PT-Flax (phenotyping and TILLinG of flax): development of a flax ( <i>Linum usitatissimum</i> L.) mutant population and TILLinG platform for forward and reverse genetics. <i>BMC Plant Biology</i> , 2013, 13, 159.	1.6	44
38	Novel surface-based methodologies for investigating GH11 xylanase–lignin derivative interactions. <i>Analyst</i> , The, 2013, 138, 6889.	1.7	10
39	Modeling Progression of Fluorescent Probes in Bioinspired Lignocellulosic Assemblies. <i>Biomacromolecules</i> , 2013, 14, 2196-2205.	2.6	14
40	Characterization of Arabinoxylan/Cellulose Nanocrystals Gels to Investigate Fluorescent Probes Mobility in Bioinspired Models of Plant Secondary Cell Wall. <i>Biomacromolecules</i> , 2012, 13, 206-214.	2.6	30
41	Natural Organic UV-Absorbent Coatings Based on Cellulose and Lignin: Designed Effects on Spectroscopic Properties. <i>Biomacromolecules</i> , 2012, 13, 4081-4088.	2.6	134
42	Plant Fiber Formation: State of the Art, Recent and Expected Progress, and Open Questions. <i>Critical Reviews in Plant Sciences</i> , 2012, 31, 201-228.	2.7	132
43	Natural Hypolignification Is Associated with Extensive Oligolignol Accumulation in Flax Stems. <i>Plant Physiology</i> , 2012, 158, 1893-1915.	2.3	82
44	Effect of lignin content on a GH11 endoxylanase acting on glucuronoarabinoxylan-lignin nanocomposites. <i>Carbohydrate Polymers</i> , 2012, 89, 423-431.	5.1	2
45	Structure and optical properties of plant cell wall bio-inspired materials: Cellulose–lignin multilayer nanocomposites. <i>Comptes Rendus - Biologies</i> , 2011, 334, 839-850.	0.1	29
46	Impact of epiphytic and endogenous enzyme activities of senescent maize leaves and roots on the soil biodegradation process. <i>Comptes Rendus - Biologies</i> , 2011, 334, 824-836.	0.1	1
47	Saccharification of <i>Miscanthus x giganteus</i> , incorporation of lignocellulosic by-product in cementitious matrix. <i>Comptes Rendus - Biologies</i> , 2011, 334, 837.e1-837.e11.	0.1	21
48	Impact of plant cell wall network on biodegradation in soil: Role of lignin composition and phenolic acids in roots from 16 maize genotypes. <i>Soil Biology and Biochemistry</i> , 2011, 43, 1544-1552.	4.2	59
49	Probing a family GH11 endo- $\beta$ -1,4-xylanase inhibition mechanism by phenolic compounds: Role of functional phenolic groups. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2011, 72, 130-138.	1.8	53
50	A thermostable feruloyl-esterase from the hemicellulolytic bacterium <i>Thermobacillus xylanilyticus</i> releases phenolic acids from non-pretreated plant cell walls. <i>Applied Microbiology and Biotechnology</i> , 2011, 90, 541-552.	1.7	38
51	Non-lignified helical cell wall thickenings in root cortical cells of <i>Aspleniaceae</i> (Polypodiales): histology and taxonomical significance. <i>Annals of Botany</i> , 2011, 107, 195-207.	1.4	22
52	Assessment of Lignin-Related Compounds in Soils and Maize Roots by Alkaline Oxidations and Thioacidolysis. <i>Soil Science Society of America Journal</i> , 2011, 75, 542-552.	1.2	10
53	O-methyltransferase(s)-suppressed plants produce lower amounts of phenolic vir inducers and are less susceptible to <i>Agrobacterium tumefaciens</i> infection. <i>Planta</i> , 2010, 232, 975-986.	1.6	23
54	Development and validation of a flax ( <i>Linum usitatissimum</i> L.) gene expression oligo microarray. <i>BMC Genomics</i> , 2010, 11, 592.	1.2	66

#	ARTICLE	IF	CITATIONS
55	Development of antibodies against secoisolariciresinol â€“ Application to the immunolocalization of lignans in <i>Linum usitatissimum</i> seeds. <i>Phytochemistry</i> , 2010, 71, 1979-1987.	1.4	24
56	Combination of ammonia and xylanase pretreatments: Impact on enzymatic xylan and cellulose recovery from wheat straw. <i>Bioresource Technology</i> , 2010, 101, 6712-6717.	4.8	94
57	Effect of harvesting date on the composition and saccharification of <i>Miscanthus x giganteus</i> . <i>Bioresource Technology</i> , 2010, 101, 8224-8231.	4.8	95
58	Soil biodegradation of maize root residues: Interaction between chemical characteristics and the presence of colonizing micro-organisms. <i>Soil Biology and Biochemistry</i> , 2009, 41, 1253-1261.	4.2	16
59	Decomposition in soil and chemical changes of maize roots with genetic variations affecting cell wall quality. <i>European Journal of Soil Science</i> , 2009, 60, 176-185.	1.8	35
60	Caffeoyl coenzyme A O-methyltransferase down-regulation is associated with modifications in lignin and cell-wall architecture in flax secondary xylem. <i>Plant Physiology and Biochemistry</i> , 2009, 47, 9-19.	2.8	69
61	Soil decomposition of wheat internodes of different maturity stages: Relative impact of the soluble and structural fractions. <i>Bioresource Technology</i> , 2009, 100, 155-163.	4.8	37
62	Concomitant Changes in Viscoelastic Properties and Amorphous Polymers during the Hydrothermal Treatment of Hardwood and Softwood. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 6830-6837.	2.4	53
63	In Vitro Model Assemblies To Study the Impact of Ligninâ€™Carbohydrate Interactions on the Enzymatic Conversion of Xylan. <i>Biomacromolecules</i> , 2009, 10, 2489-2498.	2.6	40
64	Supramolecular Organization of Heteroxylan-Dehydrogenation Polymers (Synthetic Lignin) Nanoparticles. <i>Biomacromolecules</i> , 2008, 9, 487-493.	2.6	18
65	Characterization of Arabinoxylanâ€™Dehydrogenation Polymer (Synthetic Lignin Polymer) Nanoparticles. <i>Biomacromolecules</i> , 2007, 8, 1236-1245.	2.6	36
66	Studies of xylan interactions and cross-linking to synthetic lignins formed by bulk and end-wise polymerization: a model study of lignin carbohydrate complex formation. <i>Planta</i> , 2007, 226, 267-281.	1.6	59
67	Effect of reaction media concentration on the solubility and the chemical structure of lignin model compounds. <i>Phytochemistry</i> , 2007, 68, 2118-2125.	1.4	29
68	Can the Biochemical Features and Histology of Wheat Residues Explain their Decomposition in Soil?. <i>Plant and Soil</i> , 2006, 281, 291-307.	1.8	107
69	Differential accumulation of monolignol-derived compounds in elicited flax ( <i>Linum usitatissimum</i> ) cell suspension cultures. <i>Planta</i> , 2006, 223, 975-989.	1.6	123
70	ESTs from the Fibreâ€™Bearing Stem Tissues of Flax ( <i>Linum usitatissimum</i> L.): Expression Analyses of Sequences Related to Cell Wall Development. <i>Plant Biology</i> , 2005, 7, 23-32.	1.8	52
71	Probing the cell wall heterogeneity of micro-dissected wheat caryopsis using both active and inactive forms of a GH11 xylanase. <i>Planta</i> , 2005, 222, 246-257.	1.6	36
72	Lignification in the flax stem: evidence for an unusual lignin in bast fibers. <i>Planta</i> , 2005, 222, 234-245.	1.6	139

#	ARTICLE	IF	CITATIONS
73	Structure and Chemical Composition of Bast Fibers Isolated from Developing Hemp Stem. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 8279-8289.	2.4	127
74	Model systems for the understanding of lignified plant cell wall formation. <i>Plant Biosystems</i> , 2005, 139, 93-97.	0.8	8
75	Xylanase-Mediated Hydrolysis of Wheat Bran: Evidence for Subcellular Heterogeneity of Cell Walls. <i>International Journal of Plant Sciences</i> , 2004, 165, 553-563.	0.6	26
76	Arabinoxylan and hydroxycinnamate content of wheat bran in relation to endoxylanase susceptibility. <i>Journal of Cereal Science</i> , 2004, 40, 223-230.	1.8	80
77	Impact and efficiency of GH10 and GH11 thermostable endoxylanases on wheat bran and alkali-extractable arabinoxylans. <i>Carbohydrate Research</i> , 2004, 339, 2529-2540.	1.1	125
78	Structure, Chemical Composition, and Xylanase Degradation of External Layers Isolated from Developing Wheat Grain. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 7108-7117.	2.4	73
79	Genetic and molecular basis of grass cell wall biosynthesis and degradability. II. Lessons from brown-midrib mutants. <i>Comptes Rendus - Biologies</i> , 2004, 327, 847-860.	0.1	148
80	Lignification and tension wood. <i>Comptes Rendus - Biologies</i> , 2004, 327, 889-901.	0.1	131
81	Mechanical, chemical and X-ray analysis of wood in the two tropical lianas <i>Bauhinia guianensis</i> and <i>Condylocarpon guianense</i> : variations during ontogeny. <i>Planta</i> , 2003, 217, 32-40.	1.6	35
82	Synthesis and Characterization of Dehydrogenation Polymers in <i>Gluconacetobacter xylinus</i> Cellulose and Cellulose/Pectin Composite. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 981-986.	2.4	55
83	Effect of industrial processing on alfalfa cell walls. <i>Journal of the Science of Food and Agriculture</i> , 2002, 82, 1806-1815.	1.7	2
84	A Chemical and Histological Study on the Effect of (1 $\rightarrow$ 4)- $\beta$ -endo-xylanase Treatment on Wheat Bran. <i>Journal of Cereal Science</i> , 2002, 36, 253-260.	1.8	90
85	In situ analysis of lignins in transgenic tobacco reveals a differential impact of individual transformations on the spatial patterns of lignin deposition at the cellular and subcellular levels. <i>Plant Journal</i> , 2001, 28, 271-282.	2.8	177
86	Synthesis, characterisation and water sorption properties of pectin-dehydrogenation polymer (lignin) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.4	22
87	Overexpression of a heterologous sam gene encoding S-adenosylmethionine synthetase in flax ( <i>Linum</i> ) Tj ETQq1 1 0.784314 rgBT /Over Plantarum, 2001, 112, 223-232.	2.6	21
88	Caffeoyl-coenzyme A 3-O -methyltransferase enzyme activity, protein and transcript accumulation in flax ( <i>Linum usitatissimum</i> ) stem during development. <i>Physiologia Plantarum</i> , 2001, 113, 275-284.	2.6	16
89	Lignification in Transgenic Poplars with Extremely Reduced Caffeic Acid O-Methyltransferase Activity. <i>Plant Physiology</i> , 2000, 123, 1363-1374.	2.3	203
90	Down-regulation of cinnamyl alcohol dehydrogenase in transgenic alfalfa ( <i>Medicago sativa</i> L.) and the effect on lignin composition and digestibility. <i>Plant Molecular Biology</i> , 1999, 39, 437-447.	2.0	215

#	ARTICLE	IF	CITATIONS
91	Applications of molecular genetics for biosynthesis of novel lignins. <i>Polymer Degradation and Stability</i> , 1998, 59, 47-52.	2.7	10
92	Brown-midrib maize (bm1) - a mutation affecting the cinnamyl alcohol dehydrogenase gene. <i>Plant Journal</i> , 1998, 14, 545-553.	2.8	271
93	Cell Wall Fractionation of Alfalfa Stem in Relation to Internode Development: A Biochemistry Aspect. <i>Journal of Agricultural and Food Chemistry</i> , 1998, 46, 3458-3467.	2.4	12
94	Extractibility of structural carbohydrates and lignin deposition in maturing alfalfa internodes. <i>International Journal of Biological Macromolecules</i> , 1997, 21, 201-206.	3.6	6
95	Characterisation of Lignin from Parenchyma and Sclerenchyma Cell Walls of the Maize Internode. <i>Journal of the Science of Food and Agriculture</i> , 1997, 73, 10-16.	1.7	32
96	Histochemistry of Lignin Deposition during Sclerenchyma Differentiation in Alfalfa Stems. <i>Annals of Botany</i> , 1996, 78, 625-632.	1.4	79
97	Altered lignin composition in transgenic tobacco expressing O-methyltransferase sequences in sense and antisense orientation. <i>Plant Journal</i> , 1995, 8, 465-477.	2.8	249
98	A novel lignin in poplar trees with a reduced caffeic acid/5-hydroxyferulic acid O-methyltransferase activity. <i>Plant Journal</i> , 1995, 8, 855-864.	2.8	221
99	Manipulation of lignin quality by downregulation of cinnamyl alcohol dehydrogenase. <i>Plant Journal</i> , 1994, 6, 339-350.	2.8	321
100	Biological variability in lignification of maize: Expression of the brown midrib bm3 mutation in three maize cultivars. <i>Journal of the Science of Food and Agriculture</i> , 1994, 64, 349-355.	1.7	43
101	Biological variability in lignification of maize: Expression of the brown midrib bm2 mutation. <i>Journal of the Science of Food and Agriculture</i> , 1994, 64, 455-460.	1.7	40
102	Breeding silage maize with brown-midrib genes. Feeding value and biochemical characteristics. <i>Agronomy for Sustainable Development</i> , 1994, 14, 15-25.	0.8	29
103	Bench-scale composting of two agricultural wastes. <i>Bioresource Technology</i> , 1992, 40, 119-124.	4.8	23
104	Activated oxygen is formed by the mycelium and is involved mainly in the primary attack of LCC by <i>P. chrysosporium</i> . <i>Applied Biochemistry and Biotechnology</i> , 1984, 9, 339-339.	1.4	0
105	Evidence for the involvement of activated oxygen in fungal degradation of lignocellulose. <i>Biochimie</i> , 1983, 65, 283-289.	1.3	39