

Shumin Xiao

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2341110/shumin-xiao-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers

3,645
citations

33
h-index

56
g-index

121
ext. papers

4,849
ext. citations

9.9
avg, IF

5.93
L-index

#	Paper	IF	Citations
111	All-Dielectric Full-Color Printing with TiO Metasurfaces. <i>ACS Nano</i> , 2017 , 11, 4445-4452	16.7	250
110	Ultrafast control of vortex microlasers. <i>Science</i> , 2020 , 367, 1018-1021	33.3	210
109	All-dielectric metasurface for high-performance structural color. <i>Nature Communications</i> , 2020 , 11, 186417.4	17.4	128
108	Random lasing in bone tissue. <i>Optics Letters</i> , 2010 , 35, 1425-7	3	123
107	Two-Photon Pumped CH ₃ NH ₃ PbBr ₃ Perovskite Microwire Lasers. <i>Advanced Optical Materials</i> , 2016 , 4, 472-479	8.1	122
106	Recent Advances in Perovskite Micro- and Nanolasers. <i>Advanced Optical Materials</i> , 2018 , 6, 1800278	8.1	112
105	Real-Time Tunable Colors from Microfluidic Reconfigurable All-Dielectric Metasurfaces. <i>ACS Nano</i> , 2018 , 12, 2151-2159	16.7	103
104	Highly Reproducible Organometallic Halide Perovskite Microdevices based on Top-Down Lithography. <i>Advanced Materials</i> , 2017 , 29, 1606205	24	100
103	Lead Halide Perovskite Nanostructures for Dynamic Color Display. <i>ACS Nano</i> , 2018 , 12, 8847-8854	16.7	99
102	Trichromatic and Tripolarization-Channel Holography with Noninterleaved Dielectric Metasurface. <i>Nano Letters</i> , 2020 , 20, 994-1002	11.5	92
101	Unidirectional Lasing Emissions from CH ₃ NH ₃ PbBr ₃ Perovskite Microdisks. <i>ACS Photonics</i> , 2016 , 3, 11256130	13.0	82
100	All-optical control of lead halide perovskite microlasers. <i>Nature Communications</i> , 2019 , 10, 1770	17.4	77
99	Channeling chaotic rays into waveguides for efficient collection of microcavity emission. <i>Physical Review Letters</i> , 2012 , 108, 243902	7.4	76
98	Nonlinear Holographic All-Dielectric Metasurfaces. <i>Nano Letters</i> , 2018 , 18, 8054-8061	11.5	65
97	Formation of Lead Halide Perovskite Based Plasmonic Nanolasers and Nanolaser Arrays by Tailoring the Substrate. <i>ACS Nano</i> , 2018 , 12, 3865-3874	16.7	61
96	Reprogrammable meta-hologram for optical encryption. <i>Nature Communications</i> , 2020 , 11, 5484	17.4	60
95	Resonance-enhanced three-photon luminescence via lead halide perovskite metasurfaces for optical encoding. <i>Nature Communications</i> , 2019 , 10, 2085	17.4	55

94	Dielectric multi-momentum meta-transformer in the visible. <i>Nature Communications</i> , 2019 , 10, 4789	17.4	50
93	Arbitrary polarization conversion dichroism metasurfaces for all-in-one full Poincaré sphere polarizers. <i>Light: Science and Applications</i> , 2021 , 10, 24	16.7	50
92	Surface-Emitting Perovskite Random Lasers for Speckle-Free Imaging. <i>ACS Nano</i> , 2019 , 13, 10653-10661	16.7	49
91	Unidirectional high intensity narrow-linewidth lasing from a planar random microcavity laser. <i>Physical Review Letters</i> , 2006 , 96, 033902	7.4	49
90	Tailoring the Performances of Lead Halide Perovskite Devices with Electron-Beam Irradiation. <i>Advanced Materials</i> , 2017 , 29, 1701636	24	48
89	Chip-Scale Fabrication of Uniform Lead Halide Perovskites Microlaser Array and Photodetector Array. <i>Laser and Photonics Reviews</i> , 2018 , 12, 1700234	8.3	48
88	Experimental demonstration of PT-symmetric stripe lasers. <i>Laser and Photonics Reviews</i> , 2016 , 10, 588-594	8.4	47
87	Stretchable All-Dielectric Metasurfaces with Polarization-Insensitive and Full-Spectrum Response. <i>ACS Nano</i> , 2020 , 14, 1418-1426	16.7	47
86	High-Density and Uniform Lead Halide Perovskite Nanolaser Array on Silicon. <i>Journal of Physical Chemistry Letters</i> , 2016 , 7, 2549-55	6.4	46
85	Formation of single-mode laser in transverse plane of perovskite microwire via micromanipulation. <i>Optics Letters</i> , 2016 , 41, 555-8	3	44
84	Far-field single nanoparticle detection and sizing. <i>Optica</i> , 2017 , 4, 1151	8.6	44
83	TiO metasurfaces: From visible planar photonics to photochemistry. <i>Science Advances</i> , 2019 , 5, eaax0939	14.3	42
82	A hybrid system with highly enhanced graphene SERS for rapid and tag-free tumor cells detection. <i>Scientific Reports</i> , 2016 , 6, 25134	4.9	37
81	Lead Halide Perovskite Based Microdisk Lasers for On-Chip Integrated Photonic Circuits. <i>Advanced Optical Materials</i> , 2018 , 6, 1701266	8.1	36
80	On-Chip Spiral Waveguides for Ultrasensitive and Rapid Detection of Nanoscale Objects. <i>Advanced Materials</i> , 2018 , 30, e1800262	24	36
79	Micro- and Nanostructured Lead Halide Perovskites: From Materials to Integrations and Devices. <i>Advanced Materials</i> , 2021 , 33, e2000306	24	33
78	Phyllotaxis-inspired nanosieves with multiplexed orbital angular momentum. <i>ELight</i> , 2021 , 1,		33
77	Lead Halide Perovskite-Based Dynamic Metasurfaces. <i>Laser and Photonics Reviews</i> , 2019 , 13, 1900079	8.3	30

76	Postsynthetic and Selective Control of Lead Halide Perovskite Microlasers. <i>Journal of Physical Chemistry Letters</i> , 2016 , 7, 3886-3891	6.4	30
75	Formation of long-lived resonances in hexagonal cavities by strong coupling of superscar modes. <i>Physical Review A</i> , 2013 , 88,	2.6	30
74	Lead halide perovskite vortex microlasers. <i>Nature Communications</i> , 2020 , 11, 4862	17.4	30
73	Metasurface for Structured Light Projection over 120° Field of View. <i>Nano Letters</i> , 2020 , 20, 6719-6724	11.5	29
72	Dark-Field Sensors based on Organometallic Halide Perovskite Microlasers. <i>Advanced Materials</i> , 2018 , 30, e1801481	24	29
71	End-fire injection of light into high-Q silicon microdisks. <i>Optica</i> , 2018 , 5, 612	8.6	28
70	Extreme output sensitivity to subwavelength boundary deformation in microcavities. <i>Physical Review A</i> , 2013 , 87,	2.6	28
69	Random lasing actions in self-assembled perovskite nanoparticles. <i>Optical Engineering</i> , 2016 , 55, 057102	1.1	27
68	Single Nanoparticle Detection Using Far-field Emission of Photonic Molecule around the Exceptional Point. <i>Scientific Reports</i> , 2015 , 5, 11912	4.9	27
67	Whispering-gallery-mode based CH ₃ NH ₃ PbBr ₃ perovskite microrod lasers with high quality factors. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 477-481	7.8	26
66	Photon hopping and nanowire based hybrid plasmonic waveguide and ring-resonator. <i>Scientific Reports</i> , 2015 , 5,	4.9	25
65	Broadband and Tunable-Focus Flat Lens with Dielectric Metasurface. <i>Plasmonics</i> , 2016 , 11, 537-541	2.4	24
64	Complex Inverse Design of Meta-optics by Segmented Hierarchical Evolutionary Algorithm. <i>ACS Nano</i> , 2019 , 13, 821-829	16.7	24
63	2- μ m Wavelength Grating Coupler, Bent Waveguide, and Tunable Microring on Silicon Photonic MPW. <i>IEEE Photonics Technology Letters</i> , 2018 , 30, 471-474	2.2	23
62	Inversed Vernier effect based single-mode laser emission in coupled microdisks. <i>Scientific Reports</i> , 2015 , 5, 13682	4.9	23
61	Lead Halide Perovskite Nanoribbon Based Uniform Nanolaser Array on Plasmonic Grating. <i>ACS Photonics</i> , 2017 , 4, 649-656	6.3	22
60	High-efficiency broadband achromatic metalens for near-IR biological imaging window. <i>Nature Communications</i> , 2021 , 12, 5560	17.4	22
59	Mass-Manufactural Lanthanide-Based Ultraviolet B Microlasers. <i>Advanced Materials</i> , 2019 , 31, e1807079	24	21

58	Tunable optical metasurfaces enabled by multiple modulation mechanisms. <i>Nanophotonics</i> , 2020 , 9, 4407-4431	7.4	19
57	Improving the Performance of a CH ₃ NH ₃ PbBr ₃ Perovskite Microrod Laser through Hybridization with Few-Layered Graphene. <i>Advanced Optical Materials</i> , 2016 , 4, 2057-2062	8.1	17
56	Transmissive structural color filters using vertically coupled aluminum nanohole/nanodisk array with a triangular-lattice. <i>Nanotechnology</i> , 2018 , 29, 395202	3.4	17
55	Transporting the Optical Chirality through the Dynamical Barriers in Optical Microcavities. <i>Laser and Photonics Reviews</i> , 2018 , 12, 1800027	8.3	17
54	Dynamic Bifunctional Metasurfaces for Holography and Color Display. <i>Advanced Materials</i> , 2021 , 33, e2101258	17	
53	Controlling multimode coupling by boundary-wave scattering. <i>Physical Review A</i> , 2013 , 88,	2.6	16
52	Quasiparity-Time Symmetric Microdisk Laser. <i>Laser and Photonics Reviews</i> , 2017 , 11, 1700052	8.3	16
51	Miscellaneous Lasing Actions in Organo-Lead Halide Perovskite Films. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 20711-20718	9.5	15
50	Transmission of IM/DD Signals at 2- μ m Wavelength Using PAM and CAP. <i>IEEE Photonics Journal</i> , 2016 , 8, 1-7	1.8	15
49	Spin Angular Momentum Controlled Multifunctional All-Dielectric Metasurface Doublet. <i>Laser and Photonics Reviews</i> , 2020 , 14, 1900324	8.3	14
48	Maskless Fabrication of Aluminum Nanoparticles for Plasmonic Enhancement of Lead Halide Perovskite Lasers. <i>Advanced Optical Materials</i> , 2017 , 5, 1700529	8.1	14
47	Hybridizing CH ₃ NH ₃ PbBr ₃ microwires and tapered fibers for efficient light collection. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 8015-8019	13	14
46	Structured Semiconductor Interfaces: Active Functionality on Light Manipulation. <i>Proceedings of the IEEE</i> , 2020 , 108, 772-794	14.3	14
45	Quasi-guiding Modes in Microfibers on a High Refractive Index Substrate. <i>ACS Photonics</i> , 2015 , 2, 1278-1283	13	13
44	Dynamic Structural Colors Based on All-Dielectric Mie Resonators. <i>Advanced Optical Materials</i> , 2021 , 9, 2002126	8.1	13
43	All-Dielectric Meta-Reflectarray for Efficient Control of Visible Light. <i>Annalen Der Physik</i> , 2018 , 530, 1700418	13	
42	Optical Fiber Humidity Sensor Based on Water Absorption Peak Near 2- μ m Waveband. <i>IEEE Photonics Journal</i> , 2019 , 11, 1-8	1.8	12
41	Highly Controllable Etchless Perovskite Microlasers Based on Bound States in the Continuum. <i>ACS Nano</i> , 2021 , 15, 7386-7391	16.7	12

40	Single Crystal Microrod Based Homonuclear Photonic Molecule Lasers. <i>Advanced Optical Materials</i> , 2017 , 5, 1600744	8.1	11
39	Coherent destruction of tunneling in chaotic microcavities via three-state anti-crossings. <i>Scientific Reports</i> , 2014 , 4, 4858	4.9	11
38	Enhancing the Magnetic Resonance via Strong Coupling in Optical Metamaterials. <i>Advanced Optical Materials</i> , 2017 , 5, 1700469	8.1	11
37	Achieving Circularly Polarized Surface Emitting Perovskite Microlasers with All-Dielectric Metasurfaces. <i>ACS Nano</i> , 2020 ,	16.7	11
36	Highly Controllable Lasing Actions in Lead Halide Perovskite/Bi3N4 Hybrid Micro-Resonators. <i>Laser and Photonics Reviews</i> , 2019 , 13, 1800189	8.3	11
35	On-Chip-Integrated Methylammonium Halide Perovskite Optical Sensors. <i>Advanced Optical Materials</i> , 2019 , 7, 1801308	8.1	11
34	Phase characterisation of metalenses. <i>Light: Science and Applications</i> , 2021 , 10, 52	16.7	11
33	The combination of high Q factor and chirality in twin cavities and microcavity chain. <i>Scientific Reports</i> , 2014 , 4, 6493	4.9	10
32	Fabricating high refractive index titanium dioxide film using electron beam evaporation for all-dielectric metasurfaces. <i>MRS Communications</i> , 2016 , 6, 77-83	2.7	10
31	Single-Crystalline Perovskite Microlasers for High-Contrast and Sub-Diffraction Imaging. <i>Advanced Functional Materials</i> , 2019 , 29, 1904868	15.6	10
30	Broad-Band Photodetectors Based on Copper Indium Diselenide Quantum Dots in a Methylammonium Lead Iodide Perovskite Matrix. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 35201-35210	9.5	10
29	Design of Mid-Infrared Electro-Optic Modulators Based on Aluminum Nitride Waveguides. <i>Journal of Lightwave Technology</i> , 2016 , 1-1	4	10
28	Chip-Scale Mass Manufacturable High-Q Silicon Microdisks. <i>Advanced Materials Technologies</i> , 2017 , 2, 1600299	6.8	9
27	Adiabatic and Ultracompact Waveguide Tapers Based on Digital Metamaterials. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2019 , 25, 1-6	3.8	9
26	Coherent destruction of dynamical tunneling in asymmetric resonant cavities. <i>Physical Review A</i> , 2013 , 87,	2.6	9
25	All-dielectric metasurface-enabled multiple vortex emissions.. <i>Advanced Materials</i> , 2022 , e2109255	24	9
24	Large-Scale and Defect-Free Silicon Metamaterials with Magnetic Response. <i>Scientific Reports</i> , 2016 , 6, 25760	4.9	9
23	Tailoring the lasing modes in CH3NH3PbBr3 perovskite microplates via micro-manipulation. <i>RSC Advances</i> , 2016 , 6, 50553-50558	3.7	8

22	Direct modulation of microcavity emission via local perturbation. <i>Physical Review A</i> , 2013 , 88,	2.6	8
21	Suppressing meta-holographic artifacts by laser coherence tuning. <i>Light: Science and Applications</i> , 2021 , 10, 104	16.7	8
20	Fiber-Integrated Reversibly Wavelength-Tunable Nanowire Laser Based on Nanocavity Mode Coupling. <i>ACS Nano</i> , 2019 , 13, 9965-9972	16.7	7
19	Multiplexing Vectorial Holographic Images with Arbitrary Metaholograms. <i>Advanced Optical Materials</i> , 2021 , 9, 2100626	8.1	7
18	The Role of Excitons on Light Amplification in Lead Halide Perovskites. <i>Advanced Materials</i> , 2016 , 28, 10165-10169	24	7
17	Deformed Microdisk-Based End-Fire Injection and Collection Resonant Device. <i>Journal of Lightwave Technology</i> , 2015 , 33, 3698-3703	4	6
16	Self-Cleaning Titanium Dioxide Metasurfaces with UV Irradiation. <i>Laser and Photonics Reviews</i> , 2021 , 15, 2000330	8.3	6
15	Improvement of the chirality near avoided resonance crossing in optical microcavity. <i>Science China: Physics, Mechanics and Astronomy</i> , 2015 , 58, 1	3.6	5
14	Three-dimensional light confinement in a PT-symmetric nanocavity. <i>RSC Advances</i> , 2016 , 6, 5792-5796	3.7	5
13	Manipulation of high-order scattering processes in ultrasmall optical resonators to control far-field emission. <i>Physical Review Letters</i> , 2014 , 112, 163902	7.4	5
12	Ultra-compact snapshot spectral light-field imaging.. <i>Nature Communications</i> , 2022 , 13, 2732	17.4	5
11	Optical metasurfaces towards multifunctionality and tunability. <i>Nanophotonics</i> , 2021 ,	6.3	4
10	Direct observation of chaotic resonances in optical microcavities. <i>Light: Science and Applications</i> , 2021 , 10, 135	16.7	4
9	Triangular lasing modes in hexagonal perovskite microplates with balanced gain and loss. <i>RSC Advances</i> , 2016 , 6, 64589-64594	3.7	4
8	End-fire injection of guided light into optical microcavity. <i>Applied Physics B: Lasers and Optics</i> , 2015 , 120, 255-260	1.9	3
7	Kerr Frequency Comb Interaction with Raman, Brillouin, and Second Order Nonlinear Effects. <i>Laser and Photonics Reviews</i> , 2022 , 16, 2100184	8.3	3
6	Dual-wavelength switchable single-mode lasing from a lanthanide-doped resonator.. <i>Nature Communications</i> , 2022 , 13, 1727	17.4	3
5	Coupling the normal incident light into waveguide modes of DBR mirrors via a diffraction grating. <i>Scientific Reports</i> , 2016 , 6, 38964	4.9	2

4	Rapid and Nondestructive Determination of Graphene Thickness with an all Dielectric Metasurface. <i>Plasmonics</i> , 2017 , 12, 1685-1691	2.4	1
3	Integrated Janus dipole source for selective coupling to silicon waveguide networks. <i>Applied Physics Reviews</i> , 2022 , 9, 021410	17.3	1
2	Ultrafast Control of Microlasers. <i>Optics and Photonics News</i> , 2020 , 31, 36	1.9	0
1	Sensors: On-Chip Spiral Waveguides for Ultrasensitive and Rapid Detection of Nanoscale Objects (Adv. Mater. 25/2018). <i>Advanced Materials</i> , 2018 , 30, 1870183	24	