

Christine M Lohse

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2341222/christine-m-lohse-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

399
papers

19,379
citations

66
h-index

127
g-index

415
ext. papers

22,331
ext. citations

4.2
avg, IF

6.55
L-index

#	Paper	IF	Citations
399	Electrical stimulation of the cochlea for treatment of chronic disabling tinnitus: an open-label trial towards the development of an implantable device.. <i>Journal of Translational Medicine</i> , 2022 , 20, 56	8.5	0
398	Transpharyngeal Approaches for Management of Oropharyngeal Squamous Cell Carcinoma: Mayo Clinic Institution Experience.. <i>Otolaryngology - Head and Neck Surgery</i> , 2022 , 1945998211071000	5.5	
397	Collecting duct carcinoma: A single-institution retrospective study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022 , 40, 13.e9-13.e18	2.8	1
396	Speech Perception Performance Growth and Benchmark Score Achievement After Cochlear Implantation for Single-Sided Deafness. <i>Otology and Neurotology</i> , 2022 , 43, e64-e71	2.6	2
395	Harnessing the power of spaced repetition learning and active recall for trainee education in otolaryngology.. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2022 , 103495	2.8	1
394	Association of Premenopausal Bilateral Oophorectomy With Cognitive Performance and Risk of Mild Cognitive Impairment. <i>JAMA Network Open</i> , 2021 , 4, e2131448	10.4	5
393	Assessment of Risk of Hereditary Predisposition in Patients With Melanoma and/or Mesothelioma and Renal Neoplasia. <i>JAMA Network Open</i> , 2021 , 4, e2132615	10.4	0
392	A Clinical Decision Aid to Support Personalized Treatment Selection for Patients with Clinical T1 Renal Masses: Results from a Multi-institutional Competing-risks Analysis. <i>European Urology</i> , 2021 ,	10.2	1
391	Hearing Preservation Microsurgery in Vestibular Schwannomas: Worth Attempting in "Larger" Tumors?. <i>Laryngoscope</i> , 2021 ,	3.6	1
390	Prospective Study of Disease-Specific Quality-of-Life in Sporadic Vestibular Schwannoma Comparing Observation, Radiosurgery, and Microsurgery. <i>Otology and Neurotology</i> , 2021 , 42, e199-e208	2.6	8
389	A Comparison of Dizziness Handicap Inventory Scores by Categories of Vestibular Diagnoses. <i>Otology and Neurotology</i> , 2021 , 42, 129-136	2.6	8
388	Assessment of ED triage of anaphylaxis patients based on the Emergency Severity Index. <i>American Journal of Emergency Medicine</i> , 2021 , 46, 449-455	2.9	
387	Language and Audiological Outcomes Among Infants Implanted Before 9 and 12 Months of Age Versus Older Children: A Continuum of Benefit Associated With Cochlear Implantation at Successively Younger Ages. <i>Otology and Neurotology</i> , 2021 , 42, 686-693	2.6	3
386	Prevalence of Surgical, Anesthetic, and Device-related Complications Among Infants Implanted Before 9 and 12 Months of Age Versus Older Children: Evidence for the Continued Expansion of Pediatric Cochlear Implant Candidacy Criteria. <i>Otology and Neurotology</i> , 2021 , 42, e666-e674	2.6	1
385	Predicting Gag, Discomfort, and Laryngeal Visualization in Patients Undergoing Flexible Laryngoscopy with Stroboscopy. <i>Annals of Otology, Rhinology and Laryngology</i> , 2021 , 34894211011453	2.1	1
384	Agreement between the Skull Vibration-Induced Nystagmus Test and Semicircular Canal and Otolith Asymmetry. <i>Journal of the American Academy of Audiology</i> , 2021 , 32, 283-289	1.3	3
383	Reply to Brett Delahunt, Hemamali Samaratunga, Lars Egevad Letter to the Editor re: Svetlana Avulova, John C. Cheville, Christine M. Lohse, et al. Grading of Chromophobe Renal Cell Carcinoma: Evidence for a Four-tiered Classification Incorporating Coagulative Tumor Necrosis. <i>Eur Urol</i> 2021 , 79, 225-231. Should Chromophobe Renal Cell Carcinoma Be Graded? <i>European Urology</i> , 2021 , 79, e143-e144	10.2	

382	Natural History of Growing Sporadic Vestibular Schwannomas During Observation: An International Multi-Institutional Study. <i>Otology and Neurotology</i> , 2021 , 42, e1118-e1124	2.6	1
381	Renal Neoplasia in Tuberous Sclerosis: A Study of 41 Patients. <i>Mayo Clinic Proceedings</i> , 2021 , 96, 1470-1489	4.9	10
380	A contemporary guide to chromosomal copy number profiling in the diagnosis of renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 ,	2.8	1
379	Reply to Riuko Ohashi, Arndt Hartmann, Holger Moch, and Guido Martignoni: Letter to the Editor re: Svetlana Avulova, John C. Cheville, Christine M. Lohse, et al. Grading of Chromophobe Renal Cell Carcinoma: Evidence for a Four-tiered Classification Incorporating Coagulative Tumor Necrosis. <i>Eur Urol</i> 2021 ;79:225-31; Two-, Three-, or Four-tiered Grading of Chromophobe Renal Cancer: That's the	10.2	1
378	Renal neoplasia with papillary architecture involving the pelvicalyceal system. <i>Human Pathology</i> , 2021 , 107, 46-57	3.7	6
377	Pregnancy, Estrogen Exposure, and the Development of Otosclerosis: A Case-Control Study of 1196 Women. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 164, 1294-1298	5.5	4
376	Disease-Specific Quality of Life in Vestibular Schwannoma: A National Cross-sectional Study Comparing Microsurgery, Radiosurgery, and Observation. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 164, 639-644	5.5	2
375	Prevalence of and Associations With Distress and Professional Burnout Among Otolaryngologists: Part I, Trainees. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 164, 1019-1029	5.5	2
374	Prevalence of and Associations With Distress and Professional Burnout Among Otolaryngologists: Part II, Attending Physicians. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 164, 1030-1039	5.5	0
373	Comments on "Cardiothoracic Patients with Unilateral Vocal Fold Paralysis: Pneumonia Rates Following Injection Laryngoplasty" by Tsai et al. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2021 , 130, 225	2.1	
372	Creation of a primary tumor tissue expression biomarker-augmented prognostic model for patients with metastatic renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 135.e1-135.e8	2.8	1
371	Grading Chromophobe Renal Cell Carcinoma: Evidence for a Four-tiered Classification Incorporating Coagulative Tumor Necrosis. <i>European Urology</i> , 2021 , 79, 225-231	10.2	13
370	Bim Expression in Peritumoral Lymphocytes is Associated with Survival in Patients with Metastatic Clear Cell Renal Cell Carcinoma. <i>Kidney Cancer</i> , 2021 , 5, 129-135	0.6	
369	Partial versus radical nephrectomy in clinical T2 renal masses. <i>International Journal of Urology</i> , 2021 , 28, 1149-1154	2.3	5
368	Low-Grade Oncocytic Tumor of Kidney (CK7-Positive, CD117-Negative): Incidence in a single institutional experience with clinicopathological and molecular characteristics. <i>Human Pathology</i> , 2021 , 114, 9-18	3.7	8
367	Human papillomavirus oropharynx carcinoma: Aggressive de-escalation of adjuvant therapy. <i>Head and Neck</i> , 2021 , 43, 229-237	4.2	8
366	Timing and distribution of early renal cell carcinoma recurrences stratified by pathological nodal status in M0 patients at the time of nephrectomy. <i>International Journal of Urology</i> , 2020 , 27, 618-622	2.3	2
365	Contextualizing the Modern Epidemiology of Neurofibromatosis Type 2 in an Era of Heightened Detection of Sporadic Vestibular Schwannoma. <i>Otology and Neurotology</i> , 2020 , 41, e501-e506	2.6	3

364	Cardiothoracic Patients with Unilateral Vocal Fold Paralysis: Pneumonia Rates Following Injection Laryngoplasty. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2020 , 129, 1129-1134	2.1	4
363	Quantifying Tertiary Referral Center Bias in Vestibular Schwannoma Research. <i>Otology and Neurotology</i> , 2020 , 41, 258-264	2.6	1
362	Increased body mass index does not impact the imaging quality of focused assessment with sonography in trauma. <i>Journal of Clinical Ultrasound</i> , 2020 , 48, 452-456	1	1
361	Correlation of air-bone gap and size of Enlarged Vestibular Aqueduct in children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020 , 132, 109909	1.7	3
360	Experiences of Health Care Providers Using a Mobile Medical Photography Application. <i>Applied Clinical Informatics</i> , 2020 , 11, 122-129	3.1	3
359	The Influence of Vestibular Schwannoma Tumor Volume and Growth on Hearing Loss. <i>Otolaryngology - Head and Neck Surgery</i> , 2020 , 162, 530-537	5.5	16
358	Reply by Authors. <i>Journal of Urology</i> , 2020 , 203, 282	2.5	
357	Botulinum Toxin A in Tissue Expander Breast Reconstruction: A Double-blinded Randomized Controlled Trial. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020 , 8, e3030	1.2	2
356	Simultaneous versus staged partial nephrectomies for bilateral synchronous solid renal masses. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 640.e13-640.e22	2.8	6
355	Complete Surgical Metastasectomy of Renal Cell Carcinoma in the Post-Cytokine Era. <i>Journal of Urology</i> , 2020 , 203, 275-282	2.5	18
354	Vestibular Schwannoma Practice Patterns: An International Cross-specialty Survey. <i>Otology and Neurotology</i> , 2020 , 41, e1304-e1313	2.6	4
353	Working Toward Consensus on Sporadic Vestibular Schwannoma Care: A Modified Delphi Study. <i>Otology and Neurotology</i> , 2020 , 41, e1360-e1371	2.6	8
352	Biphasic Reactions in Emergency Department Anaphylaxis Patients: A Prospective Cohort Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020 , 8, 1230-1238	5.4	20
351	Effectiveness and safety of droperidol in a United States emergency department. <i>American Journal of Emergency Medicine</i> , 2020 , 38, 1310-1314	2.9	12
350	Validation of the Elderly Risk Assessment Index in the Emergency Department. <i>American Journal of Emergency Medicine</i> , 2020 , 38, 1441-1445	2.9	
349	The association of anxiety and depression with perioperative and oncologic outcomes among patients with clear cell renal cell carcinoma undergoing nephrectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 41.e19-41.e27	2.8	4
348	The Rise and Fall of Otosclerosis: A Population-based Study of Disease Incidence Spanning 70 Years. <i>Otology and Neurotology</i> , 2020 , 41, e1082-e1090	2.6	6
347	Secondary renal neoplasia following chemotherapy or radiation in pediatric patients. <i>Human Pathology</i> , 2020 , 103, 1-13	3.7	6

346	Rising Incidence of Sporadic Vestibular Schwannoma: True Biological Shift Versus Simply Greater Detection. <i>Otology and Neurotology</i> , 2020 , 41, 813-847	2.6	16
345	Patient Length of Stay Under the Two-Midnight Rule: Assessing the Accuracy of ProvidersN Predictions. <i>Journal of Healthcare Management</i> , 2020 , 65, 273-283	0.6	1
344	Natural History of Growing Sporadic Vestibular Schwannomas: An Argument for Continued Observation Despite Documented Growth in Select Cases. <i>Otology and Neurotology</i> , 2020 , 41, e1149-e1153	2.6	5
343	Renal Cell Carcinoma with Inferior Vena Cava Extension: Can Classification Be Optimized to Predict Perioperative Outcomes?. <i>Kidney Cancer</i> , 2020 , 4, 111-115	0.6	1
342	Pattern of cochlear obliteration after vestibular Schwannoma resection according to surgical approach. <i>Laryngoscope</i> , 2020 , 130, 474-481	3.6	7
341	Impact of scribes on throughput metrics and billing during an electronic medical record transition. <i>American Journal of Emergency Medicine</i> , 2020 , 38, 1594-1598	2.9	2
340	Clinical Features and Outcomes Associated with Angioedema in the Emergency Department. <i>Western Journal of Emergency Medicine</i> , 2019 , 20, 760-769	3.3	4
339	Outcomes after splenectomy in children: a 48-year population-based study. <i>Pediatric Surgery International</i> , 2019 , 35, 575-582	2.1	6
338	Reply to Takeshi Takahashi Letter to the Editor re: Bimal Bhindi, Christine M. Lohse, Phillip J. Schulte, et al. Predicting functional outcomes after partial and radical nephrectomy. <i>Eur Urol</i> 2019;75:766-72. Partial Nephrectomy: "Geocentrism" of the 21st century in the Church of Urology?. <i>European Urology</i> , 2019 , 76, e67-e68	10.2	
337	Oncologic Outcomes Following Partial Nephrectomy and Percutaneous Ablation for cT1 Renal Masses. <i>European Urology</i> , 2019 , 76, 244-251	10.2	56
336	JAK2/PD-L1/PD-L2 (9p24.1) amplifications in renal cell carcinomas with sarcomatoid transformation: implications for clinical management. <i>Modern Pathology</i> , 2019 , 32, 1344-1358	9.8	32
335	Use of the WALA ridge to evaluate mandibular molar inclination measured to American Board of Orthodontics standards. <i>Journal of the World Federation of Orthodontists</i> , 2019 , 8, 51-56	1.2	
334	Wide local excision prior to sentinel lymph node biopsy for primary melanoma of the head and neck. <i>International Journal of Dermatology</i> , 2019 , 58, 1184-1190	1.7	5
333	Impact of Aspirin and Other NSAID Use on Volumetric and Linear Growth in Vestibular Schwannoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2019 , 160, 1081-1086	5.5	7
332	Prognostic evaluation of perinephric fat, renal sinus fat, and renal vein invasion for patients with pathological stage T3a clear-cell renal cell carcinoma. <i>BJU International</i> , 2019 , 123, 270-276	5.6	22
331	Long-Term Outcomes of Patients With Low Grade Cystic Renal Epithelial Neoplasms. <i>Urology</i> , 2019 , 133, 145-150	1.6	5
330	Outcomes following TORS for HPV-positive oropharyngeal carcinoma: PEGs, tracheostomies, and beyond. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2019 , 40, 729-734	2.8	14
329	Shift-Based Emotional Stress Reactions in Emergency Nurses After Traumatizing Events. <i>Journal of Emergency Nursing</i> , 2019 , 45, 634-643	1.3	1

328	Ascorbic acid-induced TET activation mitigates adverse hydroxymethylcytosine loss in renal cell carcinoma. <i>Journal of Clinical Investigation</i> , 2019 , 129, 1612-1625	15.9	47
327	Medical Videography Using a Mobile App: Retrospective Analysis. <i>JMIR MHealth and UHealth</i> , 2019 , 7, e14919	5.5	1
326	Use of an EHR-Integrated Point-of-Care Mobile Medical Photography Application in a Pediatric Emergency Department. <i>Applied Clinical Informatics</i> , 2019 , 10, 888-897	3.1	1
325	Delayed Tumor Growth in Vestibular Schwannoma: An Argument for Lifelong Surveillance. <i>Otology and Neurotology</i> , 2019 , 40, 1224-1229	2.6	12
324	Durability of Hearing Preservation Following Microsurgical Resection of Vestibular Schwannoma. <i>Otology and Neurotology</i> , 2019 , 40, 1363-1372	2.6	7
323	Rate of Initial Hearing Loss During Early Observation Predicts Time to Non-Serviceable Hearing in Patients With Conservatively Managed Sporadic Vestibular Schwannoma. <i>Otology and Neurotology</i> , 2019 , 40, e1012-e1017	2.6	5
322	Predicting Renal Function Outcomes After Partial and Radical Nephrectomy. <i>European Urology</i> , 2019 , 75, 766-772	10.2	35
321	Voice outcomes following medialization laryngoplasty with and without arytenoid adduction. <i>Laryngoscope</i> , 2019 , 129, 1876-1881	3.6	12
320	Relationship between Selective Serotonin Reuptake Inhibitors and Risk of Dental Implant Failure. <i>Journal of Prosthodontics</i> , 2019 , 28, 252-257	3.9	8
319	Early Implant Failure Associated With Patient Factors, Surgical Manipulations, and Systemic Conditions. <i>Journal of Prosthodontics</i> , 2019 , 28, 623-633	3.9	9
318	Risk of Dental Implant Failure Associated With Medication Use. <i>Journal of Prosthodontics</i> , 2019 , 28, 743-749	3.9	4
317	Predictors of Urology Resident Surgical Skills, Clinical Communication Skills, Common Sense and In-Service Scores. <i>Urology Practice</i> , 2019 , 6, 52-57	0.8	3
316	Association Between Early Implant Failure and Prosthodontic Characteristics. <i>Journal of Prosthodontics</i> , 2019 , 28, 30-35	3.9	1
315	Natural History of Sporadic Vestibular Schwannoma: A Volumetric Study of Tumor Growth. <i>Otolaryngology - Head and Neck Surgery</i> , 2018 , 159, 535-542	5.5	61
314	Analysis of Prehospital Scene Times and Interventions on Mortality Outcomes in a National Cohort of Penetrating and Blunt Trauma Patients. <i>Prehospital Emergency Care</i> , 2018 , 22, 691-697	2.8	30
313	Synchronous nephron-sparing approaches for bilateral renal masses: peri-operative and renal functional outcomes. <i>BJU International</i> , 2018 , 122, 243-248	5.6	8
312	Predicting Oncologic Outcomes in Renal Cell Carcinoma After Surgery. <i>European Urology</i> , 2018 , 73, 772-780	10.2	73
311	Evaluating the validity of subclassifying warfarin-associated nonuremic calciphylaxis: a retrospective cohort study. <i>International Journal of Dermatology</i> , 2018 , 57, 572-574	1.7	4

310	Patients Taking β Blockers Do Not Require Increased Doses of Epinephrine for Anaphylaxis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 1553-1558.e1	5.4	13
309	Radical Nephrectomy with or without Lymph Node Dissection for High Risk Nonmetastatic Renal Cell Carcinoma: A Multi-Institutional Analysis. <i>Journal of Urology</i> , 2018 , 199, 1143-1148	2.5	29
308	Reply by the Authors. <i>Urology</i> , 2018 , 115, 190	1.6	
307	Incidence of Vestibular Schwannoma over the Past Half-Century: A Population-Based Study of Olmsted County, Minnesota. <i>Otolaryngology - Head and Neck Surgery</i> , 2018 , 159, 717-723	5.5	63
306	A Descriptive Analysis of Care Provided by Law Enforcement Prior to EMS Arrival in the United States. <i>Prehospital and Disaster Medicine</i> , 2018 , 33, 165-170	0.8	2
305	Quality of Life in Patients with Vestibular Schwannomas Following Gross Total or Less than Gross Total Microsurgical Resection: Should We be Taking the Entire Tumor Out?. <i>Neurosurgery</i> , 2018 , 82, 541-547	3.2	17
304	The Influence of Tumor Stage on the Prognostic Value of Ki-67 Index and Mitotic Count in Small Intestinal Neuroendocrine Tumors. <i>American Journal of Surgical Pathology</i> , 2018 , 42, 247-255	6.7	9
303	Clinicopathologic and immunophenotypic features of eosinophilic fasciitis and morphea profunda: A comparative study of 27 cases. <i>Journal of the American Academy of Dermatology</i> , 2018 , 78, 121-128	4.5	19
302	Patient-Centered Medical Home Membership Is Associated with Decreased Hospital Admissions for Emergency Department Behavioral Health Patients. <i>Population Health Management</i> , 2018 , 21, 172-179	1.8	15
301	Predictors of Scholarly Productivity, Pursuit of Fellowship, and Academic Practice Among Urology Residents Using Medical Student Application Materials. <i>Urology</i> , 2018 , 120, 49-55	1.6	6
300	The Probability of Aggressive Versus Indolent Histology Based on Renal Tumor Size: Implications for Surveillance and Treatment. <i>European Urology</i> , 2018 , 74, 489-497	10.2	49
299	Association between obesity and pediatric psoriasis. <i>Pediatric Dermatology</i> , 2018 , 35, e304-e305	1.9	9
298	Dural Invasion Predicts the Laterality and Development of Neck Metastases in Esthesioneuroblastoma. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2018 , 79, 495-500	1.5	4
297	Factors Associated With Patient Involvement in Emergency Care Decisions: A Secondary Analysis of the Chest Pain Choice Multicenter Randomized Trial. <i>Academic Emergency Medicine</i> , 2018 , 25, 1107-1117	3.4	3
296	Symptomatic Venous Thromboembolism is Associated with Inferior Survival among Patients Undergoing Nephrectomy with Inferior Vena Cava Tumor Thrombectomy for Renal Cell Carcinoma. <i>Journal of Urology</i> , 2018 , 200, 520-527	2.5	8
295	Dural Invasion Predicts Neck Metastases in Esthesioneuroblastoma. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2018 , 79, S1-S188	1.5	
294	Metastatic Esthesioneuroblastoma: A Systematic Review and Meta-analysis. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2018 , 79, S1-S188	1.5	
293	Hearing Outcomes After Stereotactic Radiosurgery for Jugular Paraganglioma. <i>Otology and Neurotology</i> , 2018 , 39, 99-105	2.6	8

292	Survey of the American Neurotology Society on Cochlear Implantation: Part 2, Surgical and Device-Related Practice Patterns. <i>Otology and Neurotology</i> , 2018 , 39, e20-e27	2.6	19
291	Survey of the American Neurotology Society on Cochlear Implantation: Part 1, Candidacy Assessment and Expanding Indications. <i>Otology and Neurotology</i> , 2018 , 39, e12-e19	2.6	55
290	Perioperative Morbidity of Lymph Node Dissection for Renal Cell Carcinoma: A Propensity Score-based Analysis. <i>European Urology</i> , 2018 , 73, 469-475	10.2	4
289	Quality of Life Within the First 6 Months of Vestibular Schwannoma Diagnosis With Implications for Patient Counseling. <i>Otology and Neurotology</i> , 2018 , 39, e1129-e1136	2.6	11
288	Isolated Internal Auditory Canal Diverticula: A Normal Anatomic Variant Not Associated with Sensorineural Hearing Loss. <i>American Journal of Neuroradiology</i> , 2018 , 39, 2340-2344	4.4	7
287	Radical Versus Partial Nephrectomy for cT1 Renal Cell Carcinoma. <i>European Urology</i> , 2018 , 74, 825-832	10.2	24
286	Bridging the gap to effective feedback in residency training: perceptions of trainees and teachers. <i>BMC Medical Education</i> , 2018 , 18, 225	3.3	9
285	Risk prediction models for cancer-specific survival following cytoreductive nephrectomy in the contemporary era. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 499.e1-499.e7	2.8	4
284	Temporal trends in prenatal risk factors for the development of infantile hemangiomas. <i>Pediatric Dermatology</i> , 2018 , 35, 787-791	1.9	1
283	Hearing Outcomes in Conservatively Managed Vestibular Schwannoma Patients With Serviceable Hearing. <i>Otology and Neurotology</i> , 2018 , 39, e704-e711	2.6	16
282	Esthesioneuroblastoma with distant metastases: Systematic review & meta-analysis. <i>Head and Neck</i> , 2018 , 40, 2295-2303	4.2	15
281	Time Motion Analysis: Impact of Scribes on Provider Time Management. <i>Journal of Emergency Medicine</i> , 2018 , 55, 135-140	1.5	12
280	Higher perioperative fluid administration is associated with increased rates of complications following head and neck microvascular reconstruction with fibular free flaps. <i>Microsurgery</i> , 2017 , 37, 128-136	2.1	24
279	Application of the Stage, Size, Grade, and Necrosis (SSIGN) Score for Clear Cell Renal Cell Carcinoma in Contemporary Patients. <i>European Urology</i> , 2017 , 71, 665-673	10.2	52
278	Impact of Scribes on Billed Relative Value Units in an Academic Emergency Department. <i>Journal of Emergency Medicine</i> , 2017 , 52, 370-376	1.5	17
277	Impact of scribes on emergency department patient throughput one year after implementation. <i>American Journal of Emergency Medicine</i> , 2017 , 35, 311-314	2.9	25
276	Renal Cell Carcinoma with Isolated Lymph Node Involvement: Long-term Natural History and Predictors of Oncologic Outcomes Following Surgical Resection. <i>European Urology</i> , 2017 , 72, 300-306	10.2	50
275	Effect of spinal needle characteristics on measurement of spinal canal opening pressure. <i>American Journal of Emergency Medicine</i> , 2017 , 35, 769-772	2.9	5

274	PREDICTing Mortality in the Emergency Department: External Validation and Derivation of a Clinical Prediction Tool. <i>Academic Emergency Medicine</i> , 2017 , 24, 822-831	3.4	4
273	Management of Recurrent and Metastatic HPV-Positive Oropharyngeal Squamous Cell Carcinoma after Transoral Robotic Surgery. <i>Otolaryngology - Head and Neck Surgery</i> , 2017 , 157, 69-76	5.5	16
272	Are We Using the Best Tumor Size Cut-points for Renal Cell Carcinoma Staging?. <i>Urology</i> , 2017 , 109, 1211-1216	1.7	17
271	Severity of Preoperative Proteinuria is a Risk Factor for Overall Mortality in Patients Undergoing Nephrectomy. <i>Journal of Urology</i> , 2017 , 198, 795-802	2.5	4
270	Motocross-associated head and spine injuries in adult patients evaluated in an emergency department. <i>American Journal of Emergency Medicine</i> , 2017 , 35, 1485-1489	2.9	5
269	Renal functional outcomes in patients undergoing percutaneous cryoablation or partial nephrectomy for a solitary renal mass. <i>BJU International</i> , 2017 , 120, 544-549	5.6	12
268	Surgical Treatment and Outcomes of Patients With Extramammary Paget Disease: A Cohort Study. <i>Dermatologic Surgery</i> , 2017 , 43, 708-714	1.7	30
267	Surgical outcomes of patients on isotretinoin in the perioperative period: A single-center, retrospective analysis. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 159-161	4.5	5
266	A Diagnostic Approach to Recurrent Orofacial Swelling: A Retrospective Study of 104 Patients. <i>Mayo Clinic Proceedings</i> , 2017 , 92, 1053-1060	6.4	13
265	Diagnosing Large Vestibular Aqueduct: Radiological Review of High-Resolution CT Versus High-Resolution Volumetric MRI. <i>Otology and Neurotology</i> , 2017 , 38, 948-955	2.6	6
264	Risk Factors For and Outcomes of Multidrug-Resistant Escherichia coli Infections in Children. <i>Infectious Diseases and Therapy</i> , 2017 , 6, 245-257	6.2	8
263	Does Administration of Oral Versus Intravenous Antibiotics for Third Molar Removal Have an Effect on the Incidence of Alveolar Osteitis or Postoperative Surgical Site Infections?. <i>Journal of Oral and Maxillofacial Surgery</i> , 2017 , 75, 1801-1808	1.8	15
262	Oral Progestogens Versus Levonorgestrel-Releasing Intrauterine System for Treatment of Endometrial Intraepithelial Neoplasia. <i>Journal of Women's Health</i> , 2017 , 26, 368-373	3	12
261	Prenatal Risk Factors for Infantile Hemangioma Development. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 954-957	4.3	8
260	Use of the term "rule out" in requisition forms may cause diagnostic delays in dermatopathology practice. <i>International Journal of Dermatology</i> , 2017 , 56, 86-91	1.7	1
259	Population-Based Study of Incidence and Antimicrobial Resistance Patterns of Extraintestinal Escherichia coli Infections in Children in Olmsted County, Minnesota, 2012. <i>Clinical Pediatrics</i> , 2017 , 56, 389-392	1.2	
258	Recurrence of genital aphthosis in girls: A retrospective analysis. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 982-984	4.5	3
257	Histopathology of Calciphylaxis: Cohort Study With Clinical Correlations. <i>American Journal of Dermatopathology</i> , 2017 , 39, 795-802	0.9	43

256	Perceptions of the 2011 ACGME duty hour requirements among residents in all core programs at a large academic medical center. <i>BMC Medical Education</i> , 2017 , 17, 199	3.3	3
255	Analysis of Prehospital Scene Times and Interventions on Mortality Outcomes in Victims of Blunt and Penetrating Trauma. <i>Prehospital and Disaster Medicine</i> , 2017 , 32, S172-S173	0.8	
254	Predictors of a Successful Urology Resident Using Medical Student Application Materials. <i>Urology</i> , 2017 , 108, 22-28	1.6	18
253	Further Evaluation of Factors That May Predict Biphasic Reactions in Emergency Department Anaphylaxis Patients. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017 , 5, 1295-1301	5.4	44
252	Associations of self-reported allergic diseases and musculoskeletal problems in children: A US population-based study. <i>Annals of Allergy, Asthma and Immunology</i> , 2017 , 119, 170-176	3.2	5
251	Heaton et al. Reply to Rich. <i>Journal of Emergency Medicine</i> , 2017 , 53, 272	1.5	
250	Predicting Use of Nurse Care Coordination by Older Adults With Chronic Conditions. <i>Western Journal of Nursing Research</i> , 2017 , 39, 862-885	2	1
249	Renal fossa recurrence after nephrectomy for renal cell carcinoma: prognostic features and oncological outcomes. <i>BJU International</i> , 2017 , 119, 116-127	5.6	20
248	Lymph Node Dissection is Not Associated with Improved Survival among Patients Undergoing Cytoreductive Nephrectomy for Metastatic Renal Cell Carcinoma: A Propensity Score Based Analysis. <i>Journal of Urology</i> , 2017 , 197, 574-579	2.5	31
247	Radical Nephrectomy With or Without Lymph Node Dissection for Nonmetastatic Renal Cell Carcinoma: A Propensity Score-based Analysis. <i>European Urology</i> , 2017 , 71, 560-567	10.2	41
246	Evaluation of beta-blockers and survival among hypertensive patients with renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 36.e1-36.e6	2.8	7
245	Urinary collecting system invasion is associated with poor survival in patients with clear-cell renal cell carcinoma. <i>BJU International</i> , 2017 , 119, 585-590	5.6	11
244	Complications and Outcomes Associated With Surgical Management of Renal Cell Carcinoma Involving the Liver: A Matched Cohort Study. <i>Urology</i> , 2017 , 99, 155-161	1.6	11
243	Emergency Department Presentation of Patients with Spontaneous Coronary Artery Dissection. <i>Journal of Emergency Medicine</i> , 2017 , 52, 286-291	1.5	18
242	Predicting Early Rapid Response Team Activation in Patients Admitted From the Emergency Department: The PeRRT Score. <i>Academic Emergency Medicine</i> , 2017 , 24, 216-225	3.4	4
241	Validation of diagnostic accuracy with whole-slide imaging compared with glass slide review in dermatopathology. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 1229-1237	4.5	26
240	The Clinical Behavior of Asymptomatic Incidental Vestibular Schwannomas Is Similar to That of Symptomatic Tumors. <i>Otology and Neurotology</i> , 2016 , 37, 1435-41	2.6	5
239	Asthma and risk of breakthrough varicella infection in children. <i>Allergy and Asthma Proceedings</i> , 2016 , 37, 207-15	2.6	10

238	Paraneoplastic syndromes are associated with adverse prognosis among patients with renal cell carcinoma undergoing nephrectomy. <i>World Journal of Urology</i> , 2016 , 34, 1465-72	4	14
237	The American College of Surgeons National Surgical Quality Improvement Program Surgical Risk Calculator Does Not Accurately Predict Risk of 30-Day Complications Among Patients Undergoing Microvascular Head and Neck Reconstruction. <i>Journal of Oral and Maxillofacial Surgery</i> , 2016 , 74, 1850-8	1.8	34
236	Pre-treatment neutrophil-to-lymphocyte ratio predicts tumor pathology in newly diagnosed renal tumors. <i>World Journal of Urology</i> , 2016 , 34, 1693-1699	4	11
235	Comparison of medical versus surgical management of peritonsillar abscess: A retrospective observational study. <i>Laryngoscope</i> , 2016 , 126, 1529-34	3.6	26
234	Prolonged length of stay in ED psychiatric patients: a multivariable predictive model. <i>American Journal of Emergency Medicine</i> , 2016 , 34, 133-9	2.9	19
233	Increasing incidence of infantile hemangiomas (IH) over the past 35 years: Correlation with decreasing gestational age at birth and birth weight. <i>Journal of the American Academy of Dermatology</i> , 2016 , 74, 120-6	4.5	48
232	Decreased Skeletal Muscle Mass is Associated with an Increased Risk of Mortality after Radical Nephrectomy for Localized Renal Cell Cancer. <i>Journal of Urology</i> , 2016 , 195, 270-6	2.5	78
231	Application of the Surgical Apgar Score to Microvascular Head and Neck Reconstruction. <i>Journal of Oral and Maxillofacial Surgery</i> , 2016 , 74, 1668-77	1.8	15
230	Impact of an Emergency Department Observation Unit Management Algorithm for Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	22
229	Comprehensive Characterization of the Perioperative Morbidity of Cytoreductive Nephrectomy. <i>European Urology</i> , 2016 , 69, 84-91	10.2	37
228	Rates of provision of clinical information in the skin biopsy requisition form and corresponding encounter visit note. <i>Journal of Pathology Informatics</i> , 2016 , 7, 40	4.4	5
227	Hours and Miles: Patient and Health System Implications of Transfer for Psychiatric Bed Capacity. <i>Western Journal of Emergency Medicine</i> , 2016 , 17, 783-790	3.3	10
226	Vital Signs Predict Rapid-Response Team Activation Within Twelve Hours of Emergency Department Admission. <i>Western Journal of Emergency Medicine</i> , 2016 , 17, 324-30	3.3	20
225	Autoinjectors Preferred for Intramuscular Epinephrine in Anaphylaxis and Allergic Reactions. <i>Western Journal of Emergency Medicine</i> , 2016 , 17, 775-782	3.3	16
224	A Comparison of Chest Compression Quality Delivered During On-Scene and Ground Transport Cardiopulmonary Resuscitation. <i>Western Journal of Emergency Medicine</i> , 2016 , 17, 634-9	3.3	17
223	Determinants of Success and Failure in Prehospital Endotracheal Intubation. <i>Western Journal of Emergency Medicine</i> , 2016 , 17, 640-7	3.3	9
222	Impact of scribes on patient throughput in adult and pediatric academic EDs. <i>American Journal of Emergency Medicine</i> , 2016 , 34, 1982-1985	2.9	17
221	Radiographic size of retroperitoneal lymph nodes predicts pathological nodal involvement for patients with renal cell carcinoma: development of a risk prediction model. <i>BJU International</i> , 2016 , 118, 742-749	5.6	24

220	Clinicopathologic features of IgG/IgA pemphigus in comparison with classic (IgG) and IgA pemphigus. <i>International Journal of Dermatology</i> , 2016 , 55, e184-90	1.7	12
219	Incidence of atypical nevi in Olmsted County: an epidemiological study. <i>Journal of Cutaneous Pathology</i> , 2016 , 43, 557-63	1.7	1
218	Rate of recurrent anaphylaxis and associated risk factors among Olmsted County, Minnesota, residents: A population-based study. <i>Annals of Allergy, Asthma and Immunology</i> , 2016 , 117, 655-660.e2	3.2	9
217	Concordance of Pathologic Features Between Metastatic Sites and the Primary Tumor in Surgically Resected Metastatic Renal Cell Carcinoma. <i>Urology</i> , 2016 , 96, 106-113	1.6	6
216	Increasing Incidence of Melanoma in the Elderly: An Epidemiological Study in Olmsted County, Minnesota. <i>Mayo Clinic Proceedings</i> , 2016 , 91, 1555-1562	6.4	5
215	Facial Nerve Schwannomas: Review of 80 Cases Over 25 Years at Mayo Clinic. <i>Mayo Clinic Proceedings</i> , 2016 , 91, 1563-1576	6.4	34
214	The association of statin therapy with clinicopathologic outcomes and survival among patients with localized renal cell carcinoma undergoing nephrectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 388.e11-8	2.8	12
213	Predicting risk of endovascular device infection in patients with Staphylococcus aureus bacteremia (PREDICT-SAB). <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015 , 8, 137-44	6.4	26
212	Impact of Rhabdoid Differentiation on Prognosis for Patients with Grade 4 Renal Cell Carcinoma. <i>European Urology</i> , 2015 , 68, 5-7	10.2	16
211	Comparison of Three Ki-67 Index Quantification Methods and Clinical Significance in Pancreatic Neuroendocrine Tumors. <i>Endocrine Pathology</i> , 2015 , 26, 255-62	4.2	21
210	Percutaneous cryoablation of stage T1b renal cell carcinoma: technique considerations, safety, and local tumor control. <i>Journal of Vascular and Interventional Radiology</i> , 2015 , 26, 792-9	2.4	51
209	Outcome prediction for patients with renal cell carcinoma. <i>Seminars in Diagnostic Pathology</i> , 2015 , 32, 172-83	4.3	24
208	Exploring indicators of use of costly health services in community-dwelling adults with multiple chronic conditions. <i>Professional Case Management</i> , 2015 , 20, 3-11; quiz 12-3	0.8	3
207	Five-year outcomes of wide excision and Mohs micrographic surgery for primary lentigo maligna in an academic practice cohort. <i>Dermatologic Surgery</i> , 2015 , 41, 211-8	1.7	51
206	Acute cutaneous graft-vs.-host disease compared to drug hypersensitivity reaction with vacuolar interface changes: a blinded study of microscopic and immunohistochemical features. <i>Journal of Cutaneous Pathology</i> , 2015 , 42, 39-45	1.7	19
205	The Minimal Clinically Important Difference in Vestibular Schwannoma Quality-of-Life Assessment: An Important Step beyond P Otolaryngology - Head and Neck Surgery, 2015 , 153, 202-8	5.5	34
204	Reply to Pascal Mouracade's letter to the editor re: R. Houston Thompson, Tom Atwell, Grant Schmit, et al. Comparison of partial nephrectomy and percutaneous ablation for cT1 renal masses. <i>Eur Urol</i> 2015;67:252-9. <i>European Urology</i> , 2015 , 68, e84-5	10.2	2
203	External validation of the Ottawa subarachnoid hemorrhage clinical decision rule in patients with acute headache. <i>American Journal of Emergency Medicine</i> , 2015 , 33, 244-9	2.9	27

202	Percutaneous Clinical T1a Renal Mass Ablation in the Octogenarian and Nonagenarian: Oncologic Outcomes and Morbidity. <i>Journal of Endourology</i> , 2015 , 29, 671-6	2.7	13
201	The association between metformin use and oncologic outcomes among surgically treated diabetic patients with localized renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 67.e15-23	2.8	19
200	Intubation Efficiency and Perceived Ease of Use of Video Laryngoscopy vs Direct Laryngoscopy While Wearing HazMat PPE: A Preliminary High-fidelity Mannequin Study. <i>Prehospital and Disaster Medicine</i> , 2015 , 30, 259-63	0.8	12
199	A Descriptive Analysis of Prehospital Response to Hazardous Materials Events. <i>Prehospital and Disaster Medicine</i> , 2015 , 30, 466-71	0.8	2
198	Clinical and radiographic predictors of the need for inferior vena cava resection during nephrectomy for patients with renal cell carcinoma and caval tumour thrombus. <i>BJU International</i> , 2015 , 116, 388-96	5.6	47
197	Validation of a decision rule for selective TSH screening in atrial fibrillation. <i>Western Journal of Emergency Medicine</i> , 2015 , 16, 195-202	3.3	7
196	Predictors of Repeat Epinephrine Administration for Emergency Department Patients with Anaphylaxis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2015 , 3, 576-84	5.4	21
195	The Estrogen Pathway: Estrogen Receptor- α Progesterone Receptor, and Estrogen Receptor- β Expression in Radical Cystectomy Urothelial Cell Carcinoma Specimens. <i>Clinical Genitourinary Cancer</i> , 2015 , 13, 476-84	3.3	19
194	Specific causes of death in patients with bullous pemphigoid as measured by death certificate data: a retrospective cohort study. <i>International Journal of Dermatology</i> , 2015 , 54, 56-61	1.7	15
193	Oncologic Surveillance After Surgical Resection for Renal Cell Carcinoma: A Novel Risk-Based Approach. <i>Journal of Clinical Oncology</i> , 2015 , 33, 4151-7	2.2	51
192	Comparison of partial nephrectomy and percutaneous ablation for cT1 renal masses. <i>European Urology</i> , 2015 , 67, 252-9	10.2	254
191	Reply to Homayoun Zargar, Rafael F. Coelho and Jihad H. Kaouk Letter to the Editor re: R. Houston Thompson, Tom Atwell, Grant Schmit, et al. Comparison of Partial Nephrectomy and Percutaneous Ablation for cT1 Renal Masses. <i>Eur Urol</i> 2015;67:252-9. <i>European Urology</i> , 2015 , 67, e24-5	10.2	
190	Reply to Aaron M. Potretzke, Jeffrey A. Larson and Sam B. Bhayani Letter to the Editor re: R. Houston Thompson, Tom Atwell, Grant Schmit, et al. Comparison of Partial Nephrectomy and Percutaneous Ablation for cT1 Renal Masses. <i>Eur Urol</i> 2015;67:252-9. <i>European Urology</i> , 2015 , 67, e21-2	10.2	
189	Kaposi varicelliform eruption in patients with Darier disease: a 20-year retrospective study. <i>Journal of the American Academy of Dermatology</i> , 2015 , 72, 481-4	4.5	13
188	A novel prognostic model for patients with sarcomatoid renal cell carcinoma. <i>BJU International</i> , 2015 , 115, 405-11	5.6	50
187	Prognostic impact of fibrosarcomatous transformation in dermatofibrosarcoma protuberans: a cohort study. <i>Journal of the American Academy of Dermatology</i> , 2015 , 72, 419-25	4.5	42
186	Tanning Bed Perception Survey: A Questionnaire-based Study. <i>Journal of Clinical and Aesthetic Dermatology</i> , 2015 , 8, 23-7	1.2	3
185	Evaluation of post-operative complications and prolonged length of stay following cytoreductive nephrectomy.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 420-420	2.2	

184	The impact of rhabdoid differentiation on prognosis in patients with grade 4 renal cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 494-494	2.2	
183	Incidence of lentigo maligna in Olmsted County, Minnesota, 1970 to 2007. <i>Journal of the American Academy of Dermatology</i> , 2014 , 70, 443-8	4.5	26
182	The impact of perioperative blood transfusion on survival after nephrectomy for non-metastatic renal cell carcinoma (RCC). <i>BJU International</i> , 2014 , 114, 368-74	5.6	39
181	Diabetes mellitus is independently associated with an increased risk of mortality in patients with clear cell renal cell carcinoma. <i>Journal of Urology</i> , 2014 , 192, 1620-7	2.5	29
180	A population-based study of the association between bullous pemphigoid and neurologic disorders. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 1191-7	4.5	63
179	Real-time video communication improves provider performance in a simulated neonatal resuscitation. <i>Resuscitation</i> , 2014 , 85, 1518-22	4	39
178	Predictors of recurrence free survival for patients with stage II and III colon cancer. <i>BMC Cancer</i> , 2014 , 14, 336	4.8	66
177	Incidence of leukocytoclastic vasculitis, 1996 to 2010: a population-based study in Olmsted County, Minnesota. <i>Mayo Clinic Proceedings</i> , 2014 , 89, 1515-24	6.4	50
176	Increasing incidence of melanoma among middle-aged adults: an epidemiologic study in Olmsted County, Minnesota. <i>Mayo Clinic Proceedings</i> , 2014 , 89, 52-9	6.4	30
175	Incidence of bullous pemphigoid and mortality of patients with bullous pemphigoid in Olmsted County, Minnesota, 1960 through 2009. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 92-9	4.5	73
174	Ultrasound evaluation of appendicitis: importance of the 3 \times 3 table for outcome reporting. <i>American Journal of Emergency Medicine</i> , 2014 , 32, 346-8	2.9	13
173	Practice-based clinical evaluation of ceramic single crowns after at least five years. <i>Journal of Prosthetic Dentistry</i> , 2014 , 111, 124-30	4	23
172	A single-institution experience in image-guided thermal ablation of adrenal gland metastases. <i>Journal of Vascular and Interventional Radiology</i> , 2014 , 25, 593-8	2.4	41
171	Prostate cancer Ki-67 (MIB-1) expression, perineural invasion, and gleason score as biopsy-based predictors of prostate cancer mortality: the Mayo model. <i>Mayo Clinic Proceedings</i> , 2014 , 89, 308-18	6.4	48
170	A novel socioeconomic measure using individual housing data in cardiovascular outcome research. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 11597-615	4.6	21
169	Compassion fatigue is similar in emergency medicine residents compared to other medical and surgical specialties. <i>Western Journal of Emergency Medicine</i> , 2014 , 15, 629-35	3.3	37
168	Risk factors for colonization or infection with multi-drug resistant Escherichia coli in children. <i>Open Forum Infectious Diseases</i> , 2014 , 1, S281-S281	1	78
167	High-mobility group AT-hook 2: an independent marker of poor prognosis in intrahepatic cholangiocarcinoma. <i>Human Pathology</i> , 2014 , 45, 2334-40	3.7	16

166	Patient throughput benefits of triage liaison providers are lost in a resource-neutral model: a prospective trial. <i>Academic Emergency Medicine</i> , 2014 , 21, 794-8	3.4	9
165	A retrospective comparison of skin and renal direct immunofluorescence findings in patients with glomerulonephritis in adult Henoch-Schönlein purpura. <i>Journal of Cutaneous Pathology</i> , 2014 , 41, 582-7	1.7	3
164	Evaluation of fracture resistance in aqueous environment under dynamic loading of lithium disilicate restorative systems for posterior applications. Part 2. <i>Journal of Prosthodontics</i> , 2014 , 23, 353-7	3.9	20
163	Preoperative neutrophil-lymphocyte ratio predicts death among patients with localized clear cell renal carcinoma undergoing nephrectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 1277-84	2.8	40
162	Practice-based evidence from 29-year outcome analysis of management of the edentulous jaw using osseointegrated dental implants. <i>Journal of Prosthodontics</i> , 2014 , 23, 173-81	3.9	28
161	Enhancing patient-centered care: pilot study results of a community care team intervention. <i>Western Journal of Nursing Research</i> , 2014 , 36, 47-65	2	7
160	Predicting vaginal birth after cesarean section: a cohort study. <i>Gynecologic and Obstetric Investigation</i> , 2014 , 77, 121-6	2.5	21
159	The impact of histology on survival for patients with metastatic renal cell carcinoma undergoing cytoreductive nephrectomy. <i>Indian Journal of Urology</i> , 2014 , 30, 38-42	0.8	4
158	AUA and NCCN surveillance guidelines for RCC: Do they effectively capture recurrences following nephrectomy?. <i>Journal of Clinical Oncology</i> , 2014 , 32, 402-402	2.2	
157	Diabetes mellitus and risk of cancer-specific mortality among patients with clear cell renal cell carcinoma undergoing nephrectomy.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 516-516	2.2	
156	Practice-setting and surgeon characteristics heavily influence the decision to perform partial nephrectomy among American Urologic Association surgeons. <i>BJU International</i> , 2013 , 111, 731-8	5.6	27
155	Carbonic anhydrase IX (CAIX) is not an independent predictor of outcome in patients with clear cell renal cell carcinoma (ccRCC) after long-term follow-up. <i>BJU International</i> , 2013 , 111, 1046-53	5.6	33
154	Cutaneous manifestations in patients with POEMS syndrome. <i>International Journal of Dermatology</i> , 2013 , 52, 1349-56	1.7	25
153	Increased incidence of cutaneous nontuberculous mycobacterial infection, 1980 to 2009: a population-based study. <i>Mayo Clinic Proceedings</i> , 2013 , 88, 38-45	6.4	105
152	The impact of histology on clinicopathologic outcomes for patients with renal cell carcinoma and venous tumor thrombus: a matched cohort analysis. <i>Urology</i> , 2013 , 82, 136-41	1.6	20
151	Predictors of mortality in patients with cardiovascular implantable electronic device infections. <i>American Journal of Cardiology</i> , 2013 , 111, 874-9	3	65
150	Maximum tumor diameter is not an accurate predictor of renal cell carcinoma tumor volume. <i>Scandinavian Journal of Urology</i> , 2013 , 47, 472-5	1.6	10
149	Prehospital peripheral intravenous vascular access success rates in children. <i>Prehospital Emergency Care</i> , 2013 , 17, 425-8	2.8	20

148	Infection in autoimmune bullous diseases: a retrospective comparative study. <i>Journal of Dermatology</i> , 2013 , 40, 613-9	1.6	20
147	Immediate post-resection diabetes mellitus after pancreaticoduodenectomy: incidence and risk factors. <i>Hpb</i> , 2013 , 15, 170-4	3.8	26
146	Reducing pediatric overweight: nurse-delivered motivational interviewing in primary care. <i>Journal of Pediatric Nursing</i> , 2013 , 28, 536-47	2.2	29
145	Overall survival and development of stage IV chronic kidney disease in patients undergoing partial and radical nephrectomy for benign renal tumors. <i>European Urology</i> , 2013 , 64, 600-6	10.2	65
144	Safety of clopidogrel in hip fracture surgery. <i>Mayo Clinic Proceedings</i> , 2013 , 88, 149-56	6.4	26
143	Predictors of chronic groin discomfort after laparoscopic totally extraperitoneal inguinal hernia repair. <i>Journal of the American College of Surgeons</i> , 2013 , 217, 72-8; discussion 78-80	4.4	14
142	The clonal distribution and diversity of extraintestinal <i>Escherichia coli</i> isolates vary according to patient characteristics. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 5912-7	5.9	65
141	Impact of prior aspirin therapy on clinical manifestations of cardiovascular implantable electronic device infections. <i>Europace</i> , 2013 , 15, 227-35	3.9	10
140	Percutaneous ablation of renal masses measuring 3.0 cm and smaller: comparative local control and complications after radiofrequency ablation and cryoablation. <i>American Journal of Roentgenology</i> , 2013 , 200, 461-6	5.4	143
139	Iatrogenic splenectomy during nephrectomy for renal tumors. <i>International Journal of Urology</i> , 2013 , 20, 896-902	2.3	6
138	Primary inner ear schwannomas: a case series and systematic review of the literature. <i>Laryngoscope</i> , 2013 , 123, 1957-66	3.6	63
137	Incidence of inguinal hernia repairs in Olmsted County, MN: a population-based study. <i>Annals of Surgery</i> , 2013 , 257, 520-6	7.8	45
136	A novel grading system for clear cell renal cell carcinoma incorporating tumor necrosis. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 311-22	6.7	79
135	Effects of urinary catheter education for patients undergoing prostatectomy. <i>Urologic Nursing</i> , 2013 , 33, 289-98	1.3	1
134	Three-dimensional tumour volume and cancer-specific survival for patients undergoing nephrectomy to treat pT1 clear-cell renal cell carcinoma. <i>BJU International</i> , 2012 , 110, 956-60	5.6	25
133	Local recurrence after breast-conserving surgery: multivariable analysis of risk factors and the impact of young age. <i>Annals of Surgical Oncology</i> , 2012 , 19, 1153-9	3.1	59
132	Does left side renal cell carcinoma (RCC) with renal vein/vena cava thrombus predict worse prognosis than equivalent right side RCC tumor thrombus?. <i>International Urology and Nephrology</i> , 2012 , 44, 1005-12	2.3	6
131	Renal function after partial nephrectomy: effect of warm ischemia relative to quantity and quality of preserved kidney. <i>Urology</i> , 2012 , 79, 356-60	1.6	259

130	Kidney size and cancer-specific survival for patients undergoing nephrectomy for pT1 clear cell renal cell carcinoma. <i>Urology</i> , 2012 , 80, 147-50	1.6	4
129	Trends in the utilization of inguinal hernia repair techniques: a population-based study. <i>American Journal of Surgery</i> , 2012 , 203, 313-7; discussion 317	2.7	34
128	Correlates of systemic disease in adult Henoch-Schleien purpura: a retrospective study of direct immunofluorescence and skin lesion distribution in 87 patients at Mayo Clinic. <i>Journal of the American Academy of Dermatology</i> , 2012 , 67, 612-6	4.5	26
127	Increasing incidence of melanoma among young adults: an epidemiological study in Olmsted County, Minnesota. <i>Mayo Clinic Proceedings</i> , 2012 , 87, 328-34	6.4	111
126	Magnetic resonance imaging surveillance following vestibular schwannoma resection. <i>Laryngoscope</i> , 2012 , 122, 378-88	3.6	62
125	Assessment of the pathologic inclusion criteria from contemporary adjuvant clinical trials for predicting disease progression after nephrectomy for renal cell carcinoma. <i>Cancer</i> , 2012 , 118, 4412-20	6.4	13
124	Adrenalectomy improves outcomes of selected patients with metastatic carcinoma. <i>World Journal of Surgery</i> , 2012 , 36, 1400-5	3.3	57
123	Metastatic potential of a renal mass according to original tumour size at presentation. <i>BJU International</i> , 2012 , 109, 190-4; discussion 194	5.6	47
122	RhoA as a mediator of clinically relevant androgen action in prostate cancer cells. <i>Molecular Endocrinology</i> , 2012 , 26, 716-35		45
121	ALK alterations in adult renal cell carcinoma: frequency, clinicopathologic features and outcome in a large series of consecutively treated patients. <i>Modern Pathology</i> , 2012 , 25, 1516-25	9.8	101
120	TFE3 rearrangements in adult renal cell carcinoma: clinical and pathologic features with outcome in a large series of consecutively treated patients. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 663-70	6.7	95
119	Chromophobe renal cell carcinoma: the impact of tumor grade on outcome. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 851-6	6.7	51
118	Abstract A8: Androgen regulation of SRF target genes in prostate cancer cells is mediated in part by the small GTPase RhoA. <i>Cancer Research</i> , 2012 , 72, A8-A8	10.1	
117	Distance of breast cancer from the skin and nipple impacts axillary nodal metastases. <i>Annals of Surgical Oncology</i> , 2011 , 18, 3174-80	3.1	20
116	Long-term outcomes of laparoscopic totally extraperitoneal inguinal hernia repairs performed by supervised surgical trainees. <i>American Journal of Surgery</i> , 2011 , 201, 379-83; discussion 383-4	2.7	37
115	Fifty-three-year experience with pediatric umbilical hernia repairs. <i>Journal of Pediatric Surgery</i> , 2011 , 46, 2151-6	2.6	36
114	Outcomes and clinicopathologic variables associated with late recurrence after nephrectomy for localized renal cell carcinoma. <i>Urology</i> , 2011 , 78, 1101-6	1.6	70
113	Renal nephrometry score is associated with urine leak after partial nephrectomy. <i>BJU International</i> , 2011 , 108, 67-72	5.6	93

112	Metachronous renal tumours after surgical management of oncocytoma. <i>BJU International</i> , 2011 , 108, 816-9	5.6	6
111	Prospective, observational validation of a multivariate small-bowel obstruction model to predict the need for operative intervention. <i>Journal of the American College of Surgeons</i> , 2011 , 212, 1068-76	4.4	66
110	Lymph node dissection at the time of radical nephrectomy for high-risk clear cell renal cell carcinoma: indications and recommendations for surgical templates. <i>European Urology</i> , 2011 , 59, 18-23	10.2	130
109	Routine adrenalectomy in patients with locally advanced renal cell cancer does not offer oncologic benefit and places a significant portion of patients at risk for an asynchronous metastasis in a solitary adrenal gland. <i>European Urology</i> , 2011 , 60, 458-64	10.2	26
108	A school based community partnership for promoting healthy habits for life. <i>Journal of Community Health</i> , 2011 , 36, 414-22	4	29
107	Patterns of pancreatic resection differ between patients with familial and sporadic pancreatic cancer. <i>Journal of Gastrointestinal Surgery</i> , 2011 , 15, 836-42	3.3	8
106	Survival after complete surgical resection of multiple metastases from renal cell carcinoma. <i>Cancer</i> , 2011 , 117, 2873-82	6.4	272
105	Identification of a soluble form of B7-H1 that retains immunosuppressive activity and is associated with aggressive renal cell carcinoma. <i>Clinical Cancer Research</i> , 2011 , 17, 1915-23	12.9	235
104	Effects of a worksite physical activity intervention for hospital nurses who are working mothers. <i>AAOHN Journal</i> , 2011 , 59, 377-86		28
103	The impact of family history on pathological and clinical outcomes in non-syndromic clear cell renal cell carcinoma. <i>BJU International</i> , 2010 , 106, 1638-42	5.6	1
102	Histological subtype is an independent predictor of outcome for patients with renal cell carcinoma. <i>Journal of Urology</i> , 2010 , 183, 1309-15	2.5	257
101	Tissue microarrays: one size does not fit all. <i>Diagnostic Pathology</i> , 2010 , 5, 48	3	35
100	Unclassified renal cell carcinoma: impact on survival following nephrectomy. <i>Urology</i> , 2010 , 76, 580-6	1.6	21
99	IgG4+ plasma cell infiltrates in liver explants with primary sclerosing cholangitis. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 88-94	6.7	112
98	Small bowel obstruction-who needs an operation? A multivariate prediction model. <i>World Journal of Surgery</i> , 2010 , 34, 910-9	3.3	126
97	Does body mass index/morbid obesity influence outcome in patients who undergo pancreatoduodenectomy for pancreatic adenocarcinoma?. <i>Journal of Gastrointestinal Surgery</i> , 2010 , 14, 1820-5	3.3	25
96	Every minute counts when the renal hilum is clamped during partial nephrectomy. <i>European Urology</i> , 2010 , 58, 340-5	10.2	465
95	Comparison of warm ischemia versus no ischemia during partial nephrectomy on a solitary kidney. <i>European Urology</i> , 2010 , 58, 331-6	10.2	111

94	Number of lymph nodes identified at axillary dissection: effect of neoadjuvant chemotherapy and other factors. <i>Cancer</i> , 2010 , 116, 3322-9	6.4	24
93	Development and evaluation of BioScore: a biomarker panel to enhance prognostic algorithms for clear cell renal cell carcinoma. <i>Cancer</i> , 2009 , 115, 2092-103	6.4	91
92	Renal ischemia time in laparoscopic surgery: an experimental study in a porcine model. <i>International Journal of Urology</i> , 2009 , 16, 105-9	2.3	17
91	Postoperative surveillance for renal cell carcinoma: a multifactorial histological subtype specific protocol. <i>BJU International</i> , 2009 , 104, 778-85	5.6	34
90	T-cell co-regulatory molecule expression in renal angiomyolipoma and pulmonary lymphangiomyomatosis. <i>Urology</i> , 2009 , 74, 1359-64	1.6	8
89	SS37. Open Surgical Repair of Pararenal Abdominal Aortic Aneurysms: Long-Term Outcomes of Renal Function. <i>Journal of Vascular Surgery</i> , 2009 , 49, S13	3.5	3
88	KIT is an independent prognostic marker for pancreatic endocrine tumors: a finding derived from analysis of islet cell differentiation markers. <i>American Journal of Surgical Pathology</i> , 2009 , 33, 1562-9	6.7	66
87	Evaluation of the association of current cigarette smoking and outcome for patients with clear cell renal cell carcinoma. <i>International Journal of Urology</i> , 2008 , 15, 304-8	2.3	22
86	Elective endoscopic management of transitional cell carcinoma first diagnosed in the upper urinary tract. <i>BJU International</i> , 2008 , 102, 1107-10	5.6	36
85	The impact of temporal presentation on clinical and pathological outcomes for patients with sporadic bilateral renal masses. <i>European Urology</i> , 2008 , 54, 855-63	10.2	38
84	Association of abnormal preoperative laboratory values with survival after radical nephrectomy for clinically confined clear cell renal cell carcinoma. <i>Urology</i> , 2008 , 71, 278-82	1.6	31
83	Endoscopic management of upper tract transitional cell carcinoma in patients with normal contralateral kidneys. <i>Urology</i> , 2008 , 71, 713-7	1.6	63
82	Surgical management, complications, and outcome of radical nephrectomy with inferior vena cava tumor thrombectomy facilitated by vascular bypass. <i>Urology</i> , 2008 , 72, 148-52	1.6	53
81	Hormone receptor expression in renal angiomyolipoma: clinicopathologic correlation. <i>Urology</i> , 2008 , 72, 927-32	1.6	40
80	Questionable relevance of gamma delta T lymphocytes in renal cell carcinoma. <i>Journal of Immunology</i> , 2008 , 180, 3578-84	5.3	25
79	Tumor cell and tumor vasculature expression of B7-H3 predict survival in clear cell renal cell carcinoma. <i>Clinical Cancer Research</i> , 2008 , 14, 5150-7	12.9	200
78	A p120 catenin isoform switch affects Rho activity, induces tumor cell invasion, and predicts metastatic disease. <i>Journal of Biological Chemistry</i> , 2008 , 283, 18344-54	5.4	118
77	T-cell coregulatory molecule expression in urothelial cell carcinoma: clinicopathologic correlations and association with survival. <i>Clinical Cancer Research</i> , 2008 , 14, 4800-8	12.9	204

76	Serum-soluble B7x is elevated in renal cell carcinoma patients and is associated with advanced stage. <i>Cancer Research</i> , 2008 , 68, 6054-8	10.1	65
75	Risk stratification of patients in an emergency department chest pain unit: prognostic value of exercise treadmill testing using the Duke score. <i>International Journal of Emergency Medicine</i> , 2008 , 1, 91-5	3.9	8
74	External validation of IMP3 expression as an independent prognostic marker for metastatic progression and death for patients with clear cell renal cell carcinoma. <i>Cancer</i> , 2008 , 112, 1471-9	6.4	102
73	B7-H3 ligand expression by prostate cancer: a novel marker of prognosis and potential target for therapy. <i>Cancer Research</i> , 2007 , 67, 7893-900	10.1	198
72	Potential underdetection of pT(3a) renal-cell carcinoma with laparoscopic morcellation. <i>Journal of Endourology</i> , 2007 , 21, 1183-6	2.7	5
71	Tumor-infiltrating Foxp3-CD4+CD25+ T cells predict poor survival in renal cell carcinoma. <i>Clinical Cancer Research</i> , 2007 , 13, 2075-81	12.9	168
70	PD-1 is expressed by tumor-infiltrating immune cells and is associated with poor outcome for patients with renal cell carcinoma. <i>Clinical Cancer Research</i> , 2007 , 13, 1757-61	12.9	431
69	Carbonic anhydrase IX is not an independent predictor of outcome for patients with clear cell renal cell carcinoma. <i>Journal of Clinical Oncology</i> , 2007 , 25, 4757-64	2.2	150
68	Survivin and b7-h1 are collaborative predictors of survival and represent potential therapeutic targets for patients with renal cell carcinoma. <i>Clinical Cancer Research</i> , 2007 , 13, 1749-56	12.9	88
67	Patients with pT1 renal cell carcinoma who die from disease after nephrectomy may have unrecognized renal sinus fat invasion. <i>American Journal of Surgical Pathology</i> , 2007 , 31, 1089-93	6.7	50
66	Surgical resection provides excellent outcomes for patients with cystic clear cell renal cell carcinoma. <i>Urology</i> , 2007 , 70, 900-4; discussion 904	1.6	45
65	The role of partial nephrectomy for the management of sporadic renal angiomyolipoma. <i>Urology</i> , 2007 , 70, 1064-8	1.6	82
64	Tumor B7-H1 is associated with poor prognosis in renal cell carcinoma patients with long-term follow-up. <i>Cancer Research</i> , 2006 , 66, 3381-5	10.1	696
63	B7-H4 expression in renal cell carcinoma and tumor vasculature: associations with cancer progression and survival. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 10391-10396	11.5	252
62	Permanent prostate brachytherapy: pathologic implications as assessed on radical prostatectomy specimens of broadening selection criteria for monotherapy. <i>Urology</i> , 2006 , 68, 810-4	1.6	10
61	Greater body mass index is associated with better pathologic features and improved outcome among patients treated surgically for clear cell renal cell carcinoma. <i>Urology</i> , 2006 , 68, 741-6	1.6	96
60	A review of prognostic pathologic features and algorithms for patients treated surgically for renal cell carcinoma. <i>Clinics in Laboratory Medicine</i> , 2005 , 25, 433-64	2.1	63
59	Cancer specific survival for patients with pT3 renal cell carcinoma-can the 2002 primary tumor classification be improved?. <i>Journal of Urology</i> , 2005 , 173, 716-9	2.5	90

58	Loss of expression of von Hippel-Lindau tumor suppressor protein associated with improved survival in patients with early-stage clear cell renal cell carcinoma. <i>Urology</i> , 2005 , 65, 1090-5	1.6	22
57	Reclassification of patients with pT3 and pT4 renal cell carcinoma improves prognostic accuracy. <i>Cancer</i> , 2005 , 104, 53-60	6.4	84
56	Atypical protein kinase C iota is an oncogene in human non-small cell lung cancer. <i>Cancer Research</i> , 2005 , 65, 8905-11	10.1	227
55	Clear cell renal cell carcinoma: gene expression analyses identify a potential signature for tumor aggressiveness. <i>Clinical Cancer Research</i> , 2005 , 11, 5128-39	12.9	123
54	p300 modulates nuclear morphology in prostate cancer. <i>Cancer Research</i> , 2005 , 65, 708-12	10.1	32
53	Desmoplastic melanoma of the head and neck: histopathologic and immunohistochemical study of 28 cases. <i>International Journal of Surgical Pathology</i> , 2004 , 12, 17-24	1.2	34
52	Costimulatory B7-H1 in renal cell carcinoma patients: Indicator of tumor aggressiveness and potential therapeutic target. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 17174-9	11.5	657
51	The Mayo Clinic experience with surgical management, complications and outcome for patients with renal cell carcinoma and venous tumour thrombus. <i>BJU International</i> , 2004 , 94, 33-41	5.6	387
50	Pathologic T1 clear cell renal cell carcinoma: insulin-like growth factor-I receptor expression and disease-specific survival. <i>Cancer</i> , 2004 , 100, 2577-82	6.4	20
49	Assessment of peripheral dual-energy x-ray absorptiometry measurements in peri-implant bone defects in dogs. <i>Journal of Periodontology</i> , 2004 , 75, 658-62	4.6	2
48	Autopsy results after surgery for non-small cell lung cancer. <i>Mayo Clinic Proceedings</i> , 2004 , 79, 1409-14	6.4	8
47	Long-term survival of patients with unilateral sporadic multifocal renal cell carcinoma according to histologic subtype compared with patients with solitary tumors after radical nephrectomy. <i>Urology</i> , 2004 , 64, 462-7	1.6	68
46	Observer variation in the diagnosis of follicular variant of papillary thyroid carcinoma. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 1336-40	6.7	390
45	Sarcomatoid renal cell carcinoma: an examination of underlying histologic subtype and an analysis of associations with patient outcome. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 435-41	6.7	312
44	Clinicopathologic correlations in 646 consecutive surgical eye specimens, 1990-2000. <i>American Journal of Clinical Pathology</i> , 2003 , 119, 594-601	1.9	6
43	Comparisons of outcome and prognostic features among histologic subtypes of renal cell carcinoma. <i>American Journal of Surgical Pathology</i> , 2003 , 27, 612-24	6.7	826
42	Distinction between papillary thyroid hyperplasia and papillary thyroid carcinoma by immunohistochemical staining for cytokeratin 19, galectin-3, and HBME-1. <i>Endocrine Pathology</i> , 2003 , 14, 55-60	4.2	103
41	Lymphocyte-rich gastric cancer: associations with Epstein-Barr virus, microsatellite instability, histology, and survival. <i>Modern Pathology</i> , 2003 , 16, 641-51	9.8	132

40	Serial Doppler assessment of diastolic function before and after the Fontan operation. <i>Journal of the American Society of Echocardiography</i> , 2003 , 16, 1136-43	5.8	36
39	Nephron-sparing surgery for renal cell carcinoma: clinicopathologic features predictive of patient outcome. <i>Urology</i> , 2003 , 62, 641-6	1.6	43
38	Multivariate models to predict clinically important outcomes at prostatectomy for patients with organ-confined disease and needle biopsy Gleason scores of 6 or less. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2003 , 21, 439-46	2.8	9
37	p300 in prostate cancer proliferation and progression. <i>Cancer Research</i> , 2003 , 63, 7638-40	10.1	152
36	A role for chromosome 9p21 deletions in the malignant progression of meningiomas and the prognosis of anaplastic meningiomas. <i>Brain Pathology</i> , 2002 , 12, 183-90	6	112
35	pT1 clear cell renal cell carcinoma: a study of the association between MIB-1 proliferative activity and pathologic features and cancer specific survival. <i>Cancer</i> , 2002 , 94, 2180-4	6.4	25
34	Metastatic prostate carcinoma to bone: clinical and pathologic features associated with cancer-specific survival. <i>Cancer</i> , 2002 , 95, 1028-36	6.4	110
33	Comparison of standardized and nonstandardized nuclear grade of renal cell carcinoma to predict outcome among 2,042 patients. <i>American Journal of Clinical Pathology</i> , 2002 , 118, 877-86	1.9	109
32	Perineural invasion and MIB-1 positivity in addition to Gleason score are significant preoperative predictors of progression after radical retropubic prostatectomy for prostate cancer. <i>American Journal of Surgical Pathology</i> , 2002 , 26, 431-9	6.7	66
31	Smooth muscle neoplasms of the urinary bladder: a clinicopathologic comparison of leiomyoma and leiomyosarcoma. <i>American Journal of Surgical Pathology</i> , 2002 , 26, 292-300	6.7	82
30	Safety, efficacy, and effects on glycemic control of electroconvulsive therapy in insulin-requiring type 2 diabetic patients. <i>Journal of ECT</i> , 2002 , 18, 16-21	2	14
29	An Outcome Prediction Model for Patients with Clear Cell Renal Cell Carcinoma Treated with Radical Nephrectomy Based on Tumor Stage, Size, Grade and Necrosis: The Ssign Score. <i>Journal of Urology</i> , 2002 , 168, 2395-2400	2.5	808
28	Lipodermatosclerosis: review of cases evaluated at Mayo Clinic. <i>Journal of the American Academy of Dermatology</i> , 2002 , 46, 187-92	4.5	50
27	Safety of electrical cardioversion in patients with atrial fibrillation. <i>Mayo Clinic Proceedings</i> , 2002 , 77, 897-904	6.4	26
26	Viral fusogenic membrane glycoproteins kill solid tumor cells by nonapoptotic mechanisms that promote cross presentation of tumor antigens by dendritic cells. <i>Cancer Research</i> , 2002 , 62, 6566-78	10.1	74
25	Recurrent and non-recurrent pigmented villonodular synovitis 1. <i>Annales De Pathologie</i> , 2002 , 22, 448-52.	3	9
24	Lack of Effect of Lactobacillus GG on Antibiotic-Associated Diarrhea: A Randomized, Placebo-Controlled Trial. <i>Mayo Clinic Proceedings</i> , 2001 , 76, 883-889	6.4	134
23	Chromosome 1p and 14q FISH analysis in clinicopathologic subsets of meningioma: diagnostic and prognostic implications. <i>Journal of Neuropathology and Experimental Neurology</i> , 2001 , 60, 628-36	3.1	116

22	Pathologic features and expression of insulin-like growth factor-2 in adrenocortical neoplasms. <i>Endocrine Pathology</i> , 2001 , 12, 429-35	4.2	36
21	Risk factors for deep vein thrombosis and pulmonary embolism during pregnancy or post partum: a population-based, case-control study. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 184, 104-10	6.4	194
20	Factors that influence the measurement of prostate cancer DNA ploidy and proliferation in paraffin embedded tissue evaluated by flow cytometry. <i>Modern Pathology</i> , 2001 , 14, 906-12	9.8	14
19	Incidence of venous thromboembolism in hospitalized patients vs community residents. <i>Mayo Clinic Proceedings</i> , 2001 , 76, 1102-10	6.4	245
18	Trends in the incidence of venous stasis syndrome and venous ulcer: a 25-year population-based study. <i>Journal of Vascular Surgery</i> , 2001 , 33, 1022-7	3.5	190
17	Stage pT1 conventional (clear cell) renal cell carcinoma: pathological features associated with cancer specific survival. <i>Journal of Urology</i> , 2001 , 166, 453-6	2.5	89
16	Pathologic and clinical features of primary pulmonary extranodal marginal zone B-cell lymphoma of MALT type. <i>American Journal of Surgical Pathology</i> , 2001 , 25, 997-1008	6.7	156
15	Inverted urothelial papilloma: is ploidy, MIB-1 proliferative activity, or p53 protein accumulation predictive of urothelial carcinoma?. <i>Cancer</i> , 2000 , 88, 632-6	6.4	39
14	Effect of argon laser irradiation on shear bond strength of orthodontic brackets: an in vitro study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2000 , 118, 274-9	2.1	39
13	Prognostic Significance of p27, Ki-67, and Topoisomerase Ila Expression in Clinically Nonfunctioning Pancreatic Endocrine Tumors. <i>Endocrine Pathology</i> , 2000 , 11, 229-241	4.2	10
12	Merlin, DAL-1, and progesterone receptor expression in clinicopathologic subsets of meningioma: a correlative immunohistochemical study of 175 cases. <i>Journal of Neuropathology and Experimental Neurology</i> , 2000 , 59, 872-9	3.1	132
11	Cytokeratin expression in seminoma of the human testis. <i>American Journal of Clinical Pathology</i> , 2000 , 113, 583-8	1.9	80
10	Pathologic features, proliferative activity, and cyclin D1 expression in Hurthle cell neoplasms of the thyroid. <i>Modern Pathology</i> , 2000 , 13, 186-92	9.8	61
9	p27kip1 expression distinguishes papillary hyperplasia in Graves Disease from papillary thyroid carcinoma. <i>Modern Pathology</i> , 2000 , 13, 1014-9	9.8	41
8	Treatment of peri-implant defects with combination growth factor cement. <i>Journal of Periodontology</i> , 2000 , 71, 8-13	4.6	57
7	Distinct hemodynamic profiles in patients with vasovagal syncope: a heterogeneous population. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 1470-7	15.1	37
6	Sensitivity to orthostatic stress and beta-receptor activation in patients with isoproterenol-induced vasovagal syncope: a case controlled study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1999 , 22, 615-25	1.6	5
5	Utility of a single-stage isoproterenol tilt table test in adults: a randomized comparison with passive head-up tilt. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 985-90	15.1	30

4	Relation between mode of pacing and long-term survival in the very elderly. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 1208-16	15.1	47
3	Primarily resected meningiomas: outcome and prognostic factors in 581 Mayo Clinic patients, 1978 through 1988. <i>Mayo Clinic Proceedings</i> , 1998 , 73, 936-42	6.4	232
2	Hemodynamic analysis during isoproterenol-induced vasovagal syncope. <i>American Journal of Cardiology</i> , 1997 , 80, 817-22	3	2
1	Meningioma grading: an analysis of histologic parameters. <i>American Journal of Surgical Pathology</i> , 1997 , 21, 1455-65	6.7	500