## Antonio Ciaramella

## List of Publications by Citations

Source: https://exaly.com/author-pdf/2341252/antonio-ciaramella-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

5,383 41 39 24 h-index g-index citations papers 8.7 7,018 3.65 41 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
39	Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for Alzheimera disease.  Nature Genetics, 2013, 45, 1452-8	36.3	2714
38	Genetic meta-analysis of diagnosed Alzheimeræ disease identifies new risk loci and implicates Alltau, immunity and lipid processing. <i>Nature Genetics</i> , <b>2019</b> , 51, 414-430	36.3	917
37	Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimera disease. <i>Nature Genetics</i> , <b>2017</b> , 49, 1373-1384	36.3	508
36	The etiology of poststroke depression: a review of the literature and a new hypothesis involving inflammatory cytokines. <i>Molecular Psychiatry</i> , <b>2006</b> , 11, 984-91	15.1	196
35	Alzheimeræ disease (AD) and Mild Cognitive Impairment (MCI) patients are characterized by increased BDNF serum levels. <i>Current Alzheimer Research</i> , <b>2010</b> , 7, 15-20	3	121
34	IL-18 cDNA vaccination protects mice from spontaneous lupus-like autoimmune disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2003</b> , 100, 14181-6	11.5	101
33	Interleukin-18 produced by peripheral blood cells is increased in Alzheimeræ disease and correlates with cognitive impairment. <i>Brain, Behavior, and Immunity</i> , <b>2008</b> , 22, 487-92	16.6	75
32	Interleukin-18, from neuroinflammation to Alzheimera disease. <i>Current Pharmaceutical Design</i> , <b>2010</b> , 16, 4213-24	3.3	67
31	Induction of apoptosis and release of interleukin-1 beta by cell wall-associated 19-kDa lipoprotein during the course of mycobacterial infection. <i>Journal of Infectious Diseases</i> , <b>2004</b> , 190, 1167-76	7	48
30	Increased pro-inflammatory response by dendritic cells from patients with Alzheimeræ disease. Journal of Alzheimers Disease, <b>2010</b> , 19, 559-72	4.3	45
29	Increased levels of serum MAP-2 at 6-months correlate with improved outcome in survivors of severe traumatic brain injury. <i>Brain Injury</i> , <b>2012</b> , 26, 1629-35	2.1	40
28	Interleukin 18 gene polymorphisms predict risk and outcome of Alzheimera disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2007</b> , 78, 807-11	5.5	39
27	Mycobacterial 19-kDa lipoprotein mediates Mycobacterium tuberculosis-induced apoptosis in monocytes/macrophages at early stages of infection. <i>Cell Death and Differentiation</i> , <b>2000</b> , 7, 1270-2	12.7	37
26	Proinflammatory cytokines in the course of Mycobacterium tuberculosis-induced apoptosis in monocytes/macrophages. <i>Journal of Infectious Diseases</i> , <b>2002</b> , 186, 1277-82	7	36
25	Effect of age on surface molecules and cytokine expression in human dendritic cells. <i>Cellular Immunology</i> , <b>2011</b> , 269, 82-9	4.4	34
24	Human monocyte-derived dendritic cells differentiated in the presence of IL-2 produce proinflammatory cytokines and prime Th1 immune response. <i>Journal of Leukocyte Biology</i> , <b>2006</b> , 80, 555-62	6.5	34
23	Dendritic cells derived from BCG-infected precursors induce Th2-like immune response. <i>Journal of Leukocyte Biology</i> , <b>2004</b> , 76, 827-34	6.5	34

22	Lymphocytes from autoimmune MRL lpr/lpr mice are hyperresponsive to IL-18 and overexpress the IL-18 receptor accessory chain. <i>Journal of Immunology</i> , <b>2001</b> , 166, 3757-62	5.3	31
21	Blood dendritic cell frequency declines in idiopathic Parkinsona disease and is associated with motor symptom severity. <i>PLoS ONE</i> , <b>2013</b> , 8, e65352	3.7	28
20	Myeloid Dendritic Cells are Potential Players in Human Neurodegenerative Diseases. <i>Frontiers in Immunology</i> , <b>2015</b> , 6, 632	8.4	27
19	Macrophage response to Mycobacterium tuberculosis during HIV infection: relationships between macrophage activation and apoptosis. <i>Current Molecular Medicine</i> , <b>2001</b> , 1, 209-16	2.5	25
18	Myeloid dendritic cells are decreased in peripheral blood of Alzheimera disease patients in association with disease progression and severity of depressive symptoms. <i>Journal of Neuroinflammation</i> , <b>2016</b> , 13, 18	10.1	24
17	The stimulation of dendritic cells by amyloid beta 1-42 reduces BDNF production in Alzheimera disease patients. <i>Brain, Behavior, and Immunity</i> , <b>2013</b> , 32, 29-32	16.6	24
16	Elevated levels of circulating IL-18BP and perturbed regulation of IL-18 in schizophrenia. <i>Journal of Neuroinflammation</i> , <b>2012</b> , 9, 206	10.1	24
15	Role of macrophage phospholipase D in natural and CpG-induced antimycobacterial activity. <i>Cellular Microbiology</i> , <b>2003</b> , 5, 913-20	3.9	21
14	Amyloid beta peptide promotes differentiation of pro-inflammatory human myeloid dendritic cells. <i>Neurobiology of Aging</i> , <b>2009</b> , 30, 210-21	5.6	20
13	Hippocampal volume and depressive symptoms are linked to serum IL-18 in schizophrenia. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , <b>2015</b> , 2, e111	9.1	16
12	Increased levels of serum IL-18 are associated with the long-term outcome of severe traumatic brain injury. <i>NeuroImmunoModulation</i> , <b>2014</b> , 21, 8-12	2.5	15
11	Different transcriptional profiles of human monocyte-derived dendritic cells infected with distinct strains of Mycobacterium tuberculosis and Mycobacterium bovis bacillus Calmette-Gulin. <i>Clinical and Developmental Immunology</i> , <b>2011</b> , 2011, 741051		11
10	Increased expression of interleukin-18 receptor in blood cells of subjects with mild cognitive impairment and Alzheimera disease. <i>Cytokine</i> , <b>2013</b> , 61, 360-3	4	10
9	Batimastat reduces Mycobacterium tuberculosis-induced apoptosis in macrophages. <i>International Immunopharmacology</i> , <b>2003</b> , 3, 1657-65	5.8	9
8	Anti-inflammatory Effects of Homotaurine in Patients With Amnestic Mild Cognitive Impairment. <i>Frontiers in Aging Neuroscience</i> , <b>2018</b> , 10, 285	5.3	9
7	Real-World Experiences in Autistic Adult Diagnostic Services and Post-diagnostic Support and Alignment with Services Guidelines: Results from the ASDEU Study. <i>Journal of Autism and Developmental Disorders</i> , <b>2021</b> , 51, 4129-4146	4.6	6
6	Intervention Services for Autistic Adults: An ASDEU Study of Autistic Adults, Carers, and ProfessionalsaExperiences. <i>Journal of Autism and Developmental Disorders</i> , <b>2021</b> , 1	4.6	5
5	Neurovascular Dysfunction in Alzheimer Disease: Assessment of Cerebral Vasoreactivity by Ultrasound Techniques and Evaluation of Circulating Progenitor Cells and Inflammatory Markers. <i>Alzheimer Disease and Associated Disorders</i> , <b>2019</b> , 33, 212-219	2.5	3

4	Autistic Adult Health and Professional Perceptions of It: Evidence From the ASDEU Project. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 614102	5	2
3	IL-18 Serum Levels and Variants of the Serotonin Transporter Gene Are Related to Awareness of Emotions in Healthy Subjects: A Preliminary Study. <i>NeuroImmunoModulation</i> , <b>2018</b> , 25, 129-137	2.5	O
2	Alzheimera disease and immune activation: A translational perspective. <i>Neuroscience Research Communications</i> , <b>2004</b> , 35, 193-201		
1	Genetically elevated high-density lipoprotein cholesterol through the cholesteryl ester transfer protein gene does not associate with risk of Alzheimeræ disease. <i>Alzheimers and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , <b>2018</b> , 10, 595-598	5.2	