Federico Liuzzi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2342229/publications.pdf

Version: 2024-02-01

11	236	1040056	1281871 11
papers	citations	h-index	g-index
11	11	11	309
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Inulin Content in Chipped Roots of Cardoon Stored at Different Initial Moisture Contents After Six-Month Storage. Frontiers in Energy Research, 2022, 10, .	2.3	1
2	Conversion of cardoon crop residues into single cell oils by Lipomyces tetrasporus and Cutaneotrichosporon curvatus: process optimizations to overcome the microbial inhibition of lignocellulosic hydrolysates. Industrial Crops and Products, 2021, 159, 113030.	5.2	16
3	Inulin Content in Chipped and Whole Roots of Cardoon after Six Months Storage under Natural Conditions. Sustainability, 2021, 13, 3902.	3.2	7
4	Arundo donax Refining to Second Generation Bioethanol and Furfural. Processes, 2020, 8, 1591.	2.8	13
5	Multi-Step Exploitation of Raw Arundo donax L. for the Selective Synthesis of Second-Generation Sugars by Chemical and Biological Route. Catalysts, 2020, 10, 79.	3.5	23
6	Hydrolysis of Corn Stover by Talaromyces cellulolyticus Enzymes: Evaluation of the Residual Enzymes Activities Through the Process. Applied Biochemistry and Biotechnology, 2019, 188, 690-705.	2.9	12
7	Cynara cardunculus a novel substrate for solid-state production of Aspergillus tubingensis cellulases and sugar hydrolysates. Biomass and Bioenergy, 2019, 127, 105276.	5.7	15
8	Single Cell Oil Production from Undetoxified Arundo donax L. hydrolysate by Cutaneotrichosporon curvatus. Journal of Microbiology and Biotechnology, 2019, 29, 256-267.	2.1	25
9	Bioethanol production from steam-pretreated corn stover through an isomerase mediated process. New Biotechnology, 2014, 31, 185-195.	4.4	25
10	Bioethanol production from mixed sugars by Scheffersomyces stipitis free and immobilized cells, and co-cultures with Saccharomyces cerevisiae. New Biotechnology, 2013, 30, 591-597.	4.4	37
11	Hydrolysis of concentrated suspensions of steam pretreated Arundo donax. Applied Energy, 2013, 102, 179-189.	10.1	62