
## Masakatsu Tsurusaki

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2344028/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Surgical and Locoregional Therapy of HCC: TACE. Liver Cancer, 2015, 4, 165-175.	4.2	154
2	Hypervascular Benign and Malignant Liver Tumors That Require Differentiation from Hepatocellular Carcinoma: Key Points of Imaging Diagnosis. Liver Cancer, 2014, 3, 85-96.	4.2	70
3	Gd-EOB-DTPA-enhanced 3.0ÂT MR imaging: quantitative and qualitative comparison of hepatocyte-phase images obtained 10Âmin and 20Âmin after injection for the detection of liver metastases from colorectal carcinoma. European Radiology, 2011, 21, 2336-2343.	2.3	48
4	Dualâ€energy computed tomography for nonâ€invasive staging of liver fibrosis: Accuracy of iodine density measurements from contrastâ€enhanced data. Hepatology Research, 2018, 48, 1008-1019.	1.8	45
5	Ultrasound-Guided Radiological Placement of Central Venous Port via the Subclavian Vein: A Retrospective Analysis of 500 Cases at a Single Institute. CardioVascular and Interventional Radiology, 2010, 33, 989-994.	0.9	43
6	Present and future roles of FDC-PET/CT imaging in the management of gastrointestinal cancer: an update. Nagoya Journal of Medical Science, 2017, 79, 527-543.	0.6	43
7	Does Gadoxetic acid-enhanced 3.0T MRI in addition to 64-detector-row contrast-enhanced CT provide better diagnostic performance and change the therapeutic strategy for the preoperative evaluation of colorectal liver metastases?. European Radiology, 2014, 24, 2532-2539.	2.3	42
8	Quantitative and qualitative comparison of 1.5 and 3.0 tesla MRI in patients with chronic liver diseases. Journal of Magnetic Resonance Imaging, 2009, 29, 869-879.	1.9	39
9	Quantitative and qualitative comparison of 3.0T and 1.5T MR imaging of the liver in patients with diffuse parenchymal liver disease. European Journal of Radiology, 2009, 72, 314-320.	1.2	39
10	Exploratory Analysis of Lenvatinib Therapy in Patients with Unresectable Hepatocellular Carcinoma Who Have Failed Prior PDâ^'1/PD-L1 Checkpoint Blockade. Cancers, 2020, 12, 3048.	1.7	37
11	Current evidence for the diagnostic value of gadoxetic acidâ€enhanced magnetic resonance imaging for liver metastasis. Hepatology Research, 2016, 46, 853-861.	1.8	34
12	Clinical application of 18F-fluorodeoxyglucose positron emission tomography for assessment and evaluation after therapy for malignant hepatic tumor. Journal of Gastroenterology, 2014, 49, 46-56.	2.3	32
13	Higher Enhancement Intrahepatic Nodules on the Hepatobiliary Phase of Gd-EOB-DTPA-Enhanced MRI as a Poor Responsive Marker of Anti-PD-1/PD-L1 Monotherapy for Unresectable Hepatocellular Carcinoma. Liver Cancer, 2021, 10, 615-628.	4.2	31
14	Comparison of gadoxetic acid-enhanced magnetic resonance imaging and contrast-enhanced computed tomography with histopathological examinations for the identification of hepatocellular carcinoma: a multicenter phase III study. Journal of Gastroenterology, 2016, 51, 71-79.	2.3	30
15	Prospective Comparison of Gd-EOB-DTPA-Enhanced MRI with Dynamic CT for Detecting Recurrence of HCC after Radiofrequency Ablation. Liver Cancer, 2017, 6, 349-359.	4.2	29
16	Can low-dose CT with iterative reconstruction reduce both the radiation dose and the amount of iodine contrast medium in a dynamic CT study of the liver?. European Journal of Radiology, 2014, 83, 684-691.	1.2	27
17	Comparison of gadoxetic acid-enhanced dynamic MR imaging and contrast-enhanced computed tomography for preoperative evaluation of colorectal liver metastases. Japanese Journal of Radiology, 2017, 35, 197-205.	1.0	26
18	3.0-T MRI evaluation of patients with chronic liver diseases: initial observations. Magnetic Resonance Imaging, 2008, 26, 650-660.	1.0	24

#	Article	IF	CITATIONS
19	Efficiency of a computer-aided diagnosis (CAD) system with deep learning in detection of pulmonary nodules on 1-mm-thick images of computed tomography. Japanese Journal of Radiology, 2020, 38, 1052-1061.	1.0	24
20	Partial Pancreatic Parenchymal Atrophy Is a New Specific Finding to Diagnose Small Pancreatic Cancer (â‰犂0 mm) Including Carcinoma in Situ: Comparison with Localized Benign Main Pancreatic Duct Stenosis Patients. Diagnostics, 2020, 10, 445.	1.3	24
21	Prediction of post-hepatectomy liver failure using gadoxetic acid-enhanced magnetic resonance imaging for hepatocellular carcinoma with portal vein invasion. European Journal of Radiology, 2020, 130, 109189.	1.2	18
22	Magnetic resonance elastography in the assessment of hepatic fibrosis: a study comparing transient elastography and histological data in the same patients. Abdominal Radiology, 2017, 42, 1659-1666.	1.0	17
23	Dual-Energy Computed Tomography of the Liver: Uses in Clinical Practices and Applications. Diagnostics, 2021, 11, 161.	1.3	16
24	Neurilemoma of the renal capsule: MR imaging and pathologic correlation. European Radiology, 2001, 11, 1834-1837.	2.3	14
25	Pre-Operative Imaging and Pathological Diagnosis of Localized High-Grade Pancreatic Intra-Epithelial Neoplasia without Invasive Carcinoma. Cancers, 2021, 13, 945.	1.7	14
26	Patterns of bone metastases from head and neck squamous cell carcinoma. Auris Nasus Larynx, 2020, 47, 262-267.	0.5	12
27	Utility of Amplatzer Vascular Plug with Preoperative Common Hepatic Artery Embolization for Distal Pancreatectomy with En Bloc Celiac Axis Resection. CardioVascular and Interventional Radiology, 2017, 40, 445-449.	0.9	9
28	Transcatheter Arterial Embolization Treatment for Bleeding Visceral Artery Pseudoaneurysms in Patients with Pancreatitis or following Pancreatic Surgery. Cancers, 2020, 12, 2733.	1.7	8
29	Atypical hemangioma mimicking hepatocellular carcinoma with a special note on radiological and pathological findings. Japanese Journal of Radiology, 2009, 27, 156-160.	1.0	6
30	Detection of hepatic metastases by superparamagnetic iron oxide-enhanced MR imaging: prospective comparison between 1.5-T and 3.0-T images in the same patients. European Radiology, 2010, 20, 2265-2273.	2.3	6
31	Dualâ€frequency MR elastography to differentiate between inflammation and fibrosis of the liver: Comparison with histopathology. Journal of Magnetic Resonance Imaging, 2020, 51, 1053-1064.	1.9	6
32	Assessment of Liver Metastases Using CT and MRI Scans in Patients with Pancreatic Ductal Adenocarcinoma: Effects of Observer Experience on Diagnostic Accuracy. Cancers, 2020, 12, 1455.	1.7	6
33	Predictive factors of truncation artifacts in the arterial phase of Gd-EOB-DTPA-enhanced MRI: a nationwide multicenter study. Japanese Journal of Radiology, 2021, 39, 165-177.	1.0	5
34	Three-Dimensional Radiological Assessment of Ablative Margins in Hepatocellular Carcinoma: Pilot Study of Overlay Fused CT/MRI Imaging with Automatic Registration. Cancers, 2021, 13, 1460.	1.7	5
35	The technical aspects of a feasible new technique for ipsilateral percutaneous transhepatic portal vein embolization. British Journal of Radiology, 2018, 91, 20180124.	1.0	4
36	Analysis of Progression Time in Pancreatic Cancer including Carcinoma In Situ Based on Magnetic Resonance Cholangiopancreatography Findings. Diagnostics, 2021, 11, 1858.	1.3	4

#	Article	IF	CITATIONS
37	Prospective comparison of high- and low-spatial-resolution dynamic MR imaging with sensitivity encoding (SENSE) for hypervascular hepatocellular carcinoma. European Radiology, 2008, 18, 2206-2212.	2.3	3
38	Feasible and technical aspects of transcatheter arterial chemoembolization for non-resectable hepatocellular carcinoma using a 3.5-French catheter system. Abdominal Imaging, 2014, 39, 1304-1308.	2.0	2
39	Highlights on Ultrasound-Guided Subclavian Vein Access. CardioVascular and Interventional Radiology, 2011, 34, 215-216.	0.9	Ο
40	Clinical utility of imaging for evaluation of hepatocellular carcinoma. Journal of Hepatocellular Carcinoma, 2014, 1, 101.	1.8	0
41	Usefulness of respiratory-gated PET acquisition during delayed F-FDG PET/CT scanning for patients with liver metastases. Asia Oceania Journal of Nuclear Medicine and Biology, 2021, 9, 12-149.	0.1	0