

Yong Chool Boo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2344352/yong-chool-boo-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83 papers	3,598 citations	29 h-index	58 g-index
89 ext. papers	4,033 ext. citations	4.7 avg, IF	5.86 L-index

#	Paper	IF	Citations
83	Combination of Glycinamide and Ascorbic Acid Synergistically Promotes Collagen Production and Wound Healing in Human Dermal Fibroblasts. <i>Biomedicines</i> , 2022 , 10, 1029	4.8	0
82	Siegesbeckiae Herba Extract and Chlorogenic Acid Ameliorate the Death of HaCaT Keratinocytes Exposed to Airborne Particulate Matter by Mitigating Oxidative Stress. <i>Antioxidants</i> , 2021 , 10,	7.1	2
81	Identification of L-Cysteinamide as a Potent Inhibitor of Tyrosinase-Mediated Dopachrome Formation and Eumelanin Synthesis. <i>Antioxidants</i> , 2021 , 10,	7.1	1
80	Arbutin as a Skin Depigmenting Agent with Antimelanogenic and Antioxidant Properties. <i>Antioxidants</i> , 2021 , 10,	7.1	16
79	Mechanistic Basis and Clinical Evidence for the Applications of Nicotinamide (Niacinamide) to Control Skin Aging and Pigmentation. <i>Antioxidants</i> , 2021 , 10,	7.1	8
78	Screening of an Epigenetic Drug Library Identifies 4-((hydroxyamino)carbonyl)--(2-hydroxyethyl)--Phenyl-Benzeneacetamide that Reduces Melanin Synthesis by Inhibiting Tyrosinase Activity Independently of Epigenetic Mechanisms. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
77	The First Human Clinical Trial on the Skin Depigmentation Efficacy of Glycinamide Hydrochloride. <i>Biomedicines</i> , 2020 , 8,	4.8	4
76	Emerging Strategies to Protect the Skin from Ultraviolet Rays Using Plant-Derived Materials. <i>Antioxidants</i> , 2020 , 9,	7.1	17
75	Natural Nrf2 Modulators for Skin Protection. <i>Antioxidants</i> , 2020 , 9,	7.1	15
74	Up- or Downregulation of Melanin Synthesis Using Amino Acids, Peptides, and Their Analogs. <i>Biomedicines</i> , 2020 , 8,	4.8	11
73	Human Skin Lightening Efficacy of Resveratrol and Its Analogs: From in Vitro Studies to Cosmetic Applications. <i>Antioxidants</i> , 2019 , 8,	7.1	45
72	Can Plant Phenolic Compounds Protect the Skin from Airborne Particulate Matter?. <i>Antioxidants</i> , 2019 , 8,	7.1	28
71	Luteolin 7-Sulfate Attenuates Melanin Synthesis through Inhibition of CREB- and MITF-Mediated Tyrosinase Expression. <i>Antioxidants</i> , 2019 , 8,	7.1	9
70	-Coumaric Acid as An Active Ingredient in Cosmetics: A Review Focusing on its Antimelanogenic Effects. <i>Antioxidants</i> , 2019 , 8,	7.1	58
69	Marine Alga Extract and Dieckol Attenuate Prostaglandin E Production in HaCaT Keratinocytes Exposed to Airborne Particulate Matter. <i>Antioxidants</i> , 2019 , 8,	7.1	15
68	Identification of small peptides and glycinamide that inhibit melanin synthesis using a positional scanning synthetic peptide combinatorial library. <i>British Journal of Dermatology</i> , 2019 , 181, 128-137	4	9
67	Human skin-depigmenting effects of resveratryl triglycolate, a hybrid compound of resveratrol and glycolic acid. <i>International Journal of Cosmetic Science</i> , 2018 , 40, 256	2.7	14

66	Punicagin and (-)-Epigallocatechin-3-Gallate Rescue Cell Viability and Attenuate Inflammatory Responses of Human Epidermal Keratinocytes Exposed to Airborne Particulate Matter PM10. <i>Skin Pharmacology and Physiology</i> , 2018 , 31, 134-143	3	33
65	Extract and Dieckol Attenuate Cellular Lipid Peroxidation in Keratinocytes Exposed to PM10. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018 , 2018, 8248323	2.3	18
64	Identification of novel antimelanogenic hexapeptides via positional scanning of a synthetic peptide combinatorial library. <i>Experimental Dermatology</i> , 2017 , 26, 742-744	4	5
63	A proposal of a standardized protocol to evaluate waterproof effect of eyeliner and mascara. <i>International Journal of Cosmetic Science</i> , 2016 , 38, 266-71	2.7	3
62	Anti-Inflammatory Effects of Pomegranate Peel Extract in THP-1 Cells Exposed to Particulate Matter PM10. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016 , 2016, 6836080	2.3	16
61	Antimelanogenic effects of luteolin 7-sulfate isolated from <i>Phyllospadix iwatensis</i> Makino. <i>British Journal of Dermatology</i> , 2016 , 175, 501-11	4	33
60	Scutellaria radix Extract as a Natural UV Protectant for Human Skin. <i>Phytotherapy Research</i> , 2016 , 30, 374-9	6.7	19
59	Anti-melanogenic effects of resveratryl triglycolate, a novel hybrid compound derived by esterification of resveratrol with glycolic acid. <i>Archives of Dermatological Research</i> , 2016 , 308, 325-34	3.3	18
58	A study of the human skin-whitening effects of resveratryl triacetate. <i>Archives of Dermatological Research</i> , 2015 , 307, 239-47	3.3	33
57	Ascorbyl coumarates as multifunctional cosmeceutical agents that inhibit melanogenesis and enhance collagen synthesis. <i>Archives of Dermatological Research</i> , 2015 , 307, 635-43	3.3	20
56	Ucma, a direct transcriptional target of Runx2 and Osterix, promotes osteoblast differentiation and nodule formation. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 1421-31	6.2	30
55	p-Coumaric Acid Attenuates UVB-Induced Release of Stratifin from Keratinocytes and Indirectly Regulates Matrix Metalloproteinase 1 Release from Fibroblasts. <i>Korean Journal of Physiology and Pharmacology</i> , 2015 , 19, 241-7	1.8	16
54	Combined effects of substrate topography and stiffness on endothelial cytokine and chemokine secretion. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 4525-4532	9.5	45
53	Effects of Bambusae Caulis in Taeniam Extract on the UVB-induced Cell Death, Oxidative Stress and Matrix Metalloproteinase 1 Expression in Keratinocytes. <i>Journal of the Society of Cosmetic Scientists of Korea</i> , 2015 , 41, 9-20		3
52	Expression of synaptopodin in endothelial cells exposed to laminar shear stress and its role in endothelial wound healing. <i>FEBS Letters</i> , 2014 , 588, 1024-30	3.8	13
51	Gardenia jasminoides Extract Attenuates the UVB-Induced Expressions of Cytokines in Keratinocytes and Indirectly Inhibits Matrix Metalloproteinase-1 Expression in Human Dermal Fibroblasts. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014 , 2014, 429246	2.3	8
50	Effects of resveratrol, oxyresveratrol, and their acetylated derivatives on cellular melanogenesis. <i>Archives of Dermatological Research</i> , 2014 , 306, 475-87	3.3	44
49	Senescent endothelial cells are prone to TNF- α -induced cell death due to expression of FAS receptor. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 438, 277-82	3.4	8

48	Laminar shear stress enhances endothelial cell survival through a NADPH oxidase 2-dependent mechanism. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 430, 460-5	3.4	12
47	Laminar shear stress induces the expression of aquaporin 1 in endothelial cells involved in wound healing. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 430, 554-9	3.4	11
46	Isolation of resveratrol from vitis viniferae caulis and its potent inhibition of human tyrosinase. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013 , 2013, 645257	2.3	18
45	A regulatory role of Kruppel-like factor 4 in endothelial argininosuccinate synthetase 1 expression in response to laminar shear stress. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 420, 450-5	3.4	17
44	Analysis of serum cytokine/chemokine profiles affected by aging and exercise in mice. <i>Cytokine</i> , 2012 , 60, 487-92	4	15
43	Screening of plant extracts for human tyrosinase inhibiting effects. <i>International Journal of Cosmetic Science</i> , 2012 , 34, 202-8	2.7	28
42	Cosmetic efficacy evaluation of an anti-acne cream using the 3D image analysis system. <i>Skin Research and Technology</i> , 2012 , 18, 192-8	1.9	10
41	Endothelial cell senescence suppresses argininosuccinate synthetase 1 expression by promoter methylation while laminar shear stress rescues it by a mechanism involving KLF4. <i>FASEB Journal</i> , 2012 , 26, 573.5	0.9	
40	Comparison of the antimelanogenic effects of p-coumaric acid and its methyl ester and their skin permeabilities. <i>Journal of Dermatological Science</i> , 2011 , 63, 17-22	4.3	47
39	Detection of low levels of nitric oxide using an electrochemical sensor. <i>Methods in Molecular Biology</i> , 2011 , 704, 81-9	1.4	6
38	Effects of p-coumaric acid on erythema and pigmentation of human skin exposed to ultraviolet radiation. <i>Clinical and Experimental Dermatology</i> , 2011 , 36, 260-6	1.8	48
37	Effects of a new mild shampoo for preventing hair loss in Asian by a simple hand-held phototrichogram technique. <i>International Journal of Cosmetic Science</i> , 2011 , 33, 491-6	2.7	8
36	Endothelial argininosuccinate synthetase 1 regulates nitric oxide production and monocyte adhesion under static and laminar shear stress conditions. <i>Journal of Biological Chemistry</i> , 2011 , 286, 2536-42	5.4	24
35	Use of non-melanocytic HEK293 cells stably expressing human tyrosinase for the screening of anti-melanogenic agents. <i>Journal of Cosmetic Science</i> , 2011 , 62, 515-23	0.7	14
34	X-linked inhibitor of apoptosis protein controls alpha5-integrin-mediated cell adhesion and migration. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010 , 299, H300-9	5.2	22
33	Identification of CD44 as a senescence-induced cell adhesion gene responsible for the enhanced monocyte recruitment to senescent endothelial cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010 , 298, H2102-11	5.2	33
32	Bisabolangelone isolated from <i>Ostericum koreanum</i> inhibits the production of inflammatory mediators by down-regulation of NF-kappaB and ERK MAP kinase activity in LPS-stimulated RAW264.7 cells. <i>International Immunopharmacology</i> , 2010 , 10, 155-62	5.8	49
31	p-coumaric acid not only inhibits human tyrosinase activity in vitro but also melanogenesis in cells exposed to UVB. <i>Phytotherapy Research</i> , 2010 , 24, 1175-80	6.7	94

30	Differential gene expression in young and senescent endothelial cells under static and laminar shear stress conditions. <i>Free Radical Biology and Medicine</i> , 2009 , 47, 291-9	7.8	29
29	J. Cosmet. Sci., 59, 117-125 (March/April 2008) A dual mechanism of 4-hydroxy-5-methyl-3[2H]-furanone inhibiting cellular melanogenesis. <i>International Journal of Cosmetic Science</i> , 2009 , 31, 156-156	2.7	
28	Inhibition of melanogenesis by tyrosinase siRNA in human melanocytes. <i>BMB Reports</i> , 2009 , 42, 178-83	5.5	22
27	Evidence for the association of peroxidases with the antioxidant effect of p-coumaric acid in endothelial cells exposed to high glucose plus arachidonic acid. <i>BMB Reports</i> , 2009 , 42, 561-7	5.5	14
26	p-Coumaric acid, a constituent of <i>Sasa quelpaertensis</i> Nakai, inhibits cellular melanogenesis stimulated by alpha-melanocyte stimulating hormone. <i>British Journal of Dermatology</i> , 2008 , 159, 292-9	4	86
25	Restoration of vitamin C synthesis in transgenic Gulo-/- mice by helper-dependent adenovirus-based expression of gulonolactone oxidase. <i>Human Gene Therapy</i> , 2008 , 19, 1349-58	4.8	8
24	Laminar shear stress inhibits lipid peroxidation induced by high glucose plus arachidonic acid in endothelial cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 295, H1966-73	5.2	18
23	Effect of green tea and (-)-epigallocatechin gallate on ethanol-induced toxicity in HepG2 cells. <i>Phytotherapy Research</i> , 2008 , 22, 669-74	6.7	25
22	Flavonoids, taxifolin and luteolin attenuate cellular melanogenesis despite increasing tyrosinase protein levels. <i>Phytotherapy Research</i> , 2008 , 22, 1200-7	6.7	83
21	Wen-pi-tang-Hab-Wu-ling-san attenuates kidney fibrosis induced by ischemia/reperfusion in mice. <i>Phytotherapy Research</i> , 2008 , 22, 1057-63	6.7	18
20	Identification of rat urinary glycoproteome captured by three lectins using gel and LC-based proteomics. <i>Electrophoresis</i> , 2008 , 29, 4324-31	3.6	17
19	A dual mechanism of 4-hydroxy-5-methyl-3[2H]-furanone inhibiting cellular melanogenesis. <i>Journal of Cosmetic Science</i> , 2008 , 59, 117-25	0.7	6
18	Wen-pi-tang-Hab-Wu-ling-san, an oriental herbal prescription, attenuates epithelial-mesenchymal transdifferentiation stimulated by TGF-beta1 in kidney cells. <i>Phytotherapy Research</i> , 2007 , 21, 548-53	6.7	12
17	An improved method to measure nitrate/nitrite with an NO-selective electrochemical sensor. <i>Nitric Oxide - Biology and Chemistry</i> , 2007 , 16, 306-12	5	26
16	Wen-pi-tang-Hab-Wu-ling-san attenuates kidney ischemia/reperfusion injury in mice. A role for antioxidant enzymes and heat-shock proteins. <i>Journal of Ethnopharmacology</i> , 2007 , 112, 333-40	5	29
15	Wen-Pi-Tang-Hab-Wu-Ling-San extract inhibits the release of inflammatory mediators from LPS-stimulated mouse macrophages. <i>Journal of Ethnopharmacology</i> , 2007 , 114, 439-45	5	23
14	Coordinated regulation of endothelial nitric oxide synthase activity by phosphorylation and subcellular localization. <i>Free Radical Biology and Medicine</i> , 2006 , 41, 144-53	7.8	51
13	Graded associations of blood lead and urinary cadmium concentrations with oxidative-stress-related markers in the U.S. population: results from the third National Health and Nutrition Examination Survey. <i>Environmental Health Perspectives</i> , 2006 , 114, 350-4	8.4	103

12	Shear stress stimulates phosphorylation of protein kinase A substrate proteins including endothelial nitric oxide synthase in endothelial cells. <i>Experimental and Molecular Medicine</i> , 2006 , 38, 63-71	12.8	11
11	Ascorbic acid synthesis due to L-gulonolactone oxidase expression enhances NO production in endothelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 345, 1657-62	3.4	30
10	Oscillatory shear stress stimulates endothelial production of O ₂ ⁻ from p47phox-dependent NAD(P)H oxidases, leading to monocyte adhesion. <i>Journal of Biological Chemistry</i> , 2003 , 278, 47291-8	5.4	232
9	Chronic shear induces caveolae formation and alters ERK and Akt responses in endothelial cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003 , 285, H1113-22	5.2	143
8	Flow-dependent regulation of endothelial nitric oxide synthase: role of protein kinases. <i>American Journal of Physiology - Cell Physiology</i> , 2003 , 285, C499-508	5.4	284
7	Endothelial NO synthase phosphorylated at SER635 produces NO without requiring intracellular calcium increase. <i>Free Radical Biology and Medicine</i> , 2003 , 35, 729-41	7.8	80
6	Bone morphogenetic protein 4 produced in endothelial cells by oscillatory shear stress stimulates an inflammatory response. <i>Journal of Biological Chemistry</i> , 2003 , 278, 31128-35	5.4	230
5	Compensatory phosphorylation and protein-protein interactions revealed by loss of function and gain of function mutants of multiple serine phosphorylation sites in endothelial nitric-oxide synthase. <i>Journal of Biological Chemistry</i> , 2003 , 278, 14841-9	5.4	187
4	Shear stress stimulates phosphorylation of endothelial nitric-oxide synthase at Ser1179 by Akt-independent mechanisms: role of protein kinase A. <i>Journal of Biological Chemistry</i> , 2002 , 277, 3388-96	5.4	350
3	Shear stress stimulates phosphorylation of eNOS at Ser(635) by a protein kinase A-dependent mechanism. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002 , 283, H1819-28	5.2	182
2	Protein kinase B/Akt activates c-Jun NH(2)-terminal kinase by increasing NO production in response to shear stress. <i>Journal of Applied Physiology</i> , 2001 , 91, 1574-81	3.7	84
1	Water Deficit Induced Oxidative Stress and Antioxidative Defenses in Rice Plants. <i>Journal of Plant Physiology</i> , 1999 , 155, 255-261	3.6	125