Ji Hoe Heo

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2345845/ji-hoe-heo-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

297
papers
6,570
citations
45
h-index
66
g-index

7,999
ext. citations
5
avg, IF
L-index

#	Paper	IF	Citations
297	2022 Update of the Korean Clinical Practice Guidelines for Stroke: Antithrombotic Therapy for Patients with Acute Ischemic Stroke or Transient Ischemic Attack <i>Journal of Stroke</i> , 2022 , 24, 166-175	5.6	O
296	Dual-Energy Computed Tomography Quantification of Extravasated Iodine and Hemorrhagic Transformation after Thrombectomy <i>Journal of Stroke</i> , 2022 , 24, 152-155	5.6	1
295	Risks and Benefits of Early Rhythm Control in Patients With Acute Strokes and Atrial Fibrillation: A Multicenter, Prospective, Randomized Study (the RAFAS Trial) <i>Journal of the American Heart Association</i> , 2022 , e023391	6	O
294	High-Resolution Intracranial Vessel Wall MRI Findings Among Different Middle Cerebral Artery Territory Infarction Types <i>Korean Journal of Radiology</i> , 2022 , 23, 333-342	6.9	O
293	Impact of interankle blood pressure difference on major adverse cardiovascular events in cryptogenic stroke patients without peripheral artery disease: a retrospective cohort study <i>BMJ Open</i> , 2022 , 12, e054760	3	
292	Clinical Implications of Atrial Fibrillation Detection Using Wearable Devices in Patients With Cryptogenic Stroke (CANDLE-AF) Trial: Design and Rationale <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 837958	5.4	1
291	Ischemic Stroke in Non-Gender-Related CHADS-VA Score 0~1 Is Associated With HFPEF Score Among the Patients With Atrial Fibrillation <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 791112	5.4	O
290	Low Ankle-Brachial Index Is Associated With Stroke Recurrence in Ischemic Stroke Patients With Atrial Fibrillation. <i>Frontiers in Neurology</i> , 2021 , 12, 705904	4.1	2
289	Characterization of Ferric Chloride-Induced Arterial Thrombosis Model of Mice and the Role of Red Blood Cells in Thrombosis Acceleration. <i>Yonsei Medical Journal</i> , 2021 , 62, 1032-1041	3	1
288	TAB-TICI Score: Successful Recanalization Score After Endovascular Thrombectomy in Acute Stroke. <i>Frontiers in Neurology</i> , 2021 , 12, 692490	4.1	О
287	Post-Stroke Depressive Symptoms: Varying Responses to Escitalopram by Individual Symptoms and Lesion Location. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2021 , 34, 565-573	3.8	1
286	Comorbidity index for predicting mortality at 6[months after reperfusion therapy. <i>Scientific Reports</i> , 2021 , 11, 5963	4.9	O
285	Low Hypoperfusion Intensity Ratio Is Associated with a Favorable Outcome Even in Large Ischemic Core and Delayed Recanalization Time. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
284	Development of imaging-based risk scores for prediction of intracranial haemorrhage and ischaemic stroke in patients taking antithrombotic therapy after ischaemic stroke or transient ischaemic attack: a pooled analysis of individual patient data from cohort studies. <i>Lancet Neurology</i> ,	24.1	12
283	The, 2021 , 20, 294-303 Long-Term Changes in Post-Stroke Depression, Emotional Incontinence, and Anger. <i>Journal of Stroke</i> , 2021 , 23, 263-272	5.6	1
282	Prediction of Early Recanalization after Intravenous Thrombolysis in Patients with Large-Vessel Occlusion. <i>Journal of Stroke</i> , 2021 , 23, 244-252	5.6	1
281	Immediate and Long-Term Outcomes of Reperfusion Therapy in Patients With Cancer. <i>Stroke</i> , 2021 , 52, 2026-2034	6.7	1

(2020-2021)

280	Combination of Rescue Stenting and Antiplatelet Infusion Improved Outcomes for Acute Intracranial Atherosclerosis-Related Large-Vessel Occlusion. <i>Frontiers in Neurology</i> , 2021 , 12, 608270	4.1	3
279	Cerebral Infarction Observed on Brain MRI in Unconscious Out-of-Hospital Cardiac Arrest Survivors: A Pilot Study. <i>Neurocritical Care</i> , 2021 , 34, 248-258	3.3	
278	Hyperattenuating lesions after mechanical thrombectomy in acute ischaemic stroke: factors predicting symptomatic haemorrhage and clinical outcomes. <i>Clinical Radiology</i> , 2021 , 76, 80.e15-80.e23	2.9	2
277	Percutaneous Left Atrial Appendage Occlusion Yields Favorable Neurological Outcomes in Patients with Non-Valvular Atrial Fibrillation. <i>Korean Circulation Journal</i> , 2021 , 51, 626-638	2.2	1
276	Clinical impact of estradiol/testosterone ratio in patients with acute ischemic stroke. <i>BMC Neurology</i> , 2021 , 21, 91	3.1	4
275	CLINICAL SIGNIFICANCE OF RETINAL VASCULAR OCCLUSION IN MOYAMOYA DISEASE: Case Series and Systematic Review. <i>Retina</i> , 2021 , 41, 1791-1798	3.6	1
274	Effect of leukopenia induced by cyclophosphamide on the initial stage of arterial thrombosis in mice. <i>Thrombosis Research</i> , 2021 , 206, 111-119	8.2	1
273	Care Process of Recanalization Therapy for Acute Stroke during the COVID-19 Outbreak in South Korea. <i>Journal of Clinical Neurology (Korea</i> , 2021 , 17, 63-69	1.7	3
272	Association between body mass index and stroke severity in acute ischaemic stroke with non-valvular atrial fibrillation. <i>European Journal of Neurology</i> , 2020 , 27, 1672-1679	6	1
271	Improving the Clinical Outcome in Stroke Patients Receiving Thrombolytic or Endovascular Treatment in Korea: from the SECRET Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	5
270	Emergency Intracranial Stenting in Acute Stroke: Predictors for Poor Outcome and for Complications. <i>Journal of the American Heart Association</i> , 2020 , 9, e012795	6	9
269	Intracranial Stenting After Failed Thrombectomy in Patients With Moderately Severe Stroke: A Multicenter Cohort Study. <i>Frontiers in Neurology</i> , 2020 , 11, 97	4.1	6
268	Factors for Enhancement of Intracranial Atherosclerosis in High Resolution Vessel Wall MRI in Ischemic Stroke Patients. <i>Frontiers in Neurology</i> , 2020 , 11, 580	4.1	О
267	Efficacy and safety of nerinetide for the treatment of acute ischaemic stroke (ESCAPE-NA1): a multicentre, double-blind, randomised controlled trial. <i>Lancet, The</i> , 2020 , 395, 878-887	40	189
266	Depressive Symptoms in Stroke Patients: Are There Sex Differences?. <i>Cerebrovascular Diseases</i> , 2020 , 49, 19-25	3.2	2
265	Collateral augmentation treatment with a combination of acetazolamide and head-down tilt in a rat ischemic stroke model. <i>Journal of Clinical Neuroscience</i> , 2020 , 73, 252-258	2.2	9
264	Predicting Stroke Outcomes Using Ankle-Brachial Index and Inter-Ankle Blood Pressure Difference. Journal of Clinical Medicine, 2020 , 9,	5.1	4
263	Coronary Calcium Score for the Prediction of Asymptomatic Coronary Artery Disease in Patients With Ischemic Stroke. <i>Frontiers in Neurology</i> , 2020 , 11, 206	4.1	2

262	Sirtuin 6 deficiency induces endothelial cell senescence via downregulation of forkhead box M1 expression. <i>Aging</i> , 2020 , 12, 20946-20967	5.6	6
261	Contrast-Enhanced High-Resolution Intracranial Vessel Wall MRI with Compressed Sensing: Comparison with Conventional T1 Volumetric Isotropic Turbo Spin Echo Acquisition Sequence. <i>Korean Journal of Radiology</i> , 2020 , 21, 1334-1344	6.9	O
260	Predictors of Good Outcomes in Patients with Failed Endovascular Thrombectomy. <i>Korean Journal of Radiology</i> , 2020 , 21, 582-587	6.9	4
259	Pathophysiologic and Therapeutic Perspectives Based on Thrombus Histology in Stroke. <i>Journal of Stroke</i> , 2020 , 22, 64-75	5.6	18
258	Outcome of Stroke Patients with Cancer and Nonbacterial Thrombotic Endocarditis. <i>Journal of Stroke</i> , 2020 , 22, 245-253	5.6	5
257	Management of Acute Stroke Patients Amid the Coronavirus Disease 2019 Pandemic: Scientific Statement of the Korean Stroke Society. <i>Journal of Stroke</i> , 2020 , 22, 203-205	5.6	6
256	2019 Update of the Korean Clinical Practice Guidelines of Stroke for Endovascular Recanalization Therapy in Patients with Acute Ischemic Stroke. <i>Journal of the Korean Neurological Association</i> , 2020 , 38, 77-87	0.1	2
255	Fc-saxatilin inhibits VEGF-induced permeability by regulating claudin-5 expression in human brain microvascular endothelial cells. <i>Microvascular Research</i> , 2020 , 128, 103953	3.7	6
254	Effects of first pass recanalization on outcomes of contact aspiration thrombectomy. <i>Journal of NeuroInterventional Surgery</i> , 2020 , 12, 466-470	7.8	18
253	Effects of dabigatran and rivaroxaban on stroke severity according to the results of routine coagulation tests. <i>PLoS ONE</i> , 2020 , 15, e0240483	3.7	1
252	Advanced Liver Fibrosis Predicts Unfavorable Long-Term Prognosis in First-Ever Ischemic Stroke or Transient Ischemic Attack. <i>Cerebrovascular Diseases</i> , 2020 , 49, 474-480	3.2	5
251	Utility of Leptomeningeal Collaterals in Predicting Intracranial Atherosclerosis-Related Large Vessel Occlusion in Endovascular Treatment. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	4
250	Non-vitamin K oral anticoagulants as first-line regimen for acute ischemic stroke with non-valvular atrial fibrillation. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020 , 29, 105025	2.8	2
249	Carotid Artery Stenting and Intracranial Thrombectomy for Tandem Cervical and Intracranial Artery Occlusions. <i>Neurosurgery</i> , 2020 , 86, 213-220	3.2	9
248	Endovascular treatment decision in acute stroke: does physician gender matter? Insights from UNMASK EVT, an international, multidisciplinary survey. <i>Journal of NeuroInterventional Surgery</i> , 2020 , 12, 256-259	7.8	2
247	Time of day and endovascular treatment decision in acute stroke with relative endovascular treatment indication: insights from UNMASK EVT international survey. <i>Journal of NeuroInterventional Surgery</i> , 2020 , 12, 122-126	7.8	5
246	Nonalcoholic Fatty Liver Disease and Sarcopenia Are Independently Associated With Cardiovascular Risk. <i>American Journal of Gastroenterology</i> , 2020 , 115, 584-595	0.7	24
245	Association between flat-panel computed tomography hyperattenuation and clinical outcome after successful recanalization by endovascular treatment. <i>Journal of Neurosurgery</i> , 2020 , 1-8	3.2	1

(2019-2019)

244	Remote Postischemic Conditioning Promotes Stroke Recovery by Shifting Circulating Monocytes to CCR2 Proinflammatory Subset. <i>Journal of Neuroscience</i> , 2019 , 39, 7778-7789	6.6	18
243	Benefit of Four-Dimensional Computed Tomography Derived Ejection Fraction of the Left Atrial Appendage to Predict Thromboembolic Risk in the Patients with Valvular Heart Disease. <i>Korean Circulation Journal</i> , 2019 , 49, 173-180	2.2	3
242	Body Mass Index and Prognosis in Ischemic Stroke Patients With Type 2 Diabetes Mellitus. <i>Frontiers in Neurology</i> , 2019 , 10, 563	4.1	8
241	Cerebral microbleeds and stroke risk after ischaemic stroke or transient ischaemic attack: a pooled analysis of individual patient data from cohort studies. <i>Lancet Neurology, The</i> , 2019 , 18, 653-665	24.1	78
240	Association between morphologic subtypes of vertebral artery dissection and vertebral artery hypoplastic appearance. <i>European Journal of Radiology</i> , 2019 , 116, 84-89	4.7	1
239	Balloon Guide Catheter Is Beneficial in Endovascular Treatment Regardless of Mechanical Recanalization Modality. <i>Stroke</i> , 2019 , 50, 1490-1496	6.7	30
238	The Paradoxical Protective Effect of Liver Steatosis on Severity and Functional Outcome of Ischemic Stroke. <i>Frontiers in Neurology</i> , 2019 , 10, 375	4.1	2
237	Histological features of intracranial thrombi in stroke patients with cancer. <i>Annals of Neurology</i> , 2019 , 86, 143-149	9.4	17
236	Heterogeneity in costs and prognosis for acute ischemic stroke treatment by comorbidities. <i>Journal of Neurology</i> , 2019 , 266, 1429-1438	5.5	2
235	Machine Learning-Based Model for Prediction of Outcomes in Acute Stroke. <i>Stroke</i> , 2019 , 50, 1263-126	55 6.7	112
234	Need for rescue treatment and its implication: stent retriever versus contact aspiration thrombectomy. <i>Journal of NeuroInterventional Surgery</i> , 2019 , 11, 979-983	7.8	15
233	Endovascular and Clinical Outcomes of Vertebrobasilar Intracranial Atherosclerosis-Related Large Vessel Occlusion. <i>Frontiers in Neurology</i> , 2019 , 10, 215	4.1	14
232	Effect of Cumulative Case Volume on Procedural and Clinical Outcomes in Endovascular		
232	Thrombectomy. <i>Stroke</i> , 2019 , 50, 1178-1183	6.7	21
231	Thrombectomy. <i>Stroke</i> , 2019 , 50, 1178-1183 Liver Fibrosis, Not Steatosis, Associates with Long-Term Outcomes in Ischaemic Stroke Patients. <i>Cerebrovascular Diseases</i> , 2019 , 47, 32-39	6. ₇	16
	Liver Fibrosis, Not Steatosis, Associates with Long-Term Outcomes in Ischaemic Stroke Patients.	,	,
231	Liver Fibrosis, Not Steatosis, Associates with Long-Term Outcomes in Ischaemic Stroke Patients. Cerebrovascular Diseases, 2019, 47, 32-39 Optimizing Outcome Prediction Scores in Patients Undergoing Endovascular Thrombectomy for Large Vessel Occlusions Using Collateral Grade on Computed Tomography Angiography.	3.2	16
231	Liver Fibrosis, Not Steatosis, Associates with Long-Term Outcomes in Ischaemic Stroke Patients. Cerebrovascular Diseases, 2019, 47, 32-39 Optimizing Outcome Prediction Scores in Patients Undergoing Endovascular Thrombectomy for Large Vessel Occlusions Using Collateral Grade on Computed Tomography Angiography. Neurosurgery, 2019, 85, 350-358 Relationship Between Sleep Apnea and Coronary Artery Calcium in Patients With Ischemic Stroke.	3.2	16

226	Impact of the Total Number of Carotid Plaques on the Outcome of Ischemic Stroke Patients with Atrial Fibrillation. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	2
225	2019 Update of the Korean Clinical Practice Guidelines of Stroke for Endovascular Recanalization Therapy in Patients with Acute Ischemic Stroke. <i>Neurointervention</i> , 2019 , 14, 71-81	1.4	11
224	2019 Update of the Korean Clinical Practice Guidelines of Stroke for Endovascular Recanalization Therapy in Patients with Acute Ischemic Stroke. <i>Journal of Stroke</i> , 2019 , 21, 231-240	5.6	20
223	Elevation of the Gut Microbiota Metabolite Trimethylamine N-Oxide Predicts Stroke Outcome. Journal of Stroke, 2019 , 21, 350-352	5.6	7
222	Prediction of functional outcome using the novel asymmetric middle cerebral artery index in cryptogenic stroke patients. <i>PLoS ONE</i> , 2019 , 14, e0208918	3.7	4
221	Short-Term Outcome of Ischemic Stroke Patients With Systemic Malignancy. <i>Stroke</i> , 2019 , 50, 507-511	6.7	12
220	Favorable neurological outcome after ischemic cerebrovascular events in patients treated with percutaneous left atrial appendage occlusion compared with warfarin. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 94, E23-E29	2.7	2
219	Collateral status affects the onset-to-reperfusion time window for good outcome. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018 , 89, 903-909	5.5	36
218	Association of follow-up infarct volume with functional outcome in acute ischemic stroke: a pooled analysis of seven randomized trials. <i>Journal of NeuroInterventional Surgery</i> , 2018 , 10, 1137-1142	7.8	54
217	Dabigatran reduces endothelial permeability through inhibition of thrombin-induced cytoskeleton reorganization. <i>Thrombosis Research</i> , 2018 ,	8.2	7
216	Rescue Stenting for Failed Mechanical Thrombectomy in Acute Ischemic Stroke: A Multicenter Experience. <i>Stroke</i> , 2018 , 49, 958-964	6.7	85
215	Serotonin transporter gene polymorphisms may be associated with poststroke neurological recovery after escitalopram use. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018 , 89, 271-276	5.5	10
214	Increased Thrombogenicity in Chronic Renal Failure in a Rat Model Induced by 5/6 Ablation/Infarction. <i>Yonsei Medical Journal</i> , 2018 , 59, 754-759	3	2
213	Non-cardioembolic risk factors in atrial fibrillation-associated ischemic stroke. <i>PLoS ONE</i> , 2018 , 13, e020	03062	14
212	Infarct Core Expansion on Computed Tomography before and after Intravenous Thrombolysis. <i>Yonsei Medical Journal</i> , 2018 , 59, 310-316	3	1
211	Model-based assessment of the benefits and risks of recombinant tissue plasminogen activator treatment in acute ischaemic stroke. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 2586-2599	3.8	4
21 0	Consensus Statements by Korean Society of Interventional Neuroradiology and Korean Stroke Society: Hyperacute Endovascular Treatment Workflow to Reduce Door-to-Reperfusion Time. <i>Journal of Korean Medical Science</i> , 2018 , 33, e143	4.7	4
209	Thrombus Volume as a Predictor of Nonrecanalization After Intravenous Thrombolysis in Acute Stroke, 2018 , 49, 2108-2115	6.7	22

208	Delayed Intravenous Thrombolysis in Patients with Minor Stroke. <i>Cerebrovascular Diseases</i> , 2018 , 46, 52-58	3.2	7	
207	Effect of balloon guide catheter utilization on contact aspiration thrombectomy. <i>Journal of Neurosurgery</i> , 2018 , 1-7	3.2	18	
206	Response by Yoo and Heo to Letter Regarding Article, "Thrombus Volume as a Predictor of Nonrecanalization After Intravenous Thrombolysis in Acute Stroke". <i>Stroke</i> , 2018 , STROKEAHA118023	9 <i>5</i> 37		
205	Different infarction patterns in patients with aortic atheroma compared to those with cardioembolism or large artery atherosclerosis. <i>Journal of Neurology</i> , 2018 , 265, 151-158	5.5	7	
204	Stroke Severity in Patients on Non-Vitamin K Antagonist Oral Anticoagulants with a Standard or Insufficient Dose. <i>Thrombosis and Haemostasis</i> , 2018 , 118, 2145-2151	7	7	
203	TNF-Induced YAP/TAZ Activity Mediates Leukocyte-Endothelial Adhesion by Regulating VCAM1 Expression in Endothelial Cells. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	27	
202	Differences in Therapeutic Responses and Factors Affecting Post-Stroke Depression at a Later Stage According to Baseline Depression. <i>Journal of Stroke</i> , 2018 , 20, 258-267	5.6	9	
201	Impact of Non-vitamin K Antagonist Oral Anticoagulant Withdrawal on Stroke Outcomes. <i>Frontiers in Neurology</i> , 2018 , 9, 1095	4.1	10	
200	Outcomes of Endovascular Treatment for Acute Intracranial Atherosclerosis-Related Large Vessel Occlusion. <i>Stroke</i> , 2018 , 49, 2699-2705	6.7	60	
199	Antithrombotic treatments in patients with acute ischemic stroke and non-valvular atrial fibrillation before introduction of non-vitamin K antagonist oral anticoagulants into practice in Korea. <i>PLoS ONE</i> , 2018 , 13, e0202803	3.7	2	
198	Number of Stent Retriever Passes Associated With Futile Recanalization in Acute Stroke. <i>Stroke</i> , 2018 , 49, 2088-2095	6.7	54	
197	Clinical Implications of Basilar Artery Plaques in the Pontine Infarction with Normal Basilar Angiogram: A High-Resolution Magnetic Resonance Imaging Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018 , 27, 3591-3598	2.8	6	
196	Prevention of cardiovascular events in Asian patients with ischaemic stroke at high risk of cerebral haemorrhage (PICASSO): a multicentre, randomised controlled trial. <i>Lancet Neurology, The</i> , 2018 , 17, 509-518	24.1	52	
195	Impact of white matter hyperintensities on the prognosis of cryptogenic stroke patients. <i>PLoS ONE</i> , 2018 , 13, e0196014	3.7	5	
194	Liver fibrosis assessed with transient elastography is an independent risk factor for ischemic stroke. <i>Atherosclerosis</i> , 2017 , 260, 156-162	3.1	32	
193	Efficacy of early administration of escitalopram on depressive and emotional symptoms and neurological dysfunction after stroke: a multicentre, double-blind, randomised, placebo-controlled study. <i>Lancet Psychiatry,the</i> , 2017 , 4, 33-41	23.3	61	
192	Increased Risk of Cardiovascular Events in Stroke Patients Who had Not Undergone Evaluation for Coronary Artery Disease. <i>Yonsei Medical Journal</i> , 2017 , 58, 114-122	3	5	
191	Differential impact of white matter hyperintensities on long-term outcomes in ischemic stroke patients with large artery atherosclerosis. <i>PLoS ONE</i> , 2017 , 12, e0189611	3.7	3	

190	Predictive value of thrombus volume for recanalization in stent retriever thrombectomy. <i>Scientific Reports</i> , 2017 , 7, 15938	4.9	21
189	Lenticulostriate Artery Involvement is Predictive of Poor Outcomes in Superficial Middle Cerebral Artery Territory Infarction. <i>Yonsei Medical Journal</i> , 2017 , 58, 123-130	3	5
188	Characteristics for Ischemic Stroke in 18B0 Years Old Patients, Multicenter Stroke Registry Study. <i>The Ewha Medical Journal</i> , 2017 , 40, 128	0.1	
187	Predictive Value of Computed Tomography Angiography-Determined Occlusion Type in Stent Retriever Thrombectomy. <i>Stroke</i> , 2017 , 48, 2746-2752	6.7	24
186	Hemorrhagic Transformation After Large Cerebral Infarction in Rats Pretreated With Dabigatran or Warfarin. <i>Stroke</i> , 2017 , 48, 2865-2871	6.7	3
185	Effects of Statin Intensity and Adherence on the Long-Term Prognosis After Acute Ischemic Stroke. <i>Stroke</i> , 2017 , 48, 2723-2730	6.7	47
184	The Protective Effect of Middle Cerebral Artery Calcification on Symptomatic Middle Cerebral Artery Infarction. <i>Stroke</i> , 2017 , 48, 3138-3141	6.7	6
183	Poor long-term outcomes in stroke patients with asymptomatic coronary artery disease in heart CT. <i>Atherosclerosis</i> , 2017 , 265, 7-13	3.1	13
182	Brain microbleeds, anticoagulation, and hemorrhage risk: Meta-analysis in stroke patients with AF. <i>Neurology</i> , 2017 , 89, 2317-2326	6.5	65
181	A computerized red glass test for quantifying diplopia. <i>BMC Ophthalmology</i> , 2017 , 17, 71	2.3	2
180	Fc-saxatilin suppresses hypoxia-induced vascular leakage by regulating endothelial occludin expression. <i>Thrombosis and Haemostasis</i> , 2017 , 117, 595-605	7	1
179	Total Cerebral Small-Vessel Disease Score is Associated with Mortality during Follow-Up after Acute Ischemic Stroke. <i>Journal of Clinical Neurology (Korea</i> , 2017 , 13, 187-195	1.7	42
178	Computed Tomography-Based Thrombus Imaging for the Prediction of Recanalization after Reperfusion Therapy in Stroke. <i>Journal of Stroke</i> , 2017 , 19, 40-49	5.6	27
177	Histopathological Findings of Intracranial Thrombi in Nonbacterial Thrombotic Endocarditis. Journal of Stroke, 2017 , 19, 367-369	5.6	6
176	Importance of truncal-type occlusion in stentriever-based thrombectomy for acute stroke. <i>Neurology</i> , 2016 , 87, 1542-1550	6.5	68
175	Stenting as a Rescue Treatment After Failure of Mechanical Thrombectomy for Anterior Circulation Large Artery Occlusion. <i>Stroke</i> , 2016 , 47, 2360-3	6.7	85
174	A call for researchers to join the META-MICROBLEEDS Consortium. <i>Lancet Neurology, The</i> , 2016 , 15, 90	0 24.1	12
173	The Ischemic Stroke Predictive Risk Score Predicts Early Neurological Deterioration. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016 , 25, 819-24	2.8	8

(2015-2016)

172	Thrombus length discrepancy on dual-phase CT can predict clinical outcome in acute ischemic stroke. <i>European Radiology</i> , 2016 , 26, 2215-22	8	4
171	The Computerized Table Setting Test for Detecting Unilateral Neglect. <i>PLoS ONE</i> , 2016 , 11, e0147030	3.7	3
170	Scientific Statement for Screening of Coronary Artery Disease in Patients with Ischemic Stroke. Journal of the Korean Neurological Association, 2016 , 34, 91-98	0.1	1
169	Gray-Matter Volume Estimate Score: A Novel Semi-Automatic Method Measuring Early Ischemic Change on CT. <i>Journal of Stroke</i> , 2016 , 18, 80-6	5.6	1
168	Asian Patients with Stroke plus Atrial Fibrillation and the Dose of Non-Vitamin K Oral Anticoagulants. <i>Journal of Stroke</i> , 2016 , 18, 169-78	5.6	10
167	Decision-Making Support Using a Standardized Script and Visual Decision Aid to Reduce Door-to-Needle Time in Stroke. <i>Journal of Stroke</i> , 2016 , 18, 239-41	5.6	6
166	Update of the Korean Clinical Practice Guidelines for Endovascular Recanalization Therapy in Patients with Acute Ischemic Stroke. <i>Journal of the Korean Neurological Association</i> , 2016 , 34, 297-311	0.1	1
165	Timely Interventions can Increase Smoking Cessation Rate in Men with Ischemic Stroke. <i>Journal of Korean Academy of Nursing</i> , 2016 , 46, 610-7	1.3	8
164	Update of the Korean Clinical Practice Guidelines for Endovascular Recanalization Therapy in Patients with Acute Ischemic Stroke. <i>Journal of Stroke</i> , 2016 , 18, 102-13	5.6	45
163	Effect and Safety of Rosuvastatin in Acute Ischemic Stroke. <i>Journal of Stroke</i> , 2016 , 18, 87-95	5.6	29
162	Incremental Value of Left Atrial Global Longitudinal Strain for Prediction of Post Stroke Atrial Fibrillation in Patients with Acute Ischemic Stroke. <i>Journal of Cardiovascular Imaging</i> , 2016 , 24, 20-7	Ο	19
161	Association between Aortic Atheroma and Cerebral Small Vessel Disease in Patients with Ischemic Stroke. <i>Journal of Stroke</i> , 2016 , 18, 312-320	5.6	36
160	Comprehensive code stroke program to reduce reperfusion delay for in-hospital stroke patients. <i>International Journal of Stroke</i> , 2016 , 11, 656-62	6.3	10
159	Clinical Implications and Determinants of Left Atrial Mechanical Dysfunction in Patients With Stroke. <i>Stroke</i> , 2016 , 47, 1444-51	6.7	25
158	Poor Outcome of Stroke Patients With Atrial Fibrillation in the Presence of Coexisting Spontaneous Echo Contrast. <i>Stroke</i> , 2016 , 47, 1920-2	6.7	16
157	Histologic features of acute thrombi retrieved from stroke patients during mechanical reperfusion therapy. <i>International Journal of Stroke</i> , 2016 , 11, 1036-1044	6.3	45
156	Prognostic value of urine dipstick proteinuria on mortality after acute ischemic stroke. <i>Atherosclerosis</i> , 2016 , 253, 118-123	3.1	12
155	Comparison of Outcomes after Reperfusion Therapy between In-Hospital and Out-of-Hospital Stroke Patients. <i>Cerebrovascular Diseases</i> , 2015 , 40, 28-34	3.2	6

154	Value of utilizing both ASPECTS and CT angiography collateral score for outcome prediction in acute ischemic stroke. <i>International Journal of Stroke</i> , 2015 , 10, 1018-23	6.3	11
153	Low levels of plasma omega 3-polyunsaturated fatty acids are associated with cerebral small vessel diseases in acute ischemic stroke patients. <i>Nutrition Research</i> , 2015 , 35, 368-74	4	26
152	Contraversive ocular tilt reaction after the lateral medullary infarction. <i>Neurologist</i> , 2015 , 19, 79-81	1.6	7
151	Long-term mortality in patients with coexisting potential causes of ischemic stroke. <i>International Journal of Stroke</i> , 2015 , 10, 541-6	6.3	11
150	Time-Dependent Thrombus Resolution After Tissue-Type Plasminogen Activator in Patients With Stroke and Mice. <i>Stroke</i> , 2015 , 46, 1877-82	6.7	49
149	Low-density-lipoprotein particle size predicts a poor outcome in patients with atherothrombotic stroke. <i>Journal of Clinical Neurology (Korea</i> , 2015 , 11, 80-6	1.7	9
148	Recurrent Cardioembolic Stroke Treated Successfully with Repeated Mechanical Thrombectomy within the Acute Index Stroke Period. <i>Journal of Clinical Neurology (Korea,</i> 2015 , 11, 275-8	1.7	10
147	Updated Korean Clinical Practice Guidelines on Decompressive Surgery for Malignant Middle Cerebral Artery Territory Infarction. <i>Journal of Stroke</i> , 2015 , 17, 369-76	5.6	8
146	Factors associated with ischemic stroke on therapeutic anticoagulation in patients with nonvalvular atrial fibrillation. <i>Yonsei Medical Journal</i> , 2015 , 56, 410-7	3	8
145	D-dimer for prediction of long-term outcome in cryptogenic stroke patients with patent foramen ovale. <i>Thrombosis and Haemostasis</i> , 2015 , 114, 614-22	7	16
144	Permeability Parameters Measured with Dynamic Contrast-Enhanced MRI: Correlation with the Extravasation of Evans Blue in a Rat Model of Transient Cerebral Ischemia. <i>Korean Journal of Radiology</i> , 2015 , 16, 791-7	6.9	5
143	Relationship between Cerebral Microbleeds and Liver Stiffness Determined by Transient Elastography. <i>PLoS ONE</i> , 2015 , 10, e0139227	3.7	13
142	Factors Associated with Early Hospital Arrival in Patients with Acute Ischemic Stroke. <i>Journal of Stroke</i> , 2015 , 17, 159-67	5.6	17
141	Impact of temporary opening using a stent retriever on clinical outcome in acute ischemic stroke. <i>PLoS ONE</i> , 2015 , 10, e0124551	3.7	1
140	Effects of Mesenchymal Stem Cell Treatment on the Expression of Matrix Metalloproteinases and Angiogenesis during Ischemic Stroke Recovery. <i>PLoS ONE</i> , 2015 , 10, e0144218	3.7	31
139	Current Status and Problems of Stroke Units in Korea: Results of a Nationwide Acute Care Hospital Survey by the Korean Stroke Society. <i>Journal of the Korean Neurological Association</i> , 2015 , 33, 141-155	0.1	4
138	Antithrombotic Management of Patients with Nonvalvular Atrial Fibrillation and Ischemic Stroke or Transient Ischemic Attack: Executive Summary of the Korean Clinical Practice Guidelines for Stroke. Journal of Stroke, 2015, 17, 210-5	5.6	7
137	Stroke System of Care: A Policy Statement from the Korean Stroke Society. <i>Journal of the Korean Neurological Association</i> , 2015 , 33, 226-228	0.1	1

(2014-2014)

136	Time-dependent effect of combination therapy with erythropoietin and granulocyte colony-stimulating factor in a mouse model of hypoxic-ischemic brain injury. <i>Neuroscience Bulletin</i> , 2014 , 30, 107-17	4.3	9	
135	The distribution of cerebral microbleeds determines their association with arterial stiffness in non-cardioembolic acute stroke patients. <i>European Journal of Neurology</i> , 2014 , 21, 463-9	6	37	
134	Incidence and risk factors for diffusion-weighted imaging (+) lesions after intracranial stenting and its relationship with symptomatic ischemic complications. <i>Stroke</i> , 2014 , 45, 3298-303	6.7	2	
133	Association of cerebral microbleeds with mortality in stroke patients having atrial fibrillation. <i>Neurology</i> , 2014 , 83, 1308-15	6.5	58	
132	Brachial-ankle pulse wave velocity is a strong predictor for mortality in patients with acute stroke. <i>Hypertension</i> , 2014 , 64, 240-6	8.5	48	
131	Brachial-ankle pulse wave velocity for predicting functional outcome in acute stroke. <i>Stroke</i> , 2014 , 45, 2305-10	6.7	25	
130	Role of tumour necrosis factor receptor-1 and nuclear factor- B in production of TNF-Hnduced pro-inflammatory microparticles in endothelial cells. <i>Thrombosis and Haemostasis</i> , 2014 , 112, 580-8	7	36	
129	Long-term mortality according to the characteristics of early neurological deterioration in ischemic stroke patients. <i>Yonsei Medical Journal</i> , 2014 , 55, 669-75	3	9	
128	AKAP12 mediates barrier functions of fibrotic scars during CNS repair. <i>PLoS ONE</i> , 2014 , 9, e94695	3.7	21	
127	Development of smartphone application that aids stroke screening and identifying nearby acute stroke care hospitals. <i>Yonsei Medical Journal</i> , 2014 , 55, 25-9	3	23	
126	Distribution of cerebral microbleeds determines their association with impaired kidney function. Journal of Clinical Neurology (Korea, 2014 , 10, 222-8	1.7	24	
125	Process improvement to enhance existing stroke team activity toward more timely thrombolytic treatment. <i>Journal of Clinical Neurology (Korea</i> , 2014 , 10, 328-33	1.7	9	
124	Differential impact of unrecognised brain infarction on stroke outcome in non-valvular atrial fibrillation. <i>Thrombosis and Haemostasis</i> , 2014 , 112, 1312-8	7	5	
123	Response to letter regarding article, "Serum alkaline phosphatase and phosphate in cerebral atherosclerosis and functional outcomes after cerebral infarction". <i>Stroke</i> , 2014 , 45, e47	6.7	1	
122	Predicting asymptomatic coronary artery disease in patients with ischemic stroke and transient ischemic attack: the PRECORIS score. <i>Stroke</i> , 2014 , 45, 82-6	6.7	22	
121	Comparison of stent retriever and intra-arterial fibrinolysis in patients with acute ischaemic stroke. <i>European Journal of Neurology</i> , 2014 , 21, 779-84	6	7	
120	Dual-phase CT collateral score: a predictor of clinical outcome in patients with acute ischemic stroke. <i>PLoS ONE</i> , 2014 , 9, e107379	3.7	12	
119	Clinical practice guidelines for the medical and surgical management of primary intracerebral hemorrhage in Korea. <i>Journal of Korean Neurosurgical Society</i> , 2014 , 56, 175-87	2.3	13	

118	New oral anticoagulants may be particularly useful for asian stroke patients. <i>Journal of Stroke</i> , 2014 , 16, 73-80	5.6	21
117	Response to the letter: The prevalence of left atrial appendage thrombus and spontaneous echocardiographic contrast is positively correlated with the CHADS2 and CHA2 DS2 -VASc scoresQ <i>European Journal of Neurology</i> , 2013 , 20, e85	6	
116	Quantification of intracranial internal carotid artery calcification on brain unenhanced CT: evaluation of its feasibility and assessment of the reliability of visual grading scales. <i>European Radiology</i> , 2013 , 23, 20-7	8	11
115	Plasma osteoprotegerin levels increase with the severity of cerebral artery atherosclerosis. <i>Clinical Biochemistry</i> , 2013 , 46, 1036-1040	3.5	16
114	Decreased expression of sirtuin 6 is associated with release of high mobility group box-1 after cerebral ischemia. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 438, 388-94	3.4	35
113	Interarm blood pressure difference and mortality in patients with acute ischemic stroke. <i>Neurology</i> , 2013 , 80, 1457-64	6.5	39
112	Serum alkaline phosphatase and phosphate in cerebral atherosclerosis and functional outcomes after cerebral infarction. <i>Stroke</i> , 2013 , 44, 3547-9	6.7	31
111	Nonrelevant cerebral atherosclerosis is a strong prognostic factor in acute cerebral infarction. <i>Stroke</i> , 2013 , 44, 2013-5	6.7	10
110	Ischemic stroke: measurement of intracranial artery calcifications can improve prediction of asymptomatic coronary artery disease. <i>Radiology</i> , 2013 , 268, 842-9	20.5	15
109	Incidence of embolism associated with carotid artery stenting: open-cell versus closed-cell stents. Journal of Neurosurgery, 2013 , 119, 642-7	3.2	40
108	Therapeutic effects of water soluble danshen extracts on atherosclerosis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013 , 2013, 623639	2.3	11
107	Pattern of voiding dysfunction after acute brainstem infarction. European Neurology, 2013, 70, 291-6	2.1	16
106	The frequency of cerebral microbleeds increases with CHADS(2) scores in stroke patients with non-valvular atrial fibrillation. <i>European Journal of Neurology</i> , 2013 , 20, 502-508	6	43
105	The association between asymptomatic coronary artery disease and CHADS2 and CHA2 DS2 -VASc scores in patients with stroke. <i>European Journal of Neurology</i> , 2013 , 20, 1256-63	6	8
104	Wingspan stenting for intracranial atherosclerotic stenosis: clinical outcomes and risk factors for in-stent restenosis. <i>Neurosurgery</i> , 2013 , 72, 596-604; discussion 604	3.2	28
103	Response to Letter by D@nna et al regarding article, "Long-term mortality in patients with stroke of undetermined etiology". <i>Stroke</i> , 2013 , 44, e4-5	6.7	1
102	Stroke statistics in Korea: part I. Epidemiology and risk factors: a report from the korean stroke society and clinical research center for stroke. <i>Journal of Stroke</i> , 2013 , 15, 2-20	5.6	236
101	The influence of anti-platelet resistance on the development of cerebral ischemic lesion after carotid artery stenting. <i>Yonsei Medical Journal</i> , 2013 , 54, 288-94	3	17

100	Stroke Statistics in Korea: Part II Stroke Awareness and Acute Stroke Care, A Report from the Korean Stroke Society and Clinical Research Center For Stroke. <i>Journal of Stroke</i> , 2013 , 15, 67-77	5.6	47
99	Beneficial effects of stroke-unit care in stroke patients with atrial fibrillation. <i>Yonsei Medical Journal</i> , 2013 , 54, 301-5	3	5
98	Facilitating Stroke Management using Modern Information Technology. <i>Journal of Stroke</i> , 2013 , 15, 13	5- 4 .8	23
97	Lack of association between stroke and left atrial out-pouching structures: results of a case-control study. <i>PLoS ONE</i> , 2013 , 8, e76617	3.7	3
96	Thrombolytic effects of the snake venom disintegrin saxatilin determined by novel assessment methods: a FeCl3-induced thrombosis model in mice. <i>PLoS ONE</i> , 2013 , 8, e81165	3.7	17
95	Repeated thrombolytic therapy in patients with recurrent acute ischemic stroke. <i>Journal of Stroke</i> , 2013 , 15, 182-8	5.6	19
94	Stroke units and stroke care services in Korea. <i>International Journal of Stroke</i> , 2012 , 7, 336-40	6.3	7
93	Use of a handheld, computerized device as a decision support tool for stroke classification. <i>European Journal of Neurology</i> , 2012 , 19, 426-30	6	11
92	Stroke mechanism in patients with non-valvular atrial fibrillation according to the CHADS2 and CHA2 DS2 -VASc scores. <i>European Journal of Neurology</i> , 2012 , 19, 473-9	6	33
91	Low ankle-brachial index is a predictive factor for initial severity of acute ischaemic stroke. <i>European Journal of Neurology</i> , 2012 , 19, 892-8	6	16
90	Long-term mortality in patients with stroke of undetermined etiology. <i>Stroke</i> , 2012 , 43, 2948-56	6.7	53
89	Different prognostic value of white blood cell subtypes in patients with acute cerebral infarction. <i>Atherosclerosis</i> , 2012 , 222, 464-7	3.1	109
88	Low ankle-brachial index is an independent predictor of poor functional outcome in acute cerebral infarction. <i>Atherosclerosis</i> , 2012 , 224, 113-7	3.1	22
87	Use of gel zymography to examine matrix metalloproteinase (gelatinase) expression in brain tissue or in primary glial cultures. <i>Methods in Molecular Biology</i> , 2012 , 814, 221-33	1.4	72
86	Red blood cell distribution width is associated with poor clinical outcome in acute cerebral infarction. <i>Thrombosis and Haemostasis</i> , 2012 , 108, 349-56	7	91
85	Association of plasma osteoprotegerin levels with stroke severity and functional outcome in acute ischaemic stroke patients. <i>Biomarkers</i> , 2012 , 17, 738-44	2.6	25
84	Mechanism of medullary infarction based on arterial territory involvement. <i>Journal of Clinical Neurology (Korea</i> , 2012 , 8, 116-22	1.7	40
83	Early neurological outcomes according to CHADS2 score in stroke patients with non-valvular atrial fibrillation. <i>European Journal of Neurology</i> , 2012 , 19, 284-90	6	44

82	The frequency and risk of preclinical coronary artery disease detected using multichannel cardiac computed tomography in patients with ischemic stroke. <i>Cerebrovascular Diseases</i> , 2012 , 33, 286-94	3.2	50
81	Prediction of thrombus resolution after intravenous thrombolysis assessed by CT-based thrombus imaging. <i>Thrombosis and Haemostasis</i> , 2012 , 107, 786-94	7	19
80	Public awareness of stroke in Korea: a population-based national survey. <i>Stroke</i> , 2012 , 43, 1146-9	6.7	36
79	An objective pronator drift test application (iPronator) using handheld device. <i>PLoS ONE</i> , 2012 , 7, e415	4 4 .7	8
78	Focused Update on Primary Stroke Prevention in Patients with Atrial Fibrillation in Korean Clinical Practice Guidelines for Stroke. <i>Korean Journal of Stroke</i> , 2012 , 14, 106		4
77	Focused Update of Korean Clinical Practice Guidelines for the Thrombolysis in Acute Stroke Management. <i>Korean Journal of Stroke</i> , 2012 , 14, 95		6
76	Clinical significance of anti-annexin V antibody in acute cerebral ischemia. <i>Journal of the Neurological Sciences</i> , 2011 , 305, 53-6	3.2	11
75	The association between cerebral atherosclerosis and arterial stiffness in acute ischemic stroke. <i>Atherosclerosis</i> , 2011 , 219, 887-91	3.1	56
74	Ischaemic cardiovascular mortality in patients with non-valvular atrial fibrillation according to CHADSIscore. <i>Thrombosis and Haemostasis</i> , 2011 , 105, 712-20	7	16
73	Failure of complete recanalization is associated with poor outcome after cardioembolic stroke. <i>European Journal of Neurology</i> , 2011 , 18, 1171-8	6	16
72	Effect of warfarin withdrawal on thrombolytic treatment in patients with ischaemic stroke. <i>European Journal of Neurology</i> , 2011 , 18, 1165-70	6	6
71	Carotid stenting in acute ischemic stroke patients with intraluminal thrombus. <i>Neuroradiology</i> , 2011 , 53, 773-8	3.2	12
70	Stroke awareness decreases prehospital delay after acute ischemic stroke in Korea. <i>BMC Neurology</i> , 2011 , 11, 2	3.1	84
69	Teaching NeuroImages: isolated sensory loss of the arm sparing the hand in cortical infarction. <i>Neurology</i> , 2011 , 76, e3	6.5	O
68	The different infarct patterns between adulthood-onset and childhood-onset moyamoya disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011 , 82, 38-40	5.5	35
67	Determinants of infarction patterns in cardioembolic stroke. <i>European Neurology</i> , 2011 , 66, 145-50	2.1	7
66	Increases in cerebral atherosclerosis according to CHADS2 scores in patients with stroke with nonvalvular atrial fibrillation. <i>Stroke</i> , 2011 , 42, 930-4	6.7	62
65	Dual-enhanced cardiac CT for detection of left atrial appendage thrombus in patients with stroke: a prospective comparison study with transesophageal echocardiography. <i>Stroke</i> , 2011 , 42, 2471-7	6.7	96

64	The Factors Associated with the Decision of r-tPA Use in Acute Ischemic Stroke Patients Aged 80 Years or Older. <i>Korean Journal of Stroke</i> , 2011 , 13, 79		1
63	Increasing frequency and burden of cerebral artery atherosclerosis in Korean stroke patients. <i>Yonsei Medical Journal</i> , 2010 , 51, 318-25	3	19
62	Cortex-sparing infarctions in patients with occlusion of the middle cerebral artery. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010 , 81, 859-63	5.5	6
61	Distal migration of thrombus during intra-arterial thrombolysis. <i>European Neurology</i> , 2010 , 63, 62-3	2.1	6
60	Safety and outcome after thrombolytic treatment in ischemic stroke patients with high-risk cardioembolic sources and prior subtherapeutic warfarin use. <i>Journal of the Neurological Sciences</i> , 2010 , 298, 101-5	3.2	21
59	Stroke severity in concomitant cardiac sources of embolism in patients with atrial fibrillation. <i>Journal of the Neurological Sciences</i> , 2010 , 298, 23-7	3.2	21
58	The missing button sign as a tool for detecting proximal internal carotid artery occlusion. <i>Journal of Clinical Neuroscience</i> , 2010 , 17, 1506-9	2.2	1
57	A computerized in-hospital alert system for thrombolysis in acute stroke. <i>Stroke</i> , 2010 , 41, 1978-83	6.7	50
56	Transoesophageal echocardiography in patients with acute stroke with sinus rhythm and no cardiac disease history. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010 , 81, 412-5	5.5	24
55	Clinical manifestations of cerebellar infarction according to specific lobular involvement. <i>Cerebellum</i> , 2010 , 9, 571-9	4.3	34
54	Systemic atherosclerosis in patients with perforating artery territorial infarction. <i>European Journal of Neurology</i> , 2010 , 17, 788-93	6	10
53	Characteristics and the fate of intraluminal thrombus of the intracranial and extracranial cerebral arteries in acute ischemic stroke patients. <i>European Neurology</i> , 2009 , 62, 72-8	2.1	6
52	Classic risk factors for atherosclerosis are not major determinants for location of extracranial or intracranial cerebral atherosclerosis. <i>Neuroepidemiology</i> , 2009 , 32, 201-7	5.4	29
51	Cardiac computed tomographic angiography for detection of cardiac sources of embolism in stroke patients. <i>Stroke</i> , 2009 , 40, 2073-8	6.7	58
50	Patent foramen ovale: diagnosis with multidetector CTcomparison with transesophageal echocardiography. <i>Radiology</i> , 2009 , 250, 61-7	20.5	65
49	Left atrial appendage thrombi in stroke patients: detection with two-phase cardiac CT angiography versus transesophageal echocardiography. <i>Radiology</i> , 2009 , 251, 683-90	20.5	124
48	Ultrastructural and temporal changes of the microvascular basement membrane and astrocyte interface following focal cerebral ischemia. <i>Journal of Neuroscience Research</i> , 2009 , 87, 668-76	4.4	60
47	Comparison of the characteristics for in-hospital and out-of-hospital ischaemic strokes. <i>European Journal of Neurology</i> , 2009 , 16, 582-8	6	44

46	Mirror pattern of cerebral artery atherosclerosis in patients with ischaemic stroke. <i>European Journal of Neurology</i> , 2009 , 16, 1159-64	6	6
45	Prediction of long-term outcome by percent improvement after the first day of thrombolytic treatment in stroke patients. <i>Journal of the Neurological Sciences</i> , 2009 , 281, 69-73	3.2	50
44	Comparison between Gugging Swallowing Screen and Other Dysphagia Screening Tests. <i>Brain & Neurorehabilitation</i> , 2009 , 2, 146	0.8	2
43	Mechanism of tuberothalamic infarction. European Journal of Neurology, 2008, 15, 1118-23	6	9
42	Therapeutic effect of magnesium lithospermate B on neointimal formation after balloon-induced vascular injury. <i>European Journal of Pharmacology</i> , 2008 , 586, 226-33	5.3	36
41	The clinical syndrome and etiological mechanism of infarction involving the nucleus prepositus hypoglossi. <i>Cerebrovascular Diseases</i> , 2008 , 26, 178-83	3.2	17
40	Intra-arterial thrombolytic therapy for hyperacute ischemic stroke caused by tandem occlusion. <i>Cerebrovascular Diseases</i> , 2008 , 26, 184-9	3.2	24
39	Chronic cerebral hypoperfusion protects against acute focal ischemia, improves motor function, and results in vascular remodeling. <i>Current Neurovascular Research</i> , 2008 , 5, 28-36	1.8	14
38	Simple microwire and microcatheter mechanical thrombolysis with adjuvant intraarterial urokinase for treatment of hyperacute ischemic stroke patients. <i>Acta Radiologica</i> , 2008 , 49, 351-7	2	13
37	Thrombus volume comparison between patients with and without hyperattenuated artery sign on CT. American Journal of Neuroradiology, 2008 , 29, 359-62	4.4	26
36	Mechanism of infarction involving ipsilateral carotid and posterior cerebral artery territories. <i>Cerebrovascular Diseases</i> , 2007 , 24, 445-51	3.2	22
35	Teaching NeuroImages bilateral cerebellar infarction in dominant superior and anterior inferior cerebellar arteries. <i>Neurology</i> , 2007 , 69, E4	6.5	
34	Carotid-subclavian steal phenomenon. <i>Neurology</i> , 2007 , 68, 702	6.5	4
33	Preconditioning with chronic cerebral hypoperfusion reduces a focal cerebral ischemic injury and increases apurinic/apyrimidinic endonuclease/redox factor-1 and matrix metalloproteinase-2 expression. <i>Current Neurovascular Research</i> , 2007 , 4, 89-97	1.8	14
32	Lenticulostriate-medullary artery anastomoses in moyamoya disease. <i>Neurology</i> , 2007 , 68, E21	6.5	6
31	A new subtype classification of ischemic stroke based on treatment and etiologic mechanism. <i>European Neurology</i> , 2007 , 57, 96-102	2.1	102
30	Frequency and significance of cardiac sources of embolism in the TOAST classification. <i>Cerebrovascular Diseases</i> , 2007 , 24, 463-8	3.2	55
29	Improved time intervals by implementation of computerized physician order entry-based stroke team approach. <i>Cerebrovascular Diseases</i> , 2007 , 23, 289-93	3.2	45

(2001-2007)

28	Progression of isolated middle cerebral artery stenosis into moyamoya disease. <i>Neurology</i> , 2007 , 68, 954	6.5	7
27	Predictive implications of recurrent transient ischemic attacks in large-artery atherosclerosis. <i>Cerebrovascular Diseases</i> , 2006 , 22, 240-4	3.2	6
26	Association of aortic plaque with intracranial atherosclerosis in patients with stroke. <i>Neurology</i> , 2006 , 67, 1184-8	6.5	45
25	Prediction of thrombolytic efficacy in acute ischemic stroke using thin-section noncontrast CT. <i>Neurology</i> , 2006 , 67, 1846-8	6.5	55
24	Bilateral cerebellar infarction caused by dominant medial posterior inferior cerebellar artery. <i>Neurology</i> , 2006 , 66, 1125-6	6.5	7
23	Free radicals as triggers of brain edema formation after stroke. <i>Free Radical Biology and Medicine</i> , 2005 , 39, 51-70	7.8	234
22	The usefulness of fractional anisotropy maps in localization of lacunar infarctions in striatum, internal capsule and thalamus. <i>Neuroradiology</i> , 2005 , 47, 267-70	3.2	4
21	Rescue localized intra-arterial thrombolysis for hyperacute MCA ischemic stroke patients after early non-responsive intravenous tissue plasminogen activator therapy. <i>Neuroradiology</i> , 2005 , 47, 616-	2 ^{3.2}	26
20	Plasma fibrinolysis inhibitor levels in acute stroke patients with thrombolysis failure. <i>Journal of Clinical Neurology (Korea</i> , 2005 , 1, 142-7	1.7	13
19	Atypical territorial infarction in moyamoya disease. <i>Neurology</i> , 2005 , 65, E28	6.5	3
18	Isolated lateropulsion by a lesion of the dorsal spinocerebellar tract. <i>Cerebrovascular Diseases</i> , 2004 , 18, 344-5	3.2	19
17	Vestibular imbalance associated with a lesion in the nucleus prepositus hypoglossi area. <i>Archives of Neurology</i> , 2004 , 61, 1440-3		21
16	Hemodynamic changes in limb shaking TIA associated with anterior cerebral artery stenosis. <i>Neurology</i> , 2004 , 63, 1519-21	6.5	52
15	Persistent increase of matrix metalloproteinases in cerebrospinal fluid of tuberculous meningitis. <i>Journal of the Neurological Sciences</i> , 2004 , 220, 73-8	3.2	37
14	Increase in plasma matrix metalloproteinase-9 in acute stroke patients with thrombolysis failure. <i>Stroke</i> , 2003 , 34, e48-50	6.7	44
13	Immediate reocclusion following a successful thrombolysis in acute stroke: a pilot study. <i>Neurology</i> , 2003 , 60, 1684-7	6.5	73
12	Middle cerebral artery stenosis is a major clinical determinant in striatocapsular small, deep infarction. <i>Archives of Neurology</i> , 2002 , 59, 259-63		96
11	Yonsei Stroke Registry. Analysis of 1,000 patients with acute cerebral infarctions. <i>Cerebrovascular Diseases</i> , 2001 , 12, 145-51	3.2	194

10	Rescue treatment with abciximab in acute ischemic stroke. <i>Neurology</i> , 2001 , 56, 1585-7	6.5	42
9	Localization of Claude@syndrome. <i>Neurology</i> , 2001 , 57, 2304-7	6.5	41
8	Diffusion Weighted MR Imaging of Transient Ischemic Attacks. <i>Journal of the Korean Radiological Society</i> , 2000 , 43, 17		
7	MRI features of infarcts with potential cardiac source of embolism in the Yonsei Stroke Registry (YSR), Korea. <i>Yonsei Medical Journal</i> , 2000 , 41, 431-5	3	3
6	Isolated weakness of the fingers in cortical infarction. <i>Neurology</i> , 1998 , 50, 823-4	6.5	16
5	Recurrent herpes zoster myelitis. <i>Journal of Korean Medical Science</i> , 1997 , 12, 360-3	4.7	11
4	Large cerebral infarction during praziquantel therapy in neurocysticercosis. Stroke, 1997 , 28, 211-3	6.7	27
3	Pure motor hemiplegia with conjugate lateral gaze palsy in pontine lacunar infarction. <i>Yonsei Medical Journal</i> , 1996 , 37, 86-8	3	2
2	Vertigo of cerebrovascular origin proven by CT scan or MRI: pitfalls in clinical differentiation from vertigo of aural origin. <i>Yonsei Medical Journal</i> , 1996 , 37, 47-51	3	8
1	Hemiataxia-hypesthesia in thalamic hemorrhage. Significance of sensory deficit patterns and presence or absence of weakness. <i>European Neurology</i> , 1996 , 36, 243-4	2.1	