

# Antonio Agudo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2346874/publications.pdf>

Version: 2024-02-01

344  
papers

24,054  
citations

4641

85  
h-index

11288

136  
g-index

360  
all docs

360  
docs citations

360  
times ranked

29716  
citing authors

#	ARTICLE	IF	CITATIONS
1	General and Abdominal Adiposity and Risk of Death in Europe. <i>New England Journal of Medicine</i> , 2008, 359, 2105-2120.	13.9	1,746
2	A susceptibility locus for lung cancer maps to nicotinic acetylcholine receptor subunit genes on 15q25. <i>Nature</i> , 2008, 452, 633-637.	13.7	1,169
3	Rare variants of large effect in BRCA2 and CHEK2 affect risk of lung cancer. <i>Nature Genetics</i> , 2014, 46, 736-741.	9.4	360
4	European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study: rationale, design and population characteristics. <i>Public Health Nutrition</i> , 2002, 5, 1125-1145.	1.1	335
5	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2016, 55, 1359-1375.	1.8	313
6	Meat Intake and Risk of Stomach and Esophageal Adenocarcinoma Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006, 98, 345-354.	3.0	301
7	Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Cancer</i> , 2006, 118, 2559-2566.	2.3	292
8	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). <i>American Journal of Clinical Nutrition</i> , 2015, 101, 613-621.	2.2	284
9	Structure of the standardized computerized 24-h diet recall interview used as reference method in the 22 centers participating in the EPIC project. <i>Computer Methods and Programs in Biomedicine</i> , 1999, 58, 251-266.	2.6	280
10	Adherence to the Mediterranean Diet and Risk of Coronary Heart Disease in the Spanish EPIC Cohort Study. <i>American Journal of Epidemiology</i> , 2009, 170, 1518-1529.	1.6	272
11	Iron and Cancer Risk—A Systematic Review and Meta-analysis of the Epidemiological Evidence. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 12-31.	1.1	239
12	Multicenter Case-Control Study of Exposure to Environmental Tobacco Smoke and Lung Cancer in Europe. <i>Journal of the National Cancer Institute</i> , 1998, 90, 1440-1450.	3.0	232
13	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2007, 121, 2065-2072.	2.3	229
14	Alcohol attributable burden of incidence of cancer in eight European countries based on results from prospective cohort study. <i>BMJ: British Medical Journal</i> , 2011, 342, d1584-d1584.	2.4	218
15	Smoking and the risk of gastric cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2003, 107, 629-634.	2.3	209
16	Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 381-390.	2.2	198
17	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 912-921.	2.2	194
18	Consumption of vegetables, fruit and other plant foods in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>Public Health Nutrition</i> , 2002, 5, 1179-1196.	1.1	191

#	ARTICLE	IF	CITATIONS
19	Adherence to a Mediterranean Diet Is Associated with Reduced 3-Year Incidence of Obesity. <i>Journal of Nutrition</i> , 2006, 136, 2934-2938.	1.3	191
20	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 398-407.	2.2	189
21	Fruit and vegetable intakes, dietary antioxidant nutrients, and total mortality in Spanish adults: findings from the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>American Journal of Clinical Nutrition</i> , 2007, 85, 1634-1642.	2.2	183
22	Inflammatory and metabolic biomarkers and risk of liver and biliary tract cancer. <i>Hepatology</i> , 2014, 60, 858-871.	3.6	175
23	Lung cancer and cigarette smoking in Europe: An update of risk estimates and an assessment of inter-country heterogeneity. <i>International Journal of Cancer</i> , 2001, 91, 876-887.	2.3	174
24	Adherence to the mediterranean diet and risk of breast cancer in the European prospective investigation into cancer and nutrition cohort study. <i>International Journal of Cancer</i> , 2013, 132, 2918-2927.	2.3	172
25	Intake of specific carotenoids and flavonoids and the risk of gastric cancer in Spain. <i>Cancer Causes and Control</i> , 1999, 10, 71-75.	0.8	170
26	Association Between Soft Drink Consumption and Mortality in 10 European Countries. <i>JAMA Internal Medicine</i> , 2019, 179, 1479.	2.6	169
27	Coffee Drinking and Mortality in 10 European Countries. <i>Annals of Internal Medicine</i> , 2017, 167, 236-247.	2.0	168
28	Genome-wide association analyses identify new susceptibility loci for oral cavity and pharyngeal cancer. <i>Nature Genetics</i> , 2016, 48, 1544-1550.	9.4	164
29	Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. <i>Carcinogenesis</i> , 2006, 27, 1497-1501.	1.3	162
30	Multiple ADH genes are associated with upper aerodigestive cancers. <i>Nature Genetics</i> , 2008, 40, 707-709.	9.4	161
31	A Genome-Wide Association Study of Upper Aerodigestive Tract Cancers Conducted within the INHANCE Consortium. <i>PLoS Genetics</i> , 2011, 7, e1001333.	1.5	158
32	DNA methylome analysis identifies accelerated epigenetic ageing associated with postmenopausal breast cancer susceptibility. <i>European Journal of Cancer</i> , 2017, 75, 299-307.	1.3	154
33	Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 1107-1120.	2.2	150
34	Lifestyle factors and risk of multimorbidity of cancer and cardiometabolic diseases: a multinational cohort study. <i>BMC Medicine</i> , 2020, 18, 5.	2.3	148
35	Serum B Vitamin Levels and Risk of Lung Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 2377.	3.8	147
36	Multicentric study on malignant pleural mesothelioma and non-occupational exposure to asbestos. <i>British Journal of Cancer</i> , 2000, 83, 104-111.	2.9	146

#	ARTICLE	IF	CITATIONS
37	Adherence to the Mediterranean Diet Is Associated with Lower Abdominal Adiposity in European Men and Women. <i>Journal of Nutrition</i> , 2009, 139, 1728-1737.	1.3	144
38	IGF-I, IGFBP-3 and breast cancer risk in women: The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2006, 13, 593-605.	1.6	142
39	Genome-Wide Association Study of Classical Hodgkin Lymphoma and Epstein-Barr Virus Status-Defined Subgroups. <i>Journal of the National Cancer Institute</i> , 2012, 104, 240-253.	3.0	141
40	Population attributable risk of tobacco and alcohol for upper aerodigestive tract cancer. <i>Oral Oncology</i> , 2011, 47, 725-731.	0.8	140
41	Olive oil intake and mortality within the Spanish population (EPIC-Spain). <i>American Journal of Clinical Nutrition</i> , 2012, 96, 142-149.	2.2	137
42	Secondhand smoke exposure in adulthood and risk of lung cancer among never smokers: A pooled analysis of two large studies. <i>International Journal of Cancer</i> , 2004, 109, 125-131.	2.3	135
43	Fruit and Vegetable Consumption and Mortality. <i>American Journal of Epidemiology</i> , 2013, 178, 590-602.	1.6	135
44	Diet and bladder cancer in Spain: A multi-centre case-control study. <i>International Journal of Cancer</i> , 1991, 49, 214-219.	2.3	134
45	Development of a Food Database of Nitrosamines, Heterocyclic Amines, and Polycyclic Aromatic Hydrocarbons. <i>Journal of Nutrition</i> , 2004, 134, 2011-2014.	1.3	133
46	Adherence to the Mediterranean diet reduces mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>British Journal of Nutrition</i> , 2011, 106, 1581-1591.	1.2	130
47	Carcinogenesis, prevention and early detection of gastric cancer: Where we are and where we should go. <i>International Journal of Cancer</i> , 2012, 130, 745-753.	2.3	130
48	Dietary sources of vitamin C, vitamin E and specific carotenoids in Spain. <i>British Journal of Nutrition</i> , 2004, 91, 1005-1011.	1.2	129
49	Diet, serum insulin-like growth factor-I and IGF-binding protein-3 in European women. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 91-98.	1.3	129
50	Impact of Cigarette Smoking on Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Study. <i>Journal of Clinical Oncology</i> , 2012, 30, 4550-4557.	0.8	129
51	Risk factors for head and neck cancer in young adults: a pooled analysis in the INHANCE consortium. <i>International Journal of Epidemiology</i> , 2015, 44, 169-185.	0.9	128
52	Nutritional Factors and Gastric Cancer in Spain. <i>American Journal of Epidemiology</i> , 1994, 139, 466-473.	1.6	126
53	Association between a 15q25 gene variant, smoking quantity and tobacco-related cancers among 17 000 individuals. <i>International Journal of Epidemiology</i> , 2010, 39, 563-577.	0.9	125
54	Fruits and vegetables and lung cancer: Findings from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2004, 108, 269-276.	2.3	124

#	ARTICLE	IF	CITATIONS
55	Dietary intake of polyphenols, nitrate and nitrite and gastric cancer risk in Mexico City. <i>International Journal of Cancer</i> , 2009, 125, 1424-1430.	2.3	120
56	Prognostic Factors of Pneumonia Requiring Admission to the Intensive Care Unit. <i>Chest</i> , 1995, 107, 511-516.	0.4	118
57	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 126, 2394-2403.	2.3	118
58	Genome-wide Association Analysis in Humans Links Nucleotide Metabolism to Leukocyte Telomere Length. <i>American Journal of Human Genetics</i> , 2020, 106, 389-404.	2.6	118
59	Diet and the risk of head and neck cancer: a pooled analysis in the INHANCE consortium. <i>Cancer Causes and Control</i> , 2012, 23, 69-88.	0.8	116
60	Fruit and vegetable consumption and lung cancer risk: Updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2007, 121, 1103-1114.	2.3	115
61	Patterns of alcohol consumption in 10 European countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) project. <i>Public Health Nutrition</i> , 2002, 5, 1287-1296.	1.1	114
62	Fruit and vegetable intake and the risk of gastric adenocarcinoma: A reanalysis of the european prospective investigation into cancer and nutrition (EPICâ€œEURGAST) study after a longer followâ€œup. <i>International Journal of Cancer</i> , 2012, 131, 2910-2919.	2.3	114
63	Lung cancers attributable to environmental tobacco smoke and air pollution in non-smokers in different European countries: a prospective study. <i>Environmental Health</i> , 2007, 6, 7.	1.7	113
64	Social Inequalities and Mortality in Europe â€œ Results from a Large Multi-National Cohort. <i>PLoS ONE</i> , 2012, 7, e39013.	1.1	113
65	A multicenter case-control study of diet and lung cancer among non-smokers. <i>Cancer Causes and Control</i> , 2000, 11, 49-58.	0.8	112
66	Relationship of alcohol intake and sex steroid concentrations in blood in pre- and post-menopausal women: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2006, 17, 1033-1043.	0.8	112
67	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 826-835.	2.2	112
68	Active and passive cigarette smoking and breast cancer risk: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 1871-1888.	2.3	112
69	Estimating and explaining the effect of education and income on head and neck cancer risk: INHANCE consortium pooled analysis of 31 caseâ€œcontrol studies from 27 countries. <i>International Journal of Cancer</i> , 2015, 136, 1125-1139.	2.3	112
70	Intake of specific carotenoids and flavonoids and the risk of lung cancer in women in Barcelona, Spain. <i>Nutrition and Cancer</i> , 1998, 32, 154-158.	0.9	111
71	Smoking and risk for amyotrophic lateral sclerosis: Analysis of the EPIC cohort. <i>Annals of Neurology</i> , 2009, 65, 378-385.	2.8	111
72	Plasma carotenoids as biomarkers of intake of fruits and vegetables: ecological-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005, 59, 1397-1408.	1.3	109

#	ARTICLE	IF	CITATIONS
73	Assessment of Lung Cancer Risk on the Basis of a Biomarker Panel of Circulating Proteins. <i>JAMA Oncology</i> , 2018, 4, e182078.	3.4	109
74	Polychlorinated biphenyls in Spanish adults: Determinants of serum concentrations. <i>Environmental Research</i> , 2009, 109, 620-628.	3.7	107
75	Occupation and risk of malignant pleural mesothelioma: A case-control study in Spain. , 2000, 37, 159-168.		105
76	Cytokine gene polymorphisms and the risk of adenocarcinoma of the stomach in the European prospective investigation into cancer and nutrition (EPIC-EURGAST). <i>Annals of Oncology</i> , 2008, 19, 1894-1902.	0.6	105
77	Alcohol intake and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007, 18, 361-373.	0.8	104
78	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. <i>International Journal of Cancer</i> , 2015, 137, 598-606.	2.3	104
79	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , 2019, 139, 2835-2845.	1.6	103
80	<i>Helicobacter pylori</i> infection assessed by ELISA and by immunoblot and noncardia gastric cancer risk in a prospective study: the Eurgast-EPIC project. <i>Annals of Oncology</i> , 2012, 23, 1320-1324.	0.6	102
81	Oral health, dental care and mouthwash associated with upper aerodigestive tract cancer risk in Europe: The ARCAGE study. <i>Oral Oncology</i> , 2014, 50, 616-625.	0.8	98
82	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 120, 2656-2664.	2.3	96
83	Genetic Associations of 115 Polymorphisms with Cancers of the Upper Aerodigestive Tract across 10 European Countries: The ARCAGE Project. <i>Cancer Research</i> , 2009, 69, 2956-2965.	0.4	94
84	Fish consumption and breast cancer risk. The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 119, 175-182.	2.3	93
85	A Risk Model for Lung Cancer Incidence. <i>Cancer Prevention Research</i> , 2012, 5, 834-846.	0.7	93
86	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. <i>BMC Medicine</i> , 2015, 13, 242.	2.3	93
87	C-peptide, IGF-I, sex-steroid hormones and adiposity: a cross-sectional study in healthy women within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2005, 16, 561-572.	0.8	90
88	Thyroid-Stimulating Hormone, Thyroglobulin, and Thyroid Hormones and Risk of Differentiated Thyroid Carcinoma: The EPIC Study. <i>Journal of the National Cancer Institute</i> , 2014, 106, dju097.	3.0	84
89	A Body Shape Index (ABSI) achieves better mortality risk stratification than alternative indices of abdominal obesity: results from a large European cohort. <i>Scientific Reports</i> , 2020, 10, 14541.	1.6	84
90	The Role of Smoking and Diet in Explaining Educational Inequalities in Lung Cancer Incidence. <i>Journal of the National Cancer Institute</i> , 2009, 101, 321-330.	3.0	83

#	ARTICLE	IF	CITATIONS
91	Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1398-1408.	2.2	81
92	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutritionâ€ Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 184-193.	2.2	79
93	Prospective analysis of circulating metabolites and breast cancer in EPIC. <i>BMC Medicine</i> , 2019, 17, 178.	2.3	79
94	Plasma selenium concentration and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1567-1575.	2.2	77
95	A cross-sectional analysis of physical activity and obesity indicators in European participants of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2009, 33, 497-506.	1.6	77
96	Alteration of amino acid and biogenic amine metabolism in hepatobiliary cancers: Findings from a prospective cohort study. <i>International Journal of Cancer</i> , 2016, 138, 348-360.	2.3	77
97	Lung cancer and cigarette smoking in women: A multicenter case-control study in Europe. <i>International Journal of Cancer</i> , 2000, 88, 820-827.	2.3	75
98	Fruits and vegetables consumption and the risk of histological subtypes of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2010, 21, 357-371.	0.8	75
99	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. <i>BMJ, The</i> , 2020, 370, m2194.	3.0	75
100	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 654-666.e6.	2.4	74
101	Variety in Fruit and Vegetable Consumption and the Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2278-2286.	1.1	73
102	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012, 131, E544-54.	2.3	73
103	Dietary Intake of Polycyclic Aromatic Hydrocarbons in a Spanish Population. <i>Journal of Food Protection</i> , 2005, 68, 2190-2195.	0.8	72
104	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 406-414.	2.2	70
105	Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. <i>BMJ: British Medical Journal</i> , 2018, 361, k934.	2.4	70
106	Reproductive and menstrual factors and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2015, 136, 1218-1227.	2.3	69
107	DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. <i>International Journal of Epidemiology</i> , 2008, 37, 1316-1325.	0.9	68
108	Socioeconomic factors associated with risk of upper aerodigestive tract cancer in Europe. <i>European Journal of Cancer</i> , 2010, 46, 588-598.	1.3	68

#	ARTICLE	IF	CITATIONS
109	High Intake of Specific Carotenoids and Flavonoids Does Not Reduce the Risk of Bladder Cancer. <i>Nutrition and Cancer</i> , 1999, 35, 212-214.	0.9	67
110	Diet and upper-aerodigestive tract cancer in Europe: The ARCAGE study. <i>International Journal of Cancer</i> , 2009, 124, 2671-2676.	2.3	67
111	Combined effects of smoking and HPV16 in oropharyngeal cancer. <i>International Journal of Epidemiology</i> , 2016, 45, 752-761.	0.9	67
112	Adherence to the WCRF/AICR Dietary Recommendations for Cancer Prevention and Risk of Cancer in Elderly from Europe and the United States: A Meta-Analysis within the CHANCES Project. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 136-144.	1.1	67
113	Cross-Sectional Study on Acrylamide Hemoglobin Adducts in Subpopulations from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 6046-6053.	2.4	66
114	Circulating Biomarkers of Tryptophan and the Kynurenine Pathway and Lung Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 461-468.	1.1	66
115	Adult height and head and neck cancer: a pooled analysis within the INHANCE Consortium. <i>European Journal of Epidemiology</i> , 2014, 29, 35-48.	2.5	66
116	Tall height and obesity are associated with an increased risk of aggressive prostate cancer: results from the EPIC cohort study. <i>BMC Medicine</i> , 2017, 15, 115.	2.3	66
117	Alcohol drinking and head and neck cancer risk: the joint effect of intensity and duration. <i>British Journal of Cancer</i> , 2020, 123, 1456-1463.	2.9	65
118	Macronutrient Composition of the Diet and Prospective Weight Change in Participants of the EPIC-PANACEA Study. <i>PLoS ONE</i> , 2013, 8, e57300.	1.1	64
119	The Role of Diet in Prognosis among Cancer Survivors: A Systematic Review and Meta-Analysis of Dietary Patterns and Diet Interventions. <i>Nutrients</i> , 2022, 14, 348.	1.7	64
120	Circulating prolactin and breast cancer risk among pre- and postmenopausal women in the EPIC cohort. <i>Annals of Oncology</i> , 2014, 25, 1422-1428.	0.6	63
121	Evidence Update on the Relationship between Diet and the Most Common Cancers from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study: A Systematic Review. <i>Nutrients</i> , 2021, 13, 3582.	1.7	63
122	Physical activity and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>International Journal of Cancer</i> , 2006, 119, 2389-2397.	2.3	62
123	Consumption of alcohol, coffee, and tobacco, and gastric cancer in Spain. <i>Cancer Causes and Control</i> , 1992, 3, 137-143.	0.8	61
124	Prevalence of Exercise-induced Airway Narrowing in Schoolchildren from a Mediterranean Town. <i>The American Review of Respiratory Disease</i> , 1993, 147, 1112-1115.	2.9	61
125	Cigarette Smoking and Colorectal Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition Study. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 137-144.	2.4	61
126	The Association of Gastric Cancer Risk with Plasma Folate, Cobalamin, and Methylenetetrahydrofolate Reductase Polymorphisms in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2416-2424.	1.1	60



#	ARTICLE	IF	CITATIONS
127	Prostate stem cell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: Results from the EPIC-URGAST study. <i>International Journal of Cancer</i> , 2012, 130, 2417-2427.	2.3	60
128	The associations of major foods and fibre with risks of ischaemic and haemorrhagic stroke: a prospective study of 418 329 participants in the EPIC cohort across nine European countries. <i>European Heart Journal</i> , 2020, 41, 2632-2640.	1.0	60
129	Genetic Polymorphisms in 15q25 and 19q13 Loci, Cotinine Levels, and Risk of Lung Cancer in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2250-2261.	1.1	59
130	Dietary Flavonoid and Lignan Intake and Mortality in a Spanish Cohort. <i>Epidemiology</i> , 2013, 24, 726-733.	1.2	58
131	Polymorphisms in Metabolic Genes Related to Tobacco Smoke and the Risk of Gastric Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2427-2434.	1.1	57
132	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010, 21, 657-669.	0.8	57
133	Smoking and Long-Term Risk of Type 2 Diabetes: The EPIC-InterAct Study in European Populations. <i>Diabetes Care</i> , 2014, 37, 3164-3171.	4.3	57
134	2-Ethyldeoxyguanosine as a Potential Biomarker for Assessing Effects of Alcohol Consumption on DNA. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3026-3032.	1.1	56
135	Alcohol intake and the risk of coronary heart disease in the Spanish EPIC cohort study. <i>Heart</i> , 2010, 96, 124-130.	1.2	56
136	Validity of self-reported prevalent cases of stroke and acute myocardial infarction in the Spanish cohort of the EPIC study. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 71-75.	2.0	56
137	Fruit and vegetable intake and cause-specific mortality in the EPIC study. <i>European Journal of Epidemiology</i> , 2014, 29, 639-652.	2.5	56
138	Smoking and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2013, 108, 708-714.	2.9	55
139	Vegetable and fruit intake and the risk of lung cancer in women in Barcelona, Spain. <i>European Journal of Cancer</i> , 1997, 33, 1256-1261.	1.3	54
140	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. <i>BMJ</i> , The, 2020, 370, m3173.	3.0	54
141	Reproductive factors and risk of mortality in the European Prospective Investigation into Cancer and Nutrition; a cohort study. <i>BMC Medicine</i> , 2015, 13, 252.	2.3	53
142	Blood Metabolic Signatures of Body Mass Index: A Targeted Metabolomics Study in the EPIC Cohort. <i>Journal of Proteome Research</i> , 2017, 16, 3137-3146.	1.8	53
143	Dietary intake of vegetables and fruits among adults in five regions of Spain. <i>European Journal of Clinical Nutrition</i> , 1999, 53, 174-180.	1.3	51
144	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2011, 35, 416-426.	1.6	51

#	ARTICLE	IF	CITATIONS
145	Active and Involuntary Tobacco Smoking and Upper Aerodigestive Tract Cancer Risks in a Multicenter Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 3353-3361.	1.1	50
146	Serum levels of organochlorine pesticides in healthy adults from five regions of Spain. <i>Chemosphere</i> , 2009, 76, 1518-1524.	4.2	50
147	Alcohol-related cancers and genetic susceptibility in Europe: the ARCAGE project: study samples and data collection. <i>European Journal of Cancer Prevention</i> , 2009, 18, 76-84.	0.6	50
148	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 607-616.	2.2	50
149	Vegetable and fruit consumption associated with anthropometric, dietary and lifestyle factors in Spain. <i>Public Health Nutrition</i> , 1999, 2, 263-271.	1.1	49
150	Occupational Risks for Lung Cancer among Nonsmokers. <i>Epidemiology</i> , 2000, 11, 532-538.	1.2	49
151	Cereal fiber intake may reduce risk of gastric adenocarcinomas: The EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007, 121, 1618-1623.	2.3	49
152	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. <i>BMC Medicine</i> , 2017, 15, 72.	2.3	49
153	Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2018, 142, 449-459.	2.3	49
154	Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 785-794.	0.8	48
155	Cigar and pipe smoking and cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2010, 127, 2402-2411.	2.3	48
156	Effect of a diet and physical activity intervention on body weight and nutritional patterns in overweight and obese breast cancer survivors. <i>Medical Oncology</i> , 2014, 31, 783.	1.2	47
157	Pre-diagnostic metabolite concentrations and prostate cancer risk in 1077 cases and 1077 matched controls in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2017, 15, 122.	2.3	47
158	Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. <i>BMC Medicine</i> , 2017, 15, 203.	2.3	47
159	A European validation study of smoking and environmental tobacco smoke exposure in nonsmoking lung cancer cases and controls. <i>Cancer Causes and Control</i> , 1998, 9, 173-182.	0.8	46
160	Risk of endometrial cancer in relationship to cigarette smoking: Results from the EPIC study. <i>International Journal of Cancer</i> , 2007, 121, 2741-2747.	2.3	46
161	Lifetime and baseline alcohol intake and risk of cancer of the upper aerodigestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009, 125, 406-412.	2.3	46
162	Insulin-like Growth Factor-I and Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 976-985.	1.1	45

#	ARTICLE	IF	CITATIONS
163	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 137, 2705-2714.	2.3	45
164	Patterns in metabolite profile are associated with risk of more aggressive prostate cancer: A prospective study of 3,057 matched case-control sets from EPIC. <i>International Journal of Cancer</i> , 2020, 146, 720-730.	2.3	45
165	Sexual behaviour, history of sexually transmitted diseases, and the risk of prostate cancer: a case-control study in Cuba. <i>International Journal of Epidemiology</i> , 2004, 34, 193-197.	0.9	44
166	The association of lifetime alcohol use with measures of abdominal and general adiposity in a large-scale European cohort. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 1079-1087.	1.3	44
167	Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. <i>BMC Medicine</i> , 2016, 14, 87.	2.3	44
168	Mitochondrial DNA copy number variation, leukocyte telomere length, and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Breast Cancer Research</i> , 2018, 20, 29.	2.2	44
169	Genetic architectures of proximal and distal colorectal cancer are partly distinct. <i>Gut</i> , 2021, 70, 1325-1334.	6.1	44
170	The aetiology of upper aerodigestive tract cancers among young adults in Europe: the ARCAGE study. <i>Cancer Causes and Control</i> , 2010, 21, 2213-2221.	0.8	42
171	Co-benefits from sustainable dietary shifts for population and environmental health: an assessment from a large European cohort study. <i>Lancet Planetary Health</i> , The, 2021, 5, e786-e796.	5.1	42
172	Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2012, 131, 2465-2469.	2.3	41
173	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Epidemiology</i> , 2018, 33, 1063-1075.	2.5	41
174	Fruit and vegetable consumption in relation to hepatocellular carcinoma in a multi-centre, European cohort study. <i>British Journal of Cancer</i> , 2015, 112, 1273-1282.	2.9	40
175	Low frequency of cigarette smoking and the risk of head and neck cancer in the INHANCE consortium pooled analysis. <i>International Journal of Epidemiology</i> , 2016, 45, 835-845.	0.9	40
176	Occupation and gastric cancer in Spain.. <i>Scandinavian Journal of Work, Environment and Health</i> , 1991, 17, 240-247.	1.7	40
177	Validity of self reported diagnoses of cancer in a major Spanish prospective cohort study. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 593-599.	2.0	39
178	Vitamins B2 and B6 and Genetic Polymorphisms Related to One-Carbon Metabolism as Risk Factors for Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 28-38.	1.1	39
179	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015, 30, 57-70.	2.5	39
180	Types of fat intake and body mass index in a Mediterranean country. <i>Public Health Nutrition</i> , 2000, 3, 329-336.	1.1	38

#	ARTICLE	IF	CITATIONS
181	Intake and food sources of nitrites and N-nitrosodimethylamine in Spain. <i>Public Health Nutrition</i> , 2006, 9, 785-791.	1.1	38
182	Dietary intake of the water-soluble vitamins B1, B2, B6, B12 and C in 10 countries in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S122-S149.	1.3	37
183	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012, 130, 2654-2663.	2.3	37
184	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2020, 43, 2660-2667.	4.3	35
185	Alcohol dehydrogenase and aldehyde dehydrogenase gene polymorphisms, alcohol intake and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 1303-1308.	1.3	34
186	Fruit and vegetable intake and prostate cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2017, 141, 287-297.	2.3	34
187	KIM-1 as a Blood-Based Marker for Early Detection of Kidney Cancer: A Prospective Nested Caseâ€“Control Study. <i>Clinical Cancer Research</i> , 2018, 24, 5594-5601.	3.2	34
188	A Rare Truncating BRCA2 Variant and Genetic Susceptibility to Upper Aerodigestive Tract Cancer. <i>Journal of the National Cancer Institute</i> , 2015, 107, .	3.0	33
189	Dietary intake of advanced glycation end products (AGEs) and changes in body weight in European adults. <i>European Journal of Nutrition</i> , 2020, 59, 2893-2904.	1.8	33
190	Occupational cancer in Spain. <i>Environmental Health Perspectives</i> , 1999, 107, 273-277.	2.8	33
191	4-Aminobiphenyl-Hemoglobin Adducts and Risk of Smoking-Related Disease in Never Smokers and Former Smokers in the European Prospective Investigation into Cancer and Nutrition Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2118-2124.	1.1	32
192	Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. <i>International Journal of Cancer</i> , 2010, 126, 1928-1935.	2.3	32
193	Occupation and risk of upper aerodigestive tract cancer: The ARCAGE study. <i>International Journal of Cancer</i> , 2012, 130, 2397-2406.	2.3	32
194	Work, household, and leisure-time physical activity and risk of mortality in the EPIC-Spain cohort. <i>Preventive Medicine</i> , 2016, 85, 106-112.	1.6	32
195	Joint effects of intensity and duration of cigarette smoking on the risk of head and neck cancer: A bivariate spline model approach. <i>Oral Oncology</i> , 2019, 94, 47-57.	0.8	32
196	Consumption of cruciferous vegetables and glucosinolates in a Spanish adult population. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 324-331.	1.3	31
197	Circulating vitamin D in relation to cancer incidence and survival of the head and neck and oesophagus in the EPIC cohort. <i>Scientific Reports</i> , 2016, 6, 36017.	1.6	31
198	Lessons learned from the INHANCE consortium: An overview of recent results on head and neck cancer. <i>Oral Diseases</i> , 2021, 27, 73-93.	1.5	31

#	ARTICLE	IF	CITATIONS
199	Smoking, Secondhand Smoke, and Cotinine Levels in a Subset of EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 869-875.	1.1	30
200	Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. <i>Breast Cancer Research</i> , 2015, 17, 49.	2.2	30
201	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. <i>Breast Cancer Research</i> , 2020, 22, 5.	2.2	30
202	Aromatic DNA Adducts and Risk of Gastrointestinal Cancers: A Caseâ€“Cohort Study within the EPICâ€“Spain. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 685-692.	1.1	29
203	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Carcinogenesis</i> , 2013, 34, 1244-1250.	1.3	29
204	Meat and heme iron intake and esophageal adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2013, 133, n/a-n/a.	2.3	29
205	Circulating RANKL and RANKL/OPG and Breast Cancer Risk by ER and PR Subtype: Results from the EPIC Cohort. <i>Cancer Prevention Research</i> , 2017, 10, 525-534.	0.7	29
206	Blood Metal Levels and Amyotrophic Lateral Sclerosis Risk: A Prospective Cohort. <i>Annals of Neurology</i> , 2021, 89, 125-133.	2.8	29
207	Ethanol Intake and Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2006, 164, 1103-1114.	1.6	28
208	Aromatic DNA adducts and polymorphisms in metabolic genes in healthy adults: findings from the EPIC-Spain cohort. <i>Carcinogenesis</i> , 2009, 30, 968-976.	1.3	28
209	Body iron status and gastric cancer risk in the <scp>EURGAST</scp> study. <i>International Journal of Cancer</i> , 2015, 137, 2904-2914.	2.3	28
210	Moderate egg consumption and all-cause and specific-cause mortality in the Spanish European Prospective into Cancer and Nutrition (EPIC-Spain) study. <i>European Journal of Nutrition</i> , 2019, 58, 2003-2010.	1.8	28
211	Combined Impact of Lifestyle Factors on Prospective Change in Body Weight and Waist Circumference in Participants of the EPIC-PANACEA Study. <i>PLoS ONE</i> , 2012, 7, e50712.	1.1	27
212	Plasma Elaidic Acid Level as Biomarker of Industrial Trans Fatty Acids and Risk of Weight Change: Report from the EPIC Study. <i>PLoS ONE</i> , 2015, 10, e0118206.	1.1	27
213	Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2011, 22, 909-918.	0.8	26
214	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2012, 54, 183-192.	1.6	26
215	Anthropometric measures and bladder cancer risk: A prospective study in the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 2918-2929.	2.3	26
216	Bisphenol-A exposure and risk of breast and prostate cancer in the Spanish European Prospective Investigation into Cancer and Nutrition study. <i>Environmental Health</i> , 2021, 20, 88.	1.7	26

#	ARTICLE	IF	CITATIONS
217	Lung cancer and cigarette smoking in women: A case-control study in barcelona (Spain). International Journal of Cancer, 1994, 59, 165-169.	2.3	25
218	No Association between Polymorphisms in CYP2E1, GSTM1, NAT1, NAT2 and the Risk of Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1043-1045.	1.1	25
219	Physical activity and lung cancer among non-smokers: a pilot molecular epidemiological study within EPIC. Biomarkers, 2010, 15, 20-30.	0.9	25
220	Bulky DNA Adducts in White Blood Cells: A Pooled Analysis of 3,600 Subjects. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 3174-3181.	1.1	24
221	Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2016, 138, 65-73.	2.3	24
222	Dietary intake of trans fatty acids and breast cancer risk in 9 European countries. BMC Medicine, 2021, 19, 81.	2.3	24
223	Bulky DNA adducts, 4-aminobiphenyl-haemoglobin adducts and diet in the European Prospective Investigation into Cancer and Nutrition (EPIC) prospective study. British Journal of Nutrition, 2008, 100, 489-495.	1.2	23
224	The association between change in body mass index and upper aerodigestive tract cancers in the ARCAGE project: Multicenter case-control study. International Journal of Cancer, 2011, 128, 1449-1461.	2.3	23
225	Anthropometry and the Risk of Lung Cancer in EPIC. American Journal of Epidemiology, 2016, 184, 129-139.	1.6	23
226	Olive oil consumption is associated with a lower risk of cardiovascular disease and stroke. Clinical Nutrition, 2022, 41, 122-130.	2.3	23
227	Smoking and body fatness measurements: A cross-sectional analysis in the EPIC-PANACEA study. Preventive Medicine, 2009, 49, 365-373.	1.6	22
228	Role of medical history and medication use in the aetiology of upper aerodigestive tract cancers in Europe: the ARCAGE study. Annals of Oncology, 2012, 23, 1053-1060.	0.6	21
229	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. BMC Medicine, 2017, 15, 26.	2.3	21
230	The Role of Diet, Alcohol, BMI, and Physical Activity in Cancer Mortality: Summary Findings of the EPIC Study. Nutrients, 2021, 13, 4293.	1.7	21
231	Tobacco prevention in hospitals: long-term follow-up of a smoking control programme. Addiction, 1991, 86, 709-717.	1.7	20
232	Single-nucleotide polymorphisms (5p15.33, 15q25.1, 6p22.1, 6q27 and 7p15.3) and lung cancer survival in the European Prospective Investigation into Cancer and Nutrition (EPIC). Mutagenesis, 2011, 26, 657-666.	1.0	20
233	Vitamin D-Associated Genetic Variation and Risk of Breast Cancer in the Breast and Prostate Cancer Cohort Consortium (BPC3). Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 627-630.	1.1	20
234	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. British Journal of Cancer, 2015, 113, 840-847.	2.9	20

#	ARTICLE	IF	CITATIONS
235	Changes in metabolic risk, insulin resistance, leptin and adiponectin following a lifestyle intervention in overweight and obese breast cancer survivors. <i>European Journal of Cancer Care</i> , 2018, 27, e12861.	0.7	20
236	Association of leukocyte DNA methylation changes with dietary folate and alcohol intake in the EPIC study. <i>Clinical Epigenetics</i> , 2019, 11, 57.	1.8	20
237	Polyphenol intake and differentiated thyroid cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020, 146, 1841-1850.	2.3	20
238	High-risk subtypes of chronic lymphocytic leukemia are detectable as early as 16 years prior to diagnosis. <i>Blood</i> , 2022, 139, 1557-1563.	0.6	20
239	Hospital versus Neighbourhood Controls in the Assessment of Dietary Risk Factors. <i>International Journal of Epidemiology</i> , 1990, 19, 354-361.	0.9	19
240	Exercise-induced Airways Narrowing and Exposure to Environmental Tobacco Smoke in Schoolchildren. <i>American Journal of Epidemiology</i> , 1994, 140, 409-417.	1.6	19
241	Tobacco and alcohol intake in relation to adenocarcinoma of the gastric cardia in Spain. <i>Cancer Causes and Control</i> , 1994, 5, 88-89.	0.8	19
242	Consumption of Fish Is Not Associated with Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2017, 147, 1366-1373.	1.3	19
243	Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of Clinical Oncology</i> , 2017, 35, 1297-1303.	0.8	18
244	Results from the European Prospective Investigation into Cancer and Nutrition Link Vitamin B6 Catabolism and Lung Cancer Risk. <i>Cancer Research</i> , 2018, 78, 302-308.	0.4	18
245	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , 2019, 17, 221.	2.3	18
246	Physical Sports Activity during Leisure Time and Dietary Intake of Foods and Nutrients in a Large Spanish Cohort. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2003, 13, 47-64.	1.0	17
247	Changes in smoking habits in adults: results from a prospective study in Spain. <i>Annals of Epidemiology</i> , 2004, 14, 235-243.	0.9	17
248	Simultaneous Genotyping of GSTT1 and GSTM1 Null Polymorphisms by Melting Curve Analysis in Presence of SYBR Green I. <i>Journal of Molecular Diagnostics</i> , 2010, 12, 300-304.	1.2	17
249	Fish consumption and subsequent change in body weight in European women and men. <i>British Journal of Nutrition</i> , 2013, 109, 353-362.	1.2	17
250	Aromatic DNA adducts and breast cancer risk: a case-cohort study within the EPIC-Spain. <i>Carcinogenesis</i> , 2017, 38, 691-698.	1.3	17
251	Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1122-1132.	1.3	17
252	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020, 147, 1027-1039.	2.3	17

#	ARTICLE	IF	CITATIONS
253	Adiposity and Endometrial Cancer Risk in Postmenopausal Women: A Sequential Causal Mediation Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 104-113.	1.1	17
254	Using Prior Information from the Medical Literature in GWAS of Oral Cancer Identifies Novel Susceptibility Variant on Chromosome 4 - the AdAPT Method. <i>PLoS ONE</i> , 2012, 7, e36888.	1.1	17
255	Risk of upper aerodigestive tract cancer and type of alcoholic beverage: a European multicenter case-control study. <i>European Journal of Epidemiology</i> , 2012, 27, 499-517.	2.5	16
256	Bisphenol-A in the European Prospective Investigation into Cancer and Nutrition cohort in Spain: Levels at recruitment and associated dietary factors. <i>Environmental Research</i> , 2020, 182, 109012.	3.7	16
257	Determinants of non-response to a second assessment of lifestyle factors and body weight in the EPIC-PANACEA study. <i>BMC Medical Research Methodology</i> , 2012, 12, 148.	1.4	15
258	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. <i>European Journal of Epidemiology</i> , 2013, 28, 677-688.	2.5	15
259	Inflammatory potential of the diet and mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1600649.	1.5	15
260	Laryngeal Cancer Risks in Workers Exposed to Lung Carcinogens: Exposure-Effect Analyses Using a Quantitative Job Exposure Matrix. <i>Epidemiology</i> , 2020, 31, 145-154.	1.2	15
261	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1739-1749.	1.1	15
262	A Sex-Specific Association between a 15q25 Variant and Upper Aerodigestive Tract Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 658-664.	1.1	14
263	Bisphenol A exposure and risk of ischemic heart disease in the Spanish European Prospective Investigation into cancer and nutrition study. <i>Chemosphere</i> , 2020, 261, 127697.	4.2	14
264	Life course social mobility and risk of upper aerodigestive tract cancer in men. <i>European Journal of Epidemiology</i> , 2010, 25, 173-182.	2.5	13
265	Pooled analysis of studies on DNA adducts and dietary vitamins. <i>Mutation Research - Reviews in Mutation Research</i> , 2010, 705, 77-82.	2.4	13
266	The influence of lifestyle, diet, and reproductive history on age at natural menopause in Spain: Analysis from the EPIC-Spain sub-cohort. <i>American Journal of Human Biology</i> , 2018, 30, e23181.	0.8	13
267	Risk of lung cancer from exposure to environmental tobacco smoke from cigars, cigarillos and pipes. , 1999, 83, 805-806.		12
268	Aromatic adducts and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Spanish cohort. <i>Carcinogenesis</i> , 2014, 35, 2047-2054.	1.3	12
269	Meat and haem iron intake in relation to glioma in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 379-383.	0.6	12
270	Blood polyphenol concentrations and differentiated thyroid carcinoma in women from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 162-171.	2.2	12



#	ARTICLE	IF	CITATIONS
271	Dietary intake of advanced glycation endproducts and risk of hepatobiliary cancers: A multinational cohort study. <i>International Journal of Cancer</i> , 2021, 149, 854-864.	2.3	12
272	Joint Effect of Diet and Environmental Tobacco Smoke on Risk of Lung Cancer Among Nonsmokers. <i>Journal of the National Cancer Institute</i> , 2000, 92, 426-427.	3.0	11
273	Sequence Variants and the Risk of Head and Neck Cancer: Pooled Analysis in the INHANCE Consortium. <i>Frontiers in Oncology</i> , 2011, 1, 13.	1.3	11
274	Smoking addiction and the risk of upper-aerodigestive-tract cancer in a multicenter case-control study. <i>International Journal of Cancer</i> , 2013, 133, n/a-n/a.	2.3	11
275	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 895-904.	1.1	11
276	Genomic characterization of individuals presenting extreme phenotypes of high and low risk to develop tobacco-induced lung cancer. <i>Cancer Medicine</i> , 2018, 7, 3474-3483.	1.3	11
277	Intake of individual fatty acids and risk of prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2020, 146, 44-57.	2.3	11
278	A nutrient-wide association study for risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition and the Netherlands Cohort Study. <i>European Journal of Nutrition</i> , 2020, 59, 2929-2937.	1.8	11
279	Incidence of acute myocardial infarction in the Spanish epic cohort. <i>Anales Del Sistema Sanitario De Navarra</i> , 2009, 32, 51-9.	0.2	11
280	Risk of lung cancer from tobacco smoking among young women from Europe. <i>International Journal of Cancer</i> , 2001, 91, 745-746.	2.3	10
281	Association Between Time to First Cigarette After Waking Up and Salivary Cotinine Concentration. <i>Nicotine and Tobacco Research</i> , 2011, 13, 168-172.	1.4	10
282	The 12p13.33/RAD52 Locus and Genetic Susceptibility to Squamous Cell Cancers of Upper Aerodigestive Tract. <i>PLoS ONE</i> , 2015, 10, e0117639.	1.1	10
283	Fruit consumption and the risk of bladder cancer: A pooled analysis by the Bladder Cancer Epidemiology and Nutritional Determinants Study. <i>International Journal of Cancer</i> , 2020, 147, 2091-2100.	2.3	10
284	Greenhouse gases emissions from the diet and risk of death and chronic diseases in the EPIC-Spain cohort. <i>European Journal of Public Health</i> , 2021, 31, 130-135.	0.1	10
285	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 874-885.	1.1	10
286	Germline determinants of humoral immune response to HPV-16 protect against oropharyngeal cancer. <i>Nature Communications</i> , 2021, 12, 5945.	5.8	10
287	Vegetable and fruit consumption in the EPIC cohorts from 10 European countries. <i>Iarc (international) Tj ETQq1 1 0.784314 rgsBT /Ove</i>	0.4	10
288	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. <i>Immunity and Ageing</i> , 2016, 13, 5.	1.8	9

#	ARTICLE	IF	CITATIONS
289	Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. <i>Cancer Causes and Control</i> , 2016, 27, 919-927.	0.8	9
290	Receptor activator of nuclear factor $\kappa$ B ligand, osteoprotegerin, and risk of death following a breast cancer diagnosis: results from the EPIC cohort. <i>BMC Cancer</i> , 2018, 18, 1010.	1.1	9
291	Changes in dietary intake, plasma carotenoids and erythrocyte membrane fatty acids in breast cancer survivors after a lifestyle intervention: results from a single-arm trial. <i>Journal of Human Nutrition and Dietetics</i> , 2019, 32, 468-479.	1.3	9
292	Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 145, 122-131.	2.3	9
293	Coffee and tea drinking in relation to the risk of differentiated thyroid carcinoma: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2019, 58, 3303-3312.	1.8	9
294	Risk factors for head and neck cancer in more and less developed countries: Analysis from the INHANCE consortium. <i>Oral Diseases</i> , 2023, 29, 1565-1578.	1.5	9
295	Secondary matching: a method for selecting controls in case-control studies on environmental risk factors. <i>International Journal of Epidemiology</i> , 1999, 28, 1130-1133.	0.9	8
296	Reliability of bulky DNA adducts measurement by the nuclease P132P-post-labelling technique. <i>Biomarkers</i> , 2005, 10, 1-9.	0.9	8
297	Aromatic DNA adducts in relation to dietary and other lifestyle factors in Spanish adults. <i>European Food Research and Technology</i> , 2009, 229, 549-559.	1.6	8
298	Hepcidin levels and gastric cancer risk in the EPIC-EurGast study. <i>International Journal of Cancer</i> , 2017, 141, 945-951.	2.3	8
299	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Nutrition</i> , 2020, 59, 813-823.	1.8	8
300	Inflammatory potential of the diet and risk of breast cancer in the European Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Epidemiology</i> , 2021, 36, 953-964.	2.5	8
301	Borage consumption as a possible gastric cancer protective factor. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 1993, 2, 157-8.	1.1	8
302	Physical activity attenuates but does not eliminate coronary heart disease risk amongst adults with risk factors: EPIC-CVD case-cohort study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1618-1629.	0.8	8
303	Lifestyle correlates of eight breast cancer-related metabolites: a cross-sectional study within the EPIC cohort. <i>BMC Medicine</i> , 2021, 19, 312.	2.3	8
304	Occupational cancer in Spain.. <i>Environmental Health Perspectives</i> , 1999, 107, 273-277.	2.8	7
305	Life-course social position, obesity and diabetes risk in the EPIC-Spain Cohort. <i>European Journal of Public Health</i> , 2016, 26, 439-445.	0.1	7
306	Prediagnostic circulating concentrations of plasma insulin-like growth factor-1 and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017, 140, 1111-1118.	2.3	7

#	ARTICLE	IF	CITATIONS
307	Lifetime alcohol intake, drinking patterns over time and risk of stomach cancer: A pooled analysis of data from two prospective cohort studies. <i>International Journal of Cancer</i> , 2021, 148, 2759-2773.	2.3	7
308	Circulating inflammatory biomarkers, adipokines and breast cancer risk—a case-control study nested within the EPIC cohort. <i>BMC Medicine</i> , 2022, 20, 118.	2.3	7
309	Consumo de suplementos vitamínicos y minerales en población adulta sana de cinco provincias de España. <i>Gaceta Sanitaria</i> , 1999, 13, 326-327.	0.6	6
310	Level of education and the risk of lymphoma in the European prospective investigation into cancer and nutrition. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010, 136, 71-77.	1.2	6
311	Unfavourable life-course social gradient of coronary heart disease within Spain: a low-incidence welfare-state country. <i>International Journal of Public Health</i> , 2013, 58, 65-77.	1.0	6
312	Is Quality of Life Related to Cardiorespiratory Fitness in Overweight and Obese Breast Cancer Survivors?. <i>Women and Health</i> , 2015, 55, 505-524.	0.4	6
313	Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2019, 188, 274-281.	1.6	6
314	Correlations between urinary concentrations and dietary intakes of flavonols in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2020, 59, 1481-1492.	1.8	6
315	Urinary flavanone concentrations as biomarkers of dietary flavanone intakes in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2020, 123, 691-698.	1.2	6
316	Fried-Food Consumption Does Not Increase the Risk of Stroke in the Spanish Cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2020, 150, 3241-3248.	1.3	6
317	Anti-cancer therapy is associated with long-term epigenomic changes in childhood cancer survivors. <i>British Journal of Cancer</i> , 2022, 127, 288-300.	2.9	6
318	Dietary intakes of dioxins and polychlorobiphenyls (PCBs) and breast cancer risk in 9 European countries. <i>Environment International</i> , 2022, 163, 107213.	4.8	6
319	Occupational socioeconomic risk associations for head and neck cancer in Europe and South America: individual participant data analysis of pooled case-control studies within the INHANCE Consortium. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 779-787.	2.0	5
320	Inflammatory Potential of the Diet and Incidence of Crohn's Disease and Ulcerative Colitis in the EPIC-Spain Cohort. <i>Nutrients</i> , 2021, 13, 2201.	1.7	5
321	Dietary Habits in Spain: An Approximation. <i>Tumori</i> , 1990, 76, 311-314.	0.6	4
322	Genetic Contributions to The Association Between Adult Height and Head and Neck Cancer: A Mendelian Randomization Analysis. <i>Scientific Reports</i> , 2018, 8, 4534.	1.6	4
323	Prediction of survival of HPV16-negative, p16-negative oral cavity cancer patients using a 13-gene signature: A multicenter study using FFPE samples. <i>Oral Oncology</i> , 2020, 100, 104487.	0.8	4
324	Dietary Methyl-Group Donor Intake and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrients</i> , 2021, 13, 1843.	1.7	4

#	ARTICLE	IF	CITATIONS
325	Polyphenol Intake and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Antioxidants</i> , 2021, 10, 1249.	2.2	4
326	Inflammatory potential of the diet and association with risk of differentiated thyroid cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Nutrition</i> , 2022, 61, 3625-3635.	1.8	4
327	Circulating Isovalerylcarnitine and Lung Cancer Risk: Evidence from Mendelian Randomization and Prediagnostic Blood Measurements. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1966-1974.	1.1	4
328	Information about occupational exposure to asbestos given to cases in an etiological study: ethical aspects. <i>European Journal of Epidemiology</i> , 2001, 17, 1-6.	2.5	3
329	Factors associated with serum ferritin levels and iron excess: results from the EPIC-EurGast study. <i>European Journal of Nutrition</i> , 2022, 61, 101-114.	1.8	3
330	Occupation and risk of malignant pleural mesothelioma: A case-control study in Spain. <i>American Journal of Industrial Medicine</i> , 2000, 37, 159-168.	1.0	3
331	Inflammatory potential of diet and pancreatic cancer risk in the EPIC study. <i>European Journal of Nutrition</i> , 2022, 61, 2313-2320.	1.8	3
332	Cruciferous Vegetable Intake and Bulky DNA Damage within Non-Smokers and Former Smokers in the Gen-Air Study (EPIC Cohort). <i>Nutrients</i> , 2022, 14, 2477.	1.7	3
333	Systematic Review and Meta-analysis on Iron and Cancer Risk Response. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1436-1437.	1.1	2
334	Demographics and socio-economic differences in adherence to the Mediterranean dietary pattern in Spain. <i>IARC (international Agency for Research on Cancer) Scientific Publications</i> , 2002, 156, 31-3.	0.4	2
335	Adjustment for smoking in lung cancer analyses in the EPIC cohort. <i>IARC (international Agency for Research on Cancer) Scientific Publications</i> , 2002, 156, 31-3.	0.4	2
336	Alcohol consumption in EPIC cohorts from ten European countries. <i>IARC (international Agency for Research on Cancer) Scientific Publications</i> , 2002, 156, 31-3.	0.4	2
337	Determination of oleanolic acid in human plasma and its association with olive oil intake in healthy Spanish adults within the EPIC Spain cohort study. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1600927.	1.5	1
338	Identification through genome-wide association study (GWAS) of single nucleotide polymorphisms (SNPs) associated with extreme phenotypes of tobacco-induced non-small cell lung cancer (NSCLC) risk. <i>Journal of Clinical Oncology</i> , 2014, 32, 11046-11046.	0.8	1
339	Abstract 3746: Prostate stem cell antigen is associated with gastric cancer in Caucasians: Results from the EPIC-EURGAST study. , 2011, , .		1
340	Relationship between N-acetyltransferase 2 single-nucleotide polymorphisms and aromatic DNA adducts. <i>Carcinogenesis</i> , 2010, 31, 328-329.	1.3	0
341	The role of diet, weight control and physical activity in breast cancer survivors. <i>Breast Cancer Management</i> , 2014, 3, 495-503.	0.2	0
342	Genome Wide Association Study (Gwas) for Identification of Single Nucleotide Polymorphisms (Snps) Associated with Individuals Presenting Extreme Phenotypes of Tobacco Induced Non-Small Cell Lung Cancer (Nslc) Risk. <i>Annals of Oncology</i> , 2014, 25, iv548.	0.6	0

#	ARTICLE	IF	CITATIONS
343	The Mediterranean Diet and Mortality. , 2015, , 47-60.		0
344	Physical Test to Estimate Suitable Workloads for an Exercise Program in Breast Cancer Survivors. Journal of Strength and Conditioning Research, 2020, 34, 3593-3599.	1.0	0