

Antonio Agudo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2346874/antonio-agudo-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

333
papers

18,459
citations

76
h-index

121
g-index

360
ext. papers

21,347
ext. citations

6.3
avg, IF

5.25
L-index

#	Paper	IF	Citations
333	The Role of Diet in Prognosis among Cancer Survivors: A Systematic Review and Meta-Analysis of Dietary Patterns and Diet Interventions.. <i>Nutrients</i> , 2022 , 14,	6.7	4
332	Inflammatory potential of diet and pancreatic cancer risk in the EPIC study.. <i>European Journal of Nutrition</i> , 2022 , 1	5.2	0
331	Dietary intakes of dioxins and polychlorobiphenyls (PCBs) and breast cancer risk in 9 European countries.. <i>Environment International</i> , 2022 , 163, 107213	12.9	0
330	Circulating inflammatory biomarkers, adipokines and breast cancer risk-a case-control study nested within the EPIC cohort.. <i>BMC Medicine</i> , 2022 , 20, 118	11.4	0
329	HIGH-RISK SUBTYPES OF CHRONIC LYMPHOCYTIC LEUKEMIA ARE DETECTABLE AS EARLY AS 16 YEARS PRIOR TO DIAGNOSIS. <i>Blood</i> , 2021 ,	2.2	1
328	Olive oil consumption is associated with a lower risk of cardiovascular disease and stroke. <i>Clinical Nutrition</i> , 2021 , 41, 122-130	5.9	4
327	The Role of Diet, Alcohol, BMI, and Physical Activity in Cancer Mortality: Summary Findings of the EPIC Study.. <i>Nutrients</i> , 2021 , 13,	6.7	2
326	Evidence Update on the Relationship between Diet and the Most Common Cancers from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study: A Systematic Review. <i>Nutrients</i> , 2021 , 13,	6.7	11
325	Co-benefits from sustainable dietary shifts for population and environmental health: an assessment from a large European cohort study. <i>Lancet Planetary Health</i> , 2021 , 5, e786-e796	9.8	7
324	Germline determinants of humoral immune response to HPV-16 protect against oropharyngeal cancer. <i>Nature Communications</i> , 2021 , 12, 5945	17.4	2
323	Dietary intake of trans fatty acids and breast cancer risk in 9 European countries. <i>BMC Medicine</i> , 2021 , 19, 81	11.4	7
322	Dietary intake of advanced glycation endproducts and risk of hepatobiliary cancers: A multinational cohort study. <i>International Journal of Cancer</i> , 2021 , 149, 854	7.5	5
321	Inflammatory potential of the diet and risk of breast cancer in the European Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Epidemiology</i> , 2021 , 36, 953-964	12.1	0
320	Lessons learned from the INHANCE consortium: An overview of recent results on head and neck cancer. <i>Oral Diseases</i> , 2021 , 27, 73-93	3.5	9
319	Greenhouse gases emissions from the diet and risk of death and chronic diseases in the EPIC-Spain cohort. <i>European Journal of Public Health</i> , 2021 , 31, 130-135	2.1	2
318	Adiposity and Endometrial Cancer Risk in Postmenopausal Women: A Sequential Causal Mediation Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 104-113	4	8
317	Blood Metal Levels and Amyotrophic Lateral Sclerosis Risk: A Prospective Cohort. <i>Annals of Neurology</i> , 2021 , 89, 125-133	9.4	6

316	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 874-885	4	3
315	Occupational socioeconomic risk associations for head and neck cancer in Europe and South America: individual participant data analysis of pooled case-control studies within the INHANCE Consortium. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 779-787	5.1	0
314	Genetic architectures of proximal and distal colorectal cancer are partly distinct. <i>Gut</i> , 2021 , 70, 1325-1334	4.2	7
313	Lifetime alcohol intake, drinking patterns over time and risk of stomach cancer: A pooled analysis of data from two prospective cohort studies. <i>International Journal of Cancer</i> , 2021 , 148, 2759-2773	7.5	0
312	Factors associated with serum ferritin levels and iron excess: results from the EPIC-EurGast study. <i>European Journal of Nutrition</i> , 2021 , 1	5.2	0
311	Bisphenol-A exposure and risk of breast and prostate cancer in the Spanish European Prospective Investigation into Cancer and Nutrition study. <i>Environmental Health</i> , 2021 , 20, 88	6	4
310	Lifestyle correlates of eight breast cancer-related metabolites: a cross-sectional study within the EPIC cohort. <i>BMC Medicine</i> , 2021 , 19, 312	11.4	1
309	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1739-1749	4.7	6
308	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. <i>BMJ, The</i> , 2020 , 370, m2194	5.9	24
307	The associations of major foods and fibre with risks of ischaemic and haemorrhagic stroke: a prospective study of 418 329 participants in the EPIC cohort across nine European countries. <i>European Heart Journal</i> , 2020 , 41, 2632-2640	9.5	28
306	Genome-wide Association Analysis in Humans Links Nucleotide Metabolism to Leukocyte Telomere Length. <i>American Journal of Human Genetics</i> , 2020 , 106, 389-404	11	40
305	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. <i>Breast Cancer Research</i> , 2020 , 22, 5	8.3	12
304	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020 , 147, 1027-1039	7.5	5
303	Lifestyle factors and risk of multimorbidity of cancer and cardiometabolic diseases: a multinational cohort study. <i>BMC Medicine</i> , 2020 , 18, 5	11.4	43
302	Fruit consumption and the risk of bladder cancer: A pooled analysis by the Bladder Cancer Epidemiology and Nutritional Determinants Study. <i>International Journal of Cancer</i> , 2020 , 147, 2091-2100	7.5	8
301	Dietary intake of advanced glycation end products (AGEs) and changes in body weight in European adults. <i>European Journal of Nutrition</i> , 2020 , 59, 2893-2904	5.2	22
300	A nutrient-wide association study for risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition and the Netherlands Cohort Study. <i>European Journal of Nutrition</i> , 2020 , 59, 2929-2937	5.2	6
299	Prediction of survival of HPV16-negative, p16-negative oral cavity cancer patients using a 13-gene signature: A multicenter study using FFPE samples. <i>Oral Oncology</i> , 2020 , 100, 104487	4.4	2

298	Bisphenol-A in the European Prospective Investigation into Cancer and Nutrition cohort in Spain: Levels at recruitment and associated dietary factors. <i>Environmental Research</i> , 2020 , 182, 109012	7.9	8
297	Urinary flavanone concentrations as biomarkers of dietary flavanone intakes in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2020 , 123, 691-698	3.6	5
296	Laryngeal Cancer Risks in Workers Exposed to Lung Carcinogens: Exposure-Effect Analyses Using a Quantitative Job Exposure Matrix. <i>Epidemiology</i> , 2020 , 31, 145-154	3.1	4
295	Bisphenol A exposure and risk of ischemic heart disease in the Spanish European Prospective Investigation into cancer and nutrition study. <i>Chemosphere</i> , 2020 , 261, 127697	8.4	8
294	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2020 , 43, 2660-2667	14.6	10
293	Fried-Food Consumption Does Not Increase the Risk of Stroke in the Spanish Cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2020 , 150, 3241-3248	4.1	1
292	Alcohol drinking and head and neck cancer risk: the joint effect of intensity and duration. <i>British Journal of Cancer</i> , 2020 , 123, 1456-1463	8.7	18
291	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. <i>BMJ, The</i> , 2020 , 370, m3173	5.9	23
290	A Body Shape Index (ABSI) achieves better mortality risk stratification than alternative indices of abdominal obesity: results from a large European cohort. <i>Scientific Reports</i> , 2020 , 10, 14541	4.9	31
289	Physical Test to Estimate Suitable Workloads for an Exercise Program in Breast Cancer Survivors. <i>Journal of Strength and Conditioning Research</i> , 2020 , 34, 3593-3599	3.2	
288	Intake of individual fatty acids and risk of prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2020 , 146, 44-57	7.5	7
287	Correlations between urinary concentrations and dietary intakes of flavonols in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2020 , 59, 1481-1492	5.2	6
286	Patterns in metabolite profile are associated with risk of more aggressive prostate cancer: A prospective study of 3,057 matched case-control sets from EPIC. <i>International Journal of Cancer</i> , 2020 , 146, 720-730	7.5	22
285	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Nutrition</i> , 2020 , 59, 813-823	5.2	3
284	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 654-666.e6	6.9	43
283	Polyphenol intake and differentiated thyroid cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020 , 146, 1841-1850	7.5	9
282	Blood polyphenol concentrations and differentiated thyroid carcinoma in women from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2020 ,	7	2
281	Association Between Soft Drink Consumption and Mortality in 10 European Countries. <i>JAMA Internal Medicine</i> , 2019 , 179, 1479-1490	11.5	72

280	Prospective analysis of circulating metabolites and breast cancer in EPIC. <i>BMC Medicine</i> , 2019 , 17, 178	11.4	34
279	Changes in dietary intake, plasma carotenoids and erythrocyte membrane fatty acids in breast cancer survivors after a lifestyle intervention: results from a single-arm trial. <i>Journal of Human Nutrition and Dietetics</i> , 2019 , 32, 468-479	3.1	5
278	Joint effects of intensity and duration of cigarette smoking on the risk of head and neck cancer: A bivariate spline model approach. <i>Oral Oncology</i> , 2019 , 94, 47-57	4.4	18
277	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , 2019 , 139, 2835-2845	16.7	52
276	Association of leukocyte DNA methylation changes with dietary folate and alcohol intake in the EPIC study. <i>Clinical Epigenetics</i> , 2019 , 11, 57	7.7	14
275	Moderate egg consumption and all-cause and specific-cause mortality in the Spanish European Prospective into Cancer and Nutrition (EPIC-Spain) study. <i>European Journal of Nutrition</i> , 2019 , 58, 2003-2010	5.2	16
274	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , 2019 , 17, 221	11.4	7
273	Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 145, 122-131	7.5	5
272	Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2019 , 188, 274-281	3.8	2
271	Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 1122-1132	5.2	6
270	Coffee and tea drinking in relation to the risk of differentiated thyroid carcinoma: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2019 , 58, 3303-3312	5.2	7
269	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 607-616	7	30
268	Mitochondrial DNA copy number variation, leukocyte telomere length, and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Breast Cancer Research</i> , 2018 , 20, 29	8.3	21
267	Genetic Contributions to The Association Between Adult Height and Head and Neck Cancer: A Mendelian Randomization Analysis. <i>Scientific Reports</i> , 2018 , 8, 4534	4.9	3
266	Meat and haem iron intake in relation to glioma in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Cancer Prevention</i> , 2018 , 27, 379-383	2	8
265	Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2018 , 142, 449-459	7.5	28
264	Results from the European Prospective Investigation into Cancer and Nutrition Link Vitamin B6 Catabolism and Lung Cancer Risk. <i>Cancer Research</i> , 2018 , 78, 302-308	10.1	12
263	KIM-1 as a Blood-Based Marker for Early Detection of Kidney Cancer: A Prospective Nested Case-Control Study. <i>Clinical Cancer Research</i> , 2018 , 24, 5594-5601	12.9	21

262	Assessment of Lung Cancer Risk on the Basis of a Biomarker Panel of Circulating Proteins. <i>JAMA Oncology</i> , 2018 , 4, e182078	13.4	55
261	Changes in metabolic risk, insulin resistance, leptin and adiponectin following a lifestyle intervention in overweight and obese breast cancer survivors. <i>European Journal of Cancer Care</i> , 2018 , 27, e12861	2.4	13
260	The influence of lifestyle, diet, and reproductive history on age at natural menopause in Spain: Analysis from the EPIC-Spain sub-cohort. <i>American Journal of Human Biology</i> , 2018 , 30, e23181	2.7	10
259	Receptor activator of nuclear factor kB ligand, osteoprotegerin, and risk of death following a breast cancer diagnosis: results from the EPIC cohort. <i>BMC Cancer</i> , 2018 , 18, 1010	4.8	6
258	Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. <i>BMJ, The</i> , 2018 , 361, k934	5.9	44
257	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Epidemiology</i> , 2018 , 33, 1063-1075	12.1	23
256	Genomic characterization of individuals presenting extreme phenotypes of high and low risk to develop tobacco-induced lung cancer. <i>Cancer Medicine</i> , 2018 , 7, 3474	4.8	6
255	Determination of oleanolic acid in human plasma and its association with olive oil intake in healthy Spanish adults within the EPIC Spain cohort study. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1600-1609	5.9	1
254	Inflammatory potential of the diet and mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1600649	5.9	12
253	DNA methylome analysis identifies accelerated epigenetic ageing associated with postmenopausal breast cancer susceptibility. <i>European Journal of Cancer</i> , 2017 , 75, 299-307	7.5	104
252	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 895-904	7.5	6
251	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. <i>BMC Medicine</i> , 2017 , 15, 26	11.4	18
250	Fruit and vegetable intake and prostate cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2017 , 141, 287-297	7.5	22
249	Hepcidin levels and gastric cancer risk in the EPIC-EurGast study. <i>International Journal of Cancer</i> , 2017 , 141, 945-951	7.5	6
248	Consumption of Fish Is Not Associated with Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2017 , 147, 1366-1373	4.1	10
247	Tall height and obesity are associated with an increased risk of aggressive prostate cancer: results from the EPIC cohort study. <i>BMC Medicine</i> , 2017 , 15, 115	11.4	44
246	Pre-diagnostic metabolite concentrations and prostate cancer risk in 1077 cases and 1077 matched controls in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2017 , 15, 122	11.4	34
245	Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. <i>BMC Medicine</i> , 2017 , 15, 203	11.4	30

244	Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of Clinical Oncology</i> , 2017 , 35, 1297-1303	2.2	14
243	Circulating RANKL and RANKL/OPG and Breast Cancer Risk by ER and PR Subtype: Results from the EPIC Cohort. <i>Cancer Prevention Research</i> , 2017 , 10, 525-534	3.2	22
242	Blood Metabolic Signatures of Body Mass Index: A Targeted Metabolomics Study in the EPIC Cohort. <i>Journal of Proteome Research</i> , 2017 , 16, 3137-3146	5.6	37
241	Aromatic DNA adducts and breast cancer risk: a case-cohort study within the EPIC-Spain. <i>Carcinogenesis</i> , 2017 , 38, 691-698	4.6	13
240	Coffee Drinking and Mortality in 10 European Countries: A Multinational Cohort Study. <i>Annals of Internal Medicine</i> , 2017 , 167, 236-247	8	127
239	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. <i>BMC Medicine</i> , 2017 , 15, 72	11.4	26
238	Adherence to the WCRF/AICR Dietary Recommendations for Cancer Prevention and Risk of Cancer in Elderly from Europe and the United States: A Meta-Analysis within the CHANCES Project. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 136-144	4	50
237	Prediagnostic circulating concentrations of plasma insulin-like growth factor-I and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017 , 140, 1111-1118	7.5	6
236	Low frequency of cigarette smoking and the risk of head and neck cancer in the INHANCE consortium pooled analysis. <i>International Journal of Epidemiology</i> , 2016 , 45, 835-45	7.8	33
235	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2016 , 55, 1359-75	5.2	238
234	Anthropometry and the Risk of Lung Cancer in EPIC. <i>American Journal of Epidemiology</i> , 2016 , 184, 129-39.8		16
233	Genome-wide association analyses identify new susceptibility loci for oral cavity and pharyngeal cancer. <i>Nature Genetics</i> , 2016 , 48, 1544-1550	36.3	92
232	Circulating vitamin D in relation to cancer incidence and survival of the head and neck and oesophagus in the EPIC cohort. <i>Scientific Reports</i> , 2016 , 6, 36017	4.9	25
231	Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. <i>BMC Medicine</i> , 2016 , 14, 87	11.4	32
230	Combined effects of smoking and HPV16 in oropharyngeal cancer. <i>International Journal of Epidemiology</i> , 2016 , 45, 752-61	7.8	47
229	Work, household, and leisure-time physical activity and risk of mortality in the EPIC-Spain cohort. <i>Preventive Medicine</i> , 2016 , 85, 106-112	4.3	23
228	Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. <i>Cancer Causes and Control</i> , 2016 , 27, 919-27	2.8	6
227	Life-course social position, obesity and diabetes risk in the EPIC-Spain Cohort. <i>European Journal of Public Health</i> , 2016 , 26, 439-45	2.1	4

226	Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2016 , 138, 65-73	7.5	16
225	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 406-14	7	57
224	Alteration of amino acid and biogenic amine metabolism in hepatobiliary cancers: Findings from a prospective cohort study. <i>International Journal of Cancer</i> , 2016 , 138, 348-60	7.5	58
223	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. <i>Immunity and Ageing</i> , 2016 , 13, 5	9.7	9
222	Fruit and vegetable consumption in relation to hepatocellular carcinoma in a multi-centre, European cohort study. <i>British Journal of Cancer</i> , 2015 , 112, 1273-82	8.7	30
221	Risk factors for head and neck cancer in young adults: a pooled analysis in the INHANCE consortium. <i>International Journal of Epidemiology</i> , 2015 , 44, 169-85	7.8	98
220	Is Quality of Life Related to Cardiorespiratory Fitness in Overweight and Obese Breast Cancer Survivors?. <i>Women and Health</i> , 2015 , 55, 505-24	1.7	4
219	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. <i>British Journal of Cancer</i> , 2015 , 113, 840-7	8.7	13
218	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015 , 30, 57-70	12.1	33
217	Reproductive and menstrual factors and risk of differentiated thyroid carcinoma: the EPIC study. <i>International Journal of Cancer</i> , 2015 , 136, 1218-27	7.5	48
216	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. <i>BMC Medicine</i> , 2015 , 13, 242	11.4	60
215	Reproductive factors and risk of mortality in the European Prospective Investigation into Cancer and Nutrition; a cohort study. <i>BMC Medicine</i> , 2015 , 13, 252	11.4	34
214	Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. <i>Breast Cancer Research</i> , 2015 , 17, 49	8.3	25
213	Body iron status and gastric cancer risk in the EURGAST study. <i>International Journal of Cancer</i> , 2015 , 137, 2904-14	7.5	16
212	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 137, 2705-14	7.5	32
211	Plasma elaidic acid level as biomarker of industrial trans fatty acids and risk of weight change: report from the EPIC study. <i>PLoS ONE</i> , 2015 , 10, e0118206	3.7	24
210	The 12p13.33/RAD52 locus and genetic susceptibility to squamous cell cancers of upper aerodigestive tract. <i>PLoS ONE</i> , 2015 , 10, e0117639	3.7	10
209	Estimating and explaining the effect of education and income on head and neck cancer risk: INHANCE consortium pooled analysis of 31 case-control studies from 27 countries. <i>International Journal of Cancer</i> , 2015 , 136, 1125-39	7.5	86

208	A rare truncating BRCA2 variant and genetic susceptibility to upper aerodigestive tract cancer. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	27
207	The Mediterranean Diet and Mortality 2015 , 47-60		
206	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 613-21	7	219
205	Vitamin D-associated genetic variation and risk of breast cancer in the breast and prostate cancer cohort consortium (BPC3). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 627-30	4	18
204	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. <i>International Journal of Cancer</i> , 2015 , 137, 598-606	7.5	68
203	Adult height and head and neck cancer: a pooled analysis within the INHANCE Consortium. <i>European Journal of Epidemiology</i> , 2014 , 29, 35-48	12.1	36
202	Active and passive cigarette smoking and breast cancer risk: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 1871-88	7.5	89
201	Thyroid-stimulating hormone, thyroglobulin, and thyroid hormones and risk of differentiated thyroid carcinoma: the EPIC study. <i>Journal of the National Cancer Institute</i> , 2014 , 106, dju097	9.7	64
200	Anthropometric measures and bladder cancer risk: a prospective study in the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 2918-29	7.5	22
199	Fruit and vegetable intake and cause-specific mortality in the EPIC study. <i>European Journal of Epidemiology</i> , 2014 , 29, 639-52	12.1	41
198	Circulating prolactin and breast cancer risk among pre- and postmenopausal women in the EPIC cohort. <i>Annals of Oncology</i> , 2014 , 25, 1422-1428	10.3	54
197	Iron and cancer risk--a systematic review and meta-analysis of the epidemiological evidence. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 12-31	4	165
196	Rare variants of large effect in BRCA2 and CHEK2 affect risk of lung cancer. <i>Nature Genetics</i> , 2014 , 46, 736-41	36.3	228
195	Oral health, dental care and mouthwash associated with upper aerodigestive tract cancer risk in Europe: the ARCAGE study. <i>Oral Oncology</i> , 2014 , 50, 616-25	4.4	76
194	Aromatic adducts and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Spanish cohort. <i>Carcinogenesis</i> , 2014 , 35, 2047-54	4.6	9
193	Systematic review and meta-analysis on iron and cancer risk-response. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1436-7	4	2
192	Inflammatory and metabolic biomarkers and risk of liver and biliary tract cancer. <i>Hepatology</i> , 2014 , 60, 858-71	11.2	137
191	Smoking and long-term risk of type 2 diabetes: the EPIC-InterAct study in European populations. <i>Diabetes Care</i> , 2014 , 37, 3164-71	14.6	45

190	Circulating biomarkers of tryptophan and the kynurenine pathway and lung cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 461-8	4	50
189	The role of diet, weight control and physical activity in breast cancer survivors. <i>Breast Cancer Management</i> , 2014 , 3, 495-503	0.7	
188	Insulin-like growth factor-i and risk of differentiated thyroid carcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 976-85 ⁴		35
187	Effect of a diet and physical activity intervention on body weight and nutritional patterns in overweight and obese breast cancer survivors. <i>Medical Oncology</i> , 2014 , 31, 783	3.7	36
186	Identification through genome-wide association study (GWAS) of single nucleotide polymorphisms (SNPs) associated with extreme phenotypes of tobacco-induced non-small cell lung cancer (NSCLC) risk.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 11046-11046	2.2	1
185	Smoking addiction and the risk of upper-aerodigestive-tract cancer in a multicenter case-control study. <i>International Journal of Cancer</i> , 2013 , 133, 2688-95	7.5	8
184	Adherence to the mediterranean diet and risk of breast cancer in the European prospective investigation into cancer and nutrition cohort study. <i>International Journal of Cancer</i> , 2013 , 132, 2918-27	7.5	142
183	Unfavourable life-course social gradient of coronary heart disease within Spain: a low-incidence welfare-state country. <i>International Journal of Public Health</i> , 2013 , 58, 65-77	4	4
182	Smoking and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2013 , 108, 708-14	8.7	39
181	Fish consumption and subsequent change in body weight in European women and men. <i>British Journal of Nutrition</i> , 2013 , 109, 353-62	3.6	12
180	Fruit and vegetable consumption and mortality: European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2013 , 178, 590-602	3.8	108
179	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. <i>European Journal of Epidemiology</i> , 2013 , 28, 677-88	12.1	13
178	Validity of self-reported prevalent cases of stroke and acute myocardial infarction in the Spanish cohort of the EPIC study. <i>Journal of Epidemiology and Community Health</i> , 2013 , 67, 71-5	5.1	45
177	Dietary flavonoid and lignan intake and mortality in a Spanish cohort. <i>Epidemiology</i> , 2013 , 24, 726-33	3.1	54
176	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Carcinogenesis</i> , 2013 , 34, 1244-50	4.6	28
175	Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study ^{1,4} . <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 1107-20	7	123
174	Meat and heme iron intake and esophageal adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2013 , 133, 2744-50	7.5	21
173	Macronutrient composition of the diet and prospective weight change in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , 2013 , 8, e57300	3.7	54

172	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2012 , 54, 183-92	4.3	24
171	Carcinogenesis, prevention and early detection of gastric cancer: where we are and where we should go. <i>International Journal of Cancer</i> , 2012 , 130, 745-53	7.5	114
170	Diet and the risk of head and neck cancer: a pooled analysis in the INHANCE consortium. <i>Cancer Causes and Control</i> , 2012 , 23, 69-88	2.8	96
169	Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 1398-408	7.1	71
168	Genome-wide association study of classical Hodgkin lymphoma and Epstein-Barr virus status-defined subgroups. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 240-53	9.7	117
167	Risk of upper aerodigestive tract cancer and type of alcoholic beverage: a European multicenter case-control study. <i>European Journal of Epidemiology</i> , 2012 , 27, 499-517	12.1	16
166	Alcohol dehydrogenase and aldehyde dehydrogenase gene polymorphisms, alcohol intake and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 1303-8	5.2	32
165	Determinants of non- response to a second assessment of lifestyle factors and body weight in the EPIC-PANACEA study. <i>BMC Medical Research Methodology</i> , 2012 , 12, 148	4.7	9
164	Combined impact of lifestyle factors on prospective change in body weight and waist circumference in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , 2012 , 7, e50712	3.7	22
163	Occupation and risk of upper aerodigestive tract cancer: the ARCAGE study. <i>International Journal of Cancer</i> , 2012 , 130, 2397-406	7.5	22
162	Prostate stem-cell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2012 , 130, 2417-27	7.5	55
161	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012 , 130, 2654-63	7.5	30
160	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012 , 131, E544-54	7.5	59
159	Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2012 , 131, 2465-9	7.5	33
158	Fruit and vegetable intake and the risk of gastric adenocarcinoma: a reanalysis of the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study after a longer follow-up. <i>International Journal of Cancer</i> , 2012 , 131, 2910-9	7.5	93
157	Olive oil intake and mortality within the Spanish population (EPIC-Spain). <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 142-9	7	108
156	Role of medical history and medication use in the aetiology of upper aerodigestive tract cancers in Europe: the ARCAGE study. <i>Annals of Oncology</i> , 2012 , 23, 1053-60	10.3	20
155	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition-Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 184-93	7	69

154	Aromatic DNA adducts and risk of gastrointestinal cancers: a case-cohort study within the EPIC-Spain. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 685-92	4	23
153	Impact of cigarette smoking on cancer risk in the European prospective investigation into cancer and nutrition study. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4550-7	2.2	101
152	A risk model for lung cancer incidence. <i>Cancer Prevention Research</i> , 2012 , 5, 834-46	3.2	66
151	Helicobacter pylori infection assessed by ELISA and by immunoblot and noncardia gastric cancer risk in a prospective study: the Eurgast-EPIC project. <i>Annals of Oncology</i> , 2012 , 23, 1320-1324	10.3	71
150	Using prior information from the medical literature in GWAS of oral cancer identifies novel susceptibility variant on chromosome 4--the AdAPT method. <i>PLoS ONE</i> , 2012 , 7, e36888	3.7	14
149	Social inequalities and mortality in Europe--results from a large multi-national cohort. <i>PLoS ONE</i> , 2012 , 7, e39013	3.7	79
148	Cigarette smoking and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>Clinical Gastroenterology and Hepatology</i> , 2011 , 9, 137-44	6.9	56
147	Sequence Variants and the Risk of Head and Neck Cancer: Pooled Analysis in the INHANCE Consortium. <i>Frontiers in Oncology</i> , 2011 , 1, 13	5.3	9
146	A genome-wide association study of upper aerodigestive tract cancers conducted within the INHANCE consortium. <i>PLoS Genetics</i> , 2011 , 7, e1001333	6	136
145	The association of lifetime alcohol use with measures of abdominal and general adiposity in a large-scale European cohort. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 1079-87	5.2	33
144	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2011 , 35, 416-26	5.5	41
143	Population attributable risk of tobacco and alcohol for upper aerodigestive tract cancer. <i>Oral Oncology</i> , 2011 , 47, 725-31	4.4	114
142	Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2011 , 22, 909-18	2.8	23
141	The association between change in body mass index and upper aerodigestive tract cancers in the ARCAGE project: multicenter case-control study. <i>International Journal of Cancer</i> , 2011 , 128, 1449-61	7.5	17
140	Alcohol attributable burden of incidence of cancer in eight European countries based on results from prospective cohort study. <i>BMJ, The</i> , 2011 , 342, d1584	5.9	172
139	Adherence to the Mediterranean diet reduces mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>British Journal of Nutrition</i> , 2011 , 106, 1581-91	3.6	107
138	Genetic polymorphisms in 15q25 and 19q13 loci, cotinine levels, and risk of lung cancer in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2250-61	4	57
137	A sex-specific association between a 15q25 variant and upper aerodigestive tract cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 658-64	4	14

136	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 826-35	7	95
135	Smoking, secondhand smoke, and cotinine levels in a subset of EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 869-75	4	26
134	Single-nucleotide polymorphisms (5p15.33, 15q25.1, 6p22.1, 6q27 and 7p15.3) and lung cancer survival in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Mutagenesis</i> , 2011 , 26, 657-66	2.8	19
133	Association between time to first cigarette after waking up and salivary cotinine concentration. <i>Nicotine and Tobacco Research</i> , 2011 , 13, 168-72	4.9	10
132	Relationship between N-acetyltransferase 2 single-nucleotide polymorphisms and aromatic DNA adducts. <i>Carcinogenesis</i> , 2010 , 31, 328-329	4.6	
131	Variety in fruit and vegetable consumption and the risk of lung cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2278-84	4	56
130	Bulky DNA adducts in white blood cells: a pooled analysis of 3,600 subjects. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 3174-81	4	24
129	Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 381-90	7	158
128	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 398-407	7	150
127	Vitamins B2 and B6 and genetic polymorphisms related to one-carbon metabolism as risk factors for gastric adenocarcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 28-38	4	31
126	Alcohol intake and the risk of coronary heart disease in the Spanish EPIC cohort study. <i>Heart</i> , 2010 , 96, 124-30	5.1	45
125	Association between a 15q25 gene variant, smoking quantity and tobacco-related cancers among 17 000 individuals. <i>International Journal of Epidemiology</i> , 2010 , 39, 563-77	7.8	110
124	Serum B vitamin levels and risk of lung cancer. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 2377-85	27.4	122
123	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 912-21	7	163
122	Simultaneous genotyping of GSTT1 and GSTM1 null polymorphisms by melting curve analysis in presence of SYBR Green I. <i>Journal of Molecular Diagnostics</i> , 2010 , 12, 300-4	5.1	14
121	Socioeconomic factors associated with risk of upper aerodigestive tract cancer in Europe. <i>European Journal of Cancer</i> , 2010 , 46, 588-98	7.5	62
120	Physical activity and lung cancer among non-smokers: a pilot molecular epidemiological study within EPIC. <i>Biomarkers</i> , 2010 , 15, 20-30	2.6	13
119	Level of education and the risk of lymphoma in the European prospective investigation into cancer and nutrition. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010 , 136, 71-7	4.9	5

118	Fruits and vegetables consumption and the risk of histological subtypes of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2010 , 21, 357-71	2.8	63
117	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010 , 21, 657-69	2.8	48
116	The aetiology of upper aerodigestive tract cancers among young adults in Europe: the ARCAGE study. <i>Cancer Causes and Control</i> , 2010 , 21, 2213-21	2.8	34
115	Life course social mobility and risk of upper aerodigestive tract cancer in men. <i>European Journal of Epidemiology</i> , 2010 , 25, 173-82	12.1	11
114	Pooled analysis of studies on DNA adducts and dietary vitamins. <i>Mutation Research - Reviews in Mutation Research</i> , 2010 , 705, 77-82	7	11
113	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 126, 2394-403	7.5	86
112	Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. <i>International Journal of Cancer</i> , 2010 , 126, 1928-1935	7.5	25
111	Cigar and pipe smoking and cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2010 , 127, 2402-11	7.5	41
110	Genetic associations of 115 polymorphisms with cancers of the upper aerodigestive tract across 10 European countries: the ARCAGE project. <i>Cancer Research</i> , 2009 , 69, 2956-65	10.1	69
109	The role of smoking and diet in explaining educational inequalities in lung cancer incidence. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 321-30	9.7	69
108	Adherence to the Mediterranean diet is associated with lower abdominal adiposity in European men and women. <i>Journal of Nutrition</i> , 2009 , 139, 1728-37	4.1	117
107	Aromatic DNA adducts and polymorphisms in metabolic genes in healthy adults: findings from the EPIC-Spain cohort. <i>Carcinogenesis</i> , 2009 , 30, 968-76	4.6	25
106	Active and involuntary tobacco smoking and upper aerodigestive tract cancer risks in a multicenter case-control study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 3353-61	4	40
105	Smoking and risk for amyotrophic lateral sclerosis: analysis of the EPIC cohort. <i>Annals of Neurology</i> , 2009 , 65, 378-85	9.4	96
104	Diet and upper-aerodigestive tract cancer in Europe: the ARCAGE study. <i>International Journal of Cancer</i> , 2009 , 124, 2671-6	7.5	61
103	Lifetime and baseline alcohol intake and risk of cancer of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009 , 125, 406-12	7.5	38
102	Dietary intake of polyphenols, nitrate and nitrite and gastric cancer risk in Mexico City. <i>International Journal of Cancer</i> , 2009 , 125, 1424-30	7.5	83
101	Ethanol intake and the risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 785-94	2.8	40

100	Aromatic DNA adducts in relation to dietary and other lifestyle factors in Spanish adults. <i>European Food Research and Technology</i> , 2009 , 229, 549-559	3.4	8
99	Dietary intake of the water-soluble vitamins B1, B2, B6, B12 and C in 10 countries in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S122-49	5.2	32
98	A cross-sectional analysis of physical activity and obesity indicators in European participants of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2009 , 33, 497-506	5.5	63
97	Polychlorinated biphenyls in Spanish adults: determinants of serum concentrations. <i>Environmental Research</i> , 2009 , 109, 620-8	7.9	96
96	Serum levels of organochlorine pesticides in healthy adults from five regions of Spain. <i>Chemosphere</i> , 2009 , 76, 1518-24	8.4	44
95	Smoking and body fatness measurements: a cross-sectional analysis in the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2009 , 49, 365-73	4.3	22
94	Adherence to the Mediterranean diet and risk of coronary heart disease in the Spanish EPIC Cohort Study. <i>American Journal of Epidemiology</i> , 2009 , 170, 1518-29	3.8	219
93	Alcohol-related cancers and genetic susceptibility in Europe: the ARCAE project: study samples and data collection. <i>European Journal of Cancer Prevention</i> , 2009 , 18, 76-84	2	48
92	Incidence of acute myocardial infarction in the Spanish epic cohort. <i>Anales Del Sistema Sanitario De Navarra</i> , 2009 , 32, 51-9	0.3	10
91	A susceptibility locus for lung cancer maps to nicotinic acetylcholine receptor subunit genes on 15q25. <i>Nature</i> , 2008 , 452, 633-7	50.4	1003
90	Multiple ADH genes are associated with upper aerodigestive cancers. <i>Nature Genetics</i> , 2008 , 40, 707-9	36.3	140
89	Consumption of cruciferous vegetables and glucosinolates in a Spanish adult population. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 324-31	5.2	30
88	General and abdominal adiposity and risk of death in Europe. <i>New England Journal of Medicine</i> , 2008 , 359, 2105-20	59.2	1451
87	DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. <i>International Journal of Epidemiology</i> , 2008 , 37, 1316-25	7.8	62
86	Cross-sectional study on acrylamide hemoglobin adducts in subpopulations from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 6046-53	5.7	56
85	N2-ethyldeoxyguanosine as a potential biomarker for assessing effects of alcohol consumption on DNA. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3026-32	4	44
84	Cytokine gene polymorphisms and the risk of adenocarcinoma of the stomach in the European prospective investigation into cancer and nutrition (EPIC-EURGAST). <i>Annals of Oncology</i> , 2008 , 19, 1894-902	18.3	95
83	Plasma selenium concentration and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1567-75	7	68

82	Bulky DNA adducts, 4-aminobiphenyl-haemoglobin adducts and diet in the European Prospective Investigation into Cancer and Nutrition (EPIC) prospective study. <i>British Journal of Nutrition</i> , 2008 , 100, 489-95	3.6	22
81	Lung cancers attributable to environmental tobacco smoke and air pollution in non-smokers in different European countries: a prospective study. <i>Environmental Health</i> , 2007 , 6, 7	6	90
80	Fruit and vegetable intakes, dietary antioxidant nutrients, and total mortality in Spanish adults: findings from the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 1634-42	7	164
79	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007 , 120, 2656-64	7.5	85
78	Fruit and vegetable consumption and lung cancer risk: updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2007 , 121, 1103-14	7.5	96
77	Cereal fiber intake may reduce risk of gastric adenocarcinomas: the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007 , 121, 1618-23	7.5	38
76	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2007 , 121, 2065-72	7.5	194
75	Risk of endometrial cancer in relationship to cigarette smoking: results from the EPIC study. <i>International Journal of Cancer</i> , 2007 , 121, 2741-7	7.5	38
74	Diet, serum insulin-like growth factor-I and IGF-binding protein-3 in European women. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 91-8	5.2	106
73	Alcohol intake and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007 , 18, 361-73	2.8	92
72	The association of gastric cancer risk with plasma folate, cobalamin, and methylenetetrahydrofolate reductase polymorphisms in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2416-24	4	49
71	Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Cancer</i> , 2006 , 118, 2559-66	7.5	258
70	Fish consumption and breast cancer risk. The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 119, 175-82	7.5	81
69	Physical activity and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>International Journal of Cancer</i> , 2006 , 119, 2389-97	7.5	48
68	IGF-I, IGFBP-3 and breast cancer risk in women: The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2006 , 13, 593-605	5.7	119
67	Validity of self reported diagnoses of cancer in a major Spanish prospective cohort study. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 593-9	5.1	33
66	Ethanol intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2006 , 164, 1103-14	3.8	25
65	Meat intake and risk of stomach and esophageal adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006 , 98, 345-54	9.7	247

64	No association between polymorphisms in CYP2E1, GSTM1, NAT1, NAT2 and the risk of gastric adenocarcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1043-5	4	25
63	Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. <i>Carcinogenesis</i> , 2006 , 27, 1497-501	4.6	128
62	Polymorphisms in metabolic genes related to tobacco smoke and the risk of gastric cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 2427-34	4	53
61	Adherence to a Mediterranean diet is associated with reduced 3-year incidence of obesity. <i>Journal of Nutrition</i> , 2006 , 136, 2934-8	4.1	154
60	Intake and food sources of nitrites and N-nitrosodimethylamine in Spain. <i>Public Health Nutrition</i> , 2006 , 9, 785-91	3.3	31
59	Relationship of alcohol intake and sex steroid concentrations in blood in pre- and post-menopausal women: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2006 , 17, 1033-43	2.8	96
58	Sexual behaviour, history of sexually transmitted diseases, and the risk of prostate cancer: a case-control study in Cuba. <i>International Journal of Epidemiology</i> , 2005 , 34, 193-7	7.8	32
57	Plasma carotenoids as biomarkers of intake of fruits and vegetables: ecological-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 1397-408	5.2	69
56	C-peptide, IGF-I, sex-steroid hormones and adiposity: a cross-sectional study in healthy women within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2005 , 16, 561-72	2.8	79
55	Dietary intake of polycyclic aromatic hydrocarbons in a Spanish population. <i>Journal of Food Protection</i> , 2005 , 68, 2190-5	2.5	61
54	4-Aminobiphenyl-hemoglobin adducts and risk of smoking-related disease in never smokers and former smokers in the European Prospective Investigation into Cancer and Nutrition prospective study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 2118-24	4	28
53	Reliability of bulky DNA adducts measurement by the nuclease P1 32P-post-labelling technique. <i>Biomarkers</i> , 2005 , 10, 1-9	2.6	8
52	Dietary sources of vitamin C, vitamin E and specific carotenoids in Spain. <i>British Journal of Nutrition</i> , 2004 , 91, 1005-11	3.6	99
51	Fruits and vegetables and lung cancer: Findings from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2004 , 108, 269-76	7.5	100
50	Secondhand smoke exposure in adulthood and risk of lung cancer among never smokers: a pooled analysis of two large studies. <i>International Journal of Cancer</i> , 2004 , 109, 125-31	7.5	105
49	Changes in smoking habits in adults: results from a prospective study in Spain. <i>Annals of Epidemiology</i> , 2004 , 14, 235-43	6.4	12
48	Development of a food database of nitrosamines, heterocyclic amines, and polycyclic aromatic hydrocarbons. <i>Journal of Nutrition</i> , 2004 , 134, 2011-4	4.1	108
47	Physical sports activity during leisure time and dietary intake of foods and nutrients in a large Spanish cohort. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2003 , 13, 47-64	4.4	13

46	Smoking and the risk of gastric cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2003 , 107, 629-34	7.5	173
45	European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study: rationale, design and population characteristics. <i>Public Health Nutrition</i> , 2002 , 5, 1125-45	3.3	311
44	Consumption of vegetables, fruit and other plant foods in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>Public Health Nutrition</i> , 2002 , 5, 1179-96	3.3	173
43	Patterns of alcohol consumption in 10 European countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) project. <i>Public Health Nutrition</i> , 2002 , 5, 1287-98	3.3	102
42	Demographics and socio-economic differences in adherence to the Mediterranean dietary pattern in Spain. <i>Iarc (international Agency for Research on Cancer) Scientific Publications</i> , 2002 , 156, 31-3		2
41	Adjustment for smoking in lung cancer analyses in the EPIC cohort. <i>Iarc (international Agency for Research on Cancer) Scientific Publications</i> , 2002 , 156, 59-61		2
40	Vegetable and fruit consumption in the EPIC cohorts from 10 European countries. <i>Iarc (international Agency for Research on Cancer) Scientific Publications</i> , 2002 , 156, 99-103		10
39	Alcohol consumption in EPIC cohorts from ten European countries. <i>Iarc (international Agency for Research on Cancer) Scientific Publications</i> , 2002 , 156, 173-6		2
38	Risk of lung cancer from tobacco smoking among young women from Europe. <i>International Journal of Cancer</i> , 2001 , 91, 745-6	7.5	10
37	Lung cancer and cigarette smoking in Europe: an update of risk estimates and an assessment of inter-country heterogeneity. <i>International Journal of Cancer</i> , 2001 , 91, 876-87	7.5	141
36	Information about occupational exposure to asbestos given to cases in an etiological study: ethical aspects. <i>European Journal of Epidemiology</i> , 2001 , 17, 1-6	12.1	2
35	Occupational risks for lung cancer among nonsmokers. <i>Epidemiology</i> , 2000 , 11, 532-8	3.1	45
34	Types of fat intake and body mass index in a Mediterranean country. <i>Public Health Nutrition</i> , 2000 , 3, 329-36	3.3	30
33	Occupation and risk of malignant pleural mesothelioma: A case-control study in Spain. <i>American Journal of Industrial Medicine</i> , 2000 , 37, 159-68	2.7	83
32	Lung cancer and cigarette smoking in women: a multicenter case-control study in Europe. <i>International Journal of Cancer</i> , 2000 , 88, 820-7	7.5	67
31	A multicenter case-control study of diet and lung cancer among non-smokers. <i>Cancer Causes and Control</i> , 2000 , 11, 49-58	2.8	94
30	Multicentric study on malignant pleural mesothelioma and non-occupational exposure to asbestos. <i>British Journal of Cancer</i> , 2000 , 83, 104-11	8.7	110
29	Joint effect of diet and environmental tobacco smoke on risk of lung cancer among nonsmokers. <i>Journal of the National Cancer Institute</i> , 2000 , 92, 426-7	9.7	10

28	Occupation and risk of malignant pleural mesothelioma: A case-control study in Spain 2000 , 37, 159		2
27	Occupational cancer in Spain. <i>Environmental Health Perspectives</i> , 1999 , 107 Suppl 2, 273-7	8.4	2
26	Secondary matching: a method for selecting controls in case-control studies on environmental risk factors. <i>International Journal of Epidemiology</i> , 1999 , 28, 1130-3	7.8	6
25	Dietary intake of vegetables and fruits among adults in five regions of Spain. EPIC Group of Spain. European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 1999 , 53, 174-80	5.2	49
24	Intake of specific carotenoids and flavonoids and the risk of gastric cancer in Spain. <i>Cancer Causes and Control</i> , 1999 , 10, 71-5	2.8	147
23	Structure of the standardized computerized 24-h diet recall interview used as reference method in the 22 centers participating in the EPIC project. European Prospective Investigation into Cancer and Nutrition. <i>Computer Methods and Programs in Biomedicine</i> , 1999 , 58, 251-66	6.9	247
22	Risk of lung cancer from exposure to environmental tobacco smoke from cigars, cigarillos and pipes. <i>International Journal of Cancer</i> , 1999 , 83, 805-6	7.5	11
21	Consumo de suplementos vitamínicos y minerales en población adulta sana de cinco provincias de España. <i>Gaceta Sanitaria</i> , 1999 , 13, 326-327	2.2	4
20	High intake of specific carotenoids and flavonoids does not reduce the risk of bladder cancer. <i>Nutrition and Cancer</i> , 1999 , 35, 212-4	2.8	60
19	Vegetable and fruit consumption associated with anthropometric, dietary and lifestyle factors in Spain. EPIC Group of Spain. European Prospective Investigation into Cancer. <i>Public Health Nutrition</i> , 1999 , 2, 263-71	3.3	42
18	Occupational cancer in Spain. <i>Environmental Health Perspectives</i> , 1999 , 107, 273-277	8.4	14
17	A European validation study of smoking and environmental tobacco smoke exposure in nonsmoking lung cancer cases and controls. <i>Cancer Causes and Control</i> , 1998 , 9, 173-82	2.8	40
16	Intake of specific carotenoids and flavonoids and the risk of lung cancer in women in Barcelona, Spain. <i>Nutrition and Cancer</i> , 1998 , 32, 154-8	2.8	105
15	Multicenter case-control study of exposure to environmental tobacco smoke and lung cancer in Europe. <i>Journal of the National Cancer Institute</i> , 1998 , 90, 1440-50	9.7	197
14	Vegetable and fruit intake and the risk of lung cancer in women in Barcelona, Spain. <i>European Journal of Cancer</i> , 1997 , 33, 1256-61	7.5	49
13	Prognostic factors of pneumonia requiring admission to the intensive care unit. <i>Chest</i> , 1995 , 107, 511-6	5.3	100
12	Exercise-induced airways narrowing and exposure to environmental tobacco smoke in schoolchildren. <i>American Journal of Epidemiology</i> , 1994 , 140, 409-17	3.8	15
11	Tobacco and alcohol intake in relation to adenocarcinoma of the gastric cardia in Spain. <i>Cancer Causes and Control</i> , 1994 , 5, 88-9	2.8	16

10	Lung cancer and cigarette smoking in women: a case-control study in Barcelona (Spain). <i>International Journal of Cancer</i> , 1994 , 59, 165-9	7.5	19
9	Nutritional factors and gastric cancer in Spain. <i>American Journal of Epidemiology</i> , 1994 , 139, 466-73	3.8	113
8	Prevalence of exercise-induced airway narrowing in schoolchildren from a Mediterranean town. <i>The American Review of Respiratory Disease</i> , 1993 , 147, 1112-5		43
7	Borage consumption as a possible gastric cancer protective factor. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 1993 , 2, 157-8	4	8
6	Consumption of alcohol, coffee, and tobacco, and gastric cancer in Spain. <i>Cancer Causes and Control</i> , 1992 , 3, 137-43	2.8	53
5	Tobacco prevention in hospitals: long-term follow-up of a smoking control programme. <i>Addiction</i> , 1991 , 86, 709-17	4.6	14
4	Diet and bladder cancer in Spain: a multi-centre case-control study. <i>International Journal of Cancer</i> , 1991 , 49, 214-9	7.5	108
3	Occupation and gastric cancer in Spain. <i>Scandinavian Journal of Work, Environment and Health</i> , 1991 , 17, 240-7	4.3	28
2	Dietary Habits in Spain: An Approximation. <i>Tumori</i> , 1990 , 76, 311-314	1.7	2
1	Hospital versus neighbourhood controls in the assessment of dietary risk factors. <i>International Journal of Epidemiology</i> , 1990 , 19, 354-61	7.8	18