

Hyuck Moon Kwon

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2347328/hyuck-moon-kwon-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

1,965
citations

23
h-index

41
g-index

113
ext. papers

2,264
ext. citations

4.2
avg, IF

3.79
L-index

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 105 | Impact of aortic atheroma and distensibility on diastolic function and prognosis in patients with ischemic stroke.. <i>Reviews in Cardiovascular Medicine</i> , 2022 , 23, 10 | 3.9 | |
| 104 | Effect of a fixed-dose combination of Telmisartan/S-amlodipine on circadian blood pressure compared with Telmisartan monotherapy: TENUVA-BP study.. <i>Clinical Hypertension</i> , 2022 , 28, 7 | 4.8 | |
| 103 | Comparison of risk profiles for new-onset atrial fibrillation between patients aged . <i>PLoS ONE</i> , 2021 , 16, e0258770 | 3.7 | |
| 102 | Coronary calcification is associated with elevated serum lipoprotein (a) levels in asymptomatic men over the age of 45 years: A cross-sectional study of the Korean national health checkup data. <i>Medicine (United States)</i> , 2021 , 100, e24962 | 1.8 | 3 |
| 101 | Effect of sarcomere and mitochondria-related mutations on myocardial fibrosis in patients with hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021 , 23, 18 | 6.9 | 3 |
| 100 | Long-term outcomes after renal denervation in an Asian population: results from the Global SYMPPLICITY Registry in South Korea (GSR Korea). <i>Hypertension Research</i> , 2021 , 44, 1099-1104 | 4.7 | 4 |
| 99 | Impact of PRECISE-DAPT and DAPT Scores on Dual Antiplatelet Therapy Duration After 2nd Generation Drug-Eluting Stent Implantation. <i>Cardiovascular Drugs and Therapy</i> , 2021 , 35, 343-352 | 3.9 | 2 |
| 98 | Contribution of sarcomere gene mutations to left atrial function in patients with hypertrophic cardiomyopathy. <i>Cardiovascular Ultrasound</i> , 2021 , 19, 4 | 2.4 | 2 |
| 97 | Effect of Renal and Left Ventricular Function on Serial Pulmonary Arterial Pressure Changes after Device Closure of Atrial Septal Defect. <i>Journal of Interventional Cardiology</i> , 2021 , 2021, 8846656 | 1.8 | |
| 96 | Ticagrelor Monotherapy Versus Ticagrelor With Aspirin in Patients With ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 431-440 | 5 | 6 |
| 95 | Differential contributions of sarcomere and mitochondria-related multigene variants to the endophenotype of hypertrophic cardiomyopathy. <i>Mitochondrion</i> , 2020 , 53, 48-56 | 4.9 | 5 |
| 94 | Frequent Premature Atrial Contractions as a Poor Prognostic Factor in Cryptogenic Stroke Patients with Concomitant Non-Sustained Atrial Tachycardia. <i>Yonsei Medical Journal</i> , 2020 , 61, 965-969 | 3 | 0 |
| 93 | Outcomes and Associated Factors of Discrepant Coronary and Carotid Atherosclerosis. <i>International Heart Journal</i> , 2020 , 61, 1142-1149 | 1.8 | 2 |
| 92 | Efficacy and Safety of Guideline-Recommended Risk Score-Directed Dual Antiplatelet Therapy After 2nd-Generation Drug-Eluting Stents. <i>Circulation Journal</i> , 2020 , 84, 161-168 | 2.9 | 1 |
| 91 | Preventive Effect of Pretreatment with Pitavastatin on Contrast-Induced Nephropathy in Patients with Renal Dysfunction Undergoing Coronary Procedure: PRINCIPLE-II Randomized Clinical Trial. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 2 |
| 90 | Burden of premature ventricular contractions beyond nonsustained ventricular tachycardia is related to the myocardial extracellular space expansion in patients with hypertrophic-cardiomyopathy. <i>Clinical Cardiology</i> , 2020 , 43, 1317-1325 | 3.3 | 2 |
| 89 | Impact of multi-vessel vasospastic angina on cardiovascular outcome. <i>Atherosclerosis</i> , 2019 , 281, 107-113. | 3.1 | 5 |

| | | | |
|----|--|-----|----|
| 88 | Genetic relevance and determinants of mitral leaflet size in hypertrophic cardiomyopathy. <i>Cardiovascular Ultrasound</i> , 2019 , 17, 21 | 2.4 | 5 |
| 87 | Aspirin Has a Neutral Effect in Preventing Future Cardiovascular Events in Vasospastic Angina. <i>Cardiovascular Prevention and Pharmacotherapy</i> , 2019 , 1, 30 | 0.2 | 1 |
| 86 | Diagnostic accuracy of low-radiation coronary computed tomography angiography with low tube voltage and knowledge-based model reconstruction. <i>Scientific Reports</i> , 2019 , 9, 1308 | 4.9 | 9 |
| 85 | Electrocardiography based prediction of hypertrophy pattern and fibrosis amount in hypertrophic cardiomyopathy: comparative study with cardiac magnetic resonance imaging. <i>International Journal of Cardiovascular Imaging</i> , 2018 , 34, 1619-1628 | 2.5 | 12 |
| 84 | Safety of six-month dual antiplatelet therapy after second-generation drug-eluting stent implantation: OPTIMA-C Randomised Clinical Trial and OCT Substudy. <i>EuroIntervention</i> , 2018 , 13, 1923-1930 | 3.1 | 27 |
| 83 | Clinical outcome according to spasm type of single coronary artery provoked by intracoronary ergonovine tests in patients without significant organic stenosis. <i>International Journal of Cardiology</i> , 2018 , 252, 6-12 | 3.2 | 8 |
| 82 | Comparison of efficacy and safety between two different irbesartan, generic vs branded, in the treatment of Korean patients with mild-to-moderate hypertension: an 8-week, multicenter, randomized, open-label, Phase IV clinical study. <i>Drug Design, Development and Therapy</i> , 2018 , 12, 4217-4229 | 4.4 | |
| 81 | Associates and Prognosis of Giant Left Atrium; Single Center Experience. <i>Journal of Cardiovascular Imaging</i> , 2017 , 25, 84-90 | 0 | 2 |
| 80 | Predictors and Long-Term Clinical Outcome of Longitudinal Stent Deformation: Insights From Pooled Analysis of Korean Multicenter Drug-Eluting Stent Cohort. <i>Circulation: Cardiovascular Interventions</i> , 2017 , 10, | 6 | 11 |
| 79 | Arterial stiffness, sex, and age difference on hypertensive response to supine bicycle exercise. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 1260-1268 | 2.3 | 4 |
| 78 | Echo-Doppler-derived indexes of ventricular stiffness and ventriculo-arterial interaction as predictors of new-onset atrial fibrillation in patients with heart failure. <i>Cardiovascular Ultrasound</i> , 2016 , 14, 7 | 2.4 | 3 |
| 77 | Hemorheological and Glycemic Parameters and HDL Cholesterol for the Prediction of Cardiovascular Events. <i>Arquivos Brasileiros De Cardiologia</i> , 2016 , 106, 56-61 | 1.2 | 3 |
| 76 | Circulating Microparticles and Coronary Plaque Components Assessed by Virtual Histology Intravascular Ultrasound of the Target Lesion in Patients with Stable Angina. <i>PLoS ONE</i> , 2016 , 11, e0148128 | 3.7 | 7 |
| 75 | Left Ventricular Filling Pressure as Assessed by the E/eR Ratio Is a Determinant of Atrial Fibrillation Recurrence after Cardioversion. <i>Yonsei Medical Journal</i> , 2016 , 57, 64-71 | 3 | 6 |
| 74 | Percutaneous Coronary Intervention Is More Beneficial Than Optimal Medical Therapy in Elderly Patients with Angina Pectoris. <i>Yonsei Medical Journal</i> , 2016 , 57, 382-7 | 3 | 5 |
| 73 | Prognostic Value of Elevated Homocysteine Levels in Korean Patients with Coronary Artery Disease: A Propensity Score Matched Analysis. <i>Korean Circulation Journal</i> , 2016 , 46, 154-60 | 2.2 | 4 |
| 72 | Carotid Artery End-Diastolic Velocity and Future Cerebro-Cardiovascular Events in Asymptomatic High Risk Patients. <i>Korean Circulation Journal</i> , 2016 , 46, 72-8 | 2.2 | 10 |
| 71 | The 24-Month Prognosis of Patients With Positive or Intermediate Results in the Intracoronary Ergonovine Provocation Test. <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 914-23 | 5 | 35 |

| | | | |
|----|--|------|-----|
| 70 | Trial of everolimus-eluting stents or bypass surgery for coronary disease. <i>New England Journal of Medicine</i> , 2015 , 372, 1204-12 | 59.2 | 287 |
| 69 | Quantitative T2 mapping after reperfusion therapy in patients with acute myocardial infarction: A comparison with late gadolinium enhancement and cine MR imaging. <i>Magnetic Resonance Imaging</i> , 2015 , 33, 1246-1252 | 3.3 | 1 |
| 68 | Three-Dimensional Echocardiographic Evaluation of Mitral Apparatus during Preload Manipulation in Patients with Hypertrophic Cardiomyopathy. <i>Echocardiography</i> , 2015 , 32, 1261-9 | 1.5 | |
| 67 | Neointimal response to second-generation drug-eluting stents in diabetic patients with de-novo coronary lesions: intravascular ultrasound study. <i>Coronary Artery Disease</i> , 2015 , 26, 212-9 | 1.4 | 2 |
| 66 | Elevated Lipoprotein(a) has Incremental Prognostic Value in Type 2 Diabetic Patients with Symptomatic Coronary Artery Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015 , 22, 527-34 | 4 | 7 |
| 65 | Different contribution of extent of myocardial injury to left ventricular systolic and diastolic function in early reperfused acute myocardial infarction. <i>Cardiovascular Ultrasound</i> , 2014 , 12, 6 | 2.4 | 10 |
| 64 | Diverse geometric changes related to dynamic left ventricular outflow tract obstruction without overt hypertrophic cardiomyopathy. <i>Cardiovascular Ultrasound</i> , 2014 , 12, 23 | 2.4 | 6 |
| 63 | Multicenter randomized trial of 3-month cilostazol use in addition to dual antiplatelet therapy after biolimus-eluting stent implantation for long or multivessel coronary artery disease. <i>American Heart Journal</i> , 2014 , 167, 241-248.e1 | 4.9 | 16 |
| 62 | Effect of clinical and RBC hemorheological parameters on myocardial perfusion in patients with type 2 diabetes mellitus. <i>Biorheology</i> , 2014 , 51, 215-26 | 1.7 | 4 |
| 61 | Lipoprotein-associated phospholipase A ₂ s related to plaque stability and is a potential biomarker for acute coronary syndrome. <i>Yonsei Medical Journal</i> , 2014 , 55, 1507-15 | 3 | 10 |
| 60 | Multidetector computed tomography for the evaluation of coronary artery disease; the diagnostic accuracy in calcified coronary arteries, comparing with IVUS imaging. <i>Yonsei Medical Journal</i> , 2014 , 55, 599-605 | 3 | 3 |
| 59 | Home blood pressure is the predictor of subclinical target organ damage like ambulatory blood pressure monitoring in untreated hypertensive patients. <i>Anatolian Journal of Cardiology</i> , 2014 , 14, 711-8 | | 10 |
| 58 | Quantitative T2 mapping for detecting myocardial edema after reperfusion of myocardial infarction: validation and comparison with T2-weighted images. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29 Suppl 1, 65-72 | 2.5 | 27 |
| 57 | Correction with blood T1 is essential when measuring post-contrast myocardial T1 value in patients with acute myocardial infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013 , 15, 11 | 6.9 | 16 |
| 56 | Usefulness of metabolic syndrome score in the prediction of angiographic coronary artery disease severity according to the presence of diabetes mellitus: relation with inflammatory markers and adipokines. <i>Cardiovascular Diabetology</i> , 2013 , 12, 140 | 8.7 | 18 |
| 55 | Diverse left ventricular morphology and predictors of short-term outcome in patients with stress-induced cardiomyopathy. <i>International Journal of Cardiology</i> , 2013 , 168, 331-7 | 3.2 | 27 |
| 54 | Prognostic significance of elevated lipoprotein(a) in coronary artery revascularization patients. <i>International Journal of Cardiology</i> , 2013 , 167, 1990-4 | 3.2 | 16 |
| 53 | Local increase in microparticles from the aspirate of culprit coronary arteries in patients with ST-segment elevation myocardial infarction. <i>Atherosclerosis</i> , 2013 , 227, 323-8 | 3.1 | 50 |

| | | | |
|----|---|------|----|
| 52 | Nine-month angiographic and intravascular ultrasound outcomes after resolute zotarolimus-eluting stent implantation for the treatment of in-stent restenosis. <i>Journal of Interventional Cardiology</i> , 2013 , 26, 543-9 | 1.8 | |
| 51 | Successful Percutaneous Transcatheter Retrieval of a Migrated Implantable Venous Port in a Patient Who Presented with Intermittent Palpitation. <i>Korean Journal of Medicine</i> , 2013 , 85, 194 | 0.5 | 1 |
| 50 | Enhancement of MSC adhesion and therapeutic efficiency in ischemic heart using lentivirus delivery with periostin. <i>Biomaterials</i> , 2012 , 33, 1376-85 | 15.6 | 32 |
| 49 | Outcomes of cardiac involvement in patients with late-stage Duchenne muscular dystrophy under management in the pulmonary rehabilitation center of a tertiary referral hospital. <i>Cardiology</i> , 2012 , 121, 186-93 | 1.6 | 14 |
| 48 | Association of soluble receptor for advanced glycation end-product with increasing central aortic stiffness in hypertensive patients. <i>Coronary Artery Disease</i> , 2012 , 23, 85-90 | 1.4 | 14 |
| 47 | Effect of Adiponectin and Resistin on Coronary Plaque Composition and Coronary Artery Remodeling of Target Lesion in Patients with Stable Angina. <i>Journal of Lipid and Atherosclerosis</i> , 2012 , 1, 69 | 3 | |
| 46 | Predictors of stent fracture in patients treated with closed-cell design stents: sirolimus-eluting stent and its bare-metal counterpart, the BX velocity stent. <i>Coronary Artery Disease</i> , 2011 , 22, 40-4 | 1.4 | 4 |
| 45 | G(alpha)12/13 induction of CYR61 in association with arteriosclerotic intimal hyperplasia: effect of sphingosine-1-phosphate. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 861-9 | 9.4 | 16 |
| 44 | Influences of Geometric Configurations of Bypass Grafts on Hemodynamics in End-to-Side Anastomosis. <i>Korean Journal of Thoracic and Cardiovascular Surgery</i> , 2011 , 44, 89-98 | 0.6 | 1 |
| 43 | Evaluation of reperfused myocardial infarction by low-dose multidetector computed tomography using prospective electrocardiography (ECG)-triggering: comparison with magnetic resonance imaging. <i>Yonsei Medical Journal</i> , 2010 , 51, 683-91 | 3 | 5 |
| 42 | Impact of metabolic syndrome and its individual components on the presence and severity of angiographic coronary artery disease. <i>Yonsei Medical Journal</i> , 2010 , 51, 676-82 | 3 | 32 |
| 41 | Left ventricular hypercontractility immediately after tilting triggers a dysregulated cardioinhibitory reaction in vasovagal syncope: echocardiographic evaluation during the head-up tilt test. <i>Cardiology</i> , 2010 , 117, 118-23 | 1.6 | 1 |
| 40 | Influence of adiponectin gene polymorphisms on adiponectin level and insulin resistance index in response to dietary intervention in overweight-obese patients with impaired fasting glucose or newly diagnosed type 2 diabetes. <i>Diabetes Care</i> , 2009 , 32, 552-8 | 14.6 | 38 |
| 39 | Usefulness of brachial-ankle pulse wave velocity as a predictive marker of multiple coronary artery occlusive disease in Korean type 2 diabetes patients. <i>Diabetes Research and Clinical Practice</i> , 2009 , 85, 30-4 | 7.4 | 34 |
| 38 | Potential role of HMG CoA reductase inhibitor on oxidative stress induced by advanced glycation endproducts in vascular smooth muscle cells of diabetic vasculopathy. <i>Experimental and Molecular Medicine</i> , 2009 , 41, 802-11 | 12.8 | 27 |
| 37 | Significant association of coronary stent fracture with in-stent restenosis in sirolimus-eluting stents. <i>Coronary Artery Disease</i> , 2009 , 20, 59-63 | 1.4 | 14 |
| 36 | Pathobiological role of advanced glycation endproducts via mitogen-activated protein kinase dependent pathway in the diabetic vasculopathy. <i>Experimental and Molecular Medicine</i> , 2008 , 40, 398-406 | 12.8 | 32 |
| 35 | Effects of increasing particle size of low-density lipoprotein on restenosis after coronary stent implantation. <i>Circulation Journal</i> , 2008 , 72, 1059-64 | 2.9 | 9 |

| | | | |
|----|--|-----|----|
| 34 | Comparison of sirolimus-eluting stent and paclitaxel-eluting stent for long-term cardiac adverse events in diabetic patients: the Korean Multicenter Angioplasty Team (KOMATE) Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2008 , 72, 601-7 | 2.7 | 20 |
| 33 | A case of noncompaction of the ventricular myocardium combined with situs ambiguous with polysplenia. <i>Yonsei Medical Journal</i> , 2007 , 48, 1052-5 | 3 | 6 |
| 32 | Surgical outcomes and risk factors for postoperative complications in patients with Behçet's disease. <i>Clinical Rheumatology</i> , 2007 , 26, 1475-80 | 3.9 | 31 |
| 31 | Lipoprotein(a) and LDL particle size are related to the severity of coronary artery disease. <i>Cardiology</i> , 2007 , 108, 282-9 | 1.6 | 34 |
| 30 | Post-traumatic myocardial infarction complicated with left ventricular aneurysm and pericardial effusion. <i>Journal of Trauma</i> , 2007 , 63, E73-5 | | 7 |
| 29 | Delayed strut fracture of sirolimus-eluting stent: a significant problem or an occasional observation?. <i>International Journal of Cardiology</i> , 2006 , 106, 404-6 | 3.2 | 59 |
| 28 | A case of acute ventricular capture threshold rise associated with flecainide acetate. <i>Yonsei Medical Journal</i> , 2006 , 47, 152-4 | 3 | 5 |
| 27 | Clinical Outcomes Following Sirolimus-Eluting Stent Implantation in Patients with End-Stage Renal Disease -Korean Multicenter Angioplasty Team (KOMATE) Registry-. <i>Korean Circulation Journal</i> , 2006 , 36, 424 | 2.2 | 5 |
| 26 | Significance of small dense low-density lipoprotein as a risk factor for coronary artery disease and acute coronary syndrome. <i>Yonsei Medical Journal</i> , 2006 , 47, 405-14 | 3 | 29 |
| 25 | Multidetector-row computed tomography of a Valsalva sinus aneurysm in a patient with Behçet disease. <i>Journal of Thoracic Imaging</i> , 2006 , 21, 300-2 | 5.6 | 2 |
| 24 | Sirolimus- versus paclitaxel-eluting stent implantation for unprotected left main coronary artery stenosis. <i>Cardiology</i> , 2005 , 104, 181-5 | 1.6 | 28 |
| 23 | Upstream regulation of matrix metalloproteinase by EMMPRIN; extracellular matrix metalloproteinase inducer in advanced atherosclerotic plaque. <i>Atherosclerosis</i> , 2005 , 180, 37-44 | 3.1 | 66 |
| 22 | Serum levels of advanced glycation end products are associated with in-stent restenosis in diabetic patients. <i>Yonsei Medical Journal</i> , 2005 , 46, 78-85 | 3 | 21 |
| 21 | Two-phase reconstruction for the assessment of left ventricular volume and function using retrospective ECG-gated MDCT: comparison with echocardiography. <i>American Journal of Roentgenology</i> , 2005 , 185, 319-25 | 5.4 | 24 |
| 20 | Antiproliferative mechanisms of raxofelast (IRFI-016) in H ₂ O ₂ -stimulated rat aortic smooth muscle cells. <i>European Journal of Pharmacology</i> , 2004 , 484, 119-25 | 5.3 | 7 |
| 19 | Phospholipase C-delta1 rescues intracellular Ca ²⁺ overload in ischemic heart and hypoxic neonatal cardiomyocytes. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2004 , 91, 131-8 | 5.1 | 20 |
| 18 | Effect of Angiotensin II on Gene Expression of cGMP-Specific Phosphodiesterases. <i>Sunhwanngi</i> , 2003 , 33, 130 | | |
| 17 | Age-related contribution of Lp(a) with coronary artery calcification in patients with acute coronary syndrome: a potential role of metabolic disorder in calcified plaque. <i>Yonsei Medical Journal</i> , 2003 , 44, 445-53 | 3 | 5 |

| | | | |
|----|--|------|-----|
| 16 | Acute myocardial infarction caused by coronary artery dissection following blunt chest trauma. <i>Yonsei Medical Journal</i> , 2003 , 44, 736-9 | 3 | 18 |
| 15 | Association of G-33A polymorphism in the thrombomodulin gene with myocardial infarction in Koreans. <i>Hypertension Research</i> , 2002 , 25, 389-94 | 4-7 | 21 |
| 14 | Potential role of leptin in angiogenesis: leptin induces endothelial cell proliferation and expression of matrix metalloproteinases in vivo and in vitro. <i>Experimental and Molecular Medicine</i> , 2001 , 33, 95-102 | 12.8 | 319 |
| 13 | Elective endovascular treatment of descending thoracic aortic aneurysms and chronic dissections with stent-grafts. <i>Journal of Vascular and Interventional Radiology</i> , 2001 , 12, 575-82 | 2.4 | 71 |
| 12 | Hemodynamic effects on atherosclerosis-prone coronary artery: wall shear stress/rate distribution and impedance phase angle in coronary and aortic circulation. <i>Yonsei Medical Journal</i> , 2001 , 42, 375-83 | 3 | 13 |
| 11 | The Effects of Plasma Fibrinogen and beta Fibrinogen Gene Polymorphisms on the Development of Coronary Artery Disease. <i>Sunhwangji</i> , 2000 , 30, 947 | | |
| 10 | Coexpression of cyclooxygenase-2 and matrix metalloproteinases in human aortic atherosclerotic lesions. <i>Yonsei Medical Journal</i> , 2000 , 41, 82-8 | 3 | 43 |
| 9 | Expression of osteopontin in calcified coronary atherosclerotic plaques. <i>Journal of Korean Medical Science</i> , 2000 , 15, 485-93 | 4-7 | 22 |
| 8 | Serologic and histopathologic study of Chlamydia pneumoniae infection in atherosclerosis: a possible pathogenetic mechanism of atherosclerosis induced by Chlamydia pneumoniae. <i>Yonsei Medical Journal</i> , 2000 , 41, 319-27 | 3 | 14 |
| 7 | Expression of leptin receptor (Ob-R) in human atherosclerotic lesions: potential role in intimal neovascularization. <i>Yonsei Medical Journal</i> , 2000 , 41, 68-75 | 3 | 51 |
| 6 | Percutaneous transmural revascularization induces angiogenesis: a histologic and 3-dimensional micro computed tomography study. <i>Journal of Korean Medical Science</i> , 1999 , 14, 502-10 | 4-7 | 20 |
| 5 | Apolipoprotein E polymorphism in non-diabetic patients with acute coronary syndrome. <i>Yonsei Medical Journal</i> , 1999 , 40, 377-82 | 3 | 3 |
| 4 | Ultrastructural changes of the external elastic lamina in experimental hypercholesterolemic porcine coronary arteries. <i>Yonsei Medical Journal</i> , 1999 , 40, 273-82 | 3 | 4 |
| 3 | Computed numerical analysis of the biomechanical effects on coronary atherogenesis using human hemodynamic and dimensional variables. <i>Yonsei Medical Journal</i> , 1998 , 39, 166-74 | 3 | 9 |
| 2 | Experimental hypercholesterolemia induces ultrastructural changes in the elastic laminae of rabbit aortic valve. <i>Yonsei Medical Journal</i> , 1998 , 39, 345-54 | 3 | 11 |
| 1 | Clinical significance of serum TSH in euthyroid patients with paroxysmal atrial fibrillation. <i>Yonsei Medical Journal</i> , 1995 , 36, 448-56 | 3 | 2 |