
## Venera Cardile

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2347750/publications.pdf Version: 2024-02-01



VENEDA CADDILE

| #  | Article  | IF               | CITATIONS         |
|----|--|------------------|-------------------|
| 1  | Cloning of a new gap junction gene (Cx36) highly expressed in mammalian brain neurons. European<br>Journal of Neuroscience, 1998, 10, 1202-1208.   | 1.2              | 436               |
| 2  | History, genetic, and recent advances on Krabbe disease. Gene, 2015, 555, 2-13.  | 1.0              | 229               |
| 3  | Chemical composition and anticancer activity of essential oils of Mediterranean sage (Salvia) Tj ETQq1 1 0.78431<br>42-47.   | 4 rgBT /O<br>1.8 | verlock 10<br>172 |
| 4  | Essential oils of Salvia bracteata and Salvia rubifolia from Lebanon: Chemical composition,<br>antimicrobial activity and inhibitory effect on human melanoma cells. Journal of Ethnopharmacology,<br>2009, 126, 265-272.                      | 2.0              | 121               |
| 5  | Chilean propolis: antioxidant activity and antiproliferative action in human tumor cell lines. Life<br>Sciences, 2004, 76, 545-558.  | 2.0              | 103               |
| 6  | Lichen metabolites prevent UV light and nitric oxide-mediated plasmid DNA damage and induce apoptosis in human melanoma cells. Life Sciences, 2008, 83, 468-474.   | 2.0              | 90                |
| 7  | Genistin inhibits UV light-induced plasmid DNA damage and cell growth in human melanoma cells.<br>Journal of Nutritional Biochemistry, 2006, 17, 103-108.  | 1.9              | 75                |
| 8  | Response of cell cycle/stress-related protein expression and DNA damage upon treatment of CaCo2 cells with anthocyanins. British Journal of Nutrition, 2008, 100, 27-35.   | 1.2              | 75                |
| 9  | An engineered nanoplatform for bimodal anticancer phototherapy with dual-color fluorescence detection of sensitizers. Chemical Communications, 2013, 49, 4459.   | 2.2              | 73                |
| 10 | An In Vitro Study of New Antiepileptic Drugs and Astrocytes. Epilepsia, 2003, 44, 34-39.   | 2.6              | 70                |
| 11 | Pannarin inhibits cell growth and induces cell death in human prostate carcinoma DU-145 cells.<br>Anti-Cancer Drugs, 2006, 17, 1163-1169.  | 0.7              | 69                |
| 12 | Effects of Ellagic Acid on Angiogenic Factors in Prostate Cancer Cells. Cancers, 2013, 5, 726-738.   | 1.7              | 69                |
| 13 | DNA damage in human fibroblasts exposed to fumonisin B1. Food and Chemical Toxicology, 2002, 40, 25-31.  | 1.8              | 68                |
| 14 | Chemo-enzymatic synthesis and cell-growth inhibition activity of resveratrol analogues. Bioorganic<br>Chemistry, 2005, 33, 22-33.  | 2.0              | 68                |
| 15 | Antioxidant activity and antiproliferative action of methanolic extract of Geum quellyon Sweet roots in human tumor cell lines. Journal of Ethnopharmacology, 2005, 100, 323-332.  | 2.0              | 67                |
| 16 | Characterization of matrix metalloproteinase-2 and -9, ADAM-10 and N-cadherin expression in human glioblastoma multiforme. Cell and Tissue Research, 2015, 362, 45-60.   | 1.5              | 65                |
| 17 | Chitosan microspheres for intrapulmonary administration of moxifloxacin: Interaction with<br>biomembrane models and in vitro permeation studies. European Journal of Pharmaceutics and<br>Biopharmaceutics, 2008, 68, 235-244.                 | 2.0              | 63                |
| 18 | Structure–activity relationships and molecular modelling of new 5-arylidene-4-thiazolidinone<br>derivatives as aldose reductase inhibitors and potential anti-inflammatory agents. European Journal<br>of Medicinal Chemistry, 2014, 81, 1-14. | 2.6              | 63                |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Cyanidin induces apoptosis and differentiation in prostate cancer cells. International Journal of Oncology, 2015, 47, 1303-1310.   | 1.4 | 63        |
| 20 | Potential Effect of CD271 on Human Mesenchymal Stromal Cell Proliferation and Differentiation.<br>International Journal of Molecular Sciences, 2015, 16, 15609-15624.  | 1.8 | 61        |
| 21 | Clinical evaluation of Moro ( <i>Citrus sinensis</i> (L.) Osbeck) orange juice supplementation for the weight management. Natural Product Research, 2015, 29, 2256-2260.   | 1.0 | 61        |
| 22 | Antiproliferative Activity of Methylated Analogues of E- and Z-Resveratrol. Zeitschrift Fur<br>Naturforschung - Section C Journal of Biosciences, 2007, 62, 189-195.   | 0.6 | 58        |
| 23 | Biosynthesis of collagen I, II, RUNX2 and lubricin at different time points of chondrogenic<br>differentiation in a 3D in vitro model of human mesenchymal stem cells derived from adipose tissue.<br>Acta Histochemica, 2014, 116, 1407-1417.           | 0.9 | 58        |
| 24 | Apoptotic markers in a prostate cancer cell line: Effect of ellagic acid. Oncology Reports, 2013, 30, 2804-2810.   | 1.2 | 56        |
| 25 | Oregano (Origanum vulgare L.) essential oil provides anti-inflammatory activity and facilitates wound healing in a human keratinocytes cell model. Food and Chemical Toxicology, 2020, 144, 111586.  | 1.8 | 56        |
| 26 | Mesenchymal stem cells from adipose tissue which have been differentiated into chondrocytes in three-dimensional culture express lubricin. Experimental Biology and Medicine, 2011, 236, 1333-1341.  | 1.1 | 54        |
| 27 | Antiproliferative effect of oleuropein in prostate cell lines. International Journal of Oncology, 2012, 41, 31-8.  | 1.4 | 54        |
| 28 | Acute injury affects lubricin expression in knee menisci: An immunohistochemical study. Annals of<br>Anatomy, 2013, 195, 151-158.  | 1.0 | 52        |
| 29 | Behaviour of the new asbestos amphibole fluoro-edenite in different lung cell systems. International<br>Journal of Biochemistry and Cell Biology, 2004, 36, 849-860.   | 1.2 | 51        |
| 30 | Photoinduced Fluorescence Activation and Nitric Oxide Release with Biocompatible Polymer<br>Nanoparticles. Chemistry - A European Journal, 2012, 18, 15782-15787.  | 1.7 | 51        |
| 31 | Hydroxytyrosol from olive fruits prevents blueâ€lightâ€induced damage in human keratinocytes and<br>fibroblasts. Journal of Cellular Physiology, 2019, 234, 9065-9076.   | 2.0 | 50        |
| 32 | Induction of Nuclear Receptors and Drug Resistance in the Brain Microvascular Endothelial Cells<br>Treated with Antiepileptic Drugs. Current Neurovascular Research, 2008, 5, 82-92.   | 0.4 | 49        |
| 33 | Sodium L″actate differently affects brainâ€derived neurothrophic factor, inducible nitric oxide<br>synthase, and heat shock protein 70 kDa production in human astrocytes and SHâ€SY5Y cultures. Journal<br>of Neuroscience Research, 2013, 91, 313-320. | 1.3 | 49        |
| 34 | Nanostructured lipid dispersions for topical administration of crocin, a potent antioxidant from saffron (Crocus sativus L.). Materials Science and Engineering C, 2017, 71, 669-677.  | 3.8 | 49        |
| 35 | Effect of vicanicin and protolichesterinic acid on human prostate cancer cells: Role of Hsp70 protein.<br>Chemico-Biological Interactions, 2012, 195, 1-10.  | 1.7 | 48        |
| 36 | Involvement of Bax and Bcl-2 in Induction of Apoptosis by Essential Oils of Three Lebanese Salvia<br>Species in Human Prostate Cancer Cells. International Journal of Molecular Sciences, 2018, 19, 292.   | 1.8 | 47        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Effect of propolis on human cartilage and chondrocytes. Life Sciences, 2003, 73, 1027-1035.  | 2.0 | 46        |
| 38 | Effects of PACAP and VIP on hyperglycemia-induced proliferation in murine microvascular endothelial cells. Peptides, 2010, 31, 2276-2283.  | 1.2 | 45        |
| 39 | Resveratrol and Propolis as Necrosis or Apoptosis Inducers in Human Prostate Carcinoma Cells.<br>Oncology Research, 2004, 14, 415-426.   | 0.6 | 43        |
| 40 | Evaluation of Monooleine Aqueous Dispersions as Tools for Topical Administration of Curcumin:<br>Characterization, In Vitro and Ex-Vivo Studies. Journal of Pharmaceutical Sciences, 2013, 102, 2349-2361. | 1.6 | 42        |
| 41 | Protective effects of an extract from Citrus bergamia against inflammatory injury in interferon-gamma and histamine exposed human keratinocytes. Life Sciences, 2012, 90, 968-974.                         | 2.0 | 41        |
| 42 | Cytotoxicity, oxidative stress and genotoxicity induced by glass fibers on human alveolar epithelial cell line A549. Toxicology in Vitro, 2015, 29, 551-557.   | 1.1 | 41        |
| 43 | Pro-apoptotic activity of ergosterol peroxide and (22E)-ergosta-7,22-dien-5α-hydroxy-3,6-dione in human<br>prostate cancer cells. Chemico-Biological Interactions, 2010, 184, 352-358.                     | 1.7 | 38        |
| 44 | Involvement of HSP70 in resveratrol-induced apoptosis of human prostate cancer. Anticancer<br>Research, 2003, 23, 4921-6.  | 0.5 | 38        |
| 45 | Ethanol-induced oxidative stress in rat astrocytes: role of HSP70. Cell Biology and Toxicology, 2001, 17, 153-168.   | 2.4 | 37        |
| 46 | Potential Therapeutic Applications of Adipose-Derived Mesenchymal Stem Cells. Stem Cells and Development, 2016, 25, 1615-1628.   | 1.1 | 37        |
| 47 | Gemcitabine anticancer activity enhancement by water soluble celecoxib/sulfobutyl ether-1²-cyclodextrin inclusion complex. Carbohydrate Polymers, 2019, 206, 792-800.                                      | 5.1 | 37        |
| 48 | Ethanol-induced injury in rat primary cortical astrocytes involves oxidative stress: effect of idebenone. Neuroscience Letters, 2002, 329, 21-24.  | 1.0 | 36        |
| 49 | Toxicity and Carcinogenicity Mechanisms of Fibrous Antigorite. International Journal of<br>Environmental Research and Public Health, 2007, 4, 1-9.   | 1.2 | 35        |
| 50 | Comparative phytochemical profile and antiproliferative activity on human melanoma cells of essential oils of three lebanese Salvia species. Industrial Crops and Products, 2016, 83, 492-499.             | 2.5 | 35        |
| 51 | Antiproliferative Activity of Pteleopsis suberosa Leaf Extract and its Flavonoid Components in Human<br>Prostate Carcinoma Cells. Planta Medica, 2006, 72, 604-610.  | 0.7 | 34        |
| 52 | Genista sessilifolia DC. and Genista tinctoria L. inhibit UV light and nitric oxide-induced DNA damage<br>and human melanoma cell growth. Chemico-Biological Interactions, 2009, 180, 211-219.             | 1.7 | 34        |
| 53 | Expression of brain-derived neurotrophic factor (BDNF) and inducible nitric oxide synthase (iNOS) in rat astrocyte cultures treated with Levetiracetam. Brain Research, 2003, 976, 227-233.                | 1.1 | 33        |
| 54 | Aromadendrine, a new component of the flavonoid pattern of <i>Olea europaea</i> L. and its anti-inflammatory activity. Natural Product Research, 2013, 27, 340-349.  | 1.0 | 33        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Synthesis and in vitro evaluation of 5-arylidene-3-hydroxyalkyl-2-phenylimino-4-thiazolidinones with<br>antidegenerative activity on human chondrocyte cultures. Bioorganic and Medicinal Chemistry, 2007,<br>15, 7618-7625.  | 1.4 | 32        |
| 56 | Gelatin tannate reduces the proinflammatory effects of lipopolysaccharide in human intestinal epithelial cells. Clinical and Experimental Gastroenterology, 2012, 5, 61.  | 1.0 | 32        |
| 57 | Lightâ€Tunable Generation of Singlet Oxygen and Nitric Oxide with a Bichromophoric Molecular Hybrid:<br>a Bimodal Approach to Killing Cancer Cells. ChemMedChem, 2016, 11, 1371-1379.   | 1.6 | 30        |
| 58 | Discovery of 4-[(5-arylidene-4-oxothiazolidin-3-yl)methyl]benzoic acid derivatives active as novel potent allosteric inhibitors of protein tyrosine phosphatase 1B: In silico studies and inÂvitro evaluation as insulinomimetic and anti-inflammatory agents. European Journal of Medicinal Chemistry, 2017, 127, 840-858. | 2.6 | 30        |
| 59 | Differentiation of human adipose stem cells into neural phenotype by neuroblastoma―or olfactory<br>ensheathing cellsâ€conditioned medium. Journal of Cellular Physiology, 2013, 228, 2109-2118.   | 2.0 | 29        |
| 60 | Celecoxib-loaded PLGA/cyclodextrin microspheres: Characterization and evaluation of<br>anti-inflammatory activity on human chondrocyte cultures. Colloids and Surfaces B: Biointerfaces,<br>2013, 111, 289-296.   | 2.5 | 28        |
| 61 | Decrease of apoptosis markers during adipogenic differentiation of mesenchymal stem cells from<br>human adipose tissue. Apoptosis: an International Journal on Programmed Cell Death, 2013, 18, 578-588.  | 2.2 | 28        |
| 62 | A <i>Citrus bergamia</i> Extract Decreases Adipogenesis and Increases Lipolysis by Modulating PPAR<br>Levels in Mesenchymal Stem Cells from Human Adipose Tissue. PPAR Research, 2016, 2016, 1-9.   | 1.1 | 28        |
| 63 | PACAP Interacts with PAC1 Receptors to Induce Tissue Plasminogen Activator (tPA) Expression and Activity in Schwann Cell-Like Cultures. PLoS ONE, 2015, 10, e0117799.   | 1.1 | 28        |
| 64 | Antiinflammatory effects of a red orange extract in human keratinocytes treated with interferonâ $\in$ gamma and histamine. Phytotherapy Research, 2010, 24, 414-418.   | 2.8 | 27        |
| 65 | Heteroarylimino-4-thiazolidinones as inhibitors of cartilage degradation. Bioorganic Chemistry, 2011, 39, 48-52.  | 2.0 | 27        |
| 66 | Thienopyrimidine derivatives prevent cartilage destruction in articular disease. Il Farmaco, 2001, 56, 959-964.   | 0.9 | 26        |
| 67 | Improved antioxidant effect of idebenone-loaded polyethyl-2-cyanoacrylate nanocapsules tested on human fibroblasts. Pharmaceutical Research, 2002, 19, 71-78.   | 1.7 | 26        |
| 68 | Aminothiazole derivatives with antidegenerative activity on cartilage. Bioorganic and Medicinal Chemistry, 2003, 11, 2983-2989.   | 1.4 | 26        |
| 69 | A galactose-free diet enriched in soy isoflavones and antioxidants results in delayed onset of symptoms of Krabbe disease in twitcher mice. Molecular Genetics and Metabolism, 2010, 100, 234-240.  | 0.5 | 26        |
| 70 | Inhibition of Cx43 mediates protective effects on hypoxic/reoxygenated human neuroblastoma cells.<br>Journal of Cellular and Molecular Medicine, 2017, 21, 2563-2572.   | 1.6 | 26        |
| 71 | Functionalization of Single and Multi-Walled Carbon Nanotubes with Polypropylene Glycol<br>Decorated Pyrrole for the Development of Doxorubicin Nano-Conveyors for Cancer Drug Delivery.<br>Nanomaterials, 2020, 10, 1073.  | 1.9 | 26        |
| 72 | Effects of ozone on some biological activities of cellsin vitro. Cell Biology and Toxicology, 1995, 11, 11-21.  | 2.4 | 26        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | New insights on Parkinson's disease from differentiation of SH-SY5Y into dopaminergic neurons: An involvement of aquaporin4 and 9. Molecular and Cellular Neurosciences, 2018, 88, 212-221.  | 1.0 | 25        |
| 74 | Ellagic Acid: Cytodifferentiating and Antiproliferative Effects In Human Prostatic Cancer Cell Lines.<br>Current Pharmaceutical Design, 2013, 19, 2728-2736.   | 0.9 | 25        |
| 75 | Glutamine synthetase activity and HSP70 levels in cultured rat astrocytes: effect of<br>1-octadecyl-2-methyl-rac-glycero-3-phosphocholine. Brain Research, 1998, 783, 143-150.   | 1.1 | 24        |
| 76 | Improved adhesion to mucosal cells of water-soluble chitosan tetraalkylammonium salts.<br>International Journal of Pharmaceutics, 2008, 362, 88-92.  | 2.6 | 24        |
| 77 | Fluoro-edenite induces fibulin-3 overexpression in non-malignant human mesothelial cells. Oncology<br>Letters, 2016, 12, 3363-3367.  | 0.8 | 24        |
| 78 | Evaluation of new amphiphilic PEG derivatives for preparing stealth lipid nanoparticles. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2013, 434, 136-144.   | 2.3 | 23        |
| 79 | Comparison of essential oil components and <i>in vitro</i> anticancer activity in wild and cultivated <i>Salvia verbenaca</i> . Natural Product Research, 2015, 29, 1630-1640.   | 1.0 | 23        |
| 80 | Effects of an extract of Celtis aetnensis (Tornab.) Strobl twigs on human colon cancer cell cultures.<br>Oncology Reports, 2016, 36, 2298-2304.  | 1.2 | 23        |
| 81 | Putrescine-1,4-dicinnamide from Pholiota spumosa (Basidiomycetes) inhibits cell growth of human prostate cancer cells. Phytomedicine, 2007, 14, 185-191.   | 2.3 | 22        |
| 82 | A molecular hybrid producing simultaneously singlet oxygen and nitric oxide by single photon excitation with green light. Bioorganic Chemistry, 2019, 85, 18-22.   | 2.0 | 22        |
| 83 | Wilms' tumor gene 1 silencing inhibits proliferation of human osteosarcoma MG-63 cell line by cell cycle arrest and apoptosis activation. Oncotarget, 2017, 8, 13917-13931.  | 0.8 | 22        |
| 84 | Effects of Gabapentin and Topiramate in primary rat astrocyte cultures. NeuroReport, 2001, 12, 1705-1708.  | 0.6 | 21        |
| 85 | Amidinobenzisothiazole derivatives with antidegenerative activity on cartilage. Il Farmaco, 2002, 57, 671-675.   | 0.9 | 21        |
| 86 | Mineral fibre toxicity: expression of retinoblastoma (Rb) and phospho-retinoblastoma (pRb) protein in<br>alveolar epithelial and mesothelial cell lines exposed to fluoro-edenite fibres. Cell Biology and<br>Toxicology, 2011, 27, 217-225. | 2.4 | 21        |
| 87 | A new jasmonic acid stereoisomeric derivative induces apoptosis via reactive oxygen species in human<br>prostate cancer cells. Cancer Letters, 2012, 326, 199-205.   | 3.2 | 20        |
| 88 | Raf kinase inhibitor protein (RKIP) and phospho-RKIP expression in melanomas. Acta Histochemica, 2013,<br>115, 795-802.  | 0.9 | 20        |
| 89 | Psoralea glandulosa as a Potential Source of Anticancer Agents for Melanoma Treatment.<br>International Journal of Molecular Sciences, 2015, 16, 7944-7959.  | 1.8 | 20        |
| 90 | Wilms' Tumor Gene 1 (WT1) Silencing Inhibits Proliferation of Malignant Peripheral Nerve Sheath<br>Tumor sNF96.2 Cell Line. PLoS ONE, 2014, 9, e114333.  | 1.1 | 19        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Fluoro-edenite Fibers Induce Expression of Hsp70 and Inflammatory Response. International Journal of<br>Environmental Research and Public Health, 2007, 4, 195-202.   | 1.2 | 18        |
| 92  | The DDAH/NOS pathway in human prostatic cancer cell lines: Antiangiogenic effect of L-NAME.<br>International Journal of Oncology, 2011, 39, 1303-10.  | 1.4 | 18        |
| 93  | Phytochemical Profile and Apoptotic Activity of Onopordum cynarocephalum. Planta Medica, 2012, 78, 1651-1660.   | 0.7 | 18        |
| 94  | A Multifunctional Bichromophoric Nanoaggregate for Fluorescence Imaging and Simultaneous<br>Photogeneration of RNOS and ROS. Chemistry - an Asian Journal, 2013, 8, 2634-2641.  | 1.7 | 18        |
| 95  | Chaperones as potential therapeutics for Krabbe disease. Journal of Neuroscience Research, 2016, 94, 1220-1230.   | 1.3 | 18        |
| 96  | Antigrowth activity and induction of apoptosis in human melanoma cells by Drymis winteri forst extract and its active components. Chemico-Biological Interactions, 2019, 305, 79-85.  | 1.7 | 17        |
| 97  | Expression of Raf Kinase Inhibitor Protein (RKIP) is a predictor of uveal melanoma metastasis.<br>Histology and Histopathology, 2014, 29, 1325-34.  | 0.5 | 17        |
| 98  | Effects of ether lipid 1-O-octadecyl-2-methoxy-rac-glycero-3-phosphocholine and its analogs PAF and<br>CPAF on the release of nitric oxide in primary cultures of rat astrocytes. Brain Research, 1996, 715,<br>98-103.   | 1.1 | 16        |
| 99  | Boldo prevents UV light and nitric oxide-mediated plasmid DNA damage and reduces the expression of Hsp70 protein in melanoma cancer cells. Journal of Pharmacy and Pharmacology, 2011, 63, 1219-1229.   | 1.2 | 16        |
| 100 | Anti-degenerative effect of Apigenin, Luteolin and Quercetin on human keratinocyte and chondrocyte cultures: SAR evaluation. Drug Research, 2018, 68, 132-138.  | 0.7 | 16        |
| 101 | Moscatilin, a bibenzyl derivative from the orchid Dendrobium loddigesii, induces apoptosis in melanoma cells. Chemico-Biological Interactions, 2020, 323, 109075.   | 1.7 | 16        |
| 102 | Cytotoxic and cytostatic activity of copper(II) complexes. Importance of the speciation for the correct interpretation of the in vitro biological results. Journal of Inorganic Biochemistry, 1993, 50, 31-45.  | 1.5 | 15        |
| 103 | Analysis of fibulin-3 after exposure to asbestos-like fibers. Environmental Research, 2017, 156, 381-387.   | 3.7 | 15        |
| 104 | Melaleuca styphelioides Sm. Polyphenols Modulate Interferon Gamma/Histamine-Induced Inflammation<br>in Human NCTC 2544 Keratinocytes. Molecules, 2018, 23, 2526.  | 1.7 | 15        |
| 105 | Biological effects of tiagabine on primary cortical astrocyte cultures of rat. Neuroscience Letters, 2000, 288, 49-52.  | 1.0 | 14        |
| 106 | Tolerability and improved protective action of idebenoneâ€loaded pegylated liposomes on<br>ethanolâ€induced injury in primary cortical astrocytes**Preliminary data were presented at the Second<br>International Conference on New Biomedical Materials, 5–8 April 2003, Cardiff, UK Journal of<br>Pharmaceutical Sciences, 2004, 93, 1815-1827. | 1.6 | 14        |
| 107 | New amphiphilic derivatives of poly(ethylene glycol) (PEG) as surface modifiers of colloidal drug carriers. III. Lipoamino acid conjugates with carboxy- and amino-PEG5000 polymers. Materials Science and Engineering C, 2015, 46, 470-481.  | 3.8 | 14        |
| 108 | Human Mesenchymal Stem Cells from Adipose Tissue Differentiated into Neuronal or Glial Phenotype<br>Express Different Aquaporins. Molecular Neurobiology, 2017, 54, 8308-8320.  | 1.9 | 14        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Aquaporin1 and 3 modification as a result of chondrogenic differentiation of human mesenchymal stem cell. Journal of Cellular Physiology, 2018, 233, 2279-2291.   | 2.0 | 14        |
| 110 | Nonâ€Phenolic Dicinnamamides from <i>Pholiota Spumosa</i> : Isolation, Synthesis and Antitumour<br>Activity. European Journal of Organic Chemistry, 2007, 2007, 5551-5559.  | 1.2 | 13        |
| 111 | Effect of litreol on the viability of human cancer cells. Chemico-Biological Interactions, 2009, 179, 178-184.  | 1.7 | 13        |
| 112 | A multi-photoresponsive molecular-hybrid for dual-modal photoinactivation of cancer cells. RSC Advances, 2014, 4, 44827-44836.  | 1.7 | 13        |
| 113 | NO Photoreleaser-Deoxyadenosine and -Bile Acid Derivative Bioconjugates as Novel Potential<br>Photochemotherapeutics. ACS Medicinal Chemistry Letters, 2016, 7, 939-943.  | 1.3 | 13        |
| 114 | Novel Sigma Receptor Ligand–Nitric Oxide Photodonors: Molecular Hybrids for Double-Targeted<br>Antiproliferative Effect. Journal of Medicinal Chemistry, 2017, 60, 9531-9544.   | 2.9 | 13        |
| 115 | Development and In Vitro Evaluation of an Innovative "Dietary Flavonoid Supplement―on<br>Osteoarthritis Process. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-10.   | 1.9 | 13        |
| 116 | Chamazulene-Rich Artemisia arborescens Essential Oils Affect the Cell Growth of Human Melanoma<br>Cells. Plants, 2020, 9, 1000.   | 1.6 | 13        |
| 117 | ETâ€18â€OCH3â€induced cytotoxicity and DNA damage in rat astrocytes. International Journal of<br>Developmental Neuroscience, 2000, 18, 545-555.   | 0.7 | 12        |
| 118 | Switching off HSP70 and i-NOS to study their role in normal and H2O2-stressed human fibroblasts.<br>Life Sciences, 2003, 74, 757-769.   | 2.0 | 12        |
| 119 | Demalonyl thyrsiflorin A, a semisynthetic labdane-derived diterpenoid, induces apoptosis and necrosis in human epithelial cancer cells. Chemico-Biological Interactions, 2007, 169, 198-206.                                    | 1.7 | 12        |
| 120 | Modulation of YY1 and p53 expression by transforming growth factor-β3 in prostate cell lines.<br>Cytokine, 2011, 56, 403-410.   | 1.4 | 12        |
| 121 | Synthesis and biological evaluation of new benzo-thieno[3,2-d]pyrimidin-4-one sulphonamide thio-derivatives as potential selective cyclooxygenase-2 inhibitors. Molecular Diversity, 2013, 17, 445-458.                         | 2.1 | 12        |
| 122 | Increased isoprostanoid levels in brain from murine model of Krabbe disease – Relevance of<br>isoprostanes, dihomo-isoprostanes and neuroprostanes to disease severity. Free Radical Biology and<br>Medicine, 2019, 139, 46-54. | 1.3 | 12        |
| 123 | Chemical composition and biological activity of Salvia verbenaca essential oil. Natural Product<br>Communications, 2011, 6, 1023-6.   | 0.2 | 12        |
| 124 | Benzisothiazolyliminothiazolidinâ€4â€ones with Chondroprotective Properties: Searching for Potent and<br>Selective Inhibitors of MMPâ€13. ChemMedChem, 2011, 6, 1199-1202.  | 1.6 | 11        |
| 125 | 5-Arylidene-4-Thiazolidinone Derivatives Active as Antidegenerative Agents on Human Chondrocyte<br>Cultures. Medicinal Chemistry, 2013, 9, 84-90.   | 0.7 | 11        |
| 126 | 2-Benzisothiazolylimino-5-benzylidene-4-thiazolidinones as protective agents against cartilage destruction. Bioorganic and Medicinal Chemistry, 2015, 23, 1551-1556.  | 1.4 | 11        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Chemical Composition and Biological Activity of Salvia Verbenaca Essential Oil. Natural Product<br>Communications, 2011, 6, 1934578X1100600.  | 0.2 | 10        |
| 128 | Molecular Docking and Fluorescence Characterization of Benzothieno[3,2-d]pyrimidin-4-one<br>Sulphonamide Thio-Derivatives, a Novel Class of Selective Cyclooxygenase-2 Inhibitors. Molecules,<br>2014, 19, 6106-6122.                                   | 1.7 | 10        |
| 129 | Defense and protection mechanisms in lung exposed to asbestiform fiber: the role of macrophage<br>migration inhibitory factor and heme oxygenase-1. European Journal of Histochemistry, 2020, 64, .   | 0.6 | 10        |
| 130 | Tiagabine treatment and DNA damage in rat astrocytes: an in vitro study by comet assay. Neuroscience<br>Letters, 2001, 306, 17-20.  | 1.0 | 9         |
| 131 | Immunohistochemical expression of retinoblastoma and phospho-retinoblastoma protein in lung sheep exposed to fluoro-edenite fibers. Anatomical Science International, 2010, 85, 74-78.  | 0.5 | 9         |
| 132 | Involvement of inducible nitric oxide synthase and cyclooxygenase-2 in the anti-inflammatory effects of a red orange extract in human chondrocytes. Natural Product Research, 2010, 24, 1469-1480.  | 1.0 | 9         |
| 133 | Evaluation of the anti-inflammatory/chondroprotective activity of aldose reductase inhibitors in human chondrocyte cultures. MedChemComm, 2015, 6, 823-830.   | 3.5 | 9         |
| 134 | Lightâ€Controlled Simultaneous "On Demand―Release of Cytotoxic Combinations for Bimodal Killing of<br>Cancer Cells. Chemistry - A European Journal, 2018, 24, 7664-7670.  | 1.7 | 9         |
| 135 | 4-Thiazolidinone Derivatives as MMP Inhibitors in Tissue Damage: Synthesis, Biological Evaluation and Docking Studies. Molecules, 2018, 23, 415.  | 1.7 | 9         |
| 136 | Antitumor properties of substituted (αE)-α-(1H-indol-3-ylmethylene)benzeneacetic acids or amides.<br>Bioorganic and Medicinal Chemistry, 2013, 21, 5233-5245.   | 1.4 | 8         |
| 137 | A study on the encapsulation of an occludin lipophilic derivative in liposomal carriers. Journal of Liposome Research, 2015, 25, 287-293.   | 1.5 | 8         |
| 138 | Targeted Photodynamic Therapy with a Folate/Sensitizer Assembly Produced from Mesoporous Silica.<br>Chemistry - A European Journal, 2017, 23, 7672-7676.  | 1.7 | 8         |
| 139 | Increased Tumor Cell Multiplication after Radiofrequency Lesions in Median Hypothalamus in the<br>Mouse and Rat. Neuroendocrinology, 1986, 42, 407-415.   | 1.2 | 7         |
| 140 | Preparation of liposome formulations containing immunomodulatory peptides. Pharmaceutica Acta<br>Helvetiae, 1997, 72, 1-10.   | 1.2 | 7         |
| 141 | Benzo[d]isothiazol-3-yl-benzamidines: a Class of Protective Agents on Culture of Human Cartilage and Chondrocytes Stimulated by IL-1β. ChemMedChem, 2007, 2, 113-119.   | 1.6 | 7         |
| 142 | Dehydroxymethylepoxyquinomicin, a novel nuclear factorâ€̂ºB inhibitor, prevents inflammatory injury<br>induced by interferonâ€ŀ³ and histamine in NCTC 2544 keratinocytes. Clinical and Experimental<br>Pharmacology and Physiology, 2010, 37, 679-683. | 0.9 | 7         |
| 143 | Monitoring the release of a NO photodonor from polymer nanoparticles <i>via</i> Förster resonance<br>energy transfer and two-photon fluorescence imaging. Journal of Materials Chemistry B, 2018, 6,<br>249-256.  | 2.9 | 7         |
| 144 | Blue Light Induces Down-Regulation of Aquaporin 1, 3, and 9 in Human Keratinocytes. Cells, 2018, 7, 197.  | 1.8 | 7         |

| #   | Article   | IF                | CITATIONS |
|-----|---|-------------------|-----------|
| 145 | Nitric oxide production in fluoro-edenite treated mouse monocyte-macrophage cultures. Oncology<br>Reports, 2004, 12, 1209-15.   | 1.2               | 7         |
| 146 | Distinct response to ionizing radiation of human prostate cell lines. Oncology Reports, 2005, 14, 981-5.  | 1.2               | 7         |
| 147 | Inhibition of iNOS and COX-2 in human whole blood ex vivo and monocyte-macrophage J774 cells by a new group of aminothiopyrimidone derivatives. Bioorganic and Medicinal Chemistry, 2009, 17, 1991-1996.  | 1.4               | 6         |
| 148 | Dehydroxymethylepoxyquinomicin Inhibits Expression and Production of Inflammatory Mediators in Interleukin-1β-induced Human Chondrocytes. Cellular Physiology and Biochemistry, 2010, 25, 543-550.  | 1.1               | 6         |
| 149 | Zoledronate derivatives as potential inhibitors of uridine diphosphateâ€galactose ceramide<br>galactosyltransferase 8: A combined molecular docking and dynamic study. Journal of Neuroscience<br>Research, 2016, 94, 1318-1326.  | 1.3               | 6         |
| 150 | Krabbe's leukodystrophy: Approaches and models in vitro. Journal of Neuroscience Research, 2016, 94,<br>1284-1292.  | 1.3               | 6         |
| 151 | THE EFFECT OF ETHER LIPID 1-O-OCTADECYL-2-O-METHOXY-RAC-GLYCERO-3-PHOSPHOCHOLINE AND ITS<br>ANALOGUES PLATELET ACTIVATING FACTOR AND CARBAMYL-PLATELET ACTIVATING FACTOR ON THE<br>BIOSYNTHESIS OF INTERLEUKIN-6 IN HUMAN THYMIC EPITHELIAL CELLS CULTIVATED IN VITRO. Cytokine, 1996,<br>8, 698-701. | 1.4               | 5         |
| 152 | Synthetic approaches to bridgehead nitrogen methanesulfonamide derivatives of<br>3â€aminoâ€2â€thioxoâ€2,3â€dihydrothieno[2,3â€ <i>d</i> ]pyrimidinâ€4(1 <i>H</i> )â€ones, potential coxâ€2 se<br>inhibitors. Journal of Heterocyclic Chemistry, 2006, 43, 1099-1104.                                  | l <b>eic</b> tive | 5         |
| 153 | New stereoisomeric derivatives of jasmonic acid generated by biotransformation with the fungus<br>Gibberella fujikuroi affect the viability of human cancer cells. Electronic Journal of Biotechnology,<br>2011, 14, .  | 1.2               | 5         |
| 154 | A study on liposomal encapsulation of a lipophilic prodrug of LHRH. Pharmaceutical Development and Technology, 2015, 21, 1-8.   | 1.1               | 5         |
| 155 | Synthesis and Biological Evaluation of Sulfonilamidothienopyrimidinone Derivatives as Novel Anti-inflammatory Agents. Medicinal Chemistry, 2014, 10, 700-710.   | 0.7               | 5         |
| 156 | Nitric oxide production in fluoro-edenite treated mouse monocyte-macrophage cultures. Oncology<br>Reports, 0, , .   | 1.2               | 5         |
| 157 | Dysregulation of microRNAs and tRNA-derived ncRNAs in mesothelial and mesothelioma cell lines after asbestiform fiber exposure. Scientific Reports, 2022, 12, .   | 1.6               | 5         |
| 158 | Effects of leflunomide on human cartilage. Il Farmaco, 2003, 58, 983-987.   | 0.9               | 4         |
| 159 | Physiologically based microenvironment for <i>in vitro</i> neural differentiation of adipose-derived stem cells. World Journal of Stem Cells, 2018, 10, 23-33.  | 1.3               | 4         |
| 160 | Screening for Krabbe disease: The first 2Âyears' experience. Acta Neurologica Scandinavica, 2019, 140,<br>359-365.  | 1.0               | 4         |
| 161 | Mineral fiber-mediated activation of phosphoinositide-specific phospholipase c in human<br>bronchoalveolar carcinoma-derived alveolar epithelial A549 cells. International Journal of Oncology,<br>2009, 34, 371-6.   | 1.4               | 4         |
| 162 | Thymotrophic effect of ether lipid 1-O-octadecyl-2-O-methoxy-rac-glicero-3-phosphocholine in the mouse. Immunopharmacology, 1997, 37, 199-207.  | 2.0               | 3         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Antiproliferative and Cytotoxic Effects on Malignant Melanoma Cells of Essential Oils from the<br>Aerial Parts of Genista sessilifolia and G. tinctoria. Natural Product Communications, 2010, 5,<br>1934578X1000500.   | 0.2 | 3         |
| 164 | Synthesis, characterization, molecular modelling and biological evaluation of thienoâ€pyrimidinone<br>methanesulphonamide thioâ€derivatives as nonâ€steroidal antiâ€inflammatory agents. Clinical and<br>Experimental Pharmacology and Physiology, 2018, 45, 952-960. | 0.9 | 3         |
| 165 | A thermoresponsive gel photoreleasing nitric oxide for potential ocular applications. Journal of<br>Materials Chemistry B, 2020, 8, 9121-9128.  | 2.9 | 3         |
| 166 | Distinct response to ionizing radiation of human prostate cell lines. Oncology Reports, 0, , .  | 1.2 | 3         |
| 167 | Chemoenzymatic Synthesis and Some Biological Properties of O-phosphoryl Derivatives of (E)-resveratrol. Natural Product Communications, 2008, 3, 1934578X0800301.   | 0.2 | 2         |
| 168 | Evaluation of amphiphilic PEG derivatives as surface modifiers for the production of stealth liposomes. Colloid and Polymer Science, 2015, 293, 1083-1092.  | 1.0 | 2         |
| 169 | Adaption of Lung Fibroblasts to Fluoro-Edenite Fibers: Evaluation of Molecular and Physiological Dynamics. Cellular Physiology and Biochemistry, 2021, 55, 327-343.   | 1.1 | 2         |
| 170 | Microsurgical tunica albuginea transplantation in an animal model. Asian Journal of Andrology, 2017, 19, 694.   | 0.8 | 2         |
| 171 | Behaviour of fibrous antigorite on mesothelial Met-5A cell line. Toxicology Letters, 2006, 164, S206.   | 0.4 | 1         |
| 172 | Potential Anticancer Activity against Human Epithelial Cancer Cells of Peumus Boldus Leaf Extract.<br>Natural Product Communications, 2008, 3, 1934578X0800301.   | 0.2 | 1         |
| 173 | Effect of Three Centaurea Species Collected from Central Anatolia Region of Turkey on Human<br>Melanoma Cells. Natural Product Communications, 2016, 11, 1934578X1601100.   | 0.2 | 1         |
| 174 | Fluoro-edenite fibers induce expression of Hsp70 and inflammatory response. Toxicology Letters, 2007, 172, S39-S40.   | 0.4 | 0         |
| 175 | 5-Arylidene-4-Thiazolidinone Derivatives Active as Antidegenerative Agents on Human Chondrocyte<br>Cultures. Medicinal Chemistry, 2012, 9, 84-90.   | 0.7 | 0         |
| 176 | Abstract 4074: Transcription factors involved in the genesis and progression of cancer differently modulated by transforming growth factor-beta3 (TGF-Beta3) in prostate cell lines , 2013, , .   |     | 0         |