

Sergio Sanchez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2348346/publications.pdf>

Version: 2024-02-01

32
papers

824
citations

516710

16
h-index

501196

28
g-index

35
all docs

35
docs citations

35
times ranked

1084
citing authors

#	ARTICLE	IF	CITATIONS
1	Infección mixta por cuatro patotipos diarréagénicos de <i>Escherichia coli</i> en un caso de diarrea del viajero: caracterización de los aislados obtenidos mediante secuenciación del genoma completo. <i>Enfermedades Infecciosas Y Microbiología Clínica</i> , 2020, 38, 39-40.	0.5	0
2	Evaluation of the SHIGA TOXIN QUIK CHEK after overnight enrichment as screening tool for Shiga toxin-producing <i>Escherichia coli</i> detection in human fecal samples. <i>Diagnostic Microbiology and Infectious Disease</i> , 2019, 94, 218-222.	1.8	1
3	Detection and characterization of Shiga toxin-producing <i>Escherichia coli</i> (STEC) in bulk tank ewe's milk and sheep farm environment. <i>Small Ruminant Research</i> , 2017, 154, 110-114.	1.2	10
4	Mucus-Activatable Shiga Toxin Genotype <i>Escherichia coli</i> O157:H7. <i>Emerging Infectious Diseases</i> , 2017, 23, 1431-1433.	4.3	9
5	Characterization of an emergent clone of enteroinvasive <i>Escherichia coli</i> circulating in Europe. <i>Clinical Microbiology and Infection</i> , 2016, 22, 287.e11-287.e19.	6.0	38
6	Plasmid-Mediated Quinolone Resistance in Different Diarrheagenic <i>Escherichia coli</i> Pathotypes Responsible for Complicated, Noncomplicated, and Traveler's Diarrhea Cases. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 1950-1951.	3.2	7
7	Development of Three Multiplex PCR Assays Targeting the 21 Most Clinically Relevant Serogroups Associated with Shiga Toxin-Producing <i>E. coli</i> Infection in Humans. <i>PLoS ONE</i> , 2015, 10, e0117660.	2.5	30
8	Eutrophication and Bacterial Pathogens as Risk Factors for Avian Botulism Outbreaks in Wetlands Receiving Effluents from Urban Wastewater Treatment Plants. <i>Applied and Environmental Microbiology</i> , 2014, 80, 4251-4259.	3.1	46
9	Carriage of <i>Staphylococcus aureus</i> by Free-Living Wild Animals in Spain. <i>Applied and Environmental Microbiology</i> , 2014, 80, 4865-4870.	3.1	48
10	Cluster investigation of mixed O76:H19 Shiga toxin-producing <i>Escherichia coli</i> and atypical enteropathogenic <i>E. coli</i> infection in a Spanish household. <i>Epidemiology and Infection</i> , 2014, 142, 1029-1033.	2.1	9
11	Prevalence of Shiga toxin-producing <i>Escherichia coli</i> , <i>Salmonella</i> spp. and <i>Campylobacter</i> spp. in large game animals intended for consumption: Relationship with management practices and livestock influence. <i>Veterinary Microbiology</i> , 2013, 163, 274-281.	1.9	57
12	Methicillin resistant <i>Staphylococcus aureus</i> (MRSA) carriage in different free-living wild animal species in Spain. <i>Veterinary Journal</i> , 2013, 198, 127-130.	1.7	72
13	A Colibacillosis Outbreak in Farmed Red-Legged Partridges (<i>Alectoris rufa</i>). <i>Avian Diseases</i> , 2013, 57, 143-146.	1.0	8
14	The new allelic variant of the subtilase cytotoxin (subAB2) is common among Shiga toxin-producing <i>Escherichia coli</i> strains from large game animals and their meat and meat products. <i>Veterinary Microbiology</i> , 2013, 166, 645-649.	1.9	12
15	A new pathogenicity island carrying an allelic variant of the Subtilase cytotoxin is common among Shiga toxin producing <i>Escherichia coli</i> of human and ovine origin. <i>Clinical Microbiology and Infection</i> , 2013, 19, E149-E156.	6.0	50
16	Occurrence of avian pathogenic <i>Escherichia coli</i> and antimicrobial-resistant <i>E. coli</i> in red-legged partridges (<i>Alectoris rufa</i>): sanitary concerns of farming. <i>Avian Pathology</i> , 2012, 41, 337-344.	2.0	16
17	<i>Helicobacter ovis</i> isolated from a goat with purulent bronchopneumonia and pulmonary abscesses. <i>Journal of Veterinary Diagnostic Investigation</i> , 2012, 24, 235-237.	1.1	8
18	Subtilase cytotoxin encoding genes are present in human, sheep and deer intimin-negative, Shiga toxin-producing <i>Escherichia coli</i> O128:H2. <i>Veterinary Microbiology</i> , 2012, 159, 531-535.	1.9	25

#	ARTICLE	IF	CITATIONS
19	Detection and characterization of Shiga toxin-producing <i>Escherichia coli</i> in game meat and ready-to-eat meat products. <i>International Journal of Food Microbiology</i> , 2012, 160, 179-182.	4.7	24
20	Sorbitol-Fermenting, β -Glucuronidase-Positive, Shiga Toxin-Negative <i>Escherichia coli</i> O157:H7 in Free-Ranging Red Deer in South-Central Spain. <i>Foodborne Pathogens and Disease</i> , 2011, 8, 1313-1315.	1.8	19
21	Outbreak of ringworm in a traditional Iberian pig farm in Spain. <i>Mycoses</i> , 2011, 54, 179-181.	4.0	12
22	Occurrence of verocytotoxin-producing <i>Escherichia coli</i> in the faeces of free-ranging wild lagomorphs in southwest Spain. <i>European Journal of Wildlife Research</i> , 2011, 57, 187-189.	1.4	7
23	<i>Salmonella</i> Spp. and Shiga Toxin-Producing <i>Escherichia coli</i> Prevalence in an Ocellated Lizard (<i>Timon lepidus</i>) Research Center in Spain. <i>Foodborne Pathogens and Disease</i> , 2011, 8, 1309-1311.	1.8	4
24	A zoonotic ringworm outbreak caused by a dysgonic strain of <i>Microsporum canis</i> from stray cats. <i>Revista Iberoamericana De Micologia</i> , 2010, 27, 62-65.	0.9	14
25	Variation in the prevalence of non-O157 Shiga toxin-producing <i>Escherichia coli</i> in four sheep flocks during a 12-month longitudinal study. <i>Small Ruminant Research</i> , 2010, 93, 144-148.	1.2	16
26	Pheno-genotypic characterisation of <i>Escherichia coli</i> O157:H7 isolates from domestic and wild ruminants. <i>Veterinary Microbiology</i> , 2010, 142, 445-449.	1.9	25
27	Detection and characterisation of O157:H7 and non-O157 Shiga toxin-producing <i>Escherichia coli</i> in wild boars. <i>Veterinary Microbiology</i> , 2010, 143, 420-423.	1.9	50
28	Shiga toxin-producing <i>Escherichia coli</i> O157:H7 from extensive cattle of the fighting bulls breed. <i>Research in Veterinary Science</i> , 2010, 88, 208-210.	1.9	9
29	Longitudinal Study of Shiga Toxin-Producing <i>Escherichia coli</i> Shedding in Sheep Feces: Persistence of Specific Clones in Sheep Flocks. <i>Applied and Environmental Microbiology</i> , 2009, 75, 1769-1773.	3.1	15
30	Detection and characterisation of Shiga toxin-producing <i>Escherichia coli</i> other than <i>Escherichia coli</i> O157:H7 in wild ruminants. <i>Veterinary Journal</i> , 2009, 180, 384-388.	1.7	67
31	Presence of Shiga toxin-producing <i>E. coli</i> O157:H7 in a survey of wild artiodactyls. <i>Veterinary Microbiology</i> , 2007, 121, 373-377.	1.9	40
32	Prevalence, serotypes and virulence genes of Shiga toxin-producing <i>Escherichia coli</i> isolated from ovine and caprine milk and other dairy products in Spain. <i>International Journal of Food Microbiology</i> , 2006, 107, 212-217.	4.7	67