
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2348924/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Analysis of time-dependent chloride diffusion in surface-treated concrete based on a rapid numerical approach. Structure and Infrastructure Engineering, 2023, 19, 332-344. | 2.0 | 2 |
| 2 | Effect of temperature variation on the plate-end debonding of FRP-strengthened beams: A theoretical study. Advances in Structural Engineering, 2022, 25, 290-305. | 1.2 | 11 |
| 3 | Effects of temperature variation on intermediate crack-induced debonding and stress intensity factor in FRP-retrofitted cracked steel beams: An analytical study. Composite Structures, 2022, 279, 114776. | 3.1 | 15 |
| 4 | High-strength high-ductility Engineered/Strain-Hardening Cementitious Composites (ECC/SHCC) incorporating geopolymer fine aggregates. Cement and Concrete Composites, 2022, 125, 104296. | 4.6 | 91 |
| 5 | Artificial alkali-activated aggregates developed from wastes and by-products: A state-of-the-art review. Resources, Conservation and Recycling, 2022, 177, 105971. | 5.3 | 51 |
| 6 | Innovative additional aluminum alloy ribs anchorage for improving the bond reliability of pretensioned CFRP bar: A feasibility study. Composite Structures, 2022, 280, 114817. | 3.1 | 10 |
| 7 | Simplified plasticity damage model for large rupture strain (LRS) FRP-confined concrete. Composite Structures, 2022, 280, 114916. | 3.1 | 12 |
| 8 | Finite Element Modeling of Large Rupture Strain (LRS) FRP-Confined Concrete Columns. Lecture Notes in Civil Engineering, 2022, , 632-639. | 0.3 | 0 |
| 9 | Seismic Performance of Large Rupture Strain (LRS) FRP-Wrapped Circular RC Columns. Lecture Notes in Civil Engineering, 2022, , 1914-1922. | 0.3 | Ο |
| 10 | Shear Performance of BFRP Reinforced Geopolymer Concrete One-Way Slab. Lecture Notes in Civil Engineering, 2022, , 1085-1096. | 0.3 | 1 |
| 11 | Structural behavior of FRP connector enabled precast geopolymer concrete sandwich panels subjected to one-side fire exposure. Fire Safety Journal, 2022, 128, 103524. | 1.4 | 12 |
| 12 | Axial-flexural behavior of FRP grid-reinforced geopolymer concrete sandwich wall panels enabled with FRP connectors. Journal of Building Engineering, 2022, 47, 103907. | 1.6 | 6 |
| 13 | Prefabricated UHPC-concrete-ECC underground utility tunnel reinforced by perforated steel plate: Experimental and numerical investigations. Case Studies in Construction Materials, 2022, 16, e00856. | 0.8 | 6 |
| 14 | Polymer coating with gradientâ€dispersed dielectric nanoparticles for enhanced daytime radiative cooling. EcoMat, 2022, 4, . | 6.8 | 17 |
| 15 | Strain-hardening Ultra-High-Performance Geopolymer Concrete (UHPGC): Matrix design and effect of steel fibers. Composites Communications, 2022, 30, 101081. | 3.3 | 67 |
| 16 | Effects of delayed addition of polycarboxylate ether on one-part alkali-activated fly ash/slag pastes: Adsorption, reaction kinetics, and rheology. Construction and Building Materials, 2022, 323, 126611. | 3.2 | 14 |
| 17 | FE modeling of Non-circular LRS FRP-confined concrete columns. Composite Structures, 2022, 286, 115314. | 3.1 | 8 |
| 18 | Novel FRP micro-bar reinforced UHPC permanent formwork for circular columns: Concept and compressive behavior. Composite Structures, 2022, 285, 115268. | 3.1 | 13 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Debonding analysis of FRP-to-concrete interfaces between two adjacent cracks in plated beams under temperature variations. Engineering Fracture Mechanics, 2022, 263, 108307. | 2.0 | 9 |
| 20 | Effects of Solid Activator and Fly Ash on Rheology and Thixotropy of One-Part Alkali-Activated Pastes. Journal of Advanced Concrete Technology, 2022, 20, 139-151. | 0.8 | 6 |
| 21 | Flexural strengthening of reinforced concrete beams using geopolymer-bonded small-diameter CFRP bars. Engineering Structures, 2022, 256, 113992. | 2.6 | 41 |
| 22 | Evaluation of base damage and stability of concrete gravity dam subjected to underwater explosion. Structures, 2022, 38, 1502-1514. | 1.7 | 13 |
| 23 | Effect of sand content on bond performance of engineered geopolymer composites (EGC) repair material. Construction and Building Materials, 2022, 328, 127080. | 3.2 | 29 |
| 24 | Properties of additively manufactured geopolymer incorporating mineral wollastonite microfibers. Construction and Building Materials, 2022, 331, 127282. | 3.2 | 18 |
| 25 | Ultra-high-strength engineered/strain-hardening cementitious composites (ECC/SHCC): Material design and effect of fiber hybridization. Cement and Concrete Composites, 2022, 129, 104464. | 4.6 | 80 |
| 26 | Upcycling of air pollution control residue waste into cementitious product through geopolymerization technology. Resources, Conservation and Recycling, 2022, 181, 106231. | 5.3 | 15 |
| 27 | Geopolymer coating modified with reduced graphene oxide for improving steel corrosion resistance. Construction and Building Materials, 2022, 342, 127942. | 3.2 | 20 |
| 28 | Effect of temperature variation on the plate-end debonding of FRP-strengthened steel beams: Coupled mixed-mode cohesive zone modeling. Engineering Fracture Mechanics, 2022, 270, 108583. | 2.0 | 7 |
| 29 | Recent developments in Engineered/Strain-Hardening Cementitious Composites (ECC/SHCC) with high and ultra-high strength. Construction and Building Materials, 2022, 342, 127956. | 3.2 | 50 |
| 30 | Tailoring strain-hardening behavior of high-strength Engineered Cementitious Composites (ECC) using hybrid silica sand and artificial geopolymer aggregates. Materials and Design, 2022, 220, 110876. | 3.3 | 32 |
| 31 | Development and behavior of novel FRP-UHPC tubular members. Engineering Structures, 2022, 266, 114540. | 2.6 | 25 |
| 32 | Atomistic insights into the debonding of Epoxy–Concrete interface with water presence. Engineering Fracture Mechanics, 2022, 271, 108668. | 2.0 | 15 |
| 33 | Enhancing long-term tensile performance of Engineered Cementitious Composites (ECC) using sustainable artificial geopolymer aggregates. Cement and Concrete Composites, 2022, 133, 104676. | 4.6 | 34 |
| 34 | Bond performance of FRP bars in plain and fiber-reinforced geopolymer under pull-out loading. Journal of Building Engineering, 2022, 57, 104893. | 1.6 | 6 |
| 35 | The bond behaviour of CFRP-to-concrete bonded joints under fatigue cyclic loading: An experimental study. Construction and Building Materials, 2021, 273, 121674. | 3.2 | 16 |
| 36 | Seawater sea-sand engineered/strain-hardening cementitious composites (ECC/SHCC): Assessment and modeling of crack characteristics. Cement and Concrete Research, 2021, 140, 106292. | 4.6 | 135 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Effect of fiber content on mechanical performance and cracking characteristics of ultra-high-performance seawater sea-sand concrete (UHP-SSC). Advances in Structural Engineering, 2021, 24, 1182-1195. | 1.2 | 49 |
| 38 | Stabilisation/solidification of municipal solid waste incineration fly ash by phosphate-enhanced calcium aluminate cement. Journal of Hazardous Materials, 2021, 408, 124404. | 6.5 | 85 |
| 39 | Bond durability of epoxy and cement- bonded CFRP reinforcement to concrete interfaces subject to water immersion. Materials and Structures/Materiaux Et Constructions, 2021, 54, 1. | 1.3 | 9 |
| 40 | Recent advances in molecular dynamics simulation of the N-A-S-H geopolymer system: modeling, structural analysis, and dynamics. Construction and Building Materials, 2021, 276, 122196. | 3.2 | 41 |
| 41 | Effect of mixing method on the performance of alkali-activated fly ash/slag pastes along with polycarboxylate admixture. Cement and Concrete Composites, 2021, 117, 103917. | 4.6 | 39 |
| 42 | Use of water hyacinth waste to produce fibre-reinforced polymer composites for concrete confinement: Mechanical performance and environmental assessment. Journal of Cleaner Production, 2021, 292, 126041. | 4.6 | 38 |
| 43 | Mesoâ€scale modeling of chloride diffusivity in mortar subjected to corrosionâ€induced cracking. Computer-Aided Civil and Infrastructure Engineering, 2021, 36, 602-619. | 6.3 | 12 |
| 44 | The bond between geopolymer repair mortars and OPC concrete substrate: Strength and microscopic interactions. Cement and Concrete Composites, 2021, 119, 103991. | 4.6 | 65 |
| 45 | Improved temperature compensation of fiber Bragg grating-based sensors applied to structures under different loading conditions. Optical Fiber Technology, 2021, 63, 102506. | 1.4 | 36 |
| 46 | Flexural Performance of UHPC–Concrete–ECC Composite Member Reinforced with Perforated Steel Plates. Journal of Structural Engineering, 2021, 147, . | 1.7 | 46 |
| 47 | Debonding Detection in the Grouted Joints of Precast Concrete Shear Walls Using Impact-Echo Method. Journal of Nondestructive Evaluation, 2021, 40, 1. | 1.1 | 3 |
| 48 | Influence of a Superplasticizer on Initial Corrosion of Galvanized Steel Bars in Concrete Pore Solution. Journal of Materials in Civil Engineering, 2021, 33, . | 1.3 | 6 |
| 49 | Structural design for modular integrated construction with parameterized level set-based topology optimization method. Structures, 2021, 31, 1265-1277. | 1.7 | 6 |
| 50 | Evolutionary artificial intelligence approach for performance prediction of bio-composites. Construction and Building Materials, 2021, 290, 123254. | 3.2 | 22 |
| 51 | Structural behavior of FRP grid reinforced geopolymer concrete sandwich wall panels subjected to concentric axial loading. Composite Structures, 2021, 270, 114117. | 3.1 | 15 |
| 52 | Engineered/strain-hardening cementitious composites (ECC/SHCC) with an ultra-high compressive strength over 210ÂMPa. Composites Communications, 2021, 26, 100775. | 3.3 | 73 |
| 53 | Development of artificial one-part geopolymer lightweight aggregates by crushing technique. Journal of Cleaner Production, 2021, 315, 128200. | 4.6 | 49 |
| 54 | Full-range behavior of FRP-to-concrete bonded joints subjected to combined effects of loading and temperature variation. Engineering Fracture Mechanics, 2021, 254, 107928. | 2.0 | 20 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Residual bond strengths of epoxy and cement-bonded CFRP reinforcements to concrete interfaces after elevated temperature exposure. Fire Safety Journal, 2021, 124, 103393. | 1.4 | 14 |
| 56 | Development of engineered cementitious composites (ECC) using artificial fine aggregates. Construction and Building Materials, 2021, 305, 124742. | 3.2 | 47 |
| 57 | Understanding geopolymer binder-aggregate interfacial characteristics at molecular level. Cement and Concrete Research, 2021, 149, 106582. | 4.6 | 30 |
| 58 | Roles of hybrid activators in improving the early-age properties of one-part geopolymer pastes. Construction and Building Materials, 2021, 306, 124880. | 3.2 | 31 |
| 59 | A novel implicit coupled hydro-mechanical SPFEM approach for modelling of delayed failure of cut slope in soft sensitive clay. Computers and Geotechnics, 2021, 140, 104474. | 2.3 | 13 |
| 60 | Tensile and Compressive Performance of High-Strength Engineered Cementitious Composites (ECC) with Seawater and Sea-Sand. RILEM Bookseries, 2021, , 1034-1041. | 0.2 | 3 |
| 61 | Recent Advances in Strain-Hardening UHPC with Synthetic Fibers. Journal of Composites Science, 2021, 5, 283. | 1.4 | 21 |
| 62 | Quasi-static and dynamic tensile properties of large-rupture-strain (LRS) polyethylene terephthalate fiber bundle. Construction and Building Materials, 2020, 232, 117241. | 3.2 | 44 |
| 63 | Influence of coal fly ash on the early performance enhancement and formation mechanisms of silico-aluminophosphate geopolymer. Cement and Concrete Research, 2020, 127, 105932. | 4.6 | 76 |
| 64 | Direct Tensile Properties and Stress–Strain Model of UHP-ECC. Journal of Materials in Civil Engineering, 2020, 32, . | 1.3 | 89 |
| 65 | Effect of superplasticizers on properties of one-part Ca(OH)2/Na2SO4 activated geopolymer pastes. Construction and Building Materials, 2020, 241, 117990. | 3.2 | 53 |
| 66 | An Investigation of Softening Laws and Fracture Toughness of Slag-Based Geopolymer Concrete and Mortar. Materials, 2020, 13, 5200. | 1.3 | 10 |
| 67 | High-strength seawater sea-sand Engineered Cementitious Composites (SS-ECC): Mechanical performance and probabilistic modeling. Cement and Concrete Composites, 2020, 114, 103740. | 4.6 | 85 |
| 68 | In-situ X-ray microcomputed tomography monitoring of steel corrosion in engineered cementitious composite (ECC). Construction and Building Materials, 2020, 262, 120844. | 3.2 | 15 |
| 69 | Creating an Ecoâ€Friendly Building Coating with Smart Subambient Radiative Cooling. Advanced Materials, 2020, 32, e1906751. | 11.1 | 196 |
| 70 | Flexural performance of precast geopolymer concrete sandwich panel enabled by FRP connector. Composite Structures, 2020, 248, 112563. | 3.1 | 34 |
| 71 | Analytical solution for FRP-to-concrete bonded joints considering local unloading and reloading. Engineering Fracture Mechanics, 2020, 235, 107185. | 2.0 | 7 |
| 72 | Shear strengthening of RC beams with FRP grid-reinforced ECC matrix. Composite Structures, 2020, 241, 112120. | 3.1 | 80 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Reduce VOCs and PM emissions of warm-mix asphalt using geopolymer additives. Construction and Building Materials, 2020, 244, 118338. | 3.2 | 41 |
| 74 | Enhanced passivation of galvanized steel bars in nano-silica modified cement mortars. Cement and Concrete Composites, 2020, 111, 103626. | 4.6 | 24 |
| 75 | Seawater sea-sand Engineered Cementitious Composites (SS-ECC) for marine and coastal applications. Composites Communications, 2020, 20, 100353. | 3.3 | 90 |
| 76 | Determining the service life extension of silane treated concrete structures: A probabilistic approach. Construction and Building Materials, 2020, 249, 118802. | 3.2 | 9 |
| 77 | Experimental study on full-volume fly ash geopolymer mortars: Sintered fly ash versus sand as fine aggregates. Journal of Cleaner Production, 2020, 263, 121445. | 4.6 | 46 |
| 78 | Interfacial debonding detection of strengthened steel structures by using smart CFRP-FBG composites. Smart Materials and Structures, 2019, 28, 115001. | 1.8 | 31 |
| 79 | Development of extended Drucker–Prager model for non-uniform FRP-confined concrete based on triaxial tests. Construction and Building Materials, 2019, 224, 1-18. | 3.2 | 21 |
| 80 | Seismic retrofit of exterior RC beam-column joints with bonded CFRP reinforcement: An experimental study. Composite Structures, 2019, 224, 111018. | 3.1 | 31 |
| 81 | Improvement of early-age properties of silico-aluminophosphate geopolymer using dead burnt magnesia. Construction and Building Materials, 2019, 217, 1-11. | 3.2 | 31 |
| 82 | Stiffness-based design-oriented compressive stress-strain model for large-rupture-strain (LRS) FRP-confined concrete. Composite Structures, 2019, 223, 110953. | 3.1 | 97 |
| 83 | Silico-Aluminophosphate and Alkali-Aluminosilicate Geopolymers: A Comparative Review. Frontiers in Materials, 2019, 6, . | 1.2 | 125 |
| 84 | Strengthening concrete using phosphate cement-based fiber-reinforced inorganic composites for improved fire resistance. Construction and Building Materials, 2019, 212, 755-764. | 3.2 | 34 |
| 85 | Dynamic Behavior of PET FRP and Its Preliminary Application in Impact Strengthening of Concrete Columns. Applied Sciences (Switzerland), 2019, 9, 4987. | 1.3 | 17 |
| 86 | The effectiveness of different superplasticizers in ambient cured one-part alkali activated pastes. Cement and Concrete Composites, 2019, 97, 166-174. | 4.6 | 104 |
| 87 | Strain transfer analysis of fiber Bragg grating sensor assembled composite structures subjected to thermal loading. Composites Part B: Engineering, 2019, 162, 303-313. | 5.9 | 61 |
| 88 | Direct shear tests of glass fiber reinforced polymer connectors for use in precast concrete sandwich panels. Composite Structures, 2019, 207, 136-147. | 3.1 | 32 |
| 89 | Deflection hardening behavior and elastic modulus of one-part hybrid fiber-reinforced geopolymer composites. Journal of Asian Concrete Federation, 2019, 5, 37-51. | 0.8 | 11 |
| 90 | Influence of chloride ion on depassivation of passive film on galvanized steel bars in concrete pore solution. Construction and Building Materials, 2018, 166, 572-580. | 3.2 | 44 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Mechanical Properties of Alkali-Activated Concrete Subjected to Impact Load. Journal of Materials in Civil Engineering, 2018, 30, . | 1.3 | 7 |
| 92 | Flexural strengthening of RC beams with CFRP grid-reinforced ECC matrix. Composite Structures, 2018, 189, 9-26. | 3.1 | 126 |
| 93 | Experimental study of concrete-filled CHS stub columns with inner FRP tubes. Thin-Walled Structures, 2018, 122, 606-621. | 2.7 | 36 |
| 94 | Fracture properties of alkali-activated slag and ordinary Portland cement concrete and mortar. Construction and Building Materials, 2018, 165, 310-320. | 3.2 | 81 |
| 95 | Geopolymer as an additive of warm mix asphalt: Preparation and properties. Journal of Cleaner Production, 2018, 192, 906-915. | 4.6 | 44 |
| 96 | Influence of calcium ion in concrete pore solution on the passivation of galvanized steel bars. Cement and Concrete Research, 2018, 108, 46-58. | 4.6 | 56 |
| 97 | Three-Level Fire Resistance Design of FRP-Strengthened RC Beams. Journal of Composites for Construction, 2018, 22, . | 1.7 | 29 |
| 98 | Superhydrophobic self-cleaning solar reflective orange-gray paint coating. Solar Energy Materials and Solar Cells, 2018, 174, 292-299. | 3.0 | 34 |
| 99 | Development of ultra-high performance engineered cementitious composites using polyethylene (PE) fibers. Construction and Building Materials, 2018, 158, 217-227. | 3.2 | 370 |
| 100 | Influence of lead on stabilization/solidification by ordinary Portland cement and magnesium phosphate cement. Chemosphere, 2018, 190, 90-96. | 4.2 | 158 |
| 101 | Study of a super-non-wetting self-cleaning solar reflective blue-grey paint coating with luminescence. Solar Energy Materials and Solar Cells, 2018, 176, 69-80. | 3.0 | 20 |
| 102 | Upcycling wood waste into fibre-reinforced magnesium phosphate cement particleboards. Construction and Building Materials, 2018, 159, 54-63. | 3.2 | 77 |
| 103 | Alternation of traditional cement mortars using fly ash-based geopolymer mortars modified by slag. Journal of Cleaner Production, 2018, 203, 746-756. | 4.6 | 115 |
| 104 | Low-carbon and low-alkalinity stabilization/solidification of high-Pb contaminated soil. Chemical Engineering Journal, 2018, 351, 418-427. | 6.6 | 174 |
| 105 | Experimental Study on Force Sensitivity of the Conductivity of Carbon Nanotubes-Modified Epoxy Resins. Materials, 2018, 11, 1174. | 1.3 | 4 |
| 106 | Role of soluble aluminum species in the activating solution for synthesis of silico-aluminophosphate geopolymers. Cement and Concrete Composites, 2018, 93, 186-195. | 4.6 | 58 |
| 107 | Rate-dependent tensile properties of ultra-high performance engineered cementitious composites (UHP-ECC). Cement and Concrete Composites, 2018, 93, 218-234. | 4.6 | 79 |
| 108 | Tensile behavior and microstructure of hybrid fiber ambient cured one-part engineered geopolymer composites. Construction and Building Materials, 2018, 184, 419-431. | 3.2 | 124 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Repair of fire-damaged RC slabs with basalt fabric-reinforced shotcrete. Construction and Building Materials, 2018, 185, 79-92. | 3.2 | 56 |
| 110 | Inhibiting efflorescence formation on fly ash–based geopolymer via silane surface modification. Cement and Concrete Composites, 2018, 94, 43-52. | 4.6 | 122 |
| 111 | Prediction of the bond strength between non-uniformly corroded steel reinforcement and deteriorated concrete. Construction and Building Materials, 2018, 187, 1267-1276. | 3.2 | 45 |
| 112 | Phosphate-based geopolymer: Formation mechanism and thermal stability. Materials Letters, 2017, 190, 209-212. | 1.3 | 90 |
| 113 | CO 2 curing and fibre reinforcement for green recycling of contaminated wood into high-performance cement-bonded particleboards. Journal of CO2 Utilization, 2017, 18, 107-116. | 3.3 | 47 |
| 114 | Buckling of steel reinforcing bars in FRP-confined RC columns: An experimental study. Construction and Building Materials, 2017, 140, 403-415. | 3.2 | 81 |
| 115 | Influences of corrosion degree and corrosion morphology on the ductility of steel reinforcement. Construction and Building Materials, 2017, 148, 297-306. | 3.2 | 65 |
| 116 | Monotonic Stress–Strain Behavior of Steel Rebars Embedded in FRP-Confined Concrete Including Buckling. Journal of Composites for Construction, 2017, 21, . | 1.7 | 38 |
| 117 | A systematic investigation of the waterproofing performance and chloride resistance of a self-developed waterborne silane-based hydrophobic agent for mortar and concrete. Construction and Building Materials, 2017, 155, 939-946. | 3.2 | 49 |
| 118 | Polyphosphate-modified calcium aluminate cement under normal and elevated temperatures: Phase evolution, microstructure, and mechanical properties. Ceramics International, 2017, 43, 15525-15536. | 2.3 | 28 |
| 119 | Cyclic stress-strain model incorporating buckling effect for steel reinforcing bars embedded in FRP-confined concrete. Composite Structures, 2017, 182, 54-66. | 3.1 | 52 |
| 120 | Transforming wood waste into water-resistant magnesia-phosphate cement particleboard modified by alumina and red mud. Journal of Cleaner Production, 2017, 168, 452-462. | 4.6 | 74 |
| 121 | A novel Zn(<scp>ii</scp>) dithiocarbamate/ZnS nanocomposite for highly efficient Cr ⁶⁺ removal from aqueous solutions. RSC Advances, 2017, 7, 35075-35085. | 1.7 | 44 |
| 122 | Use of magnesia sand for optimal design of high performance magnesium potassium phosphate cement mortar. Construction and Building Materials, 2017, 153, 385-392. | 3.2 | 30 |
| 123 | Flexural behavior and microstructure of hybrid basalt textile and steel fiber reinforced alkali-activated slag panels exposed to elevated temperatures. Construction and Building Materials, 2017, 152, 651-660. | 3.2 | 29 |
| 124 | A novel microporous amorphous-ZnO@TiO ₂ /graphene ternary nanocomposite with enhanced photocatalytic activity. RSC Advances, 2017, 7, 36787-36792. | 1.7 | 13 |
| 125 | Fatigue Behavior of Reinforced Concrete Beams Strengthened with Externally Bonded Prestressed CFRP Sheets. Journal of Composites for Construction, 2017, 21, . | 1.7 | 34 |
| 126 | Chloride transport in concrete under sustained flexural loading. Magazine of Concrete Research, 2017, 69, 245-254. | 0.9 | 10 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | X-ray computed tomography for pore-related characterization and simulation of cement mortar matrix. NDT and E International, 2017, 86, 28-35. | 1.7 | 54 |
| 128 | Fire resistance of RC beams under design fire exposure. Magazine of Concrete Research, 2017, 69, 402-423. | 0.9 | 36 |
| 129 | Finite Element Modeling for Debonding of FRP-to-Concrete Interfaces Subjected to Mixed-Mode Loading. Polymers, 2017, 9, 438. | 2.0 | 20 |
| 130 | Applications of Fiber Reinforced Polymer Composites. International Journal of Polymer Science, 2016, 2016, 1-1. | 1.2 | 3 |
| 131 | Fire resistance design of un-protected FRP-strengthened RC beams. Materials and Structures/Materiaux Et Constructions, 2016, 49, 5357-5371. | 1.3 | 36 |
| 132 | Mechanical properties of alkali-activated concrete: A state-of-the-art review. Construction and Building Materials, 2016, 127, 68-79. | 3.2 | 265 |
| 133 | Characteristics of concrete cracks and their influence on chloride penetration. Construction and Building Materials, 2016, 107, 216-225. | 3.2 | 111 |
| 134 | Time-Dependent and Stress-Dependent Chloride Diffusivity of Concrete Subjected to Sustained Compressive Loading. Journal of Materials in Civil Engineering, 2016, 28, . | 1.3 | 50 |
| 135 | Fracture Analysis of FRP-Plated Notched Concrete Beams Subjected to Three-Point Bending. Journal of Engineering Mechanics - ASCE, 2016, 142, . | 1.6 | 11 |
| 136 | Decision Support System for Optimizing the Maintenance of RC Girder Bridge Superstructures in Consideration of the Carbon Footprint. Journal of Bridge Engineering, 2015, 20, . | 1.4 | 8 |
| 137 | Prediction of Load Capacity Variation in FRP Bonded Concrete Specimens Using Brownian Motion. Mathematical Problems in Engineering, 2015, 2015, 1-9. | 0.6 | 4 |
| 138 | Simple Method for Predicting Temperatures in Insulated, FRP-Strengthened RC Members Exposed to a Standard Fire. Journal of Composites for Construction, 2015, 19, . | 1.7 | 33 |
| 139 | Multi-angle truss model for predicting the shear deformation of RC beams with low span-effective depth ratios. Engineering Structures, 2015, 91, 85-95. | 2.6 | 14 |
| 140 | Probabilistic Approach for Durability Design of Concrete Structures in Marine Environments. Journal of Materials in Civil Engineering, 2015, 27, . | 1.3 | 48 |
| 141 | Analysis of Mode II debonding behavior of fiber-reinforced polymer-to-substrate bonded joints subjected to combined thermal and mechanical loading. Engineering Fracture Mechanics, 2015, 136, 241-264. | 2.0 | 68 |
| 142 | Special Issue on Sustainable Materials and Structures. Journal of Materials in Civil Engineering, 2015, 27, . | 1.3 | 0 |
| 143 | Mechanical Properties of Engineered Cementitious Composites Subjected to Elevated Temperatures. Journal of Materials in Civil Engineering, 2015, 27, . | 1.3 | 70 |
| 144 | Effect of Rubber Toughening Modification on the Tensile Behavior of FRP Composites in Concrete-Based Alkaline Environment. Journal of Materials in Civil Engineering, 2015, 27, . | 1.3 | 14 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Effects of nano-TiO2 on strength, shrinkage and microstructure of alkali activated slag pastes. Cement and Concrete Composites, 2015, 57, 1-7. | 4.6 | 184 |
| 146 | Finite Element Modeling of Insulated FRP-Strengthened RC Beams Exposed to Fire. Journal of Composites for Construction, 2015, 19, . | 1.7 | 47 |
| 147 | Finite element modeling of steel bar buckling in FRP-confined RC columns. , 2015, , . | | 1 |
| 148 | STATIC AND FATIGUE BEHAVIOR OF CFRP-STRENGTHENED RC BRIDGE GIRDERS SUBJECTED TO VEHICLE OVERLOADING. , 2015, , 359-371. | | 0 |
| 149 | Study on an Improved Phosphate Cement Binder for the Development of Fiber-Reinforced Inorganic Polymer Composites. Polymers, 2014, 6, 2819-2831. | 2.0 | 31 |
| 150 | Comparative Study of Different Cement-Based Inorganic Pastes towards the Development of FRIP Strengthening Technology. Journal of Composites for Construction, 2014, 18, . | 1.7 | 42 |
| 151 | Experimental Study on Shear Behavior of Reinforced-Concrete Members Fully Wrapped with Large Rupture-Strain FRP Composites. Journal of Composites for Construction, 2014, 18, . | 1.7 | 51 |
| 152 | Prediction of the nonlinear pull-out response of FRP ground anchors using an analytical transfer matrix method. Engineering Structures, 2014, 81, 377-385. | 2.6 | 26 |
| 153 | Analytical solution for the full-range pull-out behavior of FRP ground anchors. Construction and Building Materials, 2014, 58, 129-137. | 3.2 | 41 |
| 154 | A stochastic damage model for evaluating the internal deterioration of concrete due to freeze–thaw action. Materials and Structures/Materiaux Et Constructions, 2014, 47, 1025-1039. | 1.3 | 38 |
| 155 | Prediction of prestress losses in RC beams externally strengthened with prestressed CFRP sheets/plates. Journal of Reinforced Plastics and Composites, 2014, 33, 699-713. | 1.6 | 22 |
| 156 | Simple Method for Predicting Temperatures in Reinforced Concrete Beams Exposed to a Standard Fire. Advances in Structural Engineering, 2014, 17, 573-589. | 1.2 | 22 |
| 157 | Cyclic Compressive Behavior of Concrete Confined with Large Rupture Strain FRP Composites. Journal of Composites for Construction, 2014, 18, . | 1.7 | 109 |
| 158 | Influence of silane-based water repellent on the durability properties of recycled aggregate concrete. Cement and Concrete Composites, 2013, 35, 32-38. | 4.6 | 273 |
| 159 | Bond-Slip Model for FRP Laminates Externally Bonded to Concrete at Elevated Temperature. Journal of Composites for Construction, 2013, 17, 217-228. | 1.7 | 148 |
| 160 | Finite element modeling of reinforced concrete beams exposed to fire. Engineering Structures, 2013, 52, 488-501. | 2.6 | 124 |
| 161 | Three-dimensional meso-scale finite element modeling of bonded joints between a near-surface mounted FRP strip and concrete. Computers and Structures, 2013, 117, 105-117. | 2.4 | 39 |
| 162 | Self-Stressed Steel Fiber Reinforced Concrete as Negative Moment Connection for Strengthening of Multi-Span Simply-Supported Girder Bridges. Advances in Structural Engineering, 2013, 16, 1113-1127. | 1.2 | 14 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Performance Evaluation of RC Beams Strengthened with an Externally Bonded FRP System under Simulated Vehicle Loads. Journal of Bridge Engineering, 2013, 18, 76-82. | 1.4 | 37 |
| 164 | Intermediate crack-induced debonding in RC beams externally strengthened with prestressed FRP laminates. Journal of Reinforced Plastics and Composites, 2013, 32, 1842-1857. | 1.6 | 25 |
| 165 | Prestress Losses and Flexural Behavior of Reinforced Concrete Beams Strengthened with Posttensioned CFRP Sheets. Journal of Composites for Construction, 2012, 16, 207-216. | 1.7 | 64 |
| 166 | Effect of Temperature Variation on the Full-Range Behavior of FRP-to-Concrete Bonded Joints. Journal of Composites for Construction, 2012, 16, 671-683. | 1.7 | 98 |
| 167 | Seismic retrofit of square RC columns with polyethylene terephthalate (PET) fibre reinforced polymer composites. Construction and Building Materials, 2012, 27, 206-217. | 3.2 | 100 |
| 168 | Shear strength model for RC beam–column joints under seismic loading. Engineering Structures, 2012, 40, 350-360. | 2.6 | 74 |
| 169 | Modeling of Tension Stiffening Behavior in FRP‣trengthened RC Members Based on Rigid Body Spring Networks. Computer-Aided Civil and Infrastructure Engineering, 2012, 27, 406-418. | 6.3 | 20 |
| 170 | Strength and Deformability of Concrete Members Wrapped with Fibre-Reinforced Polymer Composites with a Large Rupture Strain. , 2012, , 225-241. | | 6 |
| 171 | Critical crack tip opening displacement of different strength concrete. Journal of Central South University, 2011, 18, 1693-1699. | 1.2 | 5 |
| 172 | Strengthening multiple span simply-supported girder bridges using post-tensioned negative moment connection technique. Engineering Structures, 2011, 33, 663-673. | 2.6 | 6 |
| 173 | Long-Term Behavior of Prestressed Old-New Concrete Composite Beams. Journal of Bridge Engineering, 2011, 16, 275-285. | 1.4 | 20 |
| 174 | Behavior and Modeling of Concrete Confined with FRP Composites of Large Deformability. Journal of Composites for Construction, 2011, 15, 963-973. | 1.7 | 287 |
| 175 | Water repellent surface impregnation for extension of service life of reinforced concrete structures in marine environments: The role of cracks. Cement and Concrete Composites, 2010, 32, 101-109. | 4.6 | 201 |
| 176 | Experimental Study on Fracture Behavior of UHTCC Overlay/Concrete Interfaces under Mixed-Mode Loading. Advanced Materials Research, 2010, 97-101, 1277-1281. | 0.3 | 0 |
| 177 | Evaluation of the Fracture Properties of the Bond Interfaces between UHTCC Overlays and Concrete Substrates. , 2010, , . | | 4 |
| 178 | Experimental Investigation of the Influence of Moisture on the Bond Behavior of FRP to Concrete Interfaces. Journal of Composites for Construction, 2010, 14, 834-844. | 1.7 | 91 |
| 179 | Fracture Criterion for Carbon Fiber Reinforced Polymer Sheet to Concrete Interface Subjected to Coupled Pull-Out and Push-Off Actions. Advances in Structural Engineering, 2009, 12, 663-682. | 1.2 | 12 |
| 180 | A Hybrid Bonding System for Improving the Structural Performance of FRP Flexurally Strengthened Concrete Beams. Advances in Structural Engineering, 2009, 12, 821-832. | 1.2 | 12 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | A critical steel yielding length model for predicting intermediate crack-induced debonding in FRP -strengthened RC members. Steel and Composite Structures, 2008, 8, 457-473. | 1.3 | 7 |
| 182 | Bonding Characteristics of Fiber-Reinforced Polymer Sheet-Concrete Interfaces under Dowel Load. Journal of Composites for Construction, 2007, 11, 138-148. | 1.7 | 32 |
| 183 | Unified Analytical Approaches for Determining Shear Bond Characteristics of FRP-Concrete Interfaces through Pullout Tests. Journal of Advanced Concrete Technology, 2006, 4, 133-145. | 0.8 | 143 |
| 184 | Deformation capacity of RC piers wrapped by new fiber-reinforced polymer with large fracture strain. Cement and Concrete Composites, 2006, 28, 914-927. | 4.6 | 103 |
| 185 | Interface bond between FRP sheets and concrete substrates: properties, numerical modeling and roles in member behaviour. Structural Control and Health Monitoring, 2005, 7, 27-43. | 0.7 | 107 |
| 186 | Development of the Nonlinear Bond Stress–Slip Model of Fiber Reinforced Plastics Sheet–Concrete Interfaces with a Simple Method. Journal of Composites for Construction, 2005, 9, 52-62. | 1.7 | 516 |
| 187 | LOCAL BOND STRESS SLIP RELATIONS FOR FRP SHEETS-CONCRETE INTERFACES. , 2003, , . | | 39 |
| 188 | Chloride Diffusion Property of Recycled Aggregate Concrete Treated with Water Repellent Agents-Silane. Advanced Materials Research, 0, 168-170, 755-761. | 0.3 | 0 |
| 189 | Carbon Footprint Analysis of Fibre Reinforced Polymer (FRP) Incorporated Pedestrian Bridges: A Case Study. Key Engineering Materials, 0, 517, 724-729. | 0.4 | 2 |
| 190 | Properties of Alkali Activated Slag Mortar after Exposure to Elevated Temperatures for Different Time. , 0, , . | | 2 |