

David W Johnson

List of Publications by Citations

Source: <https://exaly.com/author-pdf/234912/david-w-johnson-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

835 papers	35,797 citations	86 h-index	162 g-index
885 ext. papers	42,412 ext. citations	4.9 avg, IF	7.08 L-index

#	Paper	IF	Citations
835	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012 , 8, 445-544.	14.2	2783
834	A trial of darbepoetin alfa in type 2 diabetes and chronic kidney disease. <i>New England Journal of Medicine</i> , 2009 , 361, 2019-32	59.2	1695
833	The effects of lowering LDL cholesterol with simvastatin plus ezetimibe in patients with chronic kidney disease (Study of Heart and Renal Protection): a randomised placebo-controlled trial. <i>Lancet, The</i> , 2011 , 377, 2181-92	40	1627
832	Rosuvastatin and cardiovascular events in patients undergoing hemodialysis. <i>New England Journal of Medicine</i> , 2009 , 360, 1395-407	59.2	1414
831	Peritoneal dialysis-related infections recommendations: 2010 update. <i>Peritoneal Dialysis International</i> , 2010 , 30, 393-423	2.8	666
830	A randomized, controlled trial of early versus late initiation of dialysis. <i>New England Journal of Medicine</i> , 2010 , 363, 609-19	59.2	600
829	ISPD Peritonitis Recommendations: 2016 Update on Prevention and Treatment. <i>Peritoneal Dialysis International</i> , 2016 , 36, 481-508	2.8	545
828	Global kidney health 2017 and beyond: a roadmap for closing gaps in care, research, and policy. <i>Lancet, The</i> , 2017 , 390, 1888-1917	40	419
827	Cost analysis of ongoing care of patients with end-stage renal disease: the impact of dialysis modality and dialysis access. <i>American Journal of Kidney Diseases</i> , 2002 , 40, 611-22	7.4	372
826	Prevalence of depression in chronic kidney disease: systematic review and meta-analysis of observational studies. <i>Kidney International</i> , 2013 , 84, 179-91	9.9	369
825	Effects of statins in patients with chronic kidney disease: meta-analysis and meta-regression of randomised controlled trials. <i>BMJ, The</i> , 2008 , 336, 645-51	5.9	314
824	Oxidative stress, anti-oxidant therapies and chronic kidney disease. <i>Nephrology</i> , 2012 , 17, 311-21	2.2	291
823	Plant communities affect arbuscular mycorrhizal fungal diversity and community composition in grassland microcosms. <i>New Phytologist</i> , 2004 , 161, 503-515	9.8	287
822	Comparison of Clinical Outcomes and Adverse Events Associated With Glucose-Lowering Drugs in Patients With Type 2 Diabetes: A Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 313-24	27.4	253
821	Changes in the worldwide epidemiology of peritoneal dialysis. <i>Nature Reviews Nephrology</i> , 2017 , 13, 90-103	14.9	238
820	Relationship between dialysis modality and mortality. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 155-63	12.7	236
819	Erythropoietin protects against ischaemic acute renal injury. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 348-55	4.3	232

818	ISPD position statement on reducing the risks of peritoneal dialysis-related infections. <i>Peritoneal Dialysis International</i> , 2011 , 31, 614-30	2.8	226
817	Meta-analysis: erythropoiesis-stimulating agents in patients with chronic kidney disease. <i>Annals of Internal Medicine</i> , 2010 , 153, 23-33	8	222
816	The Current State of Peritoneal Dialysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 3238-3252	12.7	217
815	Effect of Oral Methylprednisolone on Clinical Outcomes in Patients With IgA Nephropathy: The TESTING Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 432-442	27.4	214
814	A randomized trial of dietary sodium restriction in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 2096-103	12.7	202
813	Cost of acute renal failure requiring dialysis in the intensive care unit: clinical and resource implications of renal recovery. <i>Critical Care Medicine</i> , 2003 , 31, 449-55	1.4	200
812	Assessment of Global Kidney Health Care Status. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 317, 1864-1881	27.4	196
811	Synbiotics Easing Renal Failure by Improving Gut Microbiology (SYNERGY): A Randomized Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016 , 11, 223-31	6.9	194
810	The effect of obesity on renal transplant outcomes. <i>Transplantation</i> , 2002 , 74, 675-81	1.8	188
809	Molecular cell biology of androgen receptor signalling. <i>International Journal of Biochemistry and Cell Biology</i> , 2010 , 42, 813-27	5.6	184
808	Mercury distribution across 14 U.S. Forests. Part I: spatial patterns of concentrations in biomass, litter, and soils. <i>Environmental Science & Technology</i> , 2011 , 45, 3974-81	10.3	177
807	ISPD Catheter-Related Infection Recommendations: 2017 Update. <i>Peritoneal Dialysis International</i> , 2017 , 37, 141-154	2.8	172
806	Clinical practice guidelines for peritoneal access. <i>Peritoneal Dialysis International</i> , 2010 , 30, 424-9	2.8	172
805	Effects of biocompatible versus standard fluid on peritoneal dialysis outcomes. <i>Journal of the American Society of Nephrology: JASN</i> , 2012 , 23, 1097-107	12.7	160
804	Obesity is associated with worse peritoneal dialysis outcomes in the Australia and New Zealand patient populations. <i>Journal of the American Society of Nephrology: JASN</i> , 2003 , 14, 2894-901	12.7	157
803	Chronic kidney disease and measurement of albuminuria or proteinuria: a position statement. <i>Medical Journal of Australia</i> , 2012 , 197, 224-5	4	149
802	Patient and Caregiver Priorities for Outcomes in Hemodialysis: An International Nominal Group Technique Study. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 444-54	7.4	148
801	Effects of uric acid-lowering therapy on renal outcomes: a systematic review and meta-analysis. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 406-13	4.3	148

800	Management and treatment of glomerular diseases (part 1): conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2019 , 95, 268-280	9.9	145
799	Delayed administration of darbepoetin or erythropoietin protects against ischemic acute renal injury and failure. <i>Kidney International</i> , 2006 , 69, 1806-13	9.9	144
798	Corticosteroid therapy in IgA nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2012 , 23, 1108-16	12.7	139
797	Microbiology and outcomes of peritonitis in Australian peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2011 , 31, 651-62	2.8	139
796	Recent peritonitis associates with mortality among patients treated with peritoneal dialysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2012 , 23, 1398-405	12.7	139
795	Developing a Set of Core Outcomes for Trials in Hemodialysis: An International Delphi Survey. <i>American Journal of Kidney Diseases</i> , 2017 , 70, 464-475	7.4	136
794	Catheter-related interventions to prevent peritonitis in peritoneal dialysis: a systematic review of randomized, controlled trials. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 2735-46	12.7	136
793	Long-term risk of adverse outcomes after acute kidney injury: a systematic review and meta-analysis of cohort studies using consensus definitions of exposure. <i>Kidney International</i> , 2019 , 95, 160-172	9.9	136
792	Higher peritoneal transport status is associated with higher mortality and technique failure in the Australian and New Zealand peritoneal dialysis patient populations. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 271-8	12.7	135
791	Chronic kidney disease and automatic reporting of estimated glomerular filtration rate: a position statement. <i>Medical Journal of Australia</i> , 2005 , 183, 138-41	4	133
790	Effects of Allopurinol on the Progression of Chronic Kidney Disease. <i>New England Journal of Medicine</i> , 2020 , 382, 2504-2513	59.2	131
789	Prevalence and correlates of self-reported sexual dysfunction in CKD: a meta-analysis of observational studies. <i>American Journal of Kidney Diseases</i> , 2010 , 56, 670-85	7.4	131
788	Encapsulating peritoneal sclerosis: incidence, predictors, and outcomes. <i>Kidney International</i> , 2010 , 77, 904-12	9.9	129
787	The importance of individuals: intraspecific diversity of mycorrhizal plants and fungi in ecosystems. <i>New Phytologist</i> , 2012 , 194, 614-628	9.8	128
786	Factors influencing patient choice of dialysis versus conservative care to treat end-stage kidney disease. <i>Cmaj</i> , 2012 , 184, E277-83	3.5	124
785	Peritoneal dialysis-related peritonitis: towards improving evidence, practices, and outcomes. <i>American Journal of Kidney Diseases</i> , 2014 , 64, 278-89	7.4	121
784	Frequencies of hepatitis B and C infections among haemodialysis and peritoneal dialysis patients in Asia-Pacific countries: analysis of registry data. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 1598-603	4.3	119
783	Predictors of Decline of Residual Renal Function in New Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2003 , 23, 276-283	2.8	115

782	A randomized controlled trial of topical exit site mupirocin application in patients with tunnelled, cuffed haemodialysis catheters. <i>Nephrology Dialysis Transplantation</i> , 2002 , 17, 1802-7	4.3	115
781	Predictors and outcomes of fungal peritonitis in peritoneal dialysis patients. <i>Kidney International</i> , 2009 , 76, 622-8	9.9	114
780	Randomized, controlled trial of topical exit-site application of honey (Medihoney) versus mupirocin for the prevention of catheter-associated infections in hemodialysis patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 1456-62	12.7	113
779	A comparison of the effects of dialysis and renal transplantation on the survival of older uremic patients. <i>Transplantation</i> , 2000 , 69, 794-9	1.8	113
778	Protein-bound uremic toxins, inflammation and oxidative stress: a cross-sectional study in stage 3-4 chronic kidney disease. <i>Archives of Medical Research</i> , 2014 , 45, 309-17	6.6	112
777	KHA-CARI guideline: Early chronic kidney disease: detection, prevention and management. <i>Nephrology</i> , 2013 , 18, 340-50	2.2	111
776	Erythropoiesis-stimulating agent hyporesponsiveness. <i>Nephrology</i> , 2007 , 12, 321-30	2.2	110
775	Obesity is a Risk Factor for Peritonitis in the Australian and New Zealand Peritoneal Dialysis Patient Populations. <i>Peritoneal Dialysis International</i> , 2004 , 24, 340-346	2.8	108
774	Association between depression and death in people with CKD: a meta-analysis of cohort studies. <i>American Journal of Kidney Diseases</i> , 2013 , 62, 493-505	7.4	104
773	Randomized, controlled trial of glucose-sparing peritoneal dialysis in diabetic patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 1889-900	12.7	104
772	Review article: Hepatitis B and dialysis. <i>Nephrology</i> , 2010 , 15, 137-45	2.2	102
771	Establishing Core Outcome Domains in Hemodialysis: Report of the Standardized Outcomes in Nephrology-Hemodialysis (SONG-HD) Consensus Workshop. <i>American Journal of Kidney Diseases</i> , 2017 , 69, 97-107	7.4	100
770	Phosphate-Binding Agents in Adults With CKD: A Network Meta-analysis of Randomized Trials. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 691-702	7.4	100
769	Associations of dialysis modality and infectious mortality in incident dialysis patients in Australia and New Zealand. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 290-7	7.4	98
768	Activation of ERK in renal fibrosis after unilateral ureteral obstruction: modulation by antioxidants. <i>Kidney International</i> , 2005 , 67, 931-43	9.9	98
767	Distal tubular epithelial cells of the kidney: Potential support for proximal tubular cell survival after renal injury. <i>International Journal of Biochemistry and Cell Biology</i> , 2007 , 39, 1551-61	5.6	97
766	Cost-effectiveness of initiating dialysis early: a randomized controlled trial. <i>American Journal of Kidney Diseases</i> , 2011 , 57, 707-15	7.4	96
765	Human neutrophil clearance of bacterial pathogens triggers anti-microbial γ cell responses in early infection. <i>PLoS Pathogens</i> , 2011 , 7, e1002040	7.6	96

764	Chronic kidney disease and automatic reporting of estimated glomerular filtration rate: revised recommendations. <i>Medical Journal of Australia</i> , 2007 , 187, 459-63	4	96
763	Free mycophenolic acid should be monitored in renal transplant recipients with hypoalbuminemia. <i>Therapeutic Drug Monitoring</i> , 2004 , 26, 284-6	3.2	96
762	Obesity is associated with worsening cardiovascular risk factor profiles and proteinuria progression in renal transplant recipients. <i>American Journal of Transplantation</i> , 2005 , 5, 2710-8	8.7	96
761	Is Obesity a Favorable Prognostic Factor in Peritoneal Dialysis Patients?. <i>Peritoneal Dialysis International</i> , 2000 , 20, 715-721	2.8	96
760	Chronic kidney disease and automatic reporting of estimated glomerular filtration rate: new developments and revised recommendations. <i>Medical Journal of Australia</i> , 2012 , 197, 224-5	4	95
759	Dietary and fluid restrictions in CKD: a thematic synthesis of patient views from qualitative studies. <i>American Journal of Kidney Diseases</i> , 2015 , 65, 559-73	7.4	94
758	Sodium-glucose cotransporter protein-2 (SGLT-2) inhibitors and glucagon-like peptide-1 (GLP-1) receptor agonists for type 2 diabetes: systematic review and network meta-analysis of randomised controlled trials. <i>BMJ, The</i> , 2021 , 372, m4573	5.9	94
757	Paracrine stimulation of human renal fibroblasts by proximal tubule cells. <i>Kidney International</i> , 1998 , 54, 747-57	9.9	92
756	Antimicrobial agents to prevent peritonitis in peritoneal dialysis: A systematic review of randomized controlled trials. <i>American Journal of Kidney Diseases</i> , 2004 , 44, 591-603	7.4	92
755	Does renal failure cause an atherosclerotic milieu in patients with end-stage renal disease?. <i>American Journal of Medicine</i> , 2001 , 110, 198-204	2.4	91
754	Metabolic syndrome in severe chronic kidney disease: Prevalence, predictors, prognostic significance and effects of risk factor modification. <i>Nephrology</i> , 2007 , 12, 391-8	2.2	90
753	Mycophenolic acid pharmacokinetics and related outcomes early after renal transplant. <i>British Journal of Clinical Pharmacology</i> , 2005 , 59, 271-80	3.8	88
752	Management and treatment of glomerular diseases (part 2): conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2019 , 95, 281-295	9.9	87
751	Herbs or natural substances as complementary therapies for chronic kidney disease: ideas for future studies. <i>Translational Research</i> , 2006 , 147, 160-6		86
750	ISPD Cardiovascular and Metabolic Guidelines in Adult Peritoneal Dialysis Patients Part I - Assessment and Management of Various Cardiovascular Risk Factors. <i>Peritoneal Dialysis International</i> , 2015 , 35, 379-87	2.8	85
749	Interleukin-1beta induces human proximal tubule cell injury, alpha-smooth muscle actin expression and fibronectin production. <i>Kidney International</i> , 2002 , 62, 31-40	9.9	82
748	Interleukin-1beta stimulates human renal fibroblast proliferation and matrix protein production by means of a transforming growth factor-beta-dependent mechanism. <i>Translational Research</i> , 2002 , 140, 342-50		81
747	Dietary protein-fiber ratio associates with circulating levels of indoxyl sulfate and p-cresyl sulfate in chronic kidney disease patients. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015 , 25, 860-5	4.5	80

746	Dialysis modality preference of patients with CKD and family caregivers: a discrete-choice study. <i>American Journal of Kidney Diseases</i> , 2012 , 60, 102-11	7.4	80
745	Endovascular Proximal Forearm Arteriovenous Fistula for Hemodialysis Access: Results of the Prospective, Multicenter Novel Endovascular Access Trial (NEAT). <i>American Journal of Kidney Diseases</i> , 2017 , 70, 486-497	7.4	78
744	Prevalence and severity of oral disease in adults with chronic kidney disease: a systematic review of observational studies. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 364-75	4.3	78
743	Once- versus twice-daily tacrolimus: are the formulations truly equivalent?. <i>Drugs</i> , 2011 , 71, 1561-77	12.1	78
742	The effect of low glucose degradation product, neutral pH versus standard peritoneal dialysis solutions on peritoneal membrane function: the balANZ trial. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 4445-53	4.3	78
741	Prevalence and causes of low bone density and fractures in kidney transplant patients. <i>Journal of Bone and Mineral Research</i> , 2001 , 16, 1863-70	6.3	78
740	Metformin for preventing the progression of chronic kidney disease. <i>The Cochrane Library</i> ,	5.2	78
739	Staphylococcus aureus peritonitis in Australian peritoneal dialysis patients: predictors, treatment, and outcomes in 503 cases. <i>Peritoneal Dialysis International</i> , 2010 , 30, 311-9	2.8	76
738	HMG CoA reductase inhibitors (statins) for people with chronic kidney disease not requiring dialysis. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD007784		76
737	Pseudomonas peritonitis in Australia: predictors, treatment, and outcomes in 191 cases. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 957-64	6.9	75
736	The Peritoneal Dialysis Outcomes and Practice Patterns Study (PDOPPS): Unifying Efforts to Inform Practice and Improve Global Outcomes in Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2016 , 36, 297-307	2.8	75
735	Predictors of baseline peritoneal transport status in Australian and New Zealand peritoneal dialysis patients. <i>American Journal of Kidney Diseases</i> , 2004 , 43, 492-501	7.4	74
734	The use of vaccines in renal failure. <i>Clinical Pharmacokinetics</i> , 1992 , 22, 434-46	6.2	74
733	The perspectives of adults living with peritoneal dialysis: thematic synthesis of qualitative studies. <i>American Journal of Kidney Diseases</i> , 2013 , 61, 873-88	7.4	72
732	Superior survival of high transporters treated with automated versus continuous ambulatory peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 1973-9	4.3	72
731	Angiotensin-converting enzyme inhibitors, angiotensin receptor blockers and combined therapy in patients with micro- and macroalbuminuria and other cardiovascular risk factors: a systematic review of randomized controlled trials. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 2827-47	4.3	72
730	Pre-, pro-, and synbiotics: do they have a role in reducing uremic toxins? A systematic review and meta-analysis. <i>International Journal of Nephrology</i> , 2012 , 2012, 673631	1.7	72
729	Culture-negative peritonitis in peritoneal dialysis patients in Australia: predictors, treatment, and outcomes in 435 cases. <i>American Journal of Kidney Diseases</i> , 2010 , 55, 690-7	7.4	72

728	Length of Time on Peritoneal Dialysis and Encapsulating Peritoneal Sclerosis - Position Paper for ISPD: 2017 Update. <i>Peritoneal Dialysis International</i> , 2017 , 37, 362-374	2.8	71
727	Simple mass spectrometric differentiation of the n-3, n-6 and n-9 series of methylene interrupted polyenoic acids. <i>Biomedical & Environmental Mass Spectrometry</i> , 1987 , 14, 127-129		71
726	International Society for Peritoneal Dialysis practice recommendations: Prescribing high-quality goal-directed peritoneal dialysis. <i>Peritoneal Dialysis International</i> , 2020 , 40, 244-253	2.8	69
725	Polymicrobial peritonitis in peritoneal dialysis patients in Australia: predictors, treatment, and outcomes. <i>American Journal of Kidney Diseases</i> , 2010 , 55, 121-31	7.4	69
724	Reducing major risk factors for chronic kidney disease. <i>Kidney International Supplements</i> , 2017 , 7, 71-87	6.3	67
723	Pure red cell aplasia induced by erythropoiesis-stimulating agents. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 193-9	6.9	67
722	Fall-related risk factors and osteoporosis in women with rheumatoid arthritis. <i>British Journal of Rheumatology</i> , 2004 , 43, 1267-71		67
721	HMG CoA reductase inhibitors (statins) for people with chronic kidney disease not requiring dialysis. <i>The Cochrane Library</i> , 2014 , CD007784	5.2	66
720	Renal expression of transforming growth factor-beta inducible gene-h3 (beta ig-h3) in normal and diabetic rats. <i>Kidney International</i> , 1998 , 54, 1052-62	9.9	66
719	The Initiating Dialysis Early and Late (Ideal) Study: Study Rationale and Design. <i>Peritoneal Dialysis International</i> , 2004 , 24, 176-181	2.8	65
718	Contemporary clinical usage of LC/MS: analysis of biologically important carboxylic acids. <i>Clinical Biochemistry</i> , 2005 , 38, 351-61	3.5	65
717	Impact of obesity on renal transplant outcomes. <i>Nephrology</i> , 2005 , 10, 405-13	2.2	65
716	Global nephrology workforce: gaps and opportunities toward a sustainable kidney care system. <i>Kidney International Supplements</i> , 2018 , 8, 52-63	6.3	64
715	Enterococcal peritonitis in Australian peritoneal dialysis patients: predictors, treatment and outcomes in 116 cases. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 1272-8	4.3	64
714	Medicinal herbal extracts -- renal friend or foe? Part one: the toxicities of medicinal herbs. <i>Nephrology</i> , 2004 , 9, 313-8	2.2	64
713	Peritoneal dialysis practice in Australia and New Zealand: a call to action. <i>Nephrology</i> , 2011 , 16, 19-29	2.2	63
712	Association of dialysis modality and cardiovascular mortality in incident dialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 1620-8	6.9	62
711	Sexual dysfunction in women with ESRD requiring hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012 , 7, 974-81	6.9	62

710	Differences in admission rates of children with bronchiolitis by pediatric and general emergency departments. <i>Pediatrics</i> , 2002 , 110, e49	7.4	62
709	Intravenous C.E.R.A. maintains stable haemoglobin levels in patients on dialysis previously treated with darbepoetin alfa: results from STRIATA, a randomized phase III study. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 3654-61	4.3	61
708	Patient and Caregiver Priorities for Outcomes in Peritoneal Dialysis: Multinational Nominal Group Technique Study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 74-83	6.9	61
707	The emerging role of nuclear factor kappa B in renal cell carcinoma. <i>International Journal of Biochemistry and Cell Biology</i> , 2011 , 43, 1537-49	5.6	60
706	Compared with younger peritoneal dialysis patients, elderly patients have similar peritonitis-free survival and lower risk of technique failure, but higher risk of peritonitis-related mortality. <i>Peritoneal Dialysis International</i> , 2011 , 31, 663-71	2.8	60
705	How do plants regulate the function, community structure, and diversity of mycorrhizal fungi?. <i>Journal of Experimental Botany</i> , 2005 , 56, 1751-60	7	60
704	A 4-year review of pediatric mental health emergencies in Alberta. <i>Canadian Journal of Emergency Medicine</i> , 2009 , 11, 447-54	0.6	59
703	The effects of biocompatible compared with standard peritoneal dialysis solutions on peritonitis microbiology, treatment, and outcomes: the balANZ trial. <i>Peritoneal Dialysis International</i> , 2012 , 32, 497-506	2.8	58
702	Increased targeting of cardiovascular risk factors in patients with chronic kidney disease does not improve atheroma burden or cardiovascular function. <i>American Heart Journal</i> , 2006 , 151, 745-53	4.9	58
701	Research Priorities in CKD: Report of a National Workshop Conducted in Australia. <i>American Journal of Kidney Diseases</i> , 2015 , 66, 212-22	7.4	57
700	Antibacterial honey for the prevention of peritoneal-dialysis-related infections (HONEYPOT): a randomised trial. <i>Lancet Infectious Diseases, The</i> , 2014 , 14, 23-30	25.5	57
699	Coal microstructure and secondary mineralization: their effect on methane recovery. <i>Geological Society Special Publication</i> , 1996 , 109, 165-179	1.7	57
698	The impact of neutral-pH peritoneal dialysates with reduced glucose degradation products on clinical outcomes in peritoneal dialysis patients. <i>Kidney International</i> , 2013 , 84, 969-79	9.9	56
697	Predictors, treatment, and outcomes of non-Pseudomonas Gram-negative peritonitis. <i>Kidney International</i> , 2010 , 78, 408-14	9.9	56
696	The impact of automated eGFR reporting and education on nephrology service referrals. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 3845-50	4.3	56
695	Is the declining use of long-term peritoneal dialysis justified by outcome data?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2007 , 2, 1317-28	6.9	56
694	Risk Predictors and Causes of Technique Failure Within the First Year of Peritoneal Dialysis: An Australia and New Zealand Dialysis and Transplant Registry (ANZDATA) Study. <i>American Journal of Kidney Diseases</i> , 2018 , 72, 188-197	7.4	55
693	Status of care for end stage kidney disease in countries and regions worldwide: international cross sectional survey. <i>BMJ, The</i> , 2019 , 367, l5873	5.9	55

692	A new simple and rapid LC-ESI-MS/MS method for quantification of plasma oxysterols as dimethylaminobutyrate esters. Its successful use for the diagnosis of Niemann-Pick type C disease. <i>Clinica Chimica Acta</i> , 2014 , 437, 93-100	6.2	55
691	A randomized controlled trial of coiled versus straight swan-neck Tenckhoff catheters in peritoneal dialysis patients. <i>American Journal of Kidney Diseases</i> , 2006 , 48, 812-21	7.4	55
690	Impact of icodextrin on clinical outcomes in peritoneal dialysis: a systematic review of randomized controlled trials. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 1899-907	4.3	54
689	Automated and continuous ambulatory peritoneal dialysis have similar outcomes. <i>Kidney International</i> , 2008 , 73, 480-8	9.9	54
688	Multicenter Registry Analysis of Center Characteristics Associated with Technique Failure in Patients on Incident Peritoneal Dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 1090-1099	6.9	53
687	Standardised outcomes in nephrology - Haemodialysis (SONG-HD): study protocol for establishing a core outcome set in haemodialysis. <i>Trials</i> , 2015 , 16, 364	2.8	52
686	Kidneys from patients with small renal tumours: a novel source of kidneys for transplantation. <i>BJU International</i> , 2008 , 102, 188-92; discussion 192-3	5.6	52
685	Duration of Hemodialysis Following Peritoneal Dialysis Cessation in Australia and New Zealand: Proposal for a Standardized Definition of Technique Failure. <i>Peritoneal Dialysis International</i> , 2016 , 36, 623-630	2.8	51
684	The impact of extended-hours home hemodialysis and buttonhole cannulation technique on hospitalization rates for septic events related to dialysis access. <i>Hemodialysis International</i> , 2010 , 14, 451-63	1.7	51
683	Coagulase-negative staphylococcal peritonitis in Australian peritoneal dialysis patients: predictors, treatment and outcomes in 936 cases. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 3386-92	4.3	51
682	Modification of cardiovascular risk in hemodialysis patients: an evidence-based review. <i>Hemodialysis International</i> , 2007 , 11, 1-14	1.7	51
681	A rapid screening procedure for cholesterol and dehydrocholesterol by electrospray ionization tandem mass spectrometry. <i>Journal of Lipid Research</i> , 2001 , 42, 1699-1705	6.3	51
680	Root traits predict decomposition across a landscape-scale grazing experiment. <i>New Phytologist</i> , 2014 , 203, 851-62	9.8	50
679	Biocompatible dialysis fluids for peritoneal dialysis. <i>The Cochrane Library</i> , 2014 , CD007554	5.2	50
678	Remote indigenous peritoneal dialysis patients have higher risk of peritonitis, technique failure, all-cause and peritonitis-related mortality. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 3366-72	4.3	50
677	Obesity is a risk factor for peritonitis in the Australian and New Zealand peritoneal dialysis patient populations. <i>Peritoneal Dialysis International</i> , 2004 , 24, 340-6	2.8	50
676	Induction and Maintenance Immunosuppression Treatment of Proliferative Lupus Nephritis: A Network Meta-analysis of Randomized Trials. <i>American Journal of Kidney Diseases</i> , 2017 , 70, 324-336	7.4	49
675	Dietary interventions for adults with chronic kidney disease. <i>The Cochrane Library</i> , 2017 , 4, CD011998	5.2	49

674	Establishing a Core Outcome Measure for Fatigue in Patients on Hemodialysis: A Standardized Outcomes in Nephrology-Hemodialysis (SONG-HD) Consensus Workshop Report. <i>American Journal of Kidney Diseases</i> , 2018 , 72, 104-112	7.4	49
673	Intradermal versus intramuscular hepatitis B vaccination in hemodialysis patients: a prospective open-label randomized controlled trial in nonresponders to primary vaccination. <i>American Journal of Kidney Diseases</i> , 2009 , 54, 95-103	7.4	49
672	Novel renoprotective actions of erythropoietin: new uses for an old hormone. <i>Nephrology</i> , 2006 , 11, 306-12	2.2	49
671	Antimicrobial agents for preventing peritonitis in peritoneal dialysis patients. <i>Cochrane Database of Systematic Reviews</i> , 2004 , CD004679		49
670	Higher rate and earlier peritonitis in Aboriginal patients compared to non-Aboriginal patients with end-stage renal failure maintained on peritoneal dialysis in Australia: analysis of ANZDATA. <i>Nephrology</i> , 2005 , 10, 192-7	2.2	49
669	Peritoneal Dialysis-Related Infection Rates and Outcomes: Results From the Peritoneal Dialysis Outcomes and Practice Patterns Study (PDOPPS). <i>American Journal of Kidney Diseases</i> , 2020 , 76, 42-53	7.4	49
668	A randomised controlled trial of Heparin versus EthAnol Lock THERaPY for the prevention of Catheter Associated infection in Haemodialysis patients--the HEALTHY-CATH trial. <i>BMC Nephrology</i> , 2012 , 13, 146	2.7	48
667	Fruit and Vegetable Intake and Mortality in Adults undergoing Maintenance Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 250-260	6.9	47
666	Relapsing and recurrent peritoneal dialysis-associated peritonitis: a multicenter registry study. <i>American Journal of Kidney Diseases</i> , 2011 , 58, 429-36	7.4	47
665	Dietary protein restriction as a treatment for slowing chronic kidney disease progression: the case against. <i>Nephrology</i> , 2006 , 11, 58-62	2.2	47
664	Alkyldimethylaminoethyl ester iodides for improved analysis of fatty acids by electrospray ionization tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2000 , 14, 2019-24	2.2	47
663	Predictors of decline of residual renal function in new peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2003 , 23, 276-83	2.8	47
662	An international Delphi survey helped develop consensus-based core outcome domains for trials in peritoneal dialysis. <i>Kidney International</i> , 2019 , 96, 699-710	9.9	46
661	Streptococcal peritonitis in Australian peritoneal dialysis patients: predictors, treatment and outcomes in 287 cases. <i>BMC Nephrology</i> , 2009 , 10, 19	2.7	46
660	Quantification of free mycophenolic acid and its glucuronide metabolite in human plasma by liquid-chromatography using mass spectrometric and ultraviolet absorbance detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 799, 157-63	3.2	46
659	The effect of long-term aggressive lipid lowering on ischemic and atherosclerotic burden in patients with chronic kidney disease. <i>American Journal of Kidney Diseases</i> , 2004 , 43, 45-52	7.4	45
658	Severe toxicity associated with a markedly elevated mycophenolic acid free fraction in a renal transplant recipient. <i>Therapeutic Drug Monitoring</i> , 2004 , 26, 453-5	3.2	45
657	Does uric acid have a pathogenetic role in graft dysfunction and hypertension in renal transplant recipients?. <i>Transplantation</i> , 2005 , 80, 1565-71	1.8	45

656	HMG CoA reductase inhibitors (statins) for dialysis patients. <i>The Cochrane Library</i> , 2013 , CD004289	5.2	44
655	Treatment options for sexual dysfunction in patients with chronic kidney disease: a systematic review of randomized controlled trials. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010 , 5, 985-95	6.9	44
654	A flow injection electrospray ionization tandem mass spectrometric method for the simultaneous measurement of trimethylamine and trimethylamine N-oxide in urine. <i>Journal of Mass Spectrometry</i> , 2008 , 43, 495-9	2.2	44
653	The roles of IGF-I and IGFBP-3 in the regulation of proximal tubule, and renal cell carcinoma cell proliferation. <i>Kidney International</i> , 2004 , 65, 1272-9	9.9	44
652	Recovery of gastrointestinal function after renal transplantation in a patient with sclerosing peritonitis secondary to continuous ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 1995 , 26, 658-61	7.4	44
651	Benefits and Harms of Oral Anticoagulant Therapy in Chronic Kidney Disease: A Systematic Review and Meta-analysis. <i>Annals of Internal Medicine</i> , 2019 , 171, 181-189	8	44
650	Corynebacterium peritonitis in Australian peritoneal dialysis patients: predictors, treatment and outcomes in 82 cases. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 3834-9	4.3	43
649	Early and Late Patient Outcomes in Urgent-Start Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2017 , 37, 414-419	2.8	42
648	Plant community composition, not diversity, regulates soil respiration in grasslands. <i>Biology Letters</i> , 2008 , 4, 345-8	3.6	42
647	Pyrrolidine dithiocarbamate exerts anti-proliferative and pro-apoptotic effects in renal cell carcinoma cell lines. <i>Nephrology Dialysis Transplantation</i> , 2006 , 21, 3377-88	4.3	42
646	Effect of aggressive risk factor modification on cardiac events and myocardial ischaemia in patients with chronic kidney disease. <i>Heart</i> , 2006 , 92, 1402-8	5.1	42
645	Should an oral glucose tolerance test be performed routinely in all renal transplant recipients?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006 , 1, 100-8	6.9	42
644	Evidence-based guide to slowing the progression of early renal insufficiency. <i>Internal Medicine Journal</i> , 2004 , 34, 50-7	1.6	42
643	Center-Specific Factors Associated with Peritonitis Risk-A Multi-Center Registry Analysis. <i>Peritoneal Dialysis International</i> , 2016 , 36, 509-18	2.8	42
642	Daily variation in death in patients treated by long-term dialysis: comparison of in-center hemodialysis to peritoneal and home hemodialysis. <i>American Journal of Kidney Diseases</i> , 2013 , 61, 96-103	7.4	41
641	Prebiotic, Probiotic, and Synbiotic Supplementation in Chronic Kidney Disease: A Systematic Review and Meta-analysis. <i>Journal of Renal Nutrition</i> , 2019 , 29, 209-220	3	41
640	Indoxyl sulphate and kidney disease: Causes, consequences and interventions. <i>Nephrology</i> , 2016 , 21, 170-7	2.2	40
639	Anti-glomerular basement membrane antibody disease is an uncommon cause of end-stage renal disease. <i>Kidney International</i> , 2013 , 83, 503-10	9.9	40

638	Challenges of conducting a trial of uric-acid-lowering therapy in CKD. <i>Nature Reviews Nephrology</i> , 2011 , 7, 295-300	14.9	40
637	Correlates of subclinical left ventricular dysfunction in ESRD. <i>American Journal of Kidney Diseases</i> , 2003 , 41, 1016-25	7.4	40
636	Oxidative stress and cell senescence combine to cause maximal renal tubular epithelial cell dysfunction and loss in an in vitro model of kidney disease. <i>Nephron Experimental Nephrology</i> , 2012 , 122, 123-30		40
635	Length of time on peritoneal dialysis and encapsulating peritoneal sclerosis: position paper for ISPD. <i>Peritoneal Dialysis International</i> , 2009 , 29, 595-600	2.8	40
634	Global access of patients with kidney disease to health technologies and medications: findings from the Global Kidney Health Atlas project. <i>Kidney International Supplements</i> , 2018 , 8, 64-73	6.3	39
633	Center Effects and Peritoneal Dialysis Peritonitis Outcomes: Analysis of a National Registry. <i>American Journal of Kidney Diseases</i> , 2018 , 71, 814-821	7.4	39
632	Human renal fibroblasts modulate proximal tubule cell growth and transport via the IGF-I axis. <i>Kidney International</i> , 1997 , 52, 1486-96	9.9	39
631	How Safe Are Common Analgesics for the Treatment of Acute Pain for Children? A Systematic Review. <i>Pain Research and Management</i> , 2016 , 2016, 5346819	2.6	39
630	Dental Health and Mortality in People With End-Stage Kidney Disease Treated With Hemodialysis: A Multinational Cohort Study. <i>American Journal of Kidney Diseases</i> , 2015 , 66, 666-76	7.4	38
629	A randomized trial of sodium-restriction on kidney function, fluid volume and adipokines in CKD patients. <i>BMC Nephrology</i> , 2014 , 15, 57	2.7	38
628	Effect of early initiation of dialysis on cardiac structure and function: results from the echo substudy of the IDEAL trial. <i>American Journal of Kidney Diseases</i> , 2013 , 61, 262-70	7.4	38
627	Standardized Outcomes in Nephrology-Peritoneal Dialysis (SONG-PD): Study Protocol for Establishing a Core Outcome Set in PD. <i>Peritoneal Dialysis International</i> , 2017 , 37, 639-647	2.8	38
626	The beliefs and expectations of patients and caregivers about home haemodialysis: an interview study. <i>BMJ Open</i> , 2013 , 3,	3	38
625	Do aluminium-based phosphate binders continue to have a role in contemporary nephrology practice?. <i>BMC Nephrology</i> , 2011 , 12, 20	2.7	38
624	ISPD Cardiovascular and Metabolic Guidelines in Adult Peritoneal Dialysis Patients Part II - Management of Various Cardiovascular Complications. <i>Peritoneal Dialysis International</i> , 2015 , 35, 388-96	2.8	37
623	The association between peritoneal dialysis modality and peritonitis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 1091-7	6.9	37
622	Dialysate interleukin-6 predicts increasing peritoneal solute transport rate in incident peritoneal dialysis patients. <i>BMC Nephrology</i> , 2014 , 15, 8	2.7	37
621	Glioma surgical aspirate: a viable source of tumor tissue for experimental research. <i>Cancers</i> , 2013 , 5, 357-71	6.6	37

620	Dosing of gentamicin in patients with end-stage renal disease receiving hemodialysis. <i>Journal of Clinical Pharmacology</i> , 2006 , 46, 1259-67	2.9	37
619	Dimethylaminoethyl esters for trace, rapid analysis of fatty acids by electrospray tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1999 , 13, 2388-2393	2.2	37
618	Establishing a Core Outcome Set for Peritoneal Dialysis: Report of the SONG-PD (Standardized Outcomes in Nephrology-Peritoneal Dialysis) Consensus Workshop. <i>American Journal of Kidney Diseases</i> , 2020 , 75, 404-412	7.4	36
617	Original article anti-oxidant pathways are stimulated by mesenchymal stromal cells in renal repair after ischemic injury. <i>Cytotherapy</i> , 2012 , 14, 162-72	4.8	36
616	Obesity and hypertension have differing oxidant handling molecular pathways in age-related chronic kidney disease. <i>Mechanisms of Ageing and Development</i> , 2009 , 130, 129-38	5.6	36
615	Effect of previously failed kidney transplantation on peritoneal dialysis outcomes in the Australian and New Zealand patient populations. <i>Nephrology Dialysis Transplantation</i> , 2006 , 21, 776-83	4.3	36
614	Thrombin stimulates proinflammatory and proliferative responses in primary cultures of human proximal tubule cells. <i>Kidney International</i> , 2005 , 67, 1315-29	9.9	36
613	The Validity of Left Ventricular Mass as a Surrogate End Point for All-Cause and Cardiovascular Mortality Outcomes in People With CKD: A Systematic Review and Meta-analysis. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 554-563	7.4	36
612	An Incident Cohort Study Comparing Survival on Home Hemodialysis and Peritoneal Dialysis (Australia and New Zealand Dialysis and Transplantation Registry). <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 1397-407	6.9	35
611	Prevalence and correlates of erectile dysfunction in men on chronic haemodialysis: a multinational cross-sectional study. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 2479-88	4.3	35
610	NR1H2 polymorphisms are related to tacrolimus dose-adjusted exposure and BK viremia in adult kidney transplantation. <i>Transplantation</i> , 2012 , 94, 1025-32	1.8	35
609	The effect of oral iron administration on mycophenolate mofetil absorption in renal transplant recipients: a randomized, controlled trial. <i>Transplantation</i> , 2004 , 77, 206-9	1.8	35
608	Free fatty acids are associated with obesity, insulin resistance, and atherosclerosis in renal transplant recipients. <i>Transplantation</i> , 2005 , 80, 937-44	1.8	35
607	Regional variation in the treatment and prevention of peritoneal dialysis-related infections in the Peritoneal Dialysis Outcomes and Practice Patterns Study. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 2118-2126	4.3	34
606	SYNbiotics Easing Renal failure by improving Gut microbiology (SYNERGY): a protocol of placebo-controlled randomised cross-over trial. <i>BMC Nephrology</i> , 2014 , 15, 106	2.7	34
605	Arbuscular mycorrhizal fungi reduce the differences in competitiveness between dominant and subordinate plant species. <i>Mycorrhiza</i> , 2013 , 23, 267-77	3.9	34
604	Changes in serum prolactin, sex hormones and thyroid function with alternate nightly nocturnal home haemodialysis. <i>Nephrology</i> , 2012 , 17, 42-7	2.2	34
603	The outcomes of patients with ESRD and ANCA-associated vasculitis in Australia and New Zealand. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 773-80	6.9	34

602	An in vitro investigation of herbs traditionally used for kidney and urinary system disorders: potential therapeutic and toxic effects. <i>Nephrology</i> , 2009 , 14, 70-9	2.2	34
601	Isolation, propagation and characterization of primary tubule cell culture from human kidney. <i>Nephrology</i> , 2007 , 12, 155-9	2.2	34
600	The Kidney-Gut Axis: Implications for Nutrition Care. <i>Journal of Renal Nutrition</i> , 2015 , 25, 399-403	3	33
599	HMG CoA reductase inhibitors (statins) for kidney transplant recipients. <i>The Cochrane Library</i> , 2014 , CD009509	5.019	33
598	Evaluation of limited sampling methods for estimation of tacrolimus exposure in adult kidney transplant recipients. <i>British Journal of Clinical Pharmacology</i> , 2011 , 71, 207-23	3.8	33
597	Erythropoietin protects against apoptosis and increases expression of non-neuronal cell markers in the hypoxia-injured developing brain. <i>Journal of Pathology</i> , 2011 , 224, 101-9	9.4	33
596	Quality of life and alternate nightly nocturnal home hemodialysis. <i>Hemodialysis International</i> , 2010 , 14, 29-38	1.7	33
595	Free amino acid quantification by LC-MS/MS using derivatization generated isotope-labelled standards. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 1345-52	3.2	33
594	A modified Girard derivatizing reagent for universal profiling and trace analysis of aldehydes and ketones by electrospray ionization tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 2926-32	2.2	33
593	A Comparison of Peritoneal Equilibration Tests Performed 1 and 4 Weeks after PD Commencement. <i>Peritoneal Dialysis International</i> , 2004 , 24, 460-465	2.8	33
592	The role of the gastrointestinal tract and microbiota on uremic toxins and chronic kidney disease development. <i>Clinical and Experimental Nephrology</i> , 2017 , 21, 7-15	2.5	32
591	Association Between Duration of Delayed Graft Function, Acute Rejection, and Allograft Outcome After Deceased Donor Kidney Transplantation. <i>Transplantation</i> , 2019 , 103, 412-419	1.8	32
590	Consumer involvement in topic and outcome selection in the development of clinical practice guidelines. <i>Health Expectations</i> , 2012 , 15, 410-23	3.7	32
589	Frequency and severity of acute rejection in live- versus cadaveric-donor renal transplants. <i>Transplantation</i> , 2003 , 76, 1452-7	1.8	32
588	Randomised controlled trial to determine the efficacy and safety of prescribed water intake to prevent kidney failure due to autosomal dominant polycystic kidney disease (PREVENT-ADPKD). <i>BMJ Open</i> , 2018 , 8, e018794	3	32
587	Report of the Standardized Outcomes in Nephrology-Hemodialysis (SONG-HD) Consensus Workshop on Establishing a Core Outcome Measure for Hemodialysis Vascular Access. <i>American Journal of Kidney Diseases</i> , 2018 , 71, 690-700	7.4	31
586	Incidence and predictors of post-transplant lymphoproliferative disease after kidney transplantation during adulthood and childhood: a registry study. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 881-889	4.3	31
585	Paediatric pain management practice and policies across Alberta emergency departments. <i>Paediatrics and Child Health</i> , 2014 , 19, 190-4	0.7	31

- 584 Use of aminoglycosides for peritoneal dialysis-associated peritonitis does not affect residual renal function. *Nephrology Dialysis Transplantation*, **2012**, 27, 381-7 4.3 3¹
- 583 Peritoneal Small Solute Clearance is Nonlinearly Related to Patient Survival in the Australian and New Zealand Peritoneal Dialysis Patient Populations. *Peritoneal Dialysis International*, **2009**, 29, 637-646 2.8 3¹
- 582 Medicinal herbal extracts--renal friend or foe? Part two: herbal extracts with potential renal benefits. *Nephrology*, **2004**, 9, 400-5 2.2 3¹
- 581 Recommendations for the use of icodextrin in peritoneal dialysis patients. *Nephrology*, **2003**, 8, 1-7 2.2 3¹
- 580 In vivo and in vitro models demonstrate a role for caveolin-1 in the pathogenesis of ischaemic acute renal failure. *Journal of Pathology*, **2003**, 200, 396-405 9.4 3¹
- 579 The CARl guidelines. Evaluation of renal function. *Nephrology*, **2005**, 10 Suppl 4, S133-76 2.2 3¹
- 578 Ketosteroid profiling using Girard T derivatives and electrospray ionization tandem mass spectrometry: direct plasma analysis of androstenedione, 17-hydroxyprogesterone and cortisol. *Rapid Communications in Mass Spectrometry*, **2005**, 19, 193-200 2.2 3¹
- 577 Focus on peritoneal dialysis training: working to decrease peritonitis rates. *Nephrology Dialysis Transplantation*, **2016**, 31, 214-22 4.3 3⁰
- 576 Global overview of health systems oversight and financing for kidney care. *Kidney International Supplements*, **2018**, 8, 41-51 6.3 3⁰
- 575 Therapeutic monitoring of mycophenolate in transplantation: is it justified?. *Current Drug Metabolism*, **2009**, 10, 179-87 3.5 3⁰
- 574 Mineral metabolism, bone histomorphometry and vascular calcification in alternate night nocturnal haemodialysis. *Nephrology*, **2007**, 12, 224-33 2.2 3⁰
- 573 Unconventional Human T Cells Accumulate at the Site of Infection in Response to Microbial Ligands and Induce Local Tissue Remodeling. *Journal of Immunology*, **2016**, 197, 2195-207 5.3 3⁰
- 572 Treatment for peritoneal dialysis-associated peritonitis. *The Cochrane Library*, **2014**, CD005284 5.2 29
- 571 Oxidative stress-induced alterations in PPAR- δ and associated mitochondrial destabilization contribute to kidney cell apoptosis. *American Journal of Physiology - Renal Physiology*, **2014**, 307, F814-22 4.3 29
- 570 Functional significance of erythropoietin in renal cell carcinoma. *BMC Cancer*, **2013**, 13, 14 4.8 29
- 569 The association between body mass index and mortality in incident dialysis patients. *PLoS ONE*, **2014**, 9, e114897 3.7 29
- 568 Increased progression to kidney fibrosis after erythropoietin is used as a treatment for acute kidney injury. *American Journal of Physiology - Renal Physiology*, **2014**, 306, F681-92 4.3 29
- 567 PAR2-induced inflammatory responses in human kidney tubular epithelial cells. *American Journal of Physiology - Renal Physiology*, **2013**, 304, F737-50 4.3 29

566	Isolation and primary culture of human proximal tubule cells. <i>Methods in Molecular Biology</i> , 2009 , 466, 19-24	1.4	29
565	Treatment of peritoneal dialysis-associated peritonitis: a systematic review of randomized controlled trials. <i>American Journal of Kidney Diseases</i> , 2007 , 50, 967-88	7.4	29
564	A randomized controlled trial of fludrocortisone for the treatment of hyperkalemia in hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2006 , 47, 809-14	7.4	29
563	Quantification of glutamine in dried blood spots and plasma by tandem mass spectrometry for the biochemical diagnosis and monitoring of ornithine transcarbamylase deficiency. <i>Clinical Chemistry</i> , 2003 , 49, 681-4	5.5	29
562	Catheter type, placement and insertion techniques for preventing peritonitis in peritoneal dialysis patients. <i>The Cochrane Library</i> , 2004 , CD004680	5.2	29
561	A prospective crossover trial comparing intermittent intravenous and continuous oral iron supplements in peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2001 , 16, 1879-84	4.3	29
560	The Role of DEXA Bone Densitometry in Evaluating Renal Osteodystrophy in Continuous Ambulatory Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 1996 , 16, 34-40	2.8	29
559	Long-term outcomes of end-stage kidney disease for patients with lupus nephritis. <i>Kidney International</i> , 2016 , 89, 1337-45	9.9	29
558	Kidney transplant outcomes are related to tacrolimus, mycophenolic acid and prednisolone exposure in the first week. <i>Transplant International</i> , 2012 , 25, 1182-93	3	28
557	End-stage renal failure due to amyloidosis: outcomes in 490 ANZDATA registry cases. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 455-61	4.3	28
556	Measurement of plasma pristanic, phytanic and very long chain fatty acids by liquid chromatography-electrospray tandem mass spectrometry for the diagnosis of peroxisomal disorders. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003 , 798, 159-62	3.2	28
555	Predictors of a favourable response to icodextrin in peritoneal dialysis patients with ultrafiltration failure. <i>Nephrology</i> , 2005 , 10, 33-6	2.2	28
554	Prevention of peritoneal dialysis-related infections. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1461-72	4.3	27
553	Seasonal variation in peritoneal dialysis-associated peritonitis: a multi-centre registry study. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 2028-36	4.3	27
552	A new prognosticator for post-transplant lymphoproliferative disorders after renal transplantation. <i>British Journal of Haematology</i> , 2008 , 141, 904-7	4.5	27
551	Erythropoietin administration protects against functional impairment and cell death after ischaemic renal injury in pigs. <i>BJU International</i> , 2007 , 99, 162-5	5.6	27
550	Potential physiological and pathophysiological roles for protease-activated receptor-2 in the kidney. <i>Nephrology</i> , 2007 , 12, 36-43	2.2	27
549	Elevated white cell count at commencement of peritoneal dialysis predicts overall and cardiac mortality. <i>Kidney International</i> , 2005 , 67, 738-43	9.9	27

548	Neutrophil dysplasia characterised by a pseudo-Pelger-Huet anomaly occurring with the use of mycophenolate mofetil and ganciclovir following renal transplantation: a report of five cases. <i>Pathology</i> , 2002 , 34, 263-6	1.6	27
547	Prevalence and patterns of cognitive impairment in adult hemodialysis patients: the COGNITIVE-HD study. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 1197-1206	4.3	26
546	The EBlocker to Lower Cardiovascular Dialysis Events (BLOCADE) Feasibility Study: A Randomized Controlled Trial. <i>American Journal of Kidney Diseases</i> , 2016 , 67, 902-11	7.4	26
545	Clinical causes of inflammation in peritoneal dialysis patients. <i>International Journal of Nephrology</i> , 2014 , 2014, 909373	1.7	26
544	Evaluation of dietetic advice for modification of cardiovascular disease risk factors in renal transplant recipients. <i>Journal of Renal Nutrition</i> , 2011 , 21, 462-71	3	26
543	Outcomes of transplants from patients with small renal tumours, live unrelated donors and dialysis wait-listed patients. <i>Transplant International</i> , 2010 , 23, 476-83	3	26
542	A single-centre experience of post-renal transplant lymphoproliferative disorder. <i>Transplant International</i> , 2003 , 16, 529-536	3	26
541	The Initiating Dialysis Early and Late (IDEAL) study: study rationale and design. <i>Peritoneal Dialysis International</i> , 2004 , 24, 176-81	2.8	26
540	Global Kidney Health Atlas (GKHA): design and methods. <i>Kidney International Supplements</i> , 2017 , 7, 145-153	1.5	25
539	Phosphate binders in patients with chronic kidney disease. <i>Australian Prescriber</i> , 2017 , 40, 10-14	1.4	25
538	End-stage kidney disease due to scleroderma--outcomes in 127 consecutive ANZDATA registry cases. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 3165-71	4.3	25
537	HMG CoA reductase inhibitors (statins) for kidney transplant recipients. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD005019		25
536	Cutaneous manifestations of cytomegalovirus disease in renal transplant recipients: a case series. <i>Transplant Infectious Disease</i> , 2008 , 10, 209-13	2.7	25
535	Cardiorespiratory fitness is related to physical inactivity, metabolic risk factors, and atherosclerotic burden in glucose-intolerant renal transplant recipients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006 , 1, 1275-83	6.9	25
534	Analysis of amino acids as formamidene butyl esters by electrospray ionization tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2001 , 15, 2198-205	2.2	25
533	Fibrogenic effects of cyclosporin A on the tubulointerstitium: role of cytokines and growth factors. <i>Nephron Experimental Nephrology</i> , 1999 , 7, 470-8		25
532	Vascular Access Outcomes Reported in Maintenance Hemodialysis Trials: A Systematic Review. <i>American Journal of Kidney Diseases</i> , 2018 , 71, 382-391	7.4	25
531	Identifying Outcomes Important to Patients with Glomerular Disease and Their Caregivers. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 673-684	6.9	24

530	Quality of life of children and adolescents with chronic kidney disease: a cross-sectional study. <i>Archives of Disease in Childhood</i> , 2019 , 104, 134-140	2.2	24
529	Prevention, detection and management of early chronic kidney disease: a systematic review of clinical practice guidelines. <i>Nephrology</i> , 2013 , 18, 592-604	2.2	24
528	End-stage kidney disease due to Alport syndrome: outcomes in 296 consecutive Australia and New Zealand Dialysis and Transplant Registry cases. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 2277-86	4.3	24
527	Estimated donor glomerular filtration rate is the most important donor characteristic predicting graft function in recipients of kidneys from live donors. <i>Transplant International</i> , 2007 , 20, 64-72	3	24
526	A cluster randomized controlled trial comparing three methods of disseminating practice guidelines for children with croup [ISRCTN73394937]. <i>Implementation Science</i> , 2006 , 1, 10	8.4	24
525	The CARL guidelines. Prevention of progression of kidney disease. <i>Nephrology</i> , 2006 , 11 Suppl 1, S2-197	2.2	24
524	The relationship of a clonal outbreak of <i>Enterococcus faecium</i> vanA to methicillin-resistant <i>Staphylococcus aureus</i> incidence in an Australian hospital. <i>Journal of Hospital Infection</i> , 2001 , 48, 43-54	6.9	24
523	The pathogenesis of hemodialysis vascular access failure and systemic therapies for its prevention: Optimism unfulfilled. <i>Seminars in Dialysis</i> , 2018 , 31, 244-257	2.5	24
522	Low GDP Solution and Glucose-Sparing Strategies for Peritoneal Dialysis. <i>Seminars in Nephrology</i> , 2017 , 37, 30-42	4.8	23
521	N-terminal pro-B-type natriuretic peptide variability in stable dialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 620-9	6.9	23
520	Glomerular filtration rate decline as a surrogate end point in kidney disease progression trials. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 1425-36	4.3	23
519	Biological variation of high sensitivity cardiac troponin-T in stable dialysis patients: implications for clinical practice. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 715-22	5.9	23
518	Evidence for steroidogenic potential in human prostate cell lines and tissues. <i>American Journal of Pathology</i> , 2012 , 181, 1078-87	5.8	23
517	Effect of timing of dialysis commencement on clinical outcomes of patients with planned initiation of peritoneal dialysis in the IDEAL trial. <i>Peritoneal Dialysis International</i> , 2012 , 32, 595-604	2.8	23
516	Erythropoietin reduces cisplatin-induced apoptosis in renal carcinoma cells via a PKC dependent pathway. <i>Cancer Biology and Therapy</i> , 2007 , 6, 1944-50	4.6	23
515	Is mycophenolate mofetil less safe than azathioprine in elderly renal transplant recipients?. <i>Transplantation</i> , 2002 , 73, 1158-63	1.8	23
514	Peritoneal dialysis practice in Australia and New Zealand: A call to sustain the action. <i>Nephrology</i> , 2016 , 21, 535-46	2.2	23
513	Predictors of Residual Renal Function Decline in Peritoneal Dialysis Patients: The ANZ Trial. <i>Peritoneal Dialysis International</i> , 2017 , 37, 283-289	2.8	22

512	Dietary Patterns and Clinical Outcomes in Chronic Kidney Disease: The CKD.QLD Nutrition Study. <i>Journal of Renal Nutrition</i> , 2017 , 27, 175-182	3	22
511	Peritoneal dialysis outcomes after temporary haemodialysis transfer for peritonitis. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 1940-7	4.3	22
510	Impact of estimated GFR reporting on late referral rates and practice patterns for end-stage kidney disease patients: a multilevel logistic regression analysis using the Australia and New Zealand Dialysis and Transplant Registry (ANZDATA). <i>American Journal of Kidney Diseases</i> , 2014 , 64, 359-66	7.4	22
509	Recovery of renal function in end-stage renal failure--comparison between peritoneal dialysis and haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 2825-31	4.3	22
508	The role of 25-hydroxyvitamin D deficiency in promoting insulin resistance and inflammation in patients with chronic kidney disease: a randomised controlled trial. <i>BMC Nephrology</i> , 2009 , 10, 41	2.7	22
507	Higher levels of physical activity are associated with a lower risk of abnormal glucose tolerance in renal transplant recipients. <i>Journal of Renal Nutrition</i> , 2009 , 19, 304-13	3	22
506	Rationale and design of the balANZ trial: a randomised controlled trial of low GDP, neutral pH versus standard peritoneal dialysis solution for the preservation of residual renal function. <i>BMC Nephrology</i> , 2010 , 11, 25	2.7	22
505	Recent clinical trials of pharmacologic cardiovascular interventions in patients with chronic kidney disease. <i>Reviews on Recent Clinical Trials</i> , 2008 , 3, 79-88	1.2	22
504	The HoneyPot Study Protocol: A Randomized Controlled Trial of Exit-Site Application of Medihoney Antibacterial Wound Gel for the Prevention of Catheter-Associated Infections in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2009 , 29, 303-309	2.8	22
503	A Randomized Trial on the Effect of Phosphate Reduction on Vascular End Points in CKD (IMPROVE-CKD). <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 2653-2666	12.7	22
502	Antimicrobial agents to prevent peritonitis in peritoneal dialysis: a systematic review of randomized controlled trials. <i>American Journal of Kidney Diseases</i> , 2004 , 44, 591-603	7.4	22
501	A randomized, placebo-controlled trial of pentoxifylline on erythropoiesis-stimulating agent hyporesponsiveness in anemic patients with CKD: the Handling Erythropoietin Resistance With Oxpentifylline (HERO) trial. <i>American Journal of Kidney Diseases</i> , 2015 , 65, 49-57	7.4	21
500	A tRial Evaluating Mid Cut-Off Value Membrane Clearance of Albumin and Light Chains in HemoDialysis Patients: A Safety Device Study. <i>Blood Purification</i> , 2020 , 49, 468-478	3.1	21
499	The effect of rank, lithotype and roughness on contact angle measurements in coal cleats. <i>International Journal of Coal Geology</i> , 2017 , 179, 302-315	5.5	21
498	A randomized controlled trial of intravenous or oral iron for posttransplant anemia in kidney transplantation. <i>Transplantation</i> , 2012 , 93, 822-6	1.8	21
497	Prevention of access-related infection in dialysis. <i>Expert Review of Anti-Infective Therapy</i> , 2009 , 7, 1185-200	5.9	21
496	Dioscorea villosa (wild yam) induces chronic kidney injury via pro-fibrotic pathways. <i>Food and Chemical Toxicology</i> , 2008 , 46, 3122-31	4.7	21
495	Predictors of Renal Recovery in Australian and New Zealand end-Stage Renal Failure Patients Treated with Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2007 , 27, 184-191	2.8	21

494	Analysis of alcohols, as dimethylglycine esters, by electrospray ionization tandem mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2001 , 36, 277-83	2.2	21
493	Mammalian Target of Rapamycin Inhibitors and Clinical Outcomes in Adult Kidney Transplant Recipients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016 , 11, 1845-1855	6.9	21
492	Biocompatible dialysis fluids for peritoneal dialysis. <i>The Cochrane Library</i> , 2018 , 10, CD007554	5.2	21
491	ISPD peritonitis guideline recommendations: 2022 update on prevention and treatment.. <i>Peritoneal Dialysis International</i> , 2022 , 42, 110-153	2.8	21
490	Survival after Kidney Transplantation during Childhood and Adolescence. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 392-400	6.9	20
489	Scope and Consistency of Outcomes Reported in Randomized Trials Conducted in Adults Receiving Hemodialysis: A Systematic Review. <i>American Journal of Kidney Diseases</i> , 2018 , 72, 62-74	7.4	20
488	Feasibility and construct validity of a Frailty index for patients with chronic kidney disease. <i>Australasian Journal on Ageing</i> , 2015 , 34, E9-12	1.5	20
487	The effects of living distantly from peritoneal dialysis units on peritonitis risk, microbiology, treatment and outcomes: a multi-centre registry study. <i>BMC Nephrology</i> , 2012 , 13, 41	2.7	20
486	Association of biocompatible peritoneal dialysis solutions with peritonitis risk, treatment, and outcomes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 1556-63	6.9	20
485	Partitioning of soil phosphorus regulates competition between <i>Vaccinium vitis-idaea</i> and <i>Deschampsia cespitosa</i> . <i>Ecology and Evolution</i> , 2013 , 3, 4243-52	2.8	20
484	BK Virus in Kidney Transplant Recipients: The Influence of Immunosuppression. <i>Journal of Transplantation</i> , 2011 , 2011, 750836	2.3	20
483	Inhibition of nuclear factor kappa B transcription activity drives a synergistic effect of pyrrolidine dithiocarbamate and cisplatin for treatment of renal cell carcinoma. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2010 , 15, 412-25	5.4	20
482	Epidemiology and outcomes of peritonitis in children on peritoneal dialysis in Australasia. <i>Pediatric Nephrology</i> , 2010 , 25, 1739-45	3.2	20
481	Sustaining ecosystem services in ancient limestone grassland: importance of major component plants and community composition. <i>Journal of Ecology</i> , 2008 , 96, 894-902	6	20
480	Therapeutic value of orally administered silibinin in renal cell carcinoma: manipulation of insulin-like growth factor binding protein-3 levels. <i>BJU International</i> , 2007 , 100, 438-44	5.6	20
479	Chinese herbal medicine for diabetic kidney disease: a systematic review and meta-analysis of randomised placebo-controlled trials. <i>BMJ Open</i> , 2019 , 9, e025653	3	19
478	Anti-angiogenic actions of pyrrolidine dithiocarbamate, a nuclear factor kappa B inhibitor. <i>Angiogenesis</i> , 2009 , 12, 365-79	10.6	19
477	Clinician beliefs and attitudes about home haemodialysis: a multinational interview study. <i>BMJ Open</i> , 2012 , 2,	3	19

476	Analysis of succinylacetone, as a Girard T derivative, in urine and dried bloodspots by flow injection electrospray ionization tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 59-63	2.2	19
475	Transport characteristics of human proximal tubule cells in primary culture. <i>Nephrology</i> , 2007 , 3, 183-194.	4.2	19
474	The CARl guidelines. Dialysis adequacy (PD) guidelines. <i>Nephrology</i> , 2005 , 10 Suppl 4, S81-107	2.2	19
473	A randomized trial comparing 1.25 mmol/l calcium dialysate to 1.75 mmol/l calcium dialysate in CAPD patients. <i>Nephrology Dialysis Transplantation</i> , 1996 , 11, 88-93	4.3	19
472	International consensus definitions of clinical trial outcomes for kidney failure: 2020. <i>Kidney International</i> , 2020 , 98, 849-859	9.9	19
471	Continuous Quality Improvement Initiatives to Sustainably Reduce Peritoneal Dialysis-Related Infections in Australia and New Zealand. <i>Peritoneal Dialysis International</i> , 2016 , 36, 472-7	2.8	19
470	Nutrition and dietary intake and their association with mortality and hospitalisation in adults with chronic kidney disease treated with haemodialysis: protocol for DIET-HD, a prospective multinational cohort study. <i>BMJ Open</i> , 2015 , 5, e006897	3	18
469	Vitamin D does not improve the metabolic health of patients with chronic kidney disease stage 3-4: a randomized controlled trial. <i>Nephrology</i> , 2013 , 18, 26-35	2.2	18
468	End-Stage Kidney Disease Due to Fibrillary Glomerulonephritis and Immunotactoid Glomerulopathy - Outcomes in 66 Consecutive ANZDATA Registry Cases. <i>American Journal of Nephrology</i> , 2015 , 42, 177-84	4.6	18
467	Plant genotypic diversity does not beget root-fungal species diversity. <i>Plant and Soil</i> , 2010 , 336, 107-114.	4.2	18
466	An acid hydrolysis method for quantification of plasma free and total carnitine by flow injection tandem mass spectrometry. <i>Clinical Biochemistry</i> , 2010 , 43, 1362-7	3.5	18
465	The influence of obesity on the development and survival outcomes of chronic kidney disease. <i>Advances in Chronic Kidney Disease</i> , 2005 , 12, 49-55	4.7	18
464	Disseminated pyogenic <i>Mycoplasma pneumoniae</i> infection in a renal transplant recipient, detected by broad-range polymerase chain reaction. <i>Clinical Infectious Diseases</i> , 2004 , 39, e98-9	11.6	18
463	Analysis of isomeric long-chain hydroxy fatty acids by tandem mass spectrometry: application to the diagnosis of long-chain 3-hydroxyacyl CoA dehydrogenase deficiency. <i>Rapid Communications in Mass Spectrometry</i> , 2003 , 17, 171-5	2.2	18
462	Interacting roles of myofibroblasts, apoptosis and fibrogenic growth factors in the pathogenesis of renal tubulo-interstitial fibrosis. <i>Growth Factors</i> , 2002 , 20, 109-19	1.6	18
461	Hemodialysis versus continuous veno-venous hemodiafiltration in the management of severe valproate overdose. <i>Clinical Nephrology</i> , 2003 , 59, 56-8	2.1	18
460	The Long-Term Impact of Renin-Angiotensin System (RAS) Inhibition on Cardiorenal Outcomes (LIRICO): A Randomized, Controlled Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 2890-2899	12.7	18
459	Infection-Related Mortality in Recipients of a Kidney Transplant in Australia and New Zealand. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 1484-1492	6.9	17

458	Baseline serum interleukin-6 predicts cardiovascular events in incident peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2015 , 35, 35-42	2.8	17
457	Global coverage of health information systems for kidney disease: availability, challenges, and opportunities for development. <i>Kidney International Supplements</i> , 2018 , 8, 74-81	6.3	17
456	Uremic toxin development in living kidney donors: a longitudinal study. <i>Transplantation</i> , 2014 , 97, 548-54.8		17
455	Exploring differences in the clinical management of pediatric mental health in the emergency department. <i>Pediatric Emergency Care</i> , 2011 , 27, 275-83	1.4	17
454	Patient samples of renal cell carcinoma show reduced expression of TRAF1 compared with normal kidney and functional studies in vitro indicate TRAF1 promotes apoptosis: potential for targeted therapy. <i>Pathology</i> , 2012 , 44, 453-9	1.6	17
453	Apoptosis of tubulointerstitial chronic inflammatory cells in progressive renal fibrosis after cancer therapies. <i>Translational Research</i> , 2007 , 150, 40-50	11	17
452	Proinflammatory and proliferative responses of human proximal tubule cells to PAR-2 activation. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 293, F1441-9	4.3	17
451	Synthesis of dicarboxylic acylcarnitines. <i>Chemistry and Physics of Lipids</i> , 2004 , 129, 161-71	3.7	17
450	Use of high-dose erythropoietin for repair after injury: A comparison of outcomes in heart and kidney. <i>Journal of Nephrology</i> , 2013 , 2, 154-65	0.6	17
449	The role of cGMP and its signaling pathways in kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 311, F671-F681	4.3	17
448	Chronic exposure to cadmium is associated with a marked reduction in glomerular filtration rate. <i>CKJ: Clinical Kidney Journal</i> , 2019 , 12, 468-475	4.5	16
447	Transition Between Different Renal Replacement Modalities: Gaps in Knowledge and Care-The Integrated Research Initiative. <i>Peritoneal Dialysis International</i> , 2019 , 39, 4-12	2.8	16
446	Socio-Economic Status and Peritonitis in Australian Non-Indigenous Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2015 , 35, 450-9	2.8	16
445	Association between causes of peritoneal dialysis technique failure and all-cause mortality. <i>Scientific Reports</i> , 2018 , 8, 3980	4.9	16
444	Con: Buttonhole cannulation of arteriovenous fistulae. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 525-8	4.3	16
443	Repeated peritoneal dialysis-associated peritonitis: a multicenter registry study. <i>American Journal of Kidney Diseases</i> , 2012 , 59, 84-91	7.4	16
442	Renal services disaster planning: lessons learnt from the 2011 Queensland floods and North Queensland cyclone experiences. <i>Nephrology</i> , 2013 , 18, 41-6	2.2	16
441	Establishing a clinical trials network in nephrology: experience of the Australasian Kidney Trials Network. <i>Kidney International</i> , 2014 , 85, 23-30	9.9	16

440	Shining DNight on chronic kidney disease: mechanisms that may underpin the cardiovascular benefit of vitamin D. <i>Nephrology</i> , 2011 , 16, 351-67	2.2	16
439	Biocompatible peritoneal dialysis fluids: clinical outcomes. <i>International Journal of Nephrology</i> , 2012 , 2012, 812609	1.7	16
438	Implementation of the routine reporting of eGFR in Australia and New Zealand. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008 , 241, 23-9	2	16
437	What is the Optimal Fat Mass in Peritoneal Dialysis Patients?. <i>Peritoneal Dialysis International</i> , 2007 , 27, 250-254	2.8	16
436	Fibrogenic stresses activate different mitogen-activated protein kinase pathways in renal epithelial, endothelial or fibroblast cell populations. <i>Nephrology</i> , 2003 , 8, 196-204	2.2	16
435	Moraxella nonliquefaciens septic arthritis in a patient undergoing hemodialysis. <i>Clinical Infectious Diseases</i> , 1995 , 21, 1039-40	11.6	16
434	Microbiota and the nitrogen cycle: Implications in the development and progression of CVD and CKD. <i>Nitric Oxide - Biology and Chemistry</i> , 2016 , 57, 64-70	5	16
433	Patient-reported advantages and disadvantages of peritoneal dialysis: results from the PDOPPS. <i>BMC Nephrology</i> , 2019 , 20, 116	2.7	15
432	Vitamin D status and mortality risk among patients on dialysis: a systematic review and meta-analysis of observational studies. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 1742-1751	4.3	15
431	The Association of Mediterranean and DASH Diets with Mortality in Adults on Hemodialysis: The DIET-HD Multinational Cohort Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 1741-1751	12.7	15
430	Role of the unfolded protein response in determining the fate of tumor cells and the promise of multi-targeted therapies. <i>Cell Stress and Chaperones</i> , 2018 , 23, 317-334	4	15
429	Clinical Studies of Interventions to Mitigate Cardiovascular Risk in Peritoneal Dialysis Patients. <i>Seminars in Nephrology</i> , 2018 , 38, 277-290	4.8	15
428	The role of monitoring vancomycin levels in patients with peritoneal dialysis-associated peritonitis. <i>Peritoneal Dialysis International</i> , 2015 , 35, 222-8	2.8	15
427	Role of nutrition impact symptoms in predicting nutritional status and clinical outcome in hemodialysis patients: a potential screening tool. <i>Journal of Renal Nutrition</i> , 2013 , 23, 302-7	3	15
426	Effects of climatic region on peritonitis risk, microbiology, treatment, and outcomes: a multicenter registry study. <i>Peritoneal Dialysis International</i> , 2013 , 33, 75-85	2.8	15
425	A randomized controlled trial of oral heme iron polypeptide versus oral iron supplementation for the treatment of anaemia in peritoneal dialysis patients: HEMATOCRIT trial. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 4146-53	4.3	15
424	Effect of Astragalus membranaceus and Angelica sinensis combined with Enalapril in rats with obstructive uropathy. <i>Phytotherapy Research</i> , 2010 , 24, 875-84	6.7	15
423	Phosphorylation of caveolin-1 is anti-apoptotic and promotes cell attachment during oxidative stress of kidney cells. <i>Pathology</i> , 2008 , 40, 694-701	1.6	15

422	Coca-Cola and kangaroos. <i>Lancet, The</i> , 2004 , 364, 1190	4.0	15
421	Isolated tuberculous pyomyositis in a renal transplant patient. <i>Nephrology Dialysis Transplantation</i> , 2000 , 15, 743	4.3	15
420	The role of novel biomarkers of cardiovascular disease in chronic kidney disease: focus on adiponectin and leptin. <i>Current Cardiology Reviews</i> , 2008 , 4, 287-92	2.4	15
419	Antimicrobial agents for preventing peritonitis in peritoneal dialysis patients. <i>The Cochrane Library</i> , 2017 , 4, CD004679	5.2	14
418	Health data linkage research in Australia remains challenging. <i>Internal Medicine Journal</i> , 2019 , 49, 539-546	4.6	14
417	A Coaching Program to Improve Dietary Intake of Patients with CKD: ENTICE-CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 330-340	6.9	14
416	Outcomes of Peritonitis: A Multicenter Registry Analysis. <i>Peritoneal Dialysis International</i> , 2017 , 37, 619-626	6.2	14
415	Expression profiles and functional associations of endogenous androgen receptor and caveolin-1 in prostate cancer cell lines. <i>Prostate</i> , 2014 , 74, 478-87	4.2	14
414	Evaluation of limited sampling strategies for total and free prednisolone in adult kidney transplant recipients. <i>European Journal of Clinical Pharmacology</i> , 2011 , 67, 1243-52	2.8	14
413	Adiponectin is associated with cardiovascular disease in male renal transplant recipients: baseline results from the LANDMARK 2 study. <i>BMC Nephrology</i> , 2009 , 10, 29	2.7	14
412	Cardiorespiratory fitness is independently associated with 25-hydroxyvitamin D in chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 512-8	6.9	14
411	Outcomes of patients with planned initiation of hemodialysis in the IDEAL trial. <i>Contributions To Nephrology</i> , 2011 , 171, 1-9	1.6	14
410	Weekend compared with weekday presentations of peritoneal dialysis-associated peritonitis. <i>Peritoneal Dialysis International</i> , 2012 , 32, 516-24	2.8	14
409	Enalaprilat directly ameliorates in vitro cyclosporin nephrotoxicity in human tubulo-interstitial cells. <i>Nephron</i> , 2000 , 86, 473-81	3.3	14
408	Global proteinuria guidelines: are we nearly there yet?. <i>Clinical Biochemist Reviews</i> , 2011 , 32, 89-95	7.3	14
407	Meaning of empowerment in peritoneal dialysis: focus groups with patients and caregivers. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1949-1958	4.3	14
406	Peritoneal Dialysis Use and Practice Patterns: An International Survey Study. <i>American Journal of Kidney Diseases</i> , 2021 , 77, 315-325	7.4	14
405	Identifying critically important vascular access outcomes for trials in haemodialysis: an international survey with patients, caregivers and health professionals. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 657-668	4.3	14

404	Economic evaluation of neutral-pH, low-glucose degradation product peritoneal dialysis solutions compared with standard solutions: a secondary analysis of the balANZ Trial. <i>American Journal of Kidney Diseases</i> , 2015 , 65, 773-9	7.4	13
403	Guidelines, policies, and barriers to kidney care: findings from a global survey. <i>Kidney International Supplements</i> , 2018 , 8, 30-40	6.3	13
402	Measurement of succinyl-carnitine and methylmalonyl-carnitine on dried blood spot by liquid chromatography-tandem mass spectrometry. <i>Clinica Chimica Acta</i> , 2014 , 429, 30-3	6.2	13
401	Oral disease in adults treated with hemodialysis: prevalence, predictors, and association with mortality and adverse cardiovascular events: the rationale and design of the ORAL Diseases in hemodialysis (ORAL-D) study, a prospective, multinational, longitudinal, observational, cohort study. <i>Journal of Clinical Medicine</i> , 2019 , 8, 1188	2.7	13
400	The effect of lowering salt intake on ambulatory blood pressure to reduce cardiovascular risk in chronic kidney disease (LowSALT CKD study): protocol of a randomized trial. <i>BMC Nephrology</i> , 2012 , 13, 137	2.7	13
399	A limited sampling strategy for the simultaneous estimation of tacrolimus, mycophenolic acid and unbound prednisolone exposure in adult kidney transplant recipients. <i>Nephrology</i> , 2012 , 17, 294-9	2.2	13
398	Do antibiotic levels need to be followed in treating peritoneal dialysis-associated peritonitis?. <i>Seminars in Dialysis</i> , 2011 , 24, 445-6	2.5	13
397	TGF-beta 1 dissociates human proximal tubule cell growth and Na(+)-H+ exchange activity. <i>Kidney International</i> , 1998 , 53, 1601-7	9.9	13
396	Treatment for peritoneal dialysis-associated peritonitis. <i>Cochrane Database of Systematic Reviews</i> , 2008 , CD005284		13
395	Efficacy and side-effect profile of sevelamer hydrochloride used in combination with conventional phosphate binders. <i>Nephrology</i> , 2004 , 9, 406-13	2.2	13
394	Comparison of Clinical Presentation and Outcomes of Peritonitis in the Elderly and Younger Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2019 , 39, 163-168	2.8	13
393	Dietary n-3 polyunsaturated fatty acid intake and all-cause and cardiovascular mortality in adults on hemodialysis: The DIET-HD multinational cohort study. <i>Clinical Nutrition</i> , 2019 , 38, 429-437	5.9	13
392	Type 2 diabetes in patients with end-stage kidney disease: influence on cardiovascular disease-related mortality risk. <i>Medical Journal of Australia</i> , 2018 , 209, 440-446	4	13
391	Post-transplant lymphoproliferative disease may be an adverse risk factor for patient survival but not graft loss in kidney transplant recipients. <i>Kidney International</i> , 2018 , 94, 809-817	9.9	13
390	Assessment of current practice and barriers to antimicrobial prophylaxis in peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 619-27	4.3	12
389	Identifying patient-important outcomes in polycystic kidney disease: An international nominal group technique study. <i>Nephrology</i> , 2019 , 24, 1214-1224	2.2	12
388	Estimating risk of encapsulating peritoneal sclerosis accounting for the competing risk of death. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1585-1591	4.3	12
387	Cessation of immunosuppression during chemotherapy for post-transplant lymphoproliferative disorders in renal transplant patients. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1774-9	4.3	12

386	Capturing and monitoring global differences in untreated and treated end-stage kidney disease, kidney replacement therapy modality, and outcomes. <i>Kidney International Supplements</i> , 2020 , 10, e3-e9	6.3	12
385	Peritoneal dialysis-associated peritonitis outcomes reported in trials and observational studies: A systematic review. <i>Peritoneal Dialysis International</i> , 2020 , 40, 132-140	2.8	12
384	Recruitment and retention in clinical trials in chronic kidney disease: report from national workshops with patients, caregivers and health professionals. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 755-764	4.3	12
383	The role of monitoring gentamicin levels in patients with gram-negative peritoneal dialysis-associated peritonitis. <i>Peritoneal Dialysis International</i> , 2014 , 34, 219-26	2.8	12
382	Renal cell carcinoma: resistance to therapy, role of apoptosis, and the prognostic and therapeutic target potential of TRAF proteins. <i>Medical Hypotheses</i> , 2012 , 78, 330-6	3.8	12
381	Interventions for treating sexual dysfunction in patients with chronic kidney disease. <i>The Cochrane Library</i> , 2010 , CD007747	5.2	12
380	Rationale and design of the HEALTHY-CATH trial: a randomised controlled trial of Heparin versus EthAnol Lock THERapY for the prevention of Catheter Associated infection in Haemodialysis patients. <i>BMC Nephrology</i> , 2009 , 10, 23	2.7	12
379	HMG CoA reductase inhibitors (statins) for dialysis patients. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD004289		12
378	Is it time to revisit residual renal function in haemodialysis?. <i>Nephrology</i> , 2007 , 12, 209-17	2.2	12
377	Oxpentifylline versus placebo in the treatment of erythropoietin-resistant anaemia: a randomized controlled trial. <i>BMC Nephrology</i> , 2008 , 9, 8	2.7	12
376	Deceased donor renal transplantation--does side matter?. <i>Nephrology Dialysis Transplantation</i> , 2006 , 21, 2583-8	4.3	12
375	Altered messenger RNA and protein expressions for insulin-like growth factor family members in clear cell and papillary renal cell carcinomas. <i>International Journal of Urology</i> , 2005 , 12, 17-28	2.3	12
374	Predictors of renal recovery in Australian and New Zealand end-stage renal failure patients treated with peritoneal dialysis. <i>Peritoneal Dialysis International</i> , 2007 , 27, 184-91	2.8	12
373	Feasibility and acceptability of telehealth coaching to promote healthy eating in chronic kidney disease: a mixed-methods process evaluation. <i>BMJ Open</i> , 2019 , 9, e024551	3	11
372	The Benefit of a Glucose-Sparing PD Therapy on Glycemic Control Measured by Serum Fructosamine in Diabetic Patients in a Randomized, Controlled Trial (IMPENDIA). <i>Nephron</i> , 2015 , 129, 233-40	3.3	11
371	Progression of arterial stiffness is associated with changes in bone mineral markers in advanced CKD. <i>BMC Nephrology</i> , 2017 , 18, 281	2.7	11
370	Periodontitis and early mortality among adults treated with hemodialysis: a multinational propensity-matched cohort study. <i>BMC Nephrology</i> , 2017 , 18, 166	2.7	11
369	Inhibition of nuclear factor kappa B attenuates tumour progression in an animal model of renal cell carcinoma. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 1462-74	4.3	11

368	Multimodality vascular imaging in CKD: divergence of risk between measured parameters. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 1004-12	4.3	11
367	Randomized trial of FX high flux vs standard high flux dialysis for homocysteine clearance. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 2178-85	4.3	11
366	Severe hypokalaemia secondary to dicloxacillin. <i>Internal Medicine Journal</i> , 2002 , 32, 357-8	1.6	11
365	Epstein-Barr virus encephalitis in a renal allograft recipient diagnosed by polymerase chain reaction on cerebrospinal fluid and successfully treated with ganciclovir. <i>Nephrology Dialysis Transplantation</i> , 2001 , 16, 197-8	4.3	11
364	Monitoring of extracellular and total body water during haemodialysis using multifrequency bio-electrical impedance analysis. <i>Kidney and Blood Pressure Research</i> , 1996 , 19, 94-9	3.1	11
363	Effect of SGLT2 Inhibitors on Stroke and Atrial Fibrillation in Diabetic Kidney Disease: Results From the CREDENCE Trial and Meta-Analysis. <i>Stroke</i> , 2021 , 52, 1545-1556	6.7	11
362	The stress response of human proximal tubule cells to cadmium involves up-regulation of haemoxygenase 1 and metallothionein but not cytochrome P450 enzymes. <i>Toxicology Letters</i> , 2016 , 249, 5-14	4.4	11
361	Establishing a Core Outcome Set for Autosomal Dominant Polycystic Kidney Disease: Report of the Standardized Outcomes in Nephrology-Polycystic Kidney Disease (SONG-PKD) Consensus Workshop. <i>American Journal of Kidney Diseases</i> , 2021 , 77, 255-263	7.4	11
360	End-Stage Kidney Disease following Surgical Management of Kidney Cancer. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018 , 13, 1641-1648	6.9	11
359	Home versus in-centre haemodialysis for end-stage kidney disease		11
358	Automated reporting of GFR--coming soon to a laboratory near you!. <i>Australian Family Physician</i> , 2005 , 34, 925-31		11
357	The honeypot study protocol: a randomized controlled trial of exit-site application of medihoney antibacterial wound gel for the prevention of catheter-associated infections in peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2009 , 29, 303-9	2.8	11
356	An Intervention Design: Supporting Skills Development for Peritoneal Dialysis Trainers. <i>Peritoneal Dialysis International</i> , 2019 , 39, 134-141	2.8	10
355	Outcomes of integrated home dialysis care: a multi-centre, multi-national registry study. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1897-904	4.3	10
354	The Effect of Exit-Site Antibacterial Honey Versus Nasal Mupirocin Prophylaxis on the Microbiology and Outcomes of Peritoneal Dialysis-Associated Peritonitis and Exit-Site Infections: A Sub-Study of the Honeypot Trial. <i>Peritoneal Dialysis International</i> , 2015 , 35, 712-21	2.8	10
353	Magnesium nebulization utilization in management of pediatric asthma (MagNUM PA) trial: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 261	2.8	10
352	Patient survival on haemodiafiltration and haemodialysis: a cohort study using the Australia and New Zealand Dialysis and Transplant Registry. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 326-338	4.3	10
351	Association between GFR estimated by multiple methods at dialysis commencement and patient survival. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 135-42	6.9	10

350	Predictors of vitamin D status in predialysis chronic kidney disease patients: a cross-sectional analysis in a high ultraviolet climate. <i>Journal of Renal Nutrition</i> , 2012 , 22, 400-8	3	10
349	Cardiac and vascular structure and function parameters do not improve with alternate nightly home hemodialysis: an interventional cohort study. <i>BMC Nephrology</i> , 2011 , 12, 51	2.7	10
348	Expression of apoptotic tumour necrosis factor receptor-associated factor, caspase recruitment domain and cell death-inducing DFF-45 effector genes in therapy-treated renal cell carcinoma. <i>Nephrology</i> , 2009 , 14, 205-12	2.2	10
347	Silibinin inhibits renal cell carcinoma via mechanisms that are independent of insulin-like growth factor-binding protein 3. <i>BJU International</i> , 2007 , 99, 454-60	5.6	10
346	Derivation and validation of a disease-specific risk score for cardiac risk stratification in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 2097-104	4.3	10
345	Patient management by cyclosporine C2 monitoring: not enough science yet to justify the practice. <i>Transplantation</i> , 2003 , 75, 1917-8	1.8	10
344	Comparative analysis of caspase activation and apoptosis in renal tubular epithelial cells and renal cell carcinomas. <i>Nephron Experimental Nephrology</i> , 2005 , 99, e112-20		10
343	Serum Leptin Correlates with Fat Mass but not Dietary Energy Intake in Continuous Ambulatory Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 1998 , 18, 569-575	2.8	10
342	Indoxyl sulphate and p-cresyl sulphate: therapeutically modifiable nephrovascular toxins 2013 , 1,		10
341	Chronic kidney disease and automatic reporting of estimated glomerular filtration rate: a position statement. <i>Clinical Biochemist Reviews</i> , 2005 , 26, 81-6	7.3	10
340	Kidney care in low- and middle-income countries. <i>Clinical Nephrology</i> , 2020 , 93, 21-30	2.1	10
339	Transplant associated infections-The role of the gastrointestinal microbiota and potential therapeutic options. <i>Nephrology</i> , 2020 , 25, 5-13	2.2	10
338	Strategic plan for integrated care of patients with kidney failure. <i>Kidney International</i> , 2020 , 98, S117-S134	3.4	10
337	Predictors of Transfer to Home Hemodialysis after Peritoneal Dialysis Completion. <i>Peritoneal Dialysis International</i> , 2016 , 36, 547-54	2.8	10
336	Patterns of oral disease in adults with chronic kidney disease treated with hemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 1647-53	4.3	10
335	Peritoneal small solute clearance is nonlinearly related to patient survival in the Australian and New Zealand peritoneal dialysis patient populations. <i>Peritoneal Dialysis International</i> , 2009 , 29, 637-46	2.8	10
334	Association between serum hepcidin-25 and primary resistance to erythropoiesis-stimulating agents in chronic kidney disease: a secondary analysis of the HERO trial. <i>Nephrology</i> , 2017 , 22, 548-554	2.2	9
333	Associations of Cognitive Function and Education Level With All-Cause Mortality in Adults on Hemodialysis: Findings From the COGNITIVE-HD Study. <i>American Journal of Kidney Diseases</i> , 2019 , 74, 452-462	7.4	9

332	Comparative Effectiveness of Calcimimetic Agents for Secondary Hyperparathyroidism in Adults: A Systematic Review and Network Meta-analysis. <i>American Journal of Kidney Diseases</i> , 2020 , 76, 321-330	7.4	9
331	Health disparities in access to kidney replacement therapy amongst children and adolescents with end-stage kidney disease in low- and lower-middle-income countries. <i>Kidney International</i> , 2020 , 97, 463-485	9.9	9
330	The SIESTA Trial: A Randomized Study Investigating the Efficacy, Safety, and Tolerability of Acupressure versus Sham Therapy for Improving Sleep Quality in Patients with End-Stage Kidney Disease on Hemodialysis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017 , 2017, 7570352	2.3	9
329	Global capacity for clinical research in nephrology: a survey by the International Society of Nephrology. <i>Kidney International Supplements</i> , 2018 , 8, 82-89	6.3	9
328	Association of anthropometric measures with kidney disease progression and mortality: a retrospective cohort study of pre-dialysis chronic kidney disease patients referred to a specialist renal service. <i>BMC Nephrology</i> , 2016 , 17, 74	2.7	9
327	International Anemia Prevalence and Management in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2019 , 39, 539-546	2.8	9
326	Does the use of neutral pH, low glucose degradation product peritoneal dialysis fluids lead to better patient outcomes?. <i>Current Opinion in Nephrology and Hypertension</i> , 2014 , 23, 192-7	3.5	9
325	The HONEYPOT randomized controlled trial statistical analysis plan. <i>Peritoneal Dialysis International</i> , 2013 , 33, 426-35	2.8	9
324	HMG CoA reductase inhibitors (statins) for dialysis patients. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD004289		9
323	Change in live donor characteristics over the last 25 years: a single centre experience. <i>Nephrology</i> , 2008 , 13, 646-50	2.2	9
322	High membrane transport status on peritoneal dialysis is not associated with reduced survival following transfer to haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 3005-12	4.3	9
321	Validation of a nomogram for predicting the likelihood of delayed graft function in Australian adult deceased donor renal transplant recipients. <i>Nephrology</i> , 2006 , 11, 78	2.2	9
320	Non-invasive, optical measurement of absolute blood volume in hemodialysis patients. <i>Kidney International</i> , 1996 , 49, 255-60	9.9	9
319	Urgent-start peritoneal dialysis: is it ready for prime time?. <i>Current Opinion in Nephrology and Hypertension</i> , 2019 , 28, 631-640	3.5	9
318	Long-term outcomes of patients with end-stage kidney disease due to membranoproliferative glomerulonephritis: an ANZDATA registry study. <i>BMC Nephrology</i> , 2019 , 20, 417	2.7	9
317	Low Serum Potassium Levels and Clinical Outcomes in Peritoneal Dialysis-International Results from PDOPPS. <i>Kidney International Reports</i> , 2021 , 6, 313-324	4.1	9
316	Predictors of new-onset chronic kidney disease in patients managed surgically for T1a renal cell carcinoma: An Australian population-based analysis. <i>Journal of Surgical Oncology</i> , 2018 , 117, 1597-1610	2.8	9
315	EARLY PERITONITIS AND ITS OUTCOME IN INCIDENT PERITONEAL DIALYSIS PATIENTS. <i>Peritoneal Dialysis International</i> , 2017 ,	2.8	8

314	A Simple Clinical Tool for Stratifying Risk of Clinically Significant CKD after Nephrectomy: Development and Multinational Validation. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 1107-1117	12.7	8
313	Core Outcome Domains for Trials in Autosomal Dominant Polycystic Kidney Disease: An International Delphi Survey. <i>American Journal of Kidney Diseases</i> , 2020 , 76, 361-373	7.4	8
312	Multicentre registry data analysis comparing outcomes of culture-negative peritonitis and different subtypes of culture-positive peritonitis in peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2020 , 40, 47-56	2.8	8
311	Low versus high dose erythropoiesis-stimulating agents in hemodialysis patients with anemia: A randomized clinical trial. <i>PLoS ONE</i> , 2017 , 12, e0172735	3.7	8
310	Outcomes of Peritonitis in Peritoneal Dialysis Patients: A Multicenter Registry Analysis. <i>Peritoneal Dialysis International</i> , 2018 , 38, 257-265	2.8	8
309	Omega-3 Polyunsaturated Fatty Acid Supplementation to Prevent Arteriovenous Fistula and Graft Failure: A Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>American Journal of Kidney Diseases</i> , 2018 , 72, 50-61	7.4	8
308	Moving on: transitioning young people with chronic kidney disease to adult care. <i>Pediatric Nephrology</i> , 2018 , 33, 973-983	3.2	8
307	COGNITIVE-HD study: protocol of an observational study of neurocognitive functioning and association with clinical outcomes in adults with end-stage kidney disease treated with haemodialysis. <i>BMJ Open</i> , 2015 , 5, e009328	3	8
306	The Roots of Social Dominance: Aggression, Prosocial Behavior, and Social Interdependence. <i>Journal of Educational Research</i> , 2011 , 104, 442-454	1.1	8
305	Is the problem with the vehicle or the destination? Does high-dose ESA or high haemoglobin contribute to poor outcomes in CKD?. <i>Nephrology</i> , 2011 , 16, 144-53	2.2	8
304	Life-threatening adenovirus infection in a kidney transplant recipient. <i>CKJ: Clinical Kidney Journal</i> , 2009 , 2, 250-3	4.5	8
303	Adherence to guideline recommendations for infection prophylaxis in peritoneal dialysis patients. <i>CKJ: Clinical Kidney Journal</i> , 2009 , 2, 508	4.5	8
302	Intravenous versus oral iron supplementation for correction of post-transplant anaemia in renal transplant patients. <i>BMC Nephrology</i> , 2009 , 10, 14	2.7	8
301	Automated reporting of eGFR: a useful tool for identifying and managing kidney disease. <i>Medical Journal of Australia</i> , 2009 , 190, 200-3	4	8
300	Intravenous versus Oral Iron Supplementation in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2007 , 27, 255-260	2.8	8
299	A peritoneal dialysis patient with fatal culture-negative peritonitis. <i>Nephrology</i> , 2003 , 8, 49-55	2.2	8
298	Durable and high rates of remission following chemotherapy in posttransplantation lymphoproliferative disorders after renal transplantation. <i>Transplantation Proceedings</i> , 2003 , 35, 256-7	1.1	8
297	Role of protein kinase C and oxidative stress in interleukin-1beta-induced human proximal tubule cell injury and fibrogenesis. <i>Nephrology</i> , 2005 , 10, 73-80	2.2	8

296	Erythropoietin Protects Against Acute Kidney Injury and Failure. <i>The Open Drug Discovery Journal</i> , 2010 , 2, 8-17		8
295	Incremental and twice weekly haemodialysis in Australia and New Zealand. <i>Nephrology</i> , 2019 , 24, 1172-1178		8
294	Early Peritoneal Dialysis Technique Failure: Review. <i>Peritoneal Dialysis International</i> , 2018 , 38, 319-327	2.8	8
293	Association of Socio-Economic Position with Technique Failure and Mortality in Australian Non-Indigenous Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2017 , 37, 397-406	2.8	7
292	Intraperitoneal Vancomycin Plus Either Oral Moxifloxacin or Intraperitoneal Ceftazidime for the Treatment of Peritoneal Dialysis-Related Peritonitis: A Randomized Controlled Pilot Study. <i>American Journal of Kidney Diseases</i> , 2017 , 70, 30-37	7.4	7
291	Fish oil and aspirin effects on arteriovenous fistula function: Secondary outcomes of the randomised omega-3 fatty acids (Fish oils) and Aspirin in Vascular access Outcomes in Renal Disease (FAVOURED) trial. <i>PLoS ONE</i> , 2019 , 14, e0213274	3.7	7
290	Teaching peritoneal dialysis in Australia: An opportunity for improvement. <i>Nephrology</i> , 2018 , 23, 259-263	2.2	7
289	Higher Dialysate Matrix Metalloproteinase-2 Levels Are Associated with Peritoneal Membrane Dysfunction. <i>Peritoneal Dialysis International</i> , 2016 , 36, 16-25	2.8	7
288	N-acetyl-cysteine increases cellular dysfunction in progressive chronic kidney damage after acute kidney injury by dampening endogenous antioxidant responses. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 314, F956-F968	4.3	7
287	Fibronectin and transforming growth factor beta contribute to erythropoietin resistance and maladaptive cardiac hypertrophy. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 444, 332-337	3.4	7
286	HMG CoA reductase inhibitors (statins) for people with chronic kidney disease not requiring dialysis. <i>Sao Paulo Medical Journal</i> , 2015 , 133, 541-2	1.6	7
285	Home versus in-centre haemodialysis for end-stage kidney disease. <i>The Cochrane Library</i> , 2014 , CD009535	5.2	7
284	Rationale and design of the oral HEME iron polypeptide Against Treatment with Oral Controlled Release Iron Tablets trial for the correction of anaemia in peritoneal dialysis patients (HEMATOCRIT trial). <i>BMC Nephrology</i> , 2009 , 10, 20	2.7	7
283	Biocompatible dialysis fluids for peritoneal dialysis		2009, 7
282	Baseline and time-averaged fluid removal affect technique survival in peritoneal dialysis in a non-linear fashion. <i>Nephrology</i> , 2007 , 12, 218-23	2.2	7
281	Variation in Peritoneal Dialysis-Related Peritonitis Outcomes in the Peritoneal Dialysis Outcomes and Practice Patterns Study (PDOPPS). <i>American Journal of Kidney Diseases</i> , 2021 ,	7.4	7
280	Differences in peritoneal dialysis technique survival between patients treated with peritoneal dialysis systems from different companies. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1035-1044	4.3	7
279	Perioperative outcomes and risk assessment in dialysis patients: current knowledge and future directions. <i>Internal Medicine Journal</i> , 2019 , 49, 702-710	1.6	7

278	Principles and strategies for involving patients in research in chronic kidney disease: report from national workshops. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1585-1594	4.3	7
277	Availability, Accessibility, and Quality of Conservative Kidney Management Worldwide. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 16, 79-87	6.9	7
276	Association of Kidney Function with Infections by Multidrug-Resistant Organisms: An Electronic Medical Record Analysis. <i>Scientific Reports</i> , 2018 , 8, 13372	4.9	7
275	Is renal tubular cadmium toxicity clinically relevant?. <i>CKJ: Clinical Kidney Journal</i> , 2018 , 11, 681-687	4.5	7
274	Workforce capacity for the care of patients with kidney failure across world countries and regions. <i>BMJ Global Health</i> , 2021 , 6,	6.6	7
273	Catheter type, placement and insertion techniques for preventing catheter-related infections in chronic peritoneal dialysis patients. <i>The Cochrane Library</i> , 2019 , 5, CD004680	5.2	7
272	Effect of Oral Methylprednisolone on Decline in Kidney Function or Kidney Failure in Patients With IgA Nephropathy: The TESTING Randomized Clinical Trial.. <i>JAMA - Journal of the American Medical Association</i> , 2022 , 327, 1888-1898	27.4	7
271	Effects of exercise and lifestyle intervention on oxidative stress in chronic kidney disease. <i>Redox Report</i> , 2017 , 22, 127-136	5.9	6
270	Evidence for Biocompatible Peritoneal Dialysis Solutions. <i>Contributions To Nephrology</i> , 2017 , 189, 91-101.	1.6	6
269	Study Protocol for Better Evidence for Selecting Transplant Fluids (BEST-Fluids): a pragmatic, registry-based, multi-center, double-blind, randomized controlled trial evaluating the effect of intravenous fluid therapy with Plasma-Lyte 148 versus 0.9% saline on delayed graft function in deceased donor kidney transplantation. <i>Trials</i> , 2020 , 21, 428	2.8	6
268	Postoperative mortality in patients on chronic dialysis following elective surgery: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2020 , 15, e0234402	3.7	6
267	Patients' Experiences of transitioning between different renal replacement therapy modalities: A qualitative study. <i>Peritoneal Dialysis International</i> , 2020 , 40, 548-555	2.8	6
266	Impending challenges of the burden of end-stage kidney disease in Australia. <i>Medical Journal of Australia</i> , 2019 , 211, 374-380.e3	4	6
265	End-stage kidney disease due to haemolytic uraemic syndrome--outcomes in 241 consecutive ANZDATA registry cases. <i>BMC Nephrology</i> , 2012 , 13, 164	2.7	6
264	How to conduct a randomized trial. <i>Nephrology</i> , 2010 , 15, 740-6	2.2	6
263	Insulin-like growth factor I stimulates apical sodium/hydrogen exchange in human proximal tubule cells. <i>American Journal of Physiology - Renal Physiology</i> , 1997 , 272, F484-90	4.3	6
262	Growth factors in progressive renal disease. <i>Nephrology</i> , 2000 , 5, 251-261	2.2	6
261	Peritoneal Homocysteine Clearance is Inefficient in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2000 , 20, 766-771	2.8	6

260	Oral versus Intravenous Iron Supplementation in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2001 , 21, 231-235	2.8	6
259	Physical activity and exercise in peritoneal dialysis: International Society for Peritoneal Dialysis and the Global Renal Exercise Network practice recommendations. <i>Peritoneal Dialysis International</i> , 2021 , 8968608211055290	2.8	6
258	A single-centre experience of post-renal transplant lymphoproliferative disorder. <i>Transplant International</i> , 2003 , 16, 529-36	3	6
257	Perspectives on mental health among patients receiving dialysis. <i>Nephrology Dialysis Transplantation</i> , 2020 ,	4.3	6
256	Patient and caregiver perspectives on burnout in peritoneal dialysis. <i>Peritoneal Dialysis International</i> , 2021 , 41, 484-493	2.8	6
255	Postoperative outcomes of kidney transplant recipients undergoing non-transplant-related elective surgery: a systematic review and meta-analysis. <i>BMC Nephrology</i> , 2020 , 21, 365	2.7	6
254	APPETITE PREDICTS INTAKE AND NUTRITIONAL STATUS IN PATIENTS RECEIVING PERITONEAL DIALYSIS. <i>Journal of Renal Care</i> , 2016 , 42, 123-31	1.6	6
253	Baseline characteristics of the omega-3 fatty acids (Fish oils) and Aspirin in Vascular access Outcomes in REnal Disease (FAVOURED) study. <i>Nephrology</i> , 2016 , 21, 217-28	2.2	6
252	Decreased apoptosis repressor with caspase recruitment domain confers resistance to sunitinib in renal cell carcinoma through alternate angiogenesis pathways. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 473, 47-53	3.4	6
251	Dietary Patterns and Mortality in a Multinational Cohort of Adults Receiving Hemodialysis. <i>American Journal of Kidney Diseases</i> , 2020 , 75, 361-372	7.4	6
250	The Relationship Between Body Mass Index and Organism-Specific Peritonitis. <i>Peritoneal Dialysis International</i> , 2018 , 38, 206-214	2.8	6
249	Epidemiology and Outcomes of Acute Kidney Diseases: A Comparative Analysis. <i>American Journal of Nephrology</i> , 2021 , 52, 342-350	4.6	6
248	Comparison of Topical Chlorhexidine and Mupirocin for the Prevention of Exit-Site Infection in Incident Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2017 , 37, 266-272	2.8	5
247	Catheter Type, Placement, and Insertion Techniques for Preventing Catheter-Related Infections in Maintenance Peritoneal Dialysis Patients: Summary of a Cochrane Review. <i>American Journal of Kidney Diseases</i> , 2019 , 74, 703-705	7.4	5
246	Effect of patient- and center-level characteristics on uptake of home dialysis in Australia and New Zealand: a multicenter registry analysis. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1938-1949	4.3	5
245	Development of a framework for minimum and optimal safety and quality standards for hemodialysis and peritoneal dialysis. <i>Kidney International Supplements</i> , 2020 , 10, e55-e62	6.3	5
244	Survival and Quality of Life Impact of a Risk-based Allocation Algorithm for Deceased Donor Kidney Transplantation. <i>Transplantation</i> , 2018 , 102, 1530-1537	1.8	5
243	Long-term outcomes of end-stage kidney disease for patients with IgA nephropathy: A multi-centre registry study. <i>Nephrology</i> , 2016 , 21, 387-96	2.2	5

242	Associations Between Peritoneal Glucose Exposure, Glucose Degradation Product Exposure, and Peritoneal Membrane Transport Characteristics in Peritoneal Dialysis Patients: Secondary Analysis of the ANZ Trial. <i>Peritoneal Dialysis International</i> , 2018 , 38, 349-355	2.8	5
241	Infectious Complications Following Kidney Transplantation-A Focus on Hepatitis C Infection, Cytomegalovirus Infection and Novel Developments in the Gut Microbiota. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	5
240	Interventions for erythropoietin-resistant anaemia in dialysis patients. <i>The Cochrane Library</i> , 2013 , CD006861	5.8	5
239	Opinions on the content and effects of clinical practice guidelines for CKD: a survey of nephrologists in Australia and New Zealand. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 1082-90	7.4	5
238	Effect of dialysis modality on survival of hepatitis C-infected ESRF patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 2657-61	6.9	5
237	Administration of erythropoietin and its derivatives in renal disease: Advantages, mechanisms and concerns. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2007 , 4, 79-84		5
236	Central obesity is common in renal transplant recipients and is associated with increased prevalence of cardiovascular risk factors. <i>Nutrition and Dietetics</i> , 2007 , 64, 200-206	2.5	5
235	Use of mycophenolate mofetil in immunosuppressive protocols in elderly renal transplant recipients. <i>Transplantation</i> , 2003 , 76, 619	1.8	5
234	Increases in peritoneal small solute transport in the first month of peritoneal dialysis predict technique survival. <i>Nephrology</i> , 2004 , 9, 341-7	2.2	5
233	Cardiac biomarkers in dialysis. <i>AIMS Genetics</i> , 2017 , 4, 1-20	2.1	5
232	Interventions for weight loss in people with chronic kidney disease who are overweight or obese. <i>The Cochrane Library</i> , 2021 , 3, CD013119	5.2	5
231	Hemodialysis Use and Practice Patterns: An International Survey Study. <i>American Journal of Kidney Diseases</i> , 2021 , 77, 326-335.e1	7.4	5
230	Implementation of PDOPPS in a middle-income country: Early lessons from Thailand. <i>Peritoneal Dialysis International</i> , 2021 , 896860821993950	2.8	5
229	Conducting clinical trials during the COVID-19 pandemic-a collaborative trial network response. <i>Trials</i> , 2021 , 22, 278	2.8	5
228	The effect of pentoxifylline on oxidative stress in chronic kidney disease patients with erythropoiesis-stimulating agent hyporesponsiveness: Sub-study of the HERO trial. <i>Redox Report</i> , 2016 , 21, 14-23	5.9	5
227	Haemodialysis withdrawal in Australia and New Zealand: a binational registry study. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 669-676	4.3	5
226	Impact of Diabetes Mellitus on the Association of Vascular Disease Before Transplantation With Long-term Transplant and Patient Outcomes After Kidney Transplantation: A Population Cohort Study. <i>American Journal of Kidney Diseases</i> , 2018 , 71, 102-111	7.4	5
225	Interventions for weight loss in people with chronic kidney disease who are overweight or obese. <i>The Cochrane Library</i> , 2018 ,	5.2	5

224	Bupi Yishen Formula Versus Losartan for Non-Diabetic Stage 4 Chronic Kidney Disease: A Randomized Controlled Trial. <i>Frontiers in Pharmacology</i> , 2020 , 11, 627185	5.6	5
223	Urgent-start peritoneal dialysis versus conventional-start peritoneal dialysis for people with chronic kidney disease. <i>The Cochrane Library</i> , 2020 , 12, CD012913	5.2	5
222	Chronic kidney disease--management update. <i>Australian Family Physician</i> , 2005 , 34, 915-23		5
221	Association Between Peritoneal Glucose Exposure and Peritonitis in Peritoneal Dialysis Patients: The balANZ Trial. <i>Peritoneal Dialysis International</i> , 2017 , 37, 407-413	2.8	4
220	Centre effects and peritoneal dialysis-related peritonitis. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 913-915	4.3	4
219	The establishment and validation of novel therapeutic targets to retard progression of chronic kidney disease. <i>Kidney International Supplements</i> , 2017 , 7, 130-137	6.3	4
218	Association between serum alkaline phosphatase and primary resistance to erythropoiesis stimulating agents in chronic kidney disease: a secondary analysis of the HERO trial. <i>Canadian Journal of Kidney Health and Disease</i> , 2015 , 2, 33	2.3	4
217	Utility of Urinary Biomarkers in Predicting Loss of Residual Renal Function: The balANZ Trial. <i>Peritoneal Dialysis International</i> , 2015 , 35, 159-71	2.8	4
216	Establishing Core Cardiovascular Outcome Measures for Trials in Hemodialysis: Report of an International Consensus Workshop. <i>American Journal of Kidney Diseases</i> , 2020 , 76, 109-120	7.4	4
215	"Can I go to Glasgow?" Learnings from patient involvement at the 17th Congress of the International Society for Peritoneal Dialysis (ISPD). <i>Peritoneal Dialysis International</i> , 2020 , 40, 12-25	2.8	4
214	Nephrology in the Oceania-South East Asia region: perspectives and challenges. <i>Kidney International</i> , 2018 , 94, 465-470	9.9	4
213	Vitamin D deficiency and treatment versus risk of infection in end-stage renal disease patients under dialysis: a systematic review and meta-analysis. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1464-1476	4.3	4
212	Dietary patterns for adults with chronic kidney disease 2015 ,		4
211	Is female sex really a risk factor for infectious death in peritoneal dialysis?. <i>Peritoneal Dialysis International</i> , 2013 , 33, 475-8	2.8	4
210	How to design a randomized controlled trial. <i>Nephrology</i> , 2010 , 15, 732-9	2.2	4
209	Review article: Addressing risk factors in chronic kidney disease mineral and bone disorder: can we influence patient-level outcomes?. <i>Nephrology</i> , 2009 , 14, 416-27	2.2	4
208	A Randomized Controlled Trial to Determine Whether Treatment with a Neutral pH, Low Glucose Degradation Product Dialysate (Balance) Prolongs Residual Renal Function in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2006 , 26, 112-112	2.8	4
207	Clinicians' attitudes to clinical practice guidelines. <i>Medical Journal of Australia</i> , 2003 , 178, 354-5; author reply 355; discussion 355-6	4	4

206	FK778: a powerful immunosuppressive, but will it really be good for you?. <i>Transplantation</i> , 2004 , 78, 7-8	1.8	4
205	Use of estimated glomerular filtration rate to assess level of kidney function. <i>Nephrology</i> , 2005 , 10, S140-S156	2.5	4
204	Managing the cardiovascular complications of chronic kidney disease. <i>Australian Prescriber</i> , 2008 , 31, 154-158	1.4	4
203	Patient-reported outcome measures for life participation in peritoneal dialysis: a systematic review. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 890-901	4.3	4
202	Recent evidence on the effect of urate-lowering treatment on the progression of kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2021 , 30, 346-352	3.5	4
201	A Systematic Review and Meta-Analysis on Effects of Bicarbonate Therapy on Kidney Outcomes. <i>Kidney International Reports</i> , 2021 , 6, 695-705	4.1	4
200	Association of Local Unit Sampling and Microbiology Laboratory Culture Practices With the Ability to Identify Causative Pathogens in Peritoneal Dialysis-Associated Peritonitis in Thailand. <i>Kidney International Reports</i> , 2021 , 6, 1118-1129	4.1	4
199	A genome-wide association study suggests correlations of common genetic variants with peritoneal solute transfer rates in patients with kidney failure receiving peritoneal dialysis. <i>Kidney International</i> , 2021 , 100, 1101-1111	9.9	4
198	Perspectives on blood pressure by patients on haemo- and peritoneal dialysis. <i>Nephrology</i> , 2021 , 26, 62-69	2.2	4
197	Practice of Peritoneal Dialysis Catheter Flushing in Australia and New Zealand: Multi-Center Cross-Sectional Survey. <i>Peritoneal Dialysis International</i> , 2018 , 38, 98-103	2.8	4
196	Prevention of progression of kidney disease - CARI guidelines. <i>Australian Family Physician</i> , 2007 , 36, 353		4
195	Updates on baseline characteristics of the omega-3 fatty acids (Fish oils) and Aspirin in Vascular access OUTcomes in RENal Disease (FAVOURED) study. <i>Nephrology</i> , 2017 , 22, 823-824	2.2	3
194	Long-term outcomes of patients with end-stage kidney disease due to membranous nephropathy: A cohort study using the Australia and New Zealand Dialysis and Transplant Registry. <i>PLoS ONE</i> , 2019 , 14, e0221531	3.7	3
193	Novel trial strategies to enhance the relevance, efficiency, effectiveness, and impact of nephrology research. <i>Kidney International</i> , 2020 , 98, 572-578	9.9	3
192	Icodextrin use for peritoneal dialysis in Australia: A cohort study using Australia and New Zealand Dialysis and Transplant Registry. <i>Peritoneal Dialysis International</i> , 2020 , 40, 209-219	2.8	3
191	Targeted Education ApproaCH to improve Peritoneal Dialysis Outcomes (TEACH-PD): A feasibility study. <i>Peritoneal Dialysis International</i> , 2020 , 40, 153-163	2.8	3
190	Early Onset Peritoneal Dialysis-Related Peritonitis. <i>Journal of Clinical & Experimental Nephrology</i> , 2017 , 2,	0	3
189	Factors associated with acutely elevated serum creatinine following radical tumour nephrectomy: the Correlates of Kidney Dysfunction-Tumour Nephrectomy Database study. <i>Translational Andrology and Urology</i> , 2017 , 6, 899-909	2.3	3

188	Temporal Changes in Deceased Kidney Donor Characteristics in Australia. <i>Transplantation Direct</i> , 2016 , 2, e112	2.3	3
187	Longitudinal Trend in Lipid Profile of Incident Peritoneal Dialysis Patients is Not Influenced by the Use of Biocompatible Solutions. <i>Peritoneal Dialysis International</i> , 2016 , 36, 146-53	2.8	3
186	The Power of the Patient Voice: Conducting and Using Qualitative Research to Improve Care and Outcomes in Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2018 , 38, 242-245	2.8	3
185	Protease-activated receptor 2 does not contribute to renal inflammation or fibrosis in the obstructed kidney. <i>Nephrology</i> , 2019 , 24, 983-991	2.2	3
184	Intraperitoneal Cefepime Monotherapy Versus Combination Therapy of Cefazolin Plus Ceftazidime for Empirical Treatment of CAPD-Associated Peritonitis: A Multicenter, Open-Label, Noninferiority, Randomized, Controlled Trial. <i>American Journal of Kidney Diseases</i> , 2019 , 74, 601-609	7.4	3
183	Association of pre-transplant statin use with delayed graft function in kidney transplant recipients. <i>BMC Nephrology</i> , 2012 , 13, 111	2.7	3
182	A differential impact of mycophenolic acid, prednisolone, and tacrolimus exposure on sCD30 levels in adult kidney transplant recipients. <i>Therapeutic Drug Monitoring</i> , 2013 , 35, 240-5	3.2	3
181	Trials (and tribulations) of biocompatible peritoneal dialysis fluids. <i>Peritoneal Dialysis International</i> , 2012 , 32, 247-51	2.8	3
180	Physiological changes in extracellular sodium directly control human proximal tubule growth and transport. <i>Pflügers Archiv European Journal of Physiology</i> , 1998 , 435, 211-8	4.6	3
179	Maintaining clearance in peritoneal dialysis. <i>Nephrology</i> , 2001 , 6, 243-249	2.2	3
178	Severe irreversible proximal renal tubular acidosis and azotaemia secondary to cidofovir. <i>Nephron</i> , 2000 , 86, 348-9	3.3	3
177	In vitro effects of simvastatin on tubulointerstitial cells in a human model of cyclosporin nephrotoxicity. <i>American Journal of Physiology - Renal Physiology</i> , 1999 , 276, F467-75	4.3	3
176	Dramatic response of livedoid vasculitis to tissue plasminogen activator (tPA). <i>Australian and New Zealand Journal of Medicine</i> , 1995 , 25, 370-1		3
175	The Therapeutic Evaluation of Steroids in IgA Nephropathy Global (TESTING) Study: Trial Design and Baseline Characteristics. <i>American Journal of Nephrology</i> , 2021 , 52, 827-836	4.6	3
174	Dietary Potassium Intake and All-Cause Mortality in Adults Treated with Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021 ,	6.9	3
173	Recent Clinical Trials of Pharmacologic Cardiovascular Interventions in Patients with Chronic Kidney Disease: An Update. <i>Reviews on Recent Clinical Trials</i> , 2016 , 11, 12-32	1.2	3
172	MANAGEMENT OF FUNCTIONING THYROID CANCER. <i>Medical Journal of Australia</i> , 1969 , 1, 372-378	4	3
171	Systematic Review and Meta-analyses of Effects of Phosphate-lowering Agents in Non-dialysis Chronic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 ,	12.7	3

170	Availability, coverage, and scope of health information systems for kidney care across world countries and regions. <i>Nephrology Dialysis Transplantation</i> , 2020 ,	4.3	3
169	Prevention of peritoneal dialysis-related peritonitis by regular patient retraining via technique inspection or oral education: a randomized controlled trial. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 676-686	4.3	3
168	A cost-effective three-dimensional culture platform functionally mimics the adipose tissue microenvironment surrounding the kidney. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 522, 736-742	3.4	3
167	Multicenter registry analysis comparing survival on home hemodialysis and kidney transplant recipients in Australia and New Zealand. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 1937-1946	4.3	3
166	Effect of a medium cut-off dialyzer on protein-bound uremic toxins and mineral metabolism markers in patients on hemodialysis. <i>Hemodialysis International</i> , 2021 , 25, 322	1.7	3
165	Impact of deceased donor with acute kidney injury on subsequent kidney transplant outcomes-an ANZDATA registry analysis. <i>PLoS ONE</i> , 2021 , 16, e0249000	3.7	3
164	T-Cell Expression and Release of Kidney Injury Molecule-1 in Response to Glucose Variations Initiates Kidney Injury in Early Diabetes. <i>Diabetes</i> , 2021 , 70, 1754-1766	0.9	3
163	Outcome measures for technique survival reported in peritoneal dialysis: A systematic review. <i>Peritoneal Dialysis International</i> , 2021 , 896860821989874	2.8	3
162	International Society of Nephrology Global Kidney Health Atlas: structures, organization, and services for the management of kidney failure in Oceania and South East Asia. <i>Kidney International Supplements</i> , 2021 , 11, e86-e96	6.3	3
161	International Society of Nephrology Global Kidney Health Atlas: structures, organization and services for the management of kidney failure in North and East Asia. <i>Kidney International Supplements</i> , 2021 , 11, e77-e85	6.3	3
160	International Society of Nephrology Global Kidney Health Atlas: structures, organization, and services for the management of kidney failure in Western Europe. <i>Kidney International Supplements</i> , 2021 , 11, e106-e118	6.3	3
159	Current status of health systems financing and oversight for end-stage kidney disease care: a cross-sectional global survey. <i>BMJ Open</i> , 2021 , 11, e047245	3	3
158	Peritoneal Dialysis Solutions 2016 ,		3
157	Effect of centre- and patient-related factors on uptake of haemodiafiltration in Australia and New Zealand: A cohort study using ANZDATA. <i>Nephrology</i> , 2020 , 25, 63-72	2.2	3
156	Risk factors for major adverse kidney events in the first year after acute kidney injury. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 556-563	4.5	3
155	Patient-Reported Gastrointestinal Symptoms and the Association With Quality of Life Following Kidney Transplantation. <i>Kidney International Reports</i> , 2021 , 6, 138-145	4.1	3
154	Automatic reporting of estimated glomerular filtration rate in Australia turns 13: re-examining the impact. <i>Medical Journal of Australia</i> , 2018 , 209, 244-245	4	3
153	Urgent-start peritoneal dialysis versus haemodialysis for people with chronic kidney disease. <i>The Cochrane Library</i> , 2021 , 1, CD012899	5.2	3

152	Perioperative antibiotics for preventing post-surgical site infections in solid organ transplant recipients. <i>The Cochrane Library</i> ,	5.2	3
151	Capacity of Kidney Care in Canada: Identifying Barriers and Opportunities. <i>Canadian Journal of Kidney Health and Disease</i> , 2019 , 6, 2054358119870540	2.3	2
150	Perioperative Care for Kidney Transplant Recipients 2019 ,		2
149	GRP78 expression in tumor and perinephric adipose tissue is not an optimal risk stratification marker for clear cell renal cell carcinoma. <i>PLoS ONE</i> , 2019 , 14, e0210246	3.7	2
148	In Reply to N The Importance of Icodextrin Use for Technique and Patient Survival in Peritoneal Dialysis N <i>American Journal of Kidney Diseases</i> , 2018 , 72, 309-310	7.4	2
147	Association between reduced renal function and cardiovascular mortality in patients hospitalized with infection: A multi-center cohort study. <i>European Journal of Internal Medicine</i> , 2018 , 57, 32-38	3.9	2
146	Urgent-start peritoneal dialysis versus haemodialysis for people with chronic kidney disease. <i>The Cochrane Library</i> , 2017 ,	5.2	2
145	Honey in the Prevention and Treatment of Infection in the CKD Population: A Narrative Review. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015 , 2015, 261425	2.3	2
144	A nephrology guide to reading and using systematic reviews of randomized trials. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 878-84	4.3	2
143	Cochrane Review: Nebulized epinephrine for croup in children. <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2012 , 7, 1311-1354		2
142	HMG CoA reductase inhibitors (statins) for kidney transplant recipients 2009 ,		2
141	Sevelamer versus calcium-based phosphate binders in chronic kidney disease: what should we conclude from the evidence to date?. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 2970-2	4.3	2
140	Atypical ductal hyperplasia of the breast in young women: two case reports. <i>Asian Journal of Surgery</i> , 2003 , 26, 37-9	1.6	2
139	Classification of chronic kidney disease based on evaluation of kidney function. <i>Nephrology</i> , 2005 , 10, S172-S176	2.2	2
138	Clinical appearance of a post-transplant lymphoma following G-CSF therapy. <i>Nephrology Dialysis Transplantation</i> , 1999 , 14, 1806-7	4.3	2
137	Metabolism of trideuterated iso-lignoceric acid in rats in vivo and in human fibroblasts in culture. <i>Lipids</i> , 1999 , 34, 943-9	1.6	2
136	Incremental Versus Standard (Full-Dose) Peritoneal Dialysis.. <i>Kidney International Reports</i> , 2022 , 7, 165-176	4.6	2
135	How do patients and their family members experience the transition from peritoneal dialysis to incentre haemodialysis? A multisite qualitative study in England and Australia. <i>Peritoneal Dialysis International</i> , 2020 , 896860820975596	2.8	2

134	Serum Galactomannan Index for the Rapid Diagnosis of Fungal Peritonitis in Patients With Peritoneal Dialysis. <i>Kidney International Reports</i> , 2020 , 5, 530-534	4.1	2
133	Predictors of Arteriovenous Fistula Failure: A Analysis of the FAVOURED Study.. <i>Kidney360</i> , 2020 , 1, 1259-1269	3.2	2
132	A sword of Damocles? Patient and caregiver beliefs, attitudes and perspectives on presymptomatic testing for autosomal dominant polycystic kidney disease: a focus group study. <i>BMJ Open</i> , 2020 , 10, e038005	3	2
131	Patient and caregiver perspectives on sleep in dialysis. <i>Journal of Sleep Research</i> , 2021 , 30, e13221	5.8	2
130	PAR2 Activation on Human Kidney Tubular Epithelial Cells Induces Tissue Factor Synthesis, That Enhances Blood Clotting. <i>Frontiers in Physiology</i> , 2021 , 12, 615428	4.6	2
129	Expression of protease activated receptor-2 is reduced in renal cell carcinoma biopsies and cell lines. <i>PLoS ONE</i> , 2021 , 16, e0248983	3.7	2
128	International Society of Nephrology Global Kidney Health Atlas: structures, organization, and services for the management of kidney failure in Latin America. <i>Kidney International Supplements</i> , 2021 , 11, e35-e46	6.3	2
127	International Society of Nephrology Global Kidney Health Atlas: structures, organization, and services for the management of kidney failure in South Asia. <i>Kidney International Supplements</i> , 2021 , 11, e97-e105	6.3	2
126	International Society of Nephrology Global Kidney Health Atlas: structures, organization, and services for the management of kidney failure in Africa. <i>Kidney International Supplements</i> , 2021 , 11, e11-e23	6.3	2
125	Temporal changes and risk factors of death from early withdrawal within 12 months of dialysis initiation - a cohort study. <i>Nephrology Dialysis Transplantation</i> , 2021 ,	4.3	2
124	Carotid extra-medial thickness does not predict adverse cardiovascular outcomes in high-risk adults. <i>Diabetes and Metabolism</i> , 2016 , 42, 200-3	5.4	2
123	Patient-led identification and prioritization of exercise interventions for fatigue on dialysis: a workshop report. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 831-839	4.5	2
122	Characteristics of the gastrointestinal microbiota in paired live kidney donors and recipients. <i>Nephrology</i> , 2021 , 26, 471-478	2.2	2
121	Range and Consistency of Infection Outcomes Reported in Trials Conducted in Kidney Transplant Recipients: A Systematic Review. <i>Transplantation</i> , 2021 , 105, 2632-2638	1.8	2
120	The Role of Oxidative Stress and Systemic Inflammation in Kidney Disease and Its Associated Cardiovascular Risk 2018 ,		2
119	FP55EFFECTS OF FISH OIL SUPPLEMENTATION AND ASPIRIN USE ON NEED FOR ARTERIOVENOUS FISTULA INTERVENTIONS AND CENTRAL VENOUS CATHETERS IN PATIENTS REQUIRING HAEMODIALYSIS. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i227-i227	4.3	2
118	Recurrent atypical haemolytic uraemic syndrome post kidney transplant due to a CD46 mutation in the setting of SMARCAL1-mediated inherited kidney disease. <i>Nephrology</i> , 2017 , 22 Suppl 1, 11-14	2.2	1
117	Representativeness of Honeypot Trial Participants to Australasian PD Patients. <i>Peritoneal Dialysis International</i> , 2017 , 37, 516-522	2.8	1

116	Oral mucosal lesions and risk of all-cause and cardiovascular mortality in people treated with long-term haemodialysis: The ORAL-D multinational cohort study. <i>PLoS ONE</i> , 2019 , 14, e0218684	3.7	1
115	Pathophysiology and significance of natriuretic peptides in patients with end-stage kidney disease. <i>Clinical Biochemistry</i> , 2020 , 83, 1-11	3.5	1
114	Patient and center characteristics associated with kidney transplant outcomes: a binational registry analysis. <i>Transplant International</i> , 2020 , 33, 1667-1680	3	1
113	Raising the standard of trial registration, conduct, and reporting. <i>Peritoneal Dialysis International</i> , 2020 , 40, 112-114	2.8	1
112	Urgent-start peritoneal dialysis versus conventional-start peritoneal dialysis for people with chronic kidney disease. <i>The Cochrane Library</i> , 2018 ,	5.2	1
111	The Roles of Indoxyl Sulphate and p-Cresyl Sulphate in Patients with Chronic Kidney Disease: A Review of Therapeutic Options 2018 ,		1
110	Impact of an emergency department-run clinical decision unit on access block, ambulance ramping and National Emergency Access Target. <i>EMA - Emergency Medicine Australasia</i> , 2019 , 31, 200-204	1.5	1
109	The impact of fibroblast growth factor-23 on the cardiovascular system in chronic kidney disease. <i>Expert Review of Endocrinology and Metabolism</i> , 2015 , 10, 565-568	4.1	1
108	Chronic kidney disease: haemodialysis catheter care in practice. <i>Nature Reviews Nephrology</i> , 2014 , 10, 131-3	14.9	1
107	Attempting to build solid recommendations on a shaky evidence base. <i>Seminars in Dialysis</i> , 2011 , 24, 22-4	2.5	1
106	Opinions on the content and effects of the Caring for Australasians with Renal Impairment (CARI) Guidelines: a survey of renal nurses and comparison with the opinions of nephrologists in Australasia. <i>Nephrology</i> , 2010 , 15, 48-53	2.2	1
105	Interventions for erythropoietin-resistant anaemia in dialysis patients 2010 ,		1
104	Enterococcal peritonitis in peritoneal dialysis: the danger from within?. <i>Peritoneal Dialysis International</i> , 2011 , 31, 518-21	2.8	1
103	Role of insulin-like growth factor binding proteins in human post-nephrectomy proximal tubule cells. <i>Journal of Physiology</i> , 1998 , 508 (Pt 2), 587-95	3.9	1
102	Acute Renal Failure in Patients on Diuretics and/or NSAID, COX-2 inhibitors, ACEI, ARA. <i>Journal of Pharmacy Practice and Research</i> , 2008 , 38, 280-282	0.7	1
101	Chronic kidney disease and automatic reporting of estimated glomerular filtration rate: revised recommendations. <i>Medical Journal of Australia</i> , 2008 , 188, 427-430	4	1
100	Obliterative bronchiolitis or opportunistic infection? A diagnostic challenge in a renal transplant patient. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 246-7	4.3	1
99	Chronic kidney disease and automatic reporting of estimated glomerular filtration rate. <i>Medical Journal of Australia</i> , 2006 , 184, 476-477	4	1

98	Monitoring patients on peritoneal dialysis. <i>Nephrology</i> , 2005 , 10, S86-S88	2.2	1
97	Selection of patients for automated peritoneal dialysis versus continuous ambulatory peritoneal dialysis. <i>Nephrology</i> , 2005 , 10, S89-S94	2.2	1
96	Time-Integrated CRP Level Strongly Predicts PD Patient Outcomes [Nice to Know, but what Should we do about It?]. <i>Peritoneal Dialysis International</i> , 2005 , 25, 234-237	2.8	1
95	Mycophenolate mofetil for treatment of refractory lupus nephritis. <i>Internal Medicine Journal</i> , 2001 , 31, 312	1.6	1
94	Treatment of peritoneal dialysis related peritonitis. <i>Australian and New Zealand Journal of Medicine</i> , 2000 , 30, 97-8		1
93	Chest pain, syncope, and puddings. <i>Lancet, The</i> , 2000 , 356, 1322	4.0	1
92	Sunshine, sweating, and main d'accoucheur. <i>Lancet, The</i> , 1999 , 353, 1492	4.0	1
91	Stability And Compatibility of Antibiotics in Peritoneal Dialysis Solutions. <i>CKJ: Clinical Kidney Journal</i> ,	4.5	1
90	Rate of decline in residual kidney function pre and post peritoneal dialysis initiation: A post hoc analysis of the IDEAL study. <i>PLoS ONE</i> , 2020 , 15, e0242254	3.7	1
89	Representativeness of the PDOPPS cohort compared to the Australian PD population. <i>Peritoneal Dialysis International</i> , 2021 , 8968608211056242	2.8	1
88	National and international kidney failure registries: characteristics, commonalities, and contrasts. <i>Kidney International</i> , 2021 ,	9.9	1
87	Effectiveness and safety of pneumococcal vaccines used alone or combined with influenza vaccination in dialysis patients: A systematic review and meta-analysis. <i>Vaccine</i> , 2020 , 38, 7422-7432	4.1	1
86	Home Hemodialysis and Peritoneal Dialysis Patient and Technique Survival in Canada. <i>Kidney International Reports</i> , 2020 , 5, 1965-1973	4.1	1
85	Perioperative antibiotics for preventing post-surgical site infections in solid organ transplant recipients. <i>The Cochrane Library</i> , 2020 , 8, CD013209	5.2	1
84	Practice patterns and predictors of outpatient care following acute kidney injury in an Australian healthcare setting. <i>Internal Medicine Journal</i> , 2020 ,	1.6	1
83	Association between self-reported appetite and clinical outcomes of peritoneal dialysis patients: Findings from a low middle-income country. <i>Nephrology</i> , 2021 , 26, 454-462	2.2	1
82	International Society of Nephrology Global Kidney Health Atlas: structures, organization, and services for the management of kidney failure in Eastern and Central Europe. <i>Kidney International Supplements</i> , 2021 , 11, e24-e34	6.3	1
81	Advanced glycation end products as predictors of renal function in youth with type 1 diabetes. <i>Scientific Reports</i> , 2021 , 11, 9422	4.9	1

80	A Systematic Review of Scope and Consistency of Outcome Measures for Physical Fitness in Chronic Kidney Disease Trials. <i>Kidney International Reports</i> , 2021 , 6, 1280-1288	4.1	1
79	International Society of Nephrology Global Kidney Health Atlas: structures, organization, and services for the management of kidney failure in Newly Independent States and Russia. <i>Kidney International Supplements</i> , 2021 , 11, e57-e65	6.3	1
78	Postoperative outcomes after bariatric surgery in patients on chronic dialysis: A systematic review and meta-analysis. <i>Obesity Research and Clinical Practice</i> , 2021 , 15, 473-484	5.4	1
77	Renal staffs' Understanding of patients' Experiences of transition from peritoneal dialysis to in-centre haemodialysis and their views on service improvement: A multi-site qualitative study in England and Australia. <i>PLoS ONE</i> , 2021 , 16, e0254931	3.7	1
76	Opponent's comments. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 885-6	4.3	1
75	Pro: Meta-analysis: the case for. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 875-80	4.3	1
74	Erythropoietin corrects anaemia and reduces the risk of blood transfusion in people with chronic kidney disease, but has uncertain effects on other patient-level outcomes. <i>Evidence-Based Medicine</i> , 2016 , 21, 178		1
73	The effects of oral vitamin D supplementation on the prevention of peritoneal dialysis-related peritonitis: study protocol for a randomized controlled clinical trial. <i>Trials</i> , 2019 , 20, 657	2.8	1
72	Assessment of Restored Kidney Transplantation Including the Use of Wider Criteria for Accepting Renal Donors After Cancer Excision. <i>Transplantation Direct</i> , 2019 , 5, e498	2.3	1
71	Comparison of graft and patient outcomes following kidney transplantation in extended hour and conventional haemodialysis patients. <i>Nephrology</i> , 2019 , 24, 111-120	2.2	1
70	Associations between diabetes and sex with peritoneal dialysis technique and patient survival: Results from the Australia and New Zealand Dialysis and Transplant Registry cohort study. <i>Peritoneal Dialysis International</i> , 2021 , 41, 57-68	2.8	1
69	Utility of serum beta-trace protein as a tool for estimating residual kidney function in peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2021 , 41, 226-235	2.8	1
68	PAR2-Induced Tissue Factor Synthesis by Primary Cultures of Human Kidney Tubular Epithelial Cells Is Modified by Glucose Availability. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
67	Perspectives on ability to work from patients receiving dialysis and caregivers: analysis of data from the global SONG initiative. <i>Journal of Nephrology</i> , 2021 , 1	4.8	1
66	Development of an international Delphi survey to establish core outcome domains for trials in adults with glomerular disease. <i>Kidney International</i> , 2021 , 100, 881-893	9.9	1
65	Impact of Peritoneal Dialysis Solutions on Outcomes	500-508	1
64	Prevention and Treatment of Peritoneal Dialysis-Related Infections	509-532	1
63	Journal of Renal Nutrition Prebiotic supplementation in kidney transplant recipients for preventing infections and gastrointestinal upset: a randomized controlled feasibility study.. <i>Journal of Renal Nutrition</i> , 2022 ,	3	1

62	Mortality Trends After Transfer From Peritoneal Dialysis to Hemodialysis.. <i>Kidney International Reports</i> , 2022 , 7, 1062-1073	4.1	1
61	Global eHealth capacity: secondary analysis of WHO data on eHealth and implications for kidney care delivery in low-resource settings.. <i>BMJ Open</i> , 2022 , 12, e055658	3	1
60	Variation in Peritoneal Dialysis Time on Therapy by Country. <i>Clinical Journal of the American Society of Nephrology</i> : CJASN,CJN.16341221	6.9	1
59	Shetty test in ankle and foot trauma: An emergency department pilot study assessing specificity and sensitivity. <i>EMA - Emergency Medicine Australasia</i> , 2020 , 32, 683-686	1.5	0
58	Tacrolimus Toxicity due to Biliary Obstruction in a Combined Kidney and Liver Transplant Recipient. <i>Case Reports in Transplantation</i> , 2017 , 2017, 9096435	0.6	0
57	Statistical analysis plan for Better Evidence for Selecting Transplant Fluids (BEST-Fluids): a randomised controlled trial of the effect of intravenous fluid therapy with balanced crystalloid versus saline on the incidence of delayed graft function in deceased donor kidney transplantation.. <i>Trials</i> , 2022 , 23, 52	2.8	0
56	Assessing Global Kidney Nutrition Care.. <i>Clinical Journal of the American Society of Nephrology</i> : CJASN, 2022 , 17, 38-52	6.9	0
55	A Focus Group Study of Self-Management in Patients With Glomerular Disease.. <i>Kidney International Reports</i> , 2022 , 7, 56-67	4.1	0
54	Scope and heterogeneity of outcomes reported in randomized trials in patients receiving peritoneal dialysis. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 1817-1825	4.5	0
53	Availability and Affordability of Kidney Health Laboratory Tests around the Globe. <i>American Journal of Nephrology</i> , 2020 , 51, 959-965	4.6	0
52	Early technique failure in peritoneal dialysis patients in a multi-ethnic Asian country. <i>International Urology and Nephrology</i> , 2020 , 52, 1987-1994	2.3	0
51	Dialysis initiation in older persons across centres and over time in Australia and New Zealand. <i>Nephrology</i> , 2021 , 26, 613-622	2.2	0
50	International Society of Nephrology Global Kidney Health Atlas: structures, organization, and services for the management of kidney failure in the Middle East. <i>Kidney International Supplements</i> , 2021 , 11, e47-e56	6.3	0
49	Recent evidence on the effect of treatment of metabolic acid on the progression of kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2021 , 30, 467-473	3.5	0
48	Understanding distribution and variability in care organization and services for the management of kidney care across world regions. <i>Kidney International Supplements</i> , 2021 , 11, e4-e10	6.3	0
47	International Society of Nephrology Global Kidney Health Atlas: structures, organization, and services for the management of kidney failure in North America and the Caribbean. <i>Kidney International Supplements</i> , 2021 , 11, e66-e76	6.3	0
46	Comparison of outcomes of urgent-start and conventional-start peritoneal dialysis: a single-centre experience. <i>International Urology and Nephrology</i> , 2021 , 53, 583-590	2.3	0
45	Barriers to and constraints of acute peritoneal dialysis in acute kidney injury: A nationwide survey. <i>Peritoneal Dialysis International</i> , 2021 , 896860821989878	2.8	0

44	Allograft failure in kidney transplant recipients who developed kidney failure secondary to ANCA-associated vasculitis. <i>Clinical Transplantation</i> , 2021 , 35, e14235	3.8	o
43	Center-Effect of Incident Hemodialysis Vascular Access Use: Analysis of a Bi-national Registry.. <i>Kidney360</i> , 2021 , 2, 674-683	1.8	o
42	Self-Reported Physical Activity and Survival in Adults Treated With Hemodialysis: A DIET-HD Cohort Study.. <i>Kidney International Reports</i> , 2021 , 6, 3014-3025	4.1	o
41	The Peritoneal Dialysis Outcomes and Practice Patterns Study 2021 , 395-410		o
40	Associations, microbiology and outcomes of pre-training peritoneal dialysis-related peritonitis.. <i>Peritoneal Dialysis International</i> , 2022 , 8968608221079183	2.8	o
39	Assisted peritoneal dialysis performed by caregivers and its association with patient outcomes.. <i>Peritoneal Dialysis International</i> , 2022 , 8968608221078903	2.8	o
38	Dialysis Outcomes in a Middle-Income Country: An Updated Comparison of Patient Mortality between Hemodialysis and Peritoneal Dialysis.. <i>Blood Purification</i> , 2021 , 1-11	3.1	o
37	Establishing a core outcome measure for life participation in patients receiving peritoneal dialysis: A Standardised Outcomes in Nephrology-Peritoneal Dialysis consensus workshop report.. <i>Peritoneal Dialysis International</i> , 2022 , 8968608221096560	2.8	o
36	Predictors and outcomes of peritoneal dialysis-related infections due to filamentous molds (MycPDICS). <i>PLoS ONE</i> , 2022 , 17, e0268823	3.7	o
35	NT-proBNP Concentration and Early Cardiac Dysfunction in Patients Receiving Dialysis: A Prospective Cohort Study. <i>CardioRenal Medicine</i> , 2020 , 10, 323-332	2.8	
34	Opponent comments. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 524	4.3	
33	Biological variation of high sensitivity cardiac troponin-T in stable dialysis patients: implications for clinical practice. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, e149-50	5.9	
32	FP495PATIENT AND CAREGIVER PRIORITIES FOR OUTCOMES IN PERITONEAL DIALYSIS: AN INTERNATIONAL NOMINAL GROUP STUDY. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i205-i205	4.3	
31	Author reply. <i>Internal Medicine Journal</i> , 2019 , 49, 1340-1341	1.6	
30	Administration of erythropoiesis-stimulating agents in patients undergoing haemodialysis: A time and motion study. <i>Journal of Renal Care</i> , 2017 , 43, 219-225	1.6	
29	Honey has potential uses in patients with chronic kidney disease but few studies have been undertaken. <i>Focus on Alternative and Complementary Therapies</i> , 2015 , 20, 170-171		
28	Introduction to Clinical Answers: Croup. <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2012 , 7, 883-885		
27	Re: Croup in the paediatric emergency department. <i>Paediatrics and Child Health</i> , 2007 ,	0.7	

26	43 Large animal models of renal warm ischaemia/reperfusion injury. Comparison of dog versus pig. <i>BJU International</i> , 2006 , 97, 12-13	5.6
25	44 Erythropoietin reduces functional impairment following renal ischaemia/ reperfusion injury in pigs. <i>BJU International</i> , 2006 , 97, 13-13	5.6
24	BODY MASS INDEX AND RENAL TRANSPLANT OUTCOMES. <i>Transplantation</i> , 2003 , 76, 1651	1.8
23	Management of Tenckhoff exit sites. <i>Nephrology</i> , 2002 , 7, S62-S63	2.2
22	Response: Iron Therapy in Renal Transplant Recipients. <i>Transplantation</i> , 2004 , 78, 1240	1.8
21	Optimizing small solute clearances in peritoneal dialysis. <i>Nephrology</i> , 2005 , 10, S95-S103	2.2
20	Peritoneal transport and ultrafiltration. <i>Nephrology</i> , 2005 , 10, S104-S107	2.2
19	Vancomycin-resistant enterococci: seek and ye shall find. <i>Medical Journal of Australia</i> , 2000 , 172, 42-3	4
18	How to Transition Patients Back From Psychiatric Care to Primary Care: An Access Initiative Protocol Development. <i>Psychiatric Services</i> , 2021 , appips202100107	3.3
17	Sex differences in the likelihood of pre-emptive living donor kidney transplantation, and outcomes after kidney transplantation in children and adolescents.. <i>Pediatric Transplantation</i> , 2022 , e14224	1.8
16	Complications of Peritoneal Dialysis 2016 , 121-133	
15	Immunosuppression (IST) Can Be Safely Ceased During Chemotherapy For Post-Transplant Lymphoproliferative Disorders (PTLD) In Renal Transplant Patients. <i>Blood</i> , 2013 , 122, 1780-1780	2.2
14	Reply to letter from A Karkar. <i>Peritoneal Dialysis International</i> , 2020 , 40, 427-428	2.8
13	Utility of Back-up Arterio-venous fistulae in patients on peritoneal dialysis and use of haemodialysis catheters. <i>Internal Medicine Journal</i> , 2021 , 51, 1106-1110	1.6
12	SP435 VARIATION IN THE TREATMENT AND PREVENTION OF PERITONEAL DIALYSIS RELATED INFECTIONS: PRELIMINARY RESULTS FROM THE PERITONEAL DIALYSIS OUTCOMES AND PRACTICE PATTERNS STUDY (PDOPPS). <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i236-i237	4.3
11	SP444 INTERNATIONAL VARIATIONS IN THE EXPERIENCE OF PATIENTS ON PERITONEAL DIALYSIS (PD) IN THE PERITONEAL DIALYSIS OUTCOMES AND PRACTICE PATTERNS STUDY (PDOPPS). <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i239-i240	4.3
10	An update on bone imaging and markers in chronic kidney disease. <i>Expert Review of Endocrinology and Metabolism</i> , 2016 , 11, 455-466	4.1
9	A Theory-Driven, Evidence-Based Approach to Implementing the ISPD Syllabus-Patients as Learners. <i>Peritoneal Dialysis International</i> , 2019 , 39, 409-413	2.8

8	Variability and trends over time and across centres in haemodialysis weekly duration in Australia and New Zealand. <i>Nephrology</i> , 2021 , 26, 153-163	2.2
7	Chlorhexidine-impregnated sponge dressing for prevention of catheter exit-site infection in peritoneal dialysis patients: a pilot study. <i>International Urology and Nephrology</i> , 2021 , 53, 803-812	2.3
6	Nephrology in Australia 2021 , 701-721	
5	SP383ASSOCIATION BETWEEN EGFR AND CARDIOVASCULAR MORTALITY IN PATIENTS HOSPITALIZED WITH INFECTION: A MULTI-CENTER COHORT STUDY. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i475-i475	4.3
4	Socio-economic disparity, access to care and patient-relevant outcomes after kidney allograft failure. <i>Transplant International</i> , 2021 , 34, 2329-2340	3
3	Evaluation of renal function - CARI guidelines. <i>Australian Family Physician</i> , 2007 , 36, 46	
2	Effect of a Hemodialysis Session on Markers of Inflammation and Endotoxin.. <i>International Journal of Inflammation</i> , 2022 , 2022, 8632245	6.4
1	Critically important outcomes for infection in trials in kidney transplantation: An international survey of patients, caregivers and health professionals.. <i>Clinical Transplantation</i> , 2022 , e14660	3.8