

Guillaume Dupont-Nivet

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2349466/guillaume-dupont-nivet-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

5,396
citations

41
h-index

71
g-index

145
ext. papers

6,496
ext. citations

6.3
avg, IF

5.53
L-index

#	Paper	IF	Citations
113	Tibetan Plateau Made Central Asian Drylands Move Northward, Concentrate in Narrow Latitudinal Bands, and Increase in Intensity During the Cenozoic. <i>Geophysical Research Letters</i> , 2022 , 49,	4.9	1
112	Evolution of continental temperature seasonality from the Eocene greenhouse to the Oligocene icehouse – model–data comparison. <i>Climate of the Past</i> , 2022 , 18, 341-362	3.9	0
111	Age and driving mechanisms of the Eocene–Oligocene transition from astronomical tuning of a lacustrine record (Rennes Basin, France). <i>Climate of the Past</i> , 2021 , 17, 2343-2360	3.9	
110	Orbital variations as a major driver of climate and biome distribution during the greenhouse to icehouse transition. <i>Science Advances</i> , 2021 , 7, eabh2819	14.3	2
109	Loess-Like Dust Appearance at 40–Ma in Central China. <i>Paleoceanography and Paleoclimatology</i> , 2021 , 36, e2020PA003993	3.3	2
108	Magnetic response to pedogenesis in aerobic soils of different weathering degree. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021 , 567, 110240	2.9	2
107	Magnetostratigraphy of the Hominin Sites and Paleolakes Drilling Project (HSPDP) Baringo-Tugen Hills-Barsemoi core (Kenya). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021 , 570, 110190	2.9	1
106	Chronostratigraphy of the Baringo-Tugen Hills-Barsemoi (HSPDP-BTB13-1A) core – ⁴⁰ Ar/ ³⁹ Ar dating, magnetostratigraphy, tephrostratigraphy, sequence stratigraphy and Bayesian age modeling. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021 , 570, 109519	2.9	1
105	Sporopollenin chemistry and its durability in the geological record: an integration of extant and fossil chemical data across the seed plants. <i>Palaeontology</i> , 2021 , 64, 285-305	2.9	3
104	Towards interactive global paleogeographic maps, new reconstructions at 60, 40 and 20 Ma. <i>Earth-Science Reviews</i> , 2021 , 214, 103508	10.2	7
103	At a crossroads: The late Eocene flora of central Myanmar owes its composition to plate collision and tropical climate. <i>Review of Palaeobotany and Palynology</i> , 2021 , 291, 104441	1.7	6
102	Revised chronology of central Tibet uplift (Lunpola Basin). <i>Science Advances</i> , 2020 , 6,	14.3	35
101	The origin of Asian monsoons: a modelling perspective. <i>Climate of the Past</i> , 2020 , 16, 847-865	3.9	15
100	Quantifying the Effect of the Drake Passage Opening on the Eocene Ocean. <i>Paleoceanography and Paleoclimatology</i> , 2020 , 35, e2020PA003889	3.3	13
99	Early Pleistocene integration of the Yellow River I: Detrital-zircon evidence from the North China Plain. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020 , 546, 109691	2.9	11
98	Carbonated Inheritance in the Eastern Tibetan Lithospheric Mantle: Petrological Evidences and Geodynamic Implications. <i>Geochemistry, Geophysics, Geosystems</i> , 2020 , 21, e2019GC008495	3.6	6
97	Orbital climate variability on the northeastern Tibetan Plateau across the Eocene-Oligocene transition. <i>Nature Communications</i> , 2020 , 11, 5249	17.4	14

96	Cenozoic evolution of the steppe-desert biome in Central Asia. <i>Science Advances</i> , 2020 , 6,	14.3	23
95	Identifying eolian dust in the geological record. <i>Earth-Science Reviews</i> , 2020 , 211, 103410	10.2	8
94	Decline of soil respiration in northeastern Tibet through the transition into the Oligocene icehouse. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020 , 560, 110016	2.9	6
93	Burma Terrane Collision and Northward Indentation in the Eastern Himalayas Recorded in the Eocene-Miocene Chindwin Basin (Myanmar). <i>Tectonics</i> , 2020 , 39, e2020TC006413	4.3	16
92	Eocene palms from central Myanmar in a South-East Asian and global perspective: evidence from the palynological record. <i>Botanical Journal of the Linnean Society</i> , 2020 , 194, 177-206	2.2	11
91	Magmatic history of central Myanmar and implications for the evolution of the Burma Terrane. <i>Gondwana Research</i> , 2020 , 87, 303-319	5.1	21
90	Early onset and late acceleration of rapid exhumation in the Namche Barwa syntaxis, eastern Himalaya. <i>Geology</i> , 2020 , 48, 1139-1143	5	6
89	Cretaceous Evolution of the Central Asian Proto-Paratethys Sea: Tectonic, Eustatic, and Climatic Controls. <i>Tectonics</i> , 2020 , 39, e2019TC005983	4.3	6
88	Two-stage mid-Brunhes climate transition and mid-Pleistocene human diversification. <i>Earth-Science Reviews</i> , 2020 , 210, 103354	10.2	13
87	Shallow marine to fluvial transition in the Siwalik succession of the Kameng River section, Arunachal Himalaya and its implication for foreland basin evolution. <i>Journal of Asian Earth Sciences</i> , 2019 , 184, 103980	2.8	4
86	Burma Terrane part of the Trans-Tethyan Arc during collision with India according to palaeomagnetic data. <i>Nature Geoscience</i> , 2019 , 12, 863-868	18.3	101
85	Central Asian moisture modulated by proto-Paratethys Sea incursions since the early Eocene. <i>Earth and Planetary Science Letters</i> , 2019 , 510, 73-84	5.3	42
84	Detrital zircon provenance comparison between the Paleocene-Eocene Nangqian-Xialaxiu and Gongjue basins: New insights for Cenozoic paleogeographic evolution of the eastern Tibetan Plateau. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019 , 533, 109241	2.9	4
83	Earliest known Oldowan artifacts at >2.58 Ma from Ledi-Geraru, Ethiopia, highlight early technological diversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 11712-11717	11.5	68
82	Paleogene evolution of the Burmese forearc basin and implications for the history of India-Asia convergence. <i>Bulletin of the Geological Society of America</i> , 2019 , 131, 730-748	3.9	26
81	Synchronous cooling and decline in monsoonal rainfall in northeastern Tibet during the fall into the Oligocene icehouse. <i>Geology</i> , 2019 , 47, 203-206	5	26
80	Challenges in isolating primary remanent magnetization from Tethyan carbonate rocks on the Tibetan Plateau: Insight from remagnetized Upper Triassic limestones in the eastern Qiangtang block. <i>Earth and Planetary Science Letters</i> , 2019 , 523, 115695	5.3	5
79	Reply to Sahle and Gossa: Technology and geochronology at the earliest known Oldowan site at Ledi-Geraru, Ethiopia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 20261-20262	11.5	1

78	Paleogene evolution and demise of the proto-Paratethys Sea in Central Asia (Tarim and Tajik basins): Role of intensified tectonic activity at ca. 41Ma. <i>Basin Research</i> , 2019 , 31, 461-486	3.2	42
77	Tectonic Evolution of the Pamir Recorded in the Western Tarim Basin (China): Sedimentologic and Magnetostratigraphic Analyses of the Aertashi Section. <i>Tectonics</i> , 2019 , 38, 492-515	4.3	19
76	53-33Ma Deformation of Eastern Tibet Revealed by Three Stages of Tectonic Rotation in the Gongjue Basin. <i>Journal of Geophysical Research: Solid Earth</i> , 2018 , 123, 3320-3338	3.6	14
75	Asian monsoons and aridification response to Paleogene sea retreat and Neogene westerly shielding indicated by seasonality in Paratethys oysters. <i>Earth and Planetary Science Letters</i> , 2018 , 485, 99-110	5.3	42
74	Evidence for climatic changes around the Matuyama-Brunhes Boundary (MBB) inferred from a multi-proxy palaeoenvironmental study of the GBY#2 core, Jordan River Valley, Israel. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018 , 489, 166-185	2.9	3
73	A novel approach to study the morphology and chemistry of pollen in a phylogenetic context, applied to the halophytic taxon L.(Nitrariaceae). <i>PeerJ</i> , 2018 , 6, e5055	3.1	11
72	Progressive aridification in East Africa over the last half million years and implications for human evolution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 11174-11179	11.5	48
71	The tectonics and paleo-drainage of the easternmost Himalaya (Arunachal Pradesh, India) recorded in the Siwalik rocks of the foreland basin. <i>Numerische Mathematik</i> , 2018 , 318, 764-798	5.3	14
70	Late Eocene palaeogeography of the proto-Paratethys Sea in Central Asia (NW China, southern Kyrgyzstan and SW Tajikistan). <i>Geological Society Special Publication</i> , 2017 , 427, 565-588	1.7	38
69	Tectono-sedimentary evolution of the northern Iranian Plateau: insights from middle-late Miocene foreland-basin deposits. <i>Basin Research</i> , 2017 , 29, 417-446	3.2	30
68	The top of the Olduvai Subchron in a high-resolution magnetostratigraphy from the West Turkana core WTK13, hominin sites and Paleolakes Drilling Project (HSPDP). <i>Quaternary Geochronology</i> , 2017 , 42, 117-129	2.7	9
67	Pamir Plateau formation and crustal thickening before the India-Asia collision inferred from dating and petrology of the 110-92 Ma Southern Pamir volcanic sequence. <i>Gondwana Research</i> , 2017 , 51, 310-326	5.1	15
66	Mg/Ca in fossil oyster shells as palaeotemperature proxy, an example from the Palaeogene of Central Asia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016 , 441, 611-626	2.9	21
65	Indentation of the Pamirs with respect to the northern margin of Tibet: Constraints from the Tarim basin sedimentary record. <i>Tectonics</i> , 2016 , 35, 2345-2369	4.3	33
64	Late Miocene-Pleistocene evolution of India-Eurasia convergence partitioning between the Bhutan Himalaya and the Shillong Plateau: New evidences from foreland basin deposits along the Dungsam Chu section, eastern Bhutan. <i>Tectonics</i> , 2016 , 35, 2963-2994	4.3	27
63	Steppe development on the Northern Tibetan Plateau inferred from Paleogene ephedroid pollen. <i>Grana</i> , 2016 , 55, 71-100	0.8	13
62	Resilience of the Asian atmospheric circulation shown by Paleogene dust provenance. <i>Nature Communications</i> , 2016 , 7, 12390	17.4	55
61	Paleoanthropology. Late Pliocene fossiliferous sedimentary record and the environmental context of early Homo from Afar, Ethiopia. <i>Science</i> , 2015 , 347, 1355-9	33.3	52

60	Magnetostratigraphic record of the early evolution of the southwestern Tian Shan foreland basin (Ulugqat area), interactions with Pamir indentation and India-Asia collision. <i>Tectonophysics</i> , 2015 , 644-645, 122-137	3.1	34
59	Lateral extrusion along the Altyn Tagh Fault, Qilian Shan (NE-Tibet): insight from a 3D crustal budget. <i>Terra Nova</i> , 2015 , 27, 416-425	3	58
58	Can a primary remanence be retrieved from partially remagnetized Eocene volcanic rocks in the Nanmulin Basin (southern Tibet) to date the India-Asia collision?. <i>Journal of Geophysical Research: Solid Earth</i> , 2015 , 120, 42-66	3.6	32
57	What was the Paleogene latitude of the Lhasa terrane? A reassessment of the geochronology and paleomagnetism of Linzizong volcanic rocks (Linzhou basin, Tibet). <i>Tectonics</i> , 2015 , 34, 594-622	4.3	36
56	Paleolatitudes of the Tibetan Himalaya from primary and secondary magnetizations of Jurassic to Lower Cretaceous sedimentary rocks. <i>Geochemistry, Geophysics, Geosystems</i> , 2015 , 16, 77-100	3.6	31
55	Paleomagnetic tests of tectonic reconstructions of the India-Asia collision zone. <i>Geophysical Research Letters</i> , 2015 , 42, 2642-2649	4.9	40
54	Lower Cretaceous Xigaze ophiolites formed in the Gangdese forearc: Evidence from paleomagnetism, sediment provenance, and stratigraphy. <i>Earth and Planetary Science Letters</i> , 2015 , 415, 142-153	5.3	76
53	Linking Tarim Basin sea retreat (west China) and Asian aridification in the late Eocene. <i>Basin Research</i> , 2014 , 26, 621-640	3.2	84
52	Oligocene clockwise rotations along the eastern Pamir: Tectonic and paleogeographic implications. <i>Tectonics</i> , 2014 , 33, 53-66	4.3	28
51	Mesozoic-Cenozoic tectonic evolution of southwestern Tian Shan: Evidence from detrital zircon U/Pb and apatite fission track ages of the Ulugqat area, Northwest China. <i>Gondwana Research</i> , 2014 , 26, 986-1008	5.1	54
50	Asian monsoons in a late Eocene greenhouse world. <i>Nature</i> , 2014 , 513, 501-6	50.4	267
49	Timing, cause and impact of the late Eocene stepwise sea retreat from the Tarim Basin (west China). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014 , 403, 101-118	2.9	92
48	A high resolution study of trace elements and stable isotopes in oyster shells to estimate Central Asian Middle Eocene seasonality. <i>Chemical Geology</i> , 2014 , 363, 200-212	4.2	54
47	Early Cretaceous to present latitude of the central proto-Tibetan Plateau: A paleomagnetic synthesis with implications for Cenozoic tectonics, paleogeography, and climate of Asia 2014 ,		60
46	Aridification in continental Asia after the Middle Eocene Climatic Optimum (MECO). <i>Earth and Planetary Science Letters</i> , 2014 , 389, 34-42	5.3	89
45	Source to sink relations between the Tian Shan and Junggar Basin (northwest China) from Late Palaeozoic to Quaternary: evidence from detrital U-Pb zircon geochronology. <i>Basin Research</i> , 2013 , 25, 219-240	3.2	96
44	Improved age control on early Homo fossils from the upper Burgi Member at Koobi Fora, Kenya. <i>Journal of Human Evolution</i> , 2013 , 65, 731-45	3.1	41
43	Tectonics, exhumation, and drainage evolution of the eastern Himalaya since 13 Ma from detrital geochemistry and thermochronology, Kameng River Section, Arunachal Pradesh. <i>Bulletin of the Geological Society of America</i> , 2013 , 125, 523-538	3.9	64

42	Inclination shallowing in Eocene Linzizong sedimentary rocks from Southern Tibet: correction, possible causes and implications for reconstructing the India-Asia collision. <i>Geophysical Journal International</i> , 2013 , 194, 1390-1411	2.6	49
41	A late Eocene palynological record of climate change and Tibetan Plateau uplift (Xining Basin, China). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012 , 344-345, 16-38	2.9	86
40	Detrital thermochronology and sediment petrology of the middle Siwaliks along the Muksar Khola section in eastern Nepal. <i>Journal of Asian Earth Sciences</i> , 2012 , 44, 94-106	2.8	24
39	Extended stratigraphy, palynology and depositional environments record the initiation of the Himalayan Gyirong Basin (Neogene China). <i>Journal of Asian Earth Sciences</i> , 2012 , 44, 77-93	2.8	19
38	On the influence of diagenesis on the original petrographic composition of Miocene-Pliocene fluvial sandstone in the Himalayan foreland basin of western-central Nepal. <i>Journal of Asian Earth Sciences</i> , 2012 , 44, 107-116	2.8	8
37	Magnetostratigraphy of the Neogene Siwalik Group in the far eastern Himalaya: Kameng section, Arunachal Pradesh, India. <i>Journal of Asian Earth Sciences</i> , 2012 , 44, 117-135	2.8	62
36	Evidence for northeastern Tibetan Plateau uplift between 25 and 20Ma in the sedimentary archive of the Xining Basin, Northwestern China. <i>Earth and Planetary Science Letters</i> , 2012 , 317-318, 185-195	5.3	95
35	Reply to comment by Ali and Aitchison on Restoration of Cenozoic deformation in Asia, and the size of Greater India. <i>Tectonics</i> , 2012 , 31, n/a-n/a	4.3	4
34	Greater India Basin hypothesis and a two-stage Cenozoic collision between India and Asia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 7659-64	11.5	418
33	Magnetostratigraphic Methods and Applications 2012 , 80-94		1
32	Reply to Aitchison and Ali: Reconciling Himalayan ophiolite and Asian magmatic arc records with a two-stage India-Asia collision model. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, E2646-E2646	11.5	8
31	Spatial and glacial-interglacial variations in provenance of the Chinese Loess Plateau. <i>Geophysical Research Letters</i> , 2012 , 39,	4.9	66
30	Restoration of Cenozoic deformation in Asia and the size of Greater India. <i>Tectonics</i> , 2011 , 30, n/a-n/a	4.3	170
29	An astronomically-tuned climate framework for hominins in the Turkana Basin. <i>Earth and Planetary Science Letters</i> , 2011 , 307, 1-8	5.3	75
28	Late Cenozoic tectonic deformation across the northern foreland of the Chinese Tian Shan. <i>Journal of Asian Earth Sciences</i> , 2011 , 42, 1066-1073	2.8	32
27	Late Eocene sea retreat from the Tarim Basin (west China) and concomitant Asian paleoenvironmental change. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011 , 299, 385-398	2.9	168
26	Step-wise change of Asian interior climate preceding the Eocene-Oligocene Transition (EOT). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011 , 299, 399-412	2.9	105
25	Magnetostratigraphy of the Northern Tian Shan foreland, Taxi He section, China. <i>Basin Research</i> , 2011 , 23, 101-117	3.2	22

24	Concurrent tectonic and climatic changes recorded in upper Tortonian sediments from the Eastern Mediterranean. <i>Terra Nova</i> , 2010 , 22, 52-63	3	5
23	Palaeolatitude and age of the Indo-Asia collision: palaeomagnetic constraints. <i>Geophysical Journal International</i> , 2010 , 182, 1189-1198	2.6	176
22	Asian aridification linked to the first step of the Eocene-Oligocene climate Transition (EOT) in obliquity-dominated terrestrial records (Xining Basin, China). <i>Climate of the Past</i> , 2010 , 6, 501-513	3.9	65
21	Persistently low Asian paleolatitudes: Implications for the India-Asia collision history. <i>Tectonics</i> , 2010 , 29, n/a-n/a	4.3	42
20	Asian aridification linked to the first step of the Eocene-Oligocene Climate Transition (EOT) in obliquity-dominated terrestrial records in Xining Basin, China. <i>Journal of Earth Science (Wuhan, China)</i> , 2010 , 21, 219-220	2.2	2
19	Neogene paleoclimatic changes in response to tectonism in the Himalayan Gyirong Basin, China. <i>Journal of Earth Science (Wuhan, China)</i> , 2010 , 21, 221-221	2.2	
18	No significant post-Eocene rotation of the Moesian Platform and Rhodope (Bulgaria): Implications for the kinematic evolution of the Carpathian and Aegean arcs. <i>Earth and Planetary Science Letters</i> , 2008 , 273, 345-358	5.3	53
17	Tibetan uplift prior to the Eocene-Oligocene climate transition: Evidence from pollen analysis of the Xining Basin. <i>Geology</i> , 2008 , 36, 987	5	182
16	A female <i>Homo erectus</i> pelvis from Gona, Ethiopia. <i>Science</i> , 2008 , 322, 1089-92	33.3	184
15	The geology of Gona, Afar, Ethiopia 2008 ,		6
14	Magnetostratigraphy of the eastern Hadar Basin (Ledi-Geraru research area, Ethiopia) and implications for hominin paleoenvironments 2008 ,		2
13	Timing and distribution of tectonic rotations in the northeastern Tibetan Plateau 2008 ,		12
12	Tibetan plateau aridification linked to global cooling at the Eocene-Oligocene transition. <i>Nature</i> , 2007 , 445, 635-8	50.4	414
11	Magnetostratigraphy of Cenozoic sediments from the Xining Basin: Tectonic implications for the northeastern Tibetan Plateau. <i>Journal of Geophysical Research</i> , 2006 , 111, n/a-n/a		114
10	Neogene tectonic evolution of the southern and eastern Carpathians constrained by paleomagnetism. <i>Earth and Planetary Science Letters</i> , 2005 , 236, 374-387	5.3	32
9	Concentration of crustal displacement along a weak Altyn Tagh fault: Evidence from paleomagnetism of the northern Tibetan Plateau. <i>Tectonics</i> , 2004 , 23, n/a-n/a	4.3	25
8	Paleogene clockwise tectonic rotation of the Xining-Lanzhou region, northeastern Tibetan Plateau. <i>Journal of Geophysical Research</i> , 2004 , 109,		111
7	Mesozoic-Cenozoic evolution of the Xining-Minhe and Dangchang basins, northeastern Tibetan Plateau: Magnetostratigraphic and biostratigraphic results. <i>Journal of Geophysical Research</i> , 2004 , 109,		122

6	The Tula uplift, northwestern China: Evidence for regional tectonism of the northern Tibetan Plateau during late Mesozoic/Early Cenozoic time. <i>Bulletin of the Geological Society of America</i> , 2003 , 115, 35-47	3.9	37
5	Paleomagnetism indicates no Neogene vertical axis rotations of the northeastern Tibetan Plateau. <i>Journal of Geophysical Research</i> , 2003 , 108,		38
4	Paleomagnetism indicates no Neogene rotation of the Qaidam Basin in northern Tibet during Indo-Asian collision. <i>Geology</i> , 2002 , 30, 263	5	69
3	Discordant paleomagnetic direction in Miocene rocks from the central Tarim Basin: evidence for local deformation and inclination shallowing. <i>Earth and Planetary Science Letters</i> , 2002 , 199, 473-482	5.3	50
2	Asian aridification linked to the first step of the Eocene-Oligocene climate Transition (EOT) in obliquity-dominated terrestrial records (Xining Basin, China)		3
1	Southeastern Tibetan Plateau growth revealed by inverse analysis of landscape evolution model. <i>Geophysical Research Letters</i> ,	4.9	0