

Dong Hua

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2349633/dong-hua-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61

papers

1,668

citations

21

h-index

40

g-index

67

ext. papers

2,082

ext. citations

5

avg, IF

4.53

L-index

#	Paper	IF	Citations
61	LncRNA-UCA1 enhances cell proliferation and 5-fluorouracil resistance in colorectal cancer by inhibiting miR-204-5p. <i>Scientific Reports</i> , 2016 , 6, 23892	4.9	269
60	miR-204-5p inhibits proliferation and invasion and enhances chemotherapeutic sensitivity of colorectal cancer cells by downregulating RAB22A. <i>Clinical Cancer Research</i> , 2014 , 20, 6187-99	12.9	156
59	The Immune-microenvironment Confers Chemoresistance of Colorectal Cancer through Macrophage-Derived IL6. <i>Clinical Cancer Research</i> , 2017 , 23, 7375-7387	12.9	119
58	MiR-489 regulates chemoresistance in breast cancer via epithelial mesenchymal transition pathway. <i>FEBS Letters</i> , 2014 , 588, 2009-15	3.8	86
57	MicroRNA-638 inhibits cell proliferation, invasion and regulates cell cycle by targeting tetraspanin 1 in human colorectal carcinoma. <i>Oncotarget</i> , 2014 , 5, 12083-96	3.3	68
56	Piperlongumine induces apoptosis and autophagy in human lung cancer cells through inhibition of PI3K/Akt/mTOR pathway. <i>International Journal of Immunopathology and Pharmacology</i> , 2015 , 28, 362-73 ³		67
55	UCH-L1-containing exosomes mediate chemotherapeutic resistance transfer in breast cancer. <i>Journal of Surgical Oncology</i> , 2017 , 115, 932-940	2.8	64
54	Long non-coding RNA LINC00152 promotes cell proliferation, metastasis, and confers 5-FU resistance in colorectal cancer by inhibiting miR-139-5p. <i>Oncogenesis</i> , 2017 , 6, 395	6.6	63
53	B7-H3 promotes cell migration and invasion through the Jak2/Stat3/MMP9 signaling pathway in colorectal cancer. <i>Molecular Medicine Reports</i> , 2015 , 12, 5455-60	2.9	52
52	Overexpression of B7-H3 augments anti-apoptosis of colorectal cancer cells by Jak2-STAT3. <i>World Journal of Gastroenterology</i> , 2015 , 21, 1804-13	5.6	52
51	Increasing circulating exosomes-carrying TRPC5 predicts chemoresistance in metastatic breast cancer patients. <i>Cancer Science</i> , 2017 , 108, 448-454	6.9	49
50	The co-stimulatory molecule B7-H3 promotes the epithelial-mesenchymal transition in colorectal cancer. <i>Oncotarget</i> , 2016 , 7, 31755-71	3.3	44
49	Anti-EGFR-iRGD recombinant protein modified biomimetic nanoparticles loaded with gambogic acid to enhance targeting and antitumor ability in colorectal cancer treatment. <i>International Journal of Nanomedicine</i> , 2018 , 13, 4961-4975	7.3	40
48	B7-H1 expression is associated with expansion of regulatory T cells in colorectal carcinoma. <i>World Journal of Gastroenterology</i> , 2012 , 18, 971-8	5.6	39
47	Enhancement of vascular endothelial growth factor release in long-term drug-treated breast cancer via transient receptor potential channel 5-Ca(2+)-hypoxia-inducible factor 1 pathway. <i>Pharmacological Research</i> , 2015 , 93, 36-42	10.2	27
46	Glycolysis is essential for chemoresistance induced by transient receptor potential channel C5 in colorectal cancer. <i>BMC Cancer</i> , 2018 , 18, 207	4.8	27
45	Cancer cell-expressed B7-H3 regulates the differentiation of tumor-associated macrophages in human colorectal carcinoma. <i>Oncology Letters</i> , 2017 , 14, 6177-6183	2.6	25

44	B7-H3 increases thymidylate synthase expression via the PI3k-Akt pathway. <i>Tumor Biology</i> , 2016 , 37, 9465-72	2.9	25
43	Breast cancer resistance protein (BCRP)-containing circulating microvesicles contribute to chemoresistance in breast cancer. <i>Oncology Letters</i> , 2015 , 10, 3742-3748	2.6	25
42	Orai1 is critical for Notch-driven aggressiveness under hypoxic conditions in triple-negative breast cancers. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018 , 1864, 975-986	6.9	22
41	S100A16 is a prognostic marker for colorectal cancer. <i>Journal of Surgical Oncology</i> , 2018 , 117, 275-283	2.8	22
40	Correlation of IDH1 and B7H3 expression with prognosis of CRC patients. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 1254-1260	3.6	20
39	TrpC5 regulates differentiation through the Ca ²⁺ /Wnt5a signalling pathway in colorectal cancer. <i>Clinical Science</i> , 2017 , 131, 227-237	6.5	18
38	MicroRNA-142-3p Promotes Cellular Invasion of Colorectal Cancer Cells by Activation of RAC1. <i>Technology in Cancer Research and Treatment</i> , 2018 , 17, 1533033818790508	2.7	18
37	Clinical correlation of B7-H3 and B3GALT4 with the prognosis of colorectal cancer. <i>World Journal of Gastroenterology</i> , 2018 , 24, 3538-3546	5.6	18
36	Serum miR-16 as a potential biomarker for human cancer diagnosis: results from a large-scale population. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019 , 145, 787-796	4.9	17
35	ACOT1 expression is associated with poor prognosis in gastric adenocarcinoma. <i>Human Pathology</i> , 2018 , 77, 35-44	3.7	17
34	FBXO2, a novel marker for metastasis in human gastric cancer. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 495, 2158-2164	3.4	16
33	The distinct clinical features and prognosis of the CD10 ⁺ MUM1 ⁺ and CD10 [?] Bcl6 [?] MUM1 [?] diffuse large B-cell lymphoma. <i>Scientific Reports</i> , 2016 , 6, 20465	4.9	16
32	Rs7911488 modified the efficacy of capecitabine-based therapy in colon cancer through altering miR-1307-3p and TYMS expression. <i>Oncotarget</i> , 2017 , 8, 74312-74319	3.3	15
31	Serum Chemokine CXCL7 as a Diagnostic Biomarker for Colorectal Cancer. <i>Frontiers in Oncology</i> , 2019 , 9, 921	5.3	15
30	A polymorphism in ABCC4 is related to efficacy of 5-FU/capecitabine-based chemotherapy in colorectal cancer patients. <i>Scientific Reports</i> , 2017 , 7, 7059	4.9	15
29	B7-H3 upregulates BRCC3 expression, antagonizing DNA damage caused by 5-Fu. <i>Oncology Reports</i> , 2016 , 36, 231-8	3.5	12
28	A novel systematic inflammation related index is prognostic in curatively resected non-metastatic colorectal cancer. <i>American Journal of Surgery</i> , 2018 , 216, 450-457	2.7	11
27	LINC00957 Acted as Prognostic Marker Was Associated With Fluorouracil Resistance in Human Colorectal Cancer. <i>Frontiers in Oncology</i> , 2019 , 9, 776	5.3	11

26	The secretion profile of mesenchymal stem cells and potential applications in treating human diseases.. <i>Signal Transduction and Targeted Therapy</i> , 2022 , 7, 92	21	11
25	Inflammation marker ESR is effective in predicting outcome of diffuse large B-cell lymphoma. <i>BMC Cancer</i> , 2018 , 18, 997	4.8	9
24	The SNPs in pre-miRNA are related to the response of capecitabine-based therapy in advanced colon cancer patients. <i>Oncotarget</i> , 2018 , 9, 6793-6799	3.3	8
23	In vitro testicular organogenesis from human fetal gonads produces fertilization-competent spermatids. <i>Cell Research</i> , 2020 , 30, 244-255	24.7	7
22	Long non-coding RNA expression profiles reveals AK098783 is a biomarker to predict poor prognosis in patients with colorectal cancer. <i>Japanese Journal of Clinical Oncology</i> , 2018 , 48, 480-484	2.8	6
21	Up-regulated Wnt1-inducible signaling pathway protein 1 correlates with poor prognosis and drug resistance by reducing DNA repair in gastric cancer. <i>World Journal of Gastroenterology</i> , 2019 , 25, 5814-5825	5.6	6
20	Preoperative serum lipid profile and outcome in nonmetastatic colorectal cancer. <i>Chronic Diseases and Translational Medicine</i> , 2016 , 2, 241-249	3.9	6
19	Development and validation of a nomogram to predict survival after curative resection of nonmetastatic colorectal cancer. <i>Cancer Medicine</i> , 2020 , 9, 4126-4136	4.8	6
18	VGLL3 is a prognostic biomarker and correlated with clinical pathologic features and immune infiltrates in stomach adenocarcinoma. <i>Scientific Reports</i> , 2020 , 10, 1355	4.9	5
17	Removal of N-Linked Glycosylation Enhances PD-L1 Detection in Colon Cancer: Validation Research Based on Immunohistochemistry Analysis. <i>Technology in Cancer Research and Treatment</i> , 2021 , 20, 1533033821501944	2.7	5
16	Clinical and Prognostic Relevance of B7-H3 and Indicators of Glucose Metabolism in Colorectal Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 546110	5.3	4
15	Clinical Correlation of Wnt2 and COL8A1 With Colon Adenocarcinoma Prognosis. <i>Frontiers in Oncology</i> , 2020 , 10, 1504	5.3	4
14	Gut Microbiota Functional Biomolecules With Immune-Lipid Metabolism for a Prognostic Compound Score in Epstein-Barr Virus-Associated Gastric Adenocarcinoma: A Pilot Study. <i>Clinical and Translational Gastroenterology</i> , 2019 , 10, e00074	4.2	4
13	Effectiveness and Safety of Apatinib in Patients with Advanced or Metastatic Adenocarcinoma of Stomach or Gastroesophageal Junction: A Prospective Observation Study. <i>OncoTargets and Therapy</i> , 2020 , 13, 4457-4464	4.4	3
12	Cullin-1 promotes cell proliferation in human breast cancer and is related to diabetes. <i>International Journal of Biological Markers</i> , 2016 , 31, e375-e381	2.8	3
11	Transcription factor c-jun regulates βGn-T8 expression in gastric cancer cell line SGC-7901. <i>Oncology Reports</i> , 2016 , 36, 1353-60	3.5	3
10	HEF1 regulates differentiation through the Wnt5a/βcatenin signaling pathway in human gastric cancer. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 509, 201-208	3.4	3
9	Cold atmospheric plasma increases IBRV titer in MDBK cells by orchestrating the host cell network. <i>Virulence</i> , 2021 , 12, 679-689	4.7	3

8	Polymorphisms in the ICOS/CD28-ICOSL pathway are related to capecitabine-based chemotherapy response in advanced colon cancer patients. <i>Molecular Immunology</i> , 2018 , 96, 78-82	4.3	2
7	The calcium pump PMCA4 prevents epithelial-mesenchymal transition by inhibiting NFATc1-ZEB1 pathway in gastric cancer. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2020 , 1867, 118833	4.9	2
6	Expanding virus susceptibility spectrum of MDBK cells by expressing host receptors nectin 4 and TfR. <i>Journal of Virological Methods</i> , 2021 , 289, 114038	2.6	1
5	Biochanin A Suppresses Tumor Progression and PD-L1 Expression via Inhibiting ZEB1 Expression in Colorectal Cancer.. <i>Journal of Oncology</i> , 2022 , 2022, 3224373	4.5	1
4	Camrelizumab in the treatment of patients with advanced lung cancer: A multicenter, prospective, cohort study.. <i>Journal of Clinical Oncology</i> , 2020 , 38, e21650-e21650	2.2	0
3	Enables Cells with the Suspension Cultivation Feature. <i>ACS Synthetic Biology</i> , 2021 , 10, 309-317	5.7	0
2	High CTC-TRPC5 Expression Significantly Associated With Poor Prognosis in Radical Resected Colorectal Cancer Patients. <i>Frontiers in Molecular Biosciences</i> , 2021 , 8, 727864	5.6	0
1	c-Jun-mediated E1,3-N-acetylglucosaminyltransferase 8 expression: A novel mechanism regulating the invasion and metastasis of colorectal carcinoma cells. <i>Oncology Letters</i> , 2017 , 14, 3722-3728	2.6	