
An Ding

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2349711/publications.pdf Version: 2024-02-01



AN DINC

#	Article	IF	CITATIONS
1	Effects of the metabolic uncoupler TCS on residual sludge treatment: Analyses of the microbial community and sludge dewaterability potential. Chemosphere, 2022, 288, 132473.	4.2	13
2	Advanced oxidation processes (AOPs)-based sludge conditioning for enhanced sludge dewatering and micropollutants removal: A critical review. Journal of Water Process Engineering, 2022, 45, 102468.	2.6	50
3	Improvement of sludge dewaterability by energy uncoupling combined with chemical re-flocculation: Reconstruction of floc, distribution of extracellular polymeric substances, and structure change of proteins. Science of the Total Environment, 2022, 816, 151646.	3.9	17
4	In-situ utilization of membrane foulants (FeOx+MnOx) for the efficient membrane cleaning. Water Research, 2022, 210, 118004.	5.3	13
5	Effect of Fe(II)-Activated Peroxymonosulfate (PMS) on the Performance of Ultrafiltration (UF) Process for Secondary Effluent Treatment and Reuse. Water (Switzerland), 2022, 14, 1726.	1.2	1
6	Environmental and economic performances of incorporating Fenton-based processes into traditional sludge management systems. Journal of Cleaner Production, 2022, 364, 132613.	4.6	8
7	Modeling and simulation of an extended ASM2d model for the treatment of wastewater under different COD: N ratio. Journal of Water Process Engineering, 2021, 40, 101831.	2.6	8
8	Life cycle assessment of sewage sludge treatment and disposal based on nutrient and energy recovery: A review. Science of the Total Environment, 2021, 769, 144451.	3.9	122
9	Evaluations of holey graphene oxide modified ultrafiltration membrane and the performance for water purification. Chemosphere, 2021, 285, 131459.	4.2	19
10	Presence of powdered activated carbon/zeolite layer on the performances of gravity-driven membrane (GDM) system for drinking water treatment: Ammonia removal and flux stabilization. Science of the Total Environment, 2021, 799, 149415.	3.9	11
11	Membrane technology for rainwater treatment and reuse: A mini review. Water Cycle, 2021, 2, 51-63.	2.1	39
12	Membrane Distillation for Wastewater Treatment: A Mini Review. Water (Switzerland), 2021, 13, 3480.	1.2	15
13	Cellulose nanocrystal-blended polyethersulfone membranes for enhanced removal of natural organic matter and alleviation of membrane fouling. Chemical Engineering Journal, 2020, 382, 122919.	6.6	78
14	Removal of manganese from groundwater in the ripened sand filtration: Biological oxidation versus chemical auto-catalytic oxidation. Chemical Engineering Journal, 2020, 382, 123033.	6.6	62
15	Sludge activated carbon-based CoFe2O4-SAC nanocomposites used as heterogeneous catalysts for degrading antibiotic norfloxacin through activating peroxymonosulfate. Chemical Engineering Journal, 2020, 384, 123319.	6.6	121
16	Metabolic uncoupler, 3,3′,4′,5-tetrachlorosalicylanilide addition for sludge reduction and fouling control in a gravity-driven membrane bioreactor. Frontiers of Environmental Science and Engineering, 2020, 14, 1.	3.3	9
17	Mussel-inspired polydopamine modification of polymeric membranes for the application of water and wastewater treatment: A review. Chemical Engineering Research and Design, 2020, 157, 195-214.	2.7	87
18	Co-application of energy uncoupling and ultrafiltration in sludge treatment: Evaluations of sludge reduction, supernatant recovery and membrane fouling control. Frontiers of Environmental Science and Engineering, 2020, 14, 1.	3.3	14

An Ding

#	Article	IF	CITATIONS
19	Application of membrane distillation to anaerobic digestion effluent treatment: Identifying culprits of membrane fouling and scaling. Science of the Total Environment, 2019, 688, 880-889.	3.9	63
20	Flower-like BiOBr/UiO-66-NH2 nanosphere with improved photocatalytic property for norfloxacin removal. Chemosphere, 2019, 220, 98-106.	4.2	130
21	Gravity-driven membrane filtration for water and wastewater treatment: A review. Water Research, 2019, 149, 553-565.	5.3	306
22	Fabrication and characterization of thin-film composite (TFC) nanofiltration membranes incorporated with cellulose nanocrystals (CNCs) for enhanced desalination performance and dye removal. Chemical Engineering Journal, 2019, 358, 1519-1528.	6.6	183
23	Surface coating of UF membranes to improve antifouling properties: A comparison study between cellulose nanocrystals (CNCs) and cellulose nanofibrils (CNFs). Chemosphere, 2019, 217, 76-84.	4.2	88
24	Synergistic effects of wheat straw powder and persulfate/Fe(II) on enhancing sludge dewaterability. Chemosphere, 2019, 215, 333-341.	4.2	28
25	Effect of metabolic uncoupler, 2,4‑dinitrophenol (DNP) on sludge properties and fouling potential in ultrafiltration membrane process. Science of the Total Environment, 2019, 650, 1882-1888.	3.9	18
26	Free-standing hierarchical α-MnO2@CuO membrane for catalytic filtration degradation of organic pollutants. Chemosphere, 2018, 200, 237-247.	4.2	101
27	Coupling GAC to ultra-low-pressure filtration to modify the biofouling layer and bio-community: Flux enhancement and water quality improvement. Chemical Engineering Journal, 2018, 333, 289-299.	6.6	67
28	Effects of GAC layer on the performance of gravity-driven membrane filtration (GDM) system for rainwater recycling. Chemosphere, 2018, 191, 253-261.	4.2	50
29	Effect of PAC particle layer on the performance of gravity-driven membrane filtration (GDM) system during rainwater treatment. Environmental Science: Water Research and Technology, 2018, 4, 48-57.	1.2	25
30	Incorporation of Cellulose Nanocrystals (CNCs) into the Polyamide Layer of Thin-Film Composite (TFC) Nanofiltration Membranes for Enhanced Separation Performance and Antifouling Properties. Environmental Science & Technology, 2018, 52, 11178-11187.	4.6	185
31	Biological pre-treatments enhance gravity-driven membrane filtration for the decentralized water supply: Linking extracellular polymeric substances formation to flux stabilization. Journal of Cleaner Production, 2018, 197, 721-731.	4.6	43
32	Photocatalytic reduction of Uranium(VI) under visible light with Sn-doped In2S3 microspheres. Chemosphere, 2018, 212, 114-123.	4.2	80
33	Ultra-low pressure membrane-based bio-purification process for decentralized drinking water supply: Improved permeability and removal performance. Chemosphere, 2018, 211, 784-793.	4.2	23
34	A low pressure gravity-driven membrane filtration (GDM) system for rainwater recycling: Flux stabilization and removal performance. Chemosphere, 2017, 172, 21-28.	4.2	52
35	Ferrous iron/peroxymonosulfate oxidation as a pretreatment for ceramic ultrafiltration membrane: Control of natural organic matter fouling and degradation of atrazine. Water Research, 2017, 113, 32-41.	5.3	173
36	Fluorescent natural organic matter responsible for ultrafiltration membrane fouling: Fate, contributions and fouling mechanisms. Chemosphere, 2017, 182, 183-193.	4.2	49

An Ding

#	Article	IF	CITATIONS
37	In situ coagulation versus pre-coagulation for gravity-driven membrane bioreactor during decentralized sewage treatment: Permeability stabilization, fouling layer formation and biological activity. Water Research, 2017, 126, 197-207.	5.3	64
38	Microbial community composition and electricity generation in cattle manure slurry treatment using microbial fuel cells: effects of inoculum addition. Environmental Science and Pollution Research, 2017, 24, 23226-23235.	2.7	19
39	A low energy gravity-driven membrane bioreactor system for grey water treatment: Permeability and removal performance of organics. Journal of Membrane Science, 2017, 542, 408-417.	4.1	77
40	Control of ultrafiltration membrane fouling caused by algal extracellular organic matter (EOM) using enhanced Al coagulation with permanganate. Separation and Purification Technology, 2017, 172, 51-58.	3.9	54
41	Fabrication of Mn oxide incorporated ceramic membranes for membrane fouling control and enhanced catalytic ozonation of p -chloronitrobenzene. Chemical Engineering Journal, 2017, 308, 1010-1020.	6.6	62
42	Application of Fe(II)/peroxymonosulfate for improving ultrafiltration membrane performance in surface water treatment: Comparison with coagulation and ozonation. Water Research, 2017, 124, 298-307.	5.3	88
43	Effect of operation parameters on the flux stabilization of gravity-driven membrane (GDM) filtration system for decentralized water supply. Environmental Science and Pollution Research, 2016, 23, 16771-16780.	2.7	39
44	Effects of pre-ozonation on the ultrafiltration of different natural organic matter (NOM) fractions: Membrane fouling mitigation, prediction and mechanism. Journal of Membrane Science, 2016, 505, 15-25.	4.1	142
45	Impact of aeration shear stress on permeate flux and fouling layer properties in a low pressure membrane bioreactor for the treatment of grey water. Journal of Membrane Science, 2016, 510, 382-390.	4.1	100
46	Performance of adsorption pretreatment in mitigating humic acid fouling of ultrafiltration membrane under environmentally relevant ionic conditions. Desalination, 2016, 377, 91-98.	4.0	37
47	Combined effects of PAC adsorption and in situ chlorination on membrane fouling in a pilot-scale coagulation and ultrafiltration process. Chemical Engineering Journal, 2016, 283, 1374-1383.	6.6	72
48	Surface modification of UF membranes with functionalized MWCNTs to control membrane fouling by NOM fractions. Journal of Membrane Science, 2015, 492, 400-411.	4.1	121
49	Effect of calcium addition on sludge properties and membrane fouling potential of the membrane-coupled expanded granular sludge bed process. Journal of Membrane Science, 2015, 489, 55-63.	4.1	30
50	Effects of agricultural waste-based conditioner on ultrasonic-aided activated sludge dewatering. RSC Advances, 2015, 5, 43065-43073.	1.7	19
51	Effects of poly aluminum chloride dosing positions on the performance of a pilot scale anoxic/oxic-membrane bioreactor (A/O-MBR). Water Science and Technology, 2015, 72, 689-695.	1.2	2
52	Effect of granular activated carbon addition on the effluent properties and fouling potentials of membrane-coupled expanded granular sludge bed process. Bioresource Technology, 2014, 171, 240-246.	4.8	27
53	Effect of adding wood chips on sewage sludge dewatering in a pilot-scale plate-and-frame filter press process. RSC Advances, 2014, 4, 24762-24768.	1.7	40
54	High-rate nitrogen removal and microbial community of an up-flow anammox reactor with ceramics as biomass carrier. Chemosphere, 2014, 113, 125-131.	4.2	38

#	Article	IF	CITATIONS
55	Measuring the activity of heterotrophic microorganism in membrane bioreactor for drinking water treatment. Bioresource Technology, 2013, 130, 136-143.	4.8	22
56	A novel integrated vertical membrane bioreactor (IVMBR) for removal of nitrogen from synthetic wastewater/domestic sewage. Chemical Engineering Journal, 2013, 223, 908-914.	6.6	22