

# Ewelina Kusiak-Nejman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2350885/publications.pdf>

Version: 2024-02-01

72  
papers

1,694  
citations

257101

24  
h-index

301761

39  
g-index

73  
all docs

73  
docs citations

73  
times ranked

2121  
citing authors

#	ARTICLE	IF	CITATIONS
1	Artificial Solar Light-Driven APTES/TiO <sub>2</sub> Photocatalysts for Methylene Blue Removal from Water. <i>Molecules</i> , 2022, 27, 947.	1.7	11
2	The Effect of the Modification of Carbon Spheres with ZnCl <sub>2</sub> on the Adsorption Properties towards CO <sub>2</sub> . <i>Molecules</i> , 2022, 27, 1387.	1.7	9
3	Magnetic Resonance Studies of Hybrid Nanocomposites Containing Nanocrystalline TiO <sub>2</sub> and Graphene-Related Materials. <i>Materials</i> , 2022, 15, 2244.	1.3	0
4	New Insight on Carbon Dioxide-Mediated Hydrogen Production**. <i>ChemistryOpen</i> , 2022, 11, e202100262.	0.9	2
5	CO <sub>2</sub> Reduction to Valuable Chemicals on TiO <sub>2</sub> -Carbon Photocatalysts Deposited on Silica Cloth. <i>Catalysts</i> , 2022, 12, 31.	1.6	8
6	The Benefits of Using Saccharose for Photocatalytic Water Disinfection. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4719.	1.8	2
7	Effect of calcination on the photocatalytic activity and stability of TiO <sub>2</sub> photocatalysts modified with APTES. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 104794.	3.3	23
8	Size-dependent effects of ZnO nanoparticles on the photocatalytic degradation of phenol in a water solution. <i>Applied Surface Science</i> , 2021, 541, 148416.	3.1	57
9	Effect of APTES modified TiO <sub>2</sub> on antioxidant enzymes activity secreted by <i>Escherichia coli</i> and <i>Staphylococcus epidermidis</i> . <i>Biochemical and Biophysical Research Communications</i> , 2021, 534, 1064-1068.	1.0	7
10	The Role of Adsorption in the Photocatalytic Decomposition of Dyes on APTES-Modified TiO <sub>2</sub> Nanomaterials. <i>Catalysts</i> , 2021, 11, 172.	1.6	10
11	Hydrogen photoproduction on TiO <sub>2</sub> -reduced graphene oxide hybrid materials from water-ethanol mixture. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2021, 418, 113406.	2.0	8
12	Magnetic moment centers in titanium dioxide photocatalysts loaded on reduced graphene oxide flakes. <i>Reviews on Advanced Materials Science</i> , 2021, 60, 57-63.	1.4	6
13	DC magnetization of titania supported on reduced graphene oxide flakes. <i>Reviews on Advanced Materials Science</i> , 2021, 60, 794-800.	1.4	1
14	ZnO/Carbon Spheres with Excellent Regenerability for Post-Combustion CO <sub>2</sub> Capture. <i>Materials</i> , 2021, 14, 6478.	1.3	11
15	Influence of rGO and Preparation Method on the Physicochemical and Photocatalytic Properties of TiO <sub>2</sub> /Reduced Graphene Oxide Photocatalysts. <i>Catalysts</i> , 2021, 11, 1333.	1.6	8
16	Methylene blue decomposition on TiO <sub>2</sub> /reduced graphene oxide hybrid photocatalysts obtained by a two-step hydrothermal and calcination synthesis. <i>Catalysis Today</i> , 2020, 357, 630-637.	2.2	52
17	Antibacterial effect of TiO <sub>2</sub> nanoparticles modified with APTES. <i>Catalysis Communications</i> , 2020, 134, 105862.	1.6	37
18	A New Preparation Method of Cement with Photocatalytic Activity. <i>Materials</i> , 2020, 13, 5540.	1.3	6

#	ARTICLE	IF	CITATIONS
19	Photocatalytic oxidation of nitric oxide over AgNPs/TiO <sub>2</sub> -loaded carbon fiber cloths. <i>Journal of Environmental Management</i> , 2020, 262, 110343.	3.8	17
20	Influence of modification of titanium dioxide by silane coupling agents on the photocatalytic activity and stability. <i>Journal of Environmental Chemical Engineering</i> , 2020, 8, 103917.	3.3	36
21	Magnetic properties of TiO <sub>2</sub> /graphitic carbon nanocomposites. <i>Reviews on Advanced Materials Science</i> , 2019, 58, 107-122.	1.4	18
22	Bacterial Inactivation on Concrete Plates Loaded with Modified TiO <sub>2</sub> Photocatalysts under Visible Light Irradiation. <i>Molecules</i> , 2019, 24, 3026.	1.7	22
23	TiO <sub>2</sub> /graphene-based nanocomposites for water treatment: A brief overview of charge carrier transfer, antimicrobial and photocatalytic performance. <i>Applied Catalysis B: Environmental</i> , 2019, 253, 179-186.	10.8	152
24	Photocatalytic water disinfection under the artificial solar light by fructose-modified TiO <sub>2</sub> . <i>Chemical Engineering Journal</i> , 2019, 372, 203-215.	6.6	34
25	Photocatalytic Activity and Mechanical Properties of Cements Modified with TiO <sub>2</sub> /N. <i>Materials</i> , 2019, 12, 3756.	1.3	24
26	Hybrid carbon-TiO <sub>2</sub> spheres: Investigation of structure, morphology and spectroscopic studies. <i>Applied Surface Science</i> , 2019, 469, 684-690.	3.1	8
27	Antibacterial properties of TiO <sub>2</sub> modified with reduced graphene oxide. <i>Ecotoxicology and Environmental Safety</i> , 2018, 147, 788-793.	2.9	89
28	Synthesis and characterization of TiO <sub>2</sub> /graphitic carbon nanocomposites with enhanced photocatalytic performance. <i>Applied Surface Science</i> , 2018, 437, 441-450.	3.1	22
29	The mechanical and photocatalytic properties of modified gypsum materials. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2018, 236-237, 1-9.	1.7	16
30	Assessment of the Suitability of the One-Step Hydrothermal Method for Preparation of Non-Covalently/Covalently-Bonded TiO <sub>2</sub> /Graphene-Based Hybrids. <i>Nanomaterials</i> , 2018, 8, 647.	1.9	12
31	Influence of irradiation on stability and effectiveness of TiO <sub>2</sub> /N,C photocatalysts. <i>Micro and Nano Letters</i> , 2018, 13, 739-742.	0.6	2
32	Photocatalytic degradation of acetic acid in the presence of visible light-active TiO <sub>2</sub> -reduced graphene oxide photocatalysts. <i>Catalysis Today</i> , 2017, 280, 108-113.	2.2	44
33	Graphene oxide-TiO <sub>2</sub> and reduced graphene oxide-TiO <sub>2</sub> nanocomposites: Insight in charge-carrier lifetime measurements. <i>Catalysis Today</i> , 2017, 287, 189-195.	2.2	39
34	Titanium dioxide modified with various amines used as sorbents of carbon dioxide. <i>New Journal of Chemistry</i> , 2017, 41, 1549-1557.	1.4	37
35	Adsorption of carbon dioxide on TEPA-modified TiO <sub>2</sub> /titanate composite nanorods. <i>New Journal of Chemistry</i> , 2017, 41, 7870-7885.	1.4	16
36	Modification of Titanium Dioxide with Graphitic Carbon from Anthracene Thermal Decomposition as a Promising Method for Visible-Active Photocatalysts Preparation. <i>Journal of Advanced Oxidation Technologies</i> , 2016, 19, .	0.5	4

#	ARTICLE	IF	CITATIONS
37	The role of adsorption in the photocatalytic decomposition of Orange II on carbon-modified TiO <sub>2</sub> . Journal of Molecular Liquids, 2016, 220, 504-512.	2.3	31
38	TiO <sub>2</sub> /titanate composite nanorod obtained from various alkali solutions as CO <sub>2</sub> sorbents from exhaust gases. Microporous and Mesoporous Materials, 2016, 231, 117-127.	2.2	17
39	TiO <sub>2</sub> /glucose nanomaterials with enhanced antibacterial properties. Materials Letters, 2016, 185, 264-267.	1.3	10
40	Clay bricks modified by implementing of Nâ€and/or Câ€TiO <sub>2</sub> : insight into selfâ€cleaning properties toward fatty contaminant. Micro and Nano Letters, 2016, 11, 896-899.	0.6	3
41	Influence of pH of sol-gel solution on phase composition and photocatalytic activity of TiO <sub>2</sub> under UV and visible light. Materials Research Bulletin, 2016, 84, 152-161.	2.7	25
42	Preparation and characterisation of TiO <sub>2</sub> thermally modified with cyclohexane vapours. International Journal of Materials and Product Technology, 2016, 52, 286.	0.1	18
43	Magnetic Properties of Cobalt and Nitrogen Co-modified Titanium Dioxide Nanocomposites. NATO Science for Peace and Security Series A: Chemistry and Biology, 2016, , 109-125.	0.5	3
44	Photocatalytic performance of thermally prepared TiO <sub>2</sub> /C photocatalysts under artificial solar light. Micro and Nano Letters, 2016, 11, 202-206.	0.6	11
45	Study of nitric oxide degradation properties of photoactive concrete containing nitrogen and/or carbon coâ€modified titanium dioxide â€ preliminary findings. Micro and Nano Letters, 2016, 11, 231-235.	0.6	5
46	The influence of carbonization temperature on the modification of TiO <sub>2</sub> in the removal of methyl orange from aqueous solution by adsorption. Desalination and Water Treatment, 2016, 57, 18825-18835.	1.0	11
47	The Photocatalytic Performance of Benzene- Modified TiO <sub>2</sub> Photocatalysts under UV-vis Light Irradiation. Journal of Advanced Oxidation Technologies, 2015, 18, .	0.5	1
48	NO <sub>x</sub> photocatalytic degradation on gypsum plates modified by TiO <sub>2</sub> -N,C photocatalysts. Polish Journal of Chemical Technology, 2015, 17, 8-12.	0.3	8
49	Cementitious Plates Containing TiO <sub>2</sub> -N,C Photocatalysts for NO <sub>x</sub> Degradation. Journal of Advanced Oxidation Technologies, 2015, 18, .	0.5	3
50	Self-cleaning properties of cement plates loaded with N,C-modified TiO <sub>2</sub> photocatalysts. Applied Surface Science, 2015, 330, 200-206.	3.1	69
51	Preliminary studies of photocatalytic activity of gypsum plasters containing TiO <sub>2</sub> co-modified with nitrogen and carbon. Polish Journal of Chemical Technology, 2015, 17, 96-102.	0.3	14
52	Alkali-treated titanium dioxide as adsorbent for CO <sub>2</sub> capture from air. Microporous and Mesoporous Materials, 2015, 202, 241-249.	2.2	25
53	Nitrogen-Modified Titanium Dioxide as an Adsorbent for Gaseous SO <sub>2</sub> . Adsorption Science and Technology, 2014, 32, 403-412.	1.5	2
54	Induced self-cleaning properties towards Reactive Red 198 of the cement materials loaded with co-modified TiO <sub>2</sub> /N,C photocatalysts. Reaction Kinetics, Mechanisms and Catalysis, 2014, 113, 615-628.	0.8	7

#	ARTICLE	IF	CITATIONS
55	Cellulose-TiO <sub>2</sub> nanocomposite with enhanced UV-Vis light absorption. <i>Cellulose</i> , 2013, 20, 1293-1300.	2.4	58
56	Investigation of OH radicals formation on the surface of TiO <sub>2</sub> /N photocatalyst at the presence of terephthalic acid solution. Estimation of optimal conditions. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2013, 261, 7-11.	2.0	49
57	Comparison of Methods for Evaluation of the Bactericidal Activity of Copper-Sputtered Surfaces against Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Applied and Environmental Microbiology</i> , 2012, 78, 8176-8182.	1.4	45
58	Influence of water temperature on the photocatalytic activity of titanium dioxide. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2012, 106, 289-295.	0.8	10
59	One-step, hydrothermal synthesis of nitrogen, carbon co-doped titanium dioxide (N,C-TiO <sub>2</sub> ) photocatalysts. Effect of alcohol degree and chain length as carbon dopant precursors on photocatalytic activity and catalyst deactivation. <i>Applied Catalysis B: Environmental</i> , 2012, 115-116, 81-89.	10.8	138
60	High power impulse magnetron sputtering (HIPIMS) and traditional pulsed sputtering (DCMSP) Ag-surfaces leading to <i>E. coli</i> inactivation. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2012, 227, 11-17.	2.0	27
61	Advantages of highly ionized pulse plasma magnetron sputtering (HIPIMS) of silver for improved <i>E. coli</i> inactivation. <i>Thin Solid Films</i> , 2012, 520, 3567-3573.	0.8	27
62	Disinfection of <i>E. coli</i> by carbon modified TiO <sub>2</sub> photocatalysts. <i>Environmental Protection Engineering</i> , 2012, 38, .	0.1	7
63	<i>E. coli</i> Inactivation by High-Power Impulse Magnetron Sputtered (HIPIMS) Cu Surfaces. <i>Journal of Physical Chemistry C</i> , 2011, 115, 21113-21119.	1.5	33
64	Methylene Blue decomposition under visible light irradiation in the presence of carbon-modified TiO <sub>2</sub> photocatalysts. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2011, 226, 68-72.	2.0	34
65	Determination of the photocatalytic activity of TiO <sub>2</sub> with high adsorption capacity. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2011, 103, 279-288.	0.8	26
66	TiO <sub>2</sub> modified by ammonia as a long lifetime photocatalyst for dyes decomposition. <i>Polish Journal of Chemical Technology</i> , 2009, 11, 1-6.	0.3	6
67	TiO <sub>2</sub> Nanoparticles with High Photocatalytic Activity Under Visible Light. <i>Catalysis Letters</i> , 2009, 128, 36-39.	1.4	23
68	Lifetime of Carbon-Modified TiO <sub>2</sub> Photocatalysts Under UV Light Irradiation. <i>Catalysis Letters</i> , 2009, 131, 606-611.	1.4	10
69	Carbon Modified TiO <sub>2</sub> Photocatalyst with Enhanced Adsorptivity for Dyes from Water. <i>Catalysis Letters</i> , 2009, 131, 506-511.	1.4	42
70	Enhanced adsorption of two azo dyes produced by carbon modification of TiO <sub>2</sub> . <i>Desalination</i> , 2009, 249, 359-363.	4.0	37
71	Study of Nitrogen-Modified Titanium Dioxide as an Adsorbent for Azo Dyes. <i>Adsorption Science and Technology</i> , 2008, 26, 501-513.	1.5	9
72	Preparation and characterization of TiO <sub>2</sub> modified with APTMS for phenol decomposition. , 0, 207, 115-121.		0