

Duilio Iamónico

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/235109/publications.pdf>

Version: 2024-02-01

188
papers

2,212
citations

535685

17
h-index

355658

38
g-index

188
all docs

188
docs citations

188
times ranked

1345
citing authors

#	ARTICLE	IF	CITATIONS
1	Epitypification of the Linnaean name <i>Crepis bursifolia</i> (Asteraceae). <i>Taxon</i> , 2022, 71, 207-209.	0.4	1
2	On the occurrence and naturalization of <i>Amaranthus hypochondriacus</i> (Amaranthaceae) in some European countries, with notes on its climatic features. <i>Hacquetia</i> , 2022, 21, 211-222.	0.2	2
3	Designing Cultural Ecosystem Services in Territorial Planning. The Case Study of Ancient Burgentia (Basilicata, Italy). <i>Lecture Notes in Civil Engineering</i> , 2022, , 73-80.	0.3	0
4	About the identity of <i>Cnicus firmus</i> (Asteraceae, Cardueae). <i>Phytotaxa</i> , 2022, 533, 230-234.	0.1	0
5	Notes on some Caryophyllaceae for the Flora of Argentina. <i>Darwiniana</i> , 2022, 10, 116-133.	0.1	1
6	Nomenclatural notes on species of the genus <i>Arenaria</i> (Caryophyllaceae) in Chile. <i>Darwiniana</i> , 2022, 10, 187-192.	0.1	2
7	Nomenclatural notes on Fabaceae described from Sicily. <i>Phytotaxa</i> , 2021, 490, 211-219.	0.1	1
8	Nomenclatural and taxonomic notes on some names of <i>Sesleria</i> sect. <i>Argenteae</i> (Poaceae) from Italy and the Balkans. <i>Phytotaxa</i> , 2021, 494, 89-102.	0.1	1
9	Linnaean names in the tribe Malveae for North and Central American Floras1. <i>Journal of the Torrey Botanical Society</i> , 2021, 148, .	0.1	1
10	(078) Proposal to add a new Example of an indirect reference after Article 38.14. <i>Taxon</i> , 2021, 70, 457-457.	0.4	0
11	Erratum: Di Pietro, R., KuzmanoviÄ, N., LakuÅiÄ, D., Viciani, D., Fortini, P. & Iamónico, D. (2021) Nomenclatural and taxonomic notes on some names of <i>Sesleria</i> sect. <i>Argenteae</i> (Poaceae) from Italy and the Balkans. <i>Phytotaxa</i> 494 (1): 89-102. <i>Phytotaxa</i> , 2021, 502, 217-218.	0.1	0
12	The chimeric <i>Onobrychis tenoreana</i> (Fabaceae) and lectotypification of the names <i>O. laconica</i> and <i>O. pentelica</i> . <i>Phytotaxa</i> , 2021, 505, 240-244.	0.1	1
13	<i>Engellaria</i> (Caryophyllaceae), a new North American genus segregated from <i>Stellaria</i> . <i>Acta Botanica Mexicana</i> , 2021, , .	0.1	2
14	Recent Discovery of <i>Amaranthus palmeri</i> S. Watson in Italy: Characterization of ALS-Resistant Populations and Sensitivity to Alternative Herbicides. <i>Sustainability</i> , 2021, 13, 7003.	1.6	11
15	The Taxonomic Position of <i>Silene Multinervia</i> (Caryophyllaceae), Endemic to California and Northwestern Mexico, and Description of Section <i>Californicae</i> , sect. nov.. <i>Rhodora</i> , 2021, 122, .	0.0	2
16	<i>Amaranthus powellii</i> (Amaranthaceae), a new addition for the flora of India and a preliminary list of the Indian <i>Amaranthus</i> species. <i>Hacquetia</i> , 2021, 20, 257-262.	0.2	1
17	Typification and taxonomic remarks of <i>Indobanalia</i> (Amaranthaceae) in India. <i>Phytotaxa</i> , 2021, 513, 265-270.	0.1	0
18	<i>Habrosia</i> (Caryophyllaceae) a monotypic genus endemic to Western Asia. <i>Acta Botanica Croatica</i> , 2021, 80, .	0.3	1

#	ARTICLE	IF	CITATIONS
19	<i>Alternanthera indica</i> (Amaranthaceae), a new species from Kerala (India). <i>Phytotaxa</i> , 2021, 482, 191-196.	0.1	3
20	Nomenclatural Synopsis of <i>Cirsium</i> Sect. <i>Eriolepis</i> (Asteraceae) in Italy. <i>Plants</i> , 2021, 10, 223.	1.6	4
21	Sobre la identidad taxonómica de <i>Polycarpon apurense</i> (Caryophyllaceae) con una aclaración sobre su distribución en Sudamérica. <i>Bonplandia</i> , 2021, 31, 89.	0.2	1
22	Nomenclatural and taxonomic notes on some <i>Centaurea</i> taxa (Asteraceae) from southern Italy. <i>Turkish Journal of Botany</i> , 2020, 44, 441-454.	0.5	3
23	Nomenclature survey of the genus <i>Amaranthus</i> (Amaranthaceae). 6. Names linked to the Australian flora. <i>Australian Systematic Botany</i> , 2020, 33, 169.	0.3	9
24	<i>Amaranthus rajasekharii</i> (Amaranthaceae), a new species from Kerala (SW-India). <i>Phytotaxa</i> , 2020, 433, 153-160.	0.1	5
25	Nomenclatural survey of the genus <i>Amaranthus</i> (Amaranthaceae s.s.). 8. About <i>Amaranthus polygonoides</i> s.l. and <i>A. anderssonii</i> , two related taxa described from the tropical regions of America with notes on their taxonomy. <i>Acta Botanica Mexicana</i> , 2020, , .	0.1	3
26	<i>Phymosia</i> (Malvaceae) a new genus for the flora of Africa, with nomenclatural notes. <i>Hacquetia</i> , 2020, 19, 325-330.	0.2	3
27	A nomenclatural survey of the genus <i>Amaranthus</i> (Amaranthaceae) 7: names published by Willdenow. <i>Willdenowia</i> , 2020, 50, 147.	0.5	10
28	Una nueva especie de <i>Cochemiea</i> (Cactaceae, Cacteae) de Sinaloa, México. <i>Acta Botanica Mexicana</i> , 2020, , .	0.1	4
29	Linnaean names in <i>Arum</i> (Araceae): Typification of <i>A. arisarum</i> (Arisarum vulgare) and <i>A. tenuifolium</i> (<i>A. tenuifolium</i>). <i>Phytotaxa</i> , 2020, 443, 116-120.	0.4	1
30	Lectotypification of names associated with <i>Chenopodium hircinum</i> (Chenopodiaceae/Amaranthaceae sensu APG): <i>C. bonariense</i> , Ten. and two varieties described by Aellen. <i>Phytotaxa</i> , 2020, 443, 116-120.	0.1	0
31	Italian alien species in Caryophyllaceae: nomenclatural remarks. <i>Phytotaxa</i> , 2020, 446, 291-300.	0.1	1
32	Taxonomic investigations on <i>Malva cretica</i> s.l. (Malvaceae). <i>Anales Del Jardin Botanico De Madrid</i> , 2020, 77, 095.	0.2	1
33	Nomenclatural survey of the genus <i>Amaranthus</i> (Amaranthaceae). 11. Dioecious <i>Amaranthus</i> species belonging to the sect. <i>Saueranthus</i> . <i>Darwiniana</i> , 2020, 8, 567-575.	0.1	4
34	Nomenclature survey of the genus <i>Amaranthus</i> (Amaranthaceae). 10. What is <i>Amaranthus commutatus</i> ?. <i>Thaiszia Journal of Botany</i> , 2020, 30, .	0.3	2
35	Typification of the names <i>Epilobium lanceolatum</i> , <i>Lotus requienii</i> , <i>Orchis romana</i> , and <i>Romulea columnae</i> described from Rome (Italy). <i>Phytotaxa</i> , 2020, 454, 203-212.	0.1	1
36	<i>Mammillaria brevipilumosa</i> (Cactaceae, Cacteae), a new species from Mexico. <i>Phytotaxa</i> , 2020, 452, 231-235.	0.1	0

#	ARTICLE	IF	CITATIONS
37	<p><p>Typification of the name Edraianthus siculus (Campanulaceae), endemic species from S-Italy</p>. Phytotaxa, 2020, 451, 297-300.</p>	0.1	0
38	A new addition to the alien flora of Tunisia, <i>Amaranthus spinosus</i> L. (Amaranthaceae s.l.), with notes on <i>A. diacanthus</i> Raf.. Acta Botanica Croatica, 2019, 78, 91-94.	0.3	4
39	Remarks on the subfam. Betoideae (Chenopodiaceae/Amaranthaceae sensu APGIV). Phytotaxa, 2019, 400, 145.	0.1	3
40	Typification of the Linnaean names <i>Plantago afra</i> , <i>P. altissima</i> , and <i>P. lagopus</i> (<i>Plantago</i> subg. <i>Psyllium</i>), Tj ETQq0 0,0,rgBT /Oylock 10	0.1	2
41	An inventory of the names of native, non-endemic vascular plants described from Italy, their loci classici and types. Phytotaxa, 2019, 410, 1-215.	0.1	31
42	<i>Turbinicarpus boedekerianus</i> sp. nov. (Cactaceae), a new species from Nuevo LeÃ³n, Mexico. Phytotaxa, 2019, 391, 159.	0.1	2
43	Lectotypification of <i>Valeriana celtica</i>, <i>V. saxatilis</i> and <i>V. sibirica</i> (Caprifoliaceae) proposed by Linnaeus. Taxon, 2019, 68, 156-159.	0.4	1
44	(85) Request for a binding decision on whether <i>Argostemma</i> Wall. (<i>Rubiaceae</i>) and <i>Agrostemma</i> L. (<i>Caryophyllaceae</i>) are sufficiently alike to be confused. Taxon, 2019, 68, 878-879.	0.4	0
45	<i>Aloe vivipara</i> (Asphodelaceae s.l.): Nomenclature, history, and typification of a complicated Linnaean name. Taxon, 2019, 68, 1329-1333.	0.4	0
46	<p>About the application of the Linnaean name Plantago latifolia (Plantaginaceae)</p>. Phytotaxa, 2019, 425, 253-256.	0.1	0
47	<p>Typification of the name Cirsium lacaitae (Asteraceae)</p>. Phytotaxa, 2019, 423, 273-276.	0.1	2
48	<i>Agave lexii</i> (Asparagaceae: Agavoideae), a New Species from Mexico. Novon, 2019, 27, 201-204.	0.3	9
49	Molecular study on<i>Senecio fontanicola</i> (<i>S. doria</i> group,<i>Asteraceae</i>) and its conservation status. Hacquetia, 2019, 18, 87-95.	0.2	1
50	On <i>Atriplex canescens</i> (Chenopodiaceae s. str./Amaranthaceae s. l.) in Tunisia: nomenclatural and morphological notes on its infraspecific variability. Hacquetia, 2019, 18, 119-127.	0.2	3
51	Nomenclatural notes on some annual mallows (Malvaceae). Acta Botanica Croatica, 2018, 77, 28-35.	0.3	4
52	About the application of the Linnaean names <i>Anthemis italica</i> and <i>A. tinctoria</i> var. <i>triumfettii</i> (Asteraceae, Anthemidae). Nordic Journal of Botany, 2018, 36, e01887.	0.2	1
53	An updated checklist of the vascular flora native to Italy. Plant Biosystems, 2018, 152, 179-303.	0.8	508
54	New nomenclatural changes for hybrids of <i>Amaranthus</i> (Amaranthaceae s. str.). Phytotaxa, 2018, 340, 195.	0.1	6

#	ARTICLE	IF	CITATIONS
55	An updated checklist of the vascular flora alien to Italy. <i>Plant Biosystems</i> , 2018, 152, 556-592.	0.8	300
56	<i>Amaranthus tunetanus</i> (Amaranthaceae), a new species from Tunisia and a diagnostic key to the North African taxa in subgen. <i>Albersia</i> . <i>South African Journal of Botany</i> , 2018, 114, 78-83.	1.2	4
57	A New Combination in <i>Senecio</i> (Asteraceae) from South America. <i>Novon</i> , 2018, 26, 288-289.	0.3	0
58	Epytification of <i>Hagea alsinifolia</i> (<i>Polyycarpon tetraphyllum</i> subsp. <i>alsinifolium</i> , Caryophyllaceae). <i>Phytotaxa</i> , 2018, 379, 267.	0.1	1
59	Nomenclatural and taxonomic notes on <i>Acroglochis</i> and its position in <i>Chenopodiaceae</i> s.str.. <i>Phytotaxa</i> , 2018, 383, 197.	0.1	1
60	(2586) Proposal to reject the name <i>Statice reticulata</i> (<i>Limonium reticulatum</i>) (Plantaginaceae). <i>Taxon</i> , 2018, 67, 213-214.	0.4	6
61	Typification of the Linnaean name <i>Statice limonium</i> (Plumbaginaceae). <i>Taxon</i> , 2018, 67, 191-195.	0.4	5
62	(2632) Proposal to reject the name <i>Chenopodium viride</i> (Chenopodiaceae; Amaranthaceae sensu APG). <i>Taxon</i> , 2018, 67, 811-812.	0.4	3
63	(2631) Proposal to conserve the name <i>Commelina erecta</i> (Commelinaceae) with a conserved type. <i>Taxon</i> , 2018, 67, 810-811.	0.4	1
64	Nomenclature of the Italian species of subtribe <i>Conyzinae</i> (Asteraceae: Astereae). <i>Taxon</i> , 2018, 67, 798-800.	0.4	3
65	(2626) Proposal to reject the name <i>Limonium oleifolium</i> (Plumbaginaceae). <i>Taxon</i> , 2018, 67, 649-649.	0.4	3
66	The Linnaean names in <i>Statice</i> (Plumbaginaceae). <i>Taxon</i> , 2018, 67, 606-610.	0.4	4
67	Generic typifications in <i>Amaranthaceae</i> s.str.. <i>Phytotaxa</i> , 2018, 350, 147.	0.1	1
68	Extracts From <i>Hypericum hircinum</i> subsp. <i>majus</i> Exert Antifungal Activity Against a Panel of Sensitive and Drug-Resistant Clinical Strains.. <i>Frontiers in Pharmacology</i> , 2018, 9, 382.	1.6	12
69	<i>Amaranthus</i> <i>—romanus</i> (Amaranthaceae), a new hybrid from Italy. <i>Phytotaxa</i> , 2017, 295, 89.	0.1	6
70	<i>Agrimonia eupatoria</i> subsp. <i>major</i> stat. nov. (Rosaceae) and notes on the <i>Agrimonia eupatoria</i> aggregate. <i>Phytotaxa</i> , 2017, 298, 165.	0.1	1
71	Typification of the names in <i>Malva cretica</i> s.l. (Malvaceae). <i>Phytotaxa</i> , 2017, 295, 280.	0.1	5
72	The intricate nomenclatural questions around <i>Plantago holosteum</i> (Plantaginaceae). <i>Phytotaxa</i> , 2017, 306, 75.	0.1	13

#	ARTICLE	IF	CITATIONS
73	Typification of Linnaean and Cavanilles names in the genus <i>Malva</i> (Malvaceae) for the Spanish flora. <i>Taxon</i> , 2017, 66, 441-444.	0.4	6
74	Nomenclatural and distributional remarks on <i>Limonium tenoreanum</i> (Plumbaginaceae), a narrow endemic from southern Italy. <i>Nordic Journal of Botany</i> , 2017, 35, 445-448.	0.2	8
75	At the intersection of cultural and natural heritage: Distribution and conservation of the type localities of Italian endemic vascular plants. <i>Biological Conservation</i> , 2017, 214, 109-118.	1.9	46
76	Alien taxa of the tribe Senecioneae (Asteraceae) in Italy: a nomenclatural synopsis. <i>Hacquetia</i> , 2017, 16, 281-292.	0.2	6
77	Nomenclatural and taxonomic notes on <i>Sesleria</i> sect. <i>Argenteae</i> (Poaceae). <i>Phytotaxa</i> , 2017, 309, 101.	0.1	3
78	Typification of the Linnaean names <i>Plantago serraria</i> and <i>P. subulata</i> (<i>Plantago</i> subgenus <i>Coronopus</i> .) <i>Tj ETQq0 0 0 rgBT /Overlock 10 T</i>	0.4	3
79	(2528) Proposal to conserve the name <i>Statice minuta</i> (<i>Limonium minutum</i>) (<i>Plumbaginaceae</i>) with a conserved type. <i>Taxon</i> , 2017, 66, 759-760.	0.4	7
80	Nomenclatural remarks on <i>Magnolia</i> sect. <i>Macrophylla</i> (Magnoliaceae), with description of a new species from North America (Tamaulipas, Mexico). <i>Phytotaxa</i> , 2017, 309, 238.	0.1	13
81	<i>Augustea moreirana</i> comb. nov. (Caryophyllaceae), an endemic species from Chile. <i>Phytotaxa</i> , 2017, 327, 299.	0.1	1
82	Nomenclature of <i>Caroxylon imbricatum</i> s.lat. (Amaranthaceae / Chenopodiaceae), with a new combination at variety rank. <i>Phytotaxa</i> , 2017, 331, 101.	0.1	3
83	The lectotypification of two names referred by Linnaeus to the genus <i>Illecebrum</i> (Caryophyllales): <i>Illecebrum benghalense</i> and <i>Iresine javanica</i> , with comments on <i>Aerva tomentosa</i> . <i>Taxon</i> , 2017, 66, 1208-1212.	0.4	2
84	The controversial Linnaean name <i>Statice minuta</i> (Plumbaginaceae). <i>Taxon</i> , 2017, 66, 734-737.	0.4	6
85	<i>Amaranthus palmeri</i> , a second record for Africa and notes on <i>A. sonoriensis</i> ; nom. nov.. <i>Bothalia</i> , 2017, 47, .	0.2	15
86	A revision of <i>Helichrysum panormitanum</i> s.l. (Asteraceae) in the Italian and Maltese floras table.MsoNormalTable{mso-style-name:"Tabella normale";mso-tstyle-rowband-size:0;mso-tstyle-colband-size:0;mso-style-noshow:yes;mso-style-parent:"";mso-padding-4 5.4pt 0cm	0.1	4
87	Nomenclature survey of the genus <i>Amaranthus</i> (Amaranthaceae). 5. Moquin-Tandon's names. <i>Phytotaxa</i> , 2016, 273, 81.	0.1	16
88	Nomenclatural notes and morphological observations on <i>Malva subovata</i> s.l. (Malvaceae). <i>Phytotaxa</i> , 2016, 275, 23.	0.1	10
89	Typification of three accepted names in <i>Limonium</i> (Plumbaginaceae) />. <i>Phytotaxa</i> , 2016, 263, 131.	0.1	15
90	Typification of some names in the genus <i>Sesleria</i> (Poaceae) />. <i>Phytotaxa</i> , 2016, 253, 191.	0.1	5

#	ARTICLE	IF	CITATIONS
91	Does the alien <i>Lemna minuta</i> show an invasive behavior outside its original range? Evidence of antagonism with the native <i>L. minor</i> in central Italy. <i>International Review of Hydrobiology</i> , 2016, 101, 173-181.	0.5	21
92	Lectotypification of the Linnaean name <i>Salsola sativa</i> (Amaranthaceae s.l.). <i>Taxon</i> , 2016, 65, 872-874.	0.4	3
93	New combinations in the genus <i>Siler</i> (Apiaceae) for the Italian Flora. <i>Phytotaxa</i> , 2016, 268, 89.	0.1	4
94	A new name in <i>Sagina</i> , <i>Sagina alexandrae</i> (Caryophyllaceae). <i>Phytotaxa</i> , 2016, 282, 164.	0.1	8
95	Chorological and taxonomic notes on African plants. <i>Botany Letters</i> , 2016, 163, 417-428.	0.7	16
96	Nomenclatural notes on four Linnaean names in <i>Arenaria</i> (Caryophyllaceae). <i>Taxon</i> , 2016, 65, 610-616.	0.4	13
97	<i>Jamesbondia</i> , a new subgenus of <i>Alternanthera</i> (Gomphrenoideae, Amaranthaceae) from Central America and the Caribbean Islands. <i>Plant Biosystems</i> , 2016, 150, 190-200.	0.8	11
98	Nomenclature survey of the genus <i>Amaranthus</i> (Amaranthaceae) 3. Names linked to the Italian flora. <i>Plant Biosystems</i> , 2016, 150, 519-531.	0.8	21
99	Typification of the names <i>Centaurea aspera</i> , <i>C. nudicaulis</i> and <i>C. uniflora</i> (Asteraceae). <i>Taxon</i> , 2016, 65, 163-165.	0.4	4
100	Taxonomic revision of the genus <i>Alternanthera</i> (Amaranthaceae) in Italy. <i>Plant Biosystems</i> , 2016, 150, 333-342.	0.8	26
101	Nomenclatural notes about the names in Amaranthaceae published by Roberto de Visiani. <i>Hacquetia</i> , 2016, 15, 101-106.	0.2	1
102	Typifications of the Linnaean names <i>Carduus eriophorus</i> , <i>Carduus eriophorus</i> var. <i>spurius</i> , and <i>Cnicus ferox</i> (Asteraceae). <i>Phytotaxa</i> , 2015, 238, 196.	0.1	11
103	Lectotypification of the name <i>Polycnemum majus</i> (Amaranthaceae s.str.). <i>Phytotaxa</i> , 2015, 202, 235.	0.1	5
104	An inventory of the names of vascular plants endemic to Italy, their loci classici and types. <i>Phytotaxa</i> , 2015, 196, 1.	0.1	138
105	Taxonomic reexamination of <i>Portulaca boninensis</i> (Portulacaceae) in the Bonin (Ogasawara) Islands of Japan using molecular and morphological data. <i>Phytotaxa</i> , 2015, 217, 279.	0.1	5
106	A new nomenclatural change in <i>Polycarpon</i> (Caryophyllaceae): <i>P. tetraphyllum</i> subsp. <i>sauvagei</i> comb. & stat. nov., an endemic taxon from Morocco. <i>Phytotaxa</i> , 2015, 197, 225.	0.1	7
107	Taxonomic revision of the genus <i>Amaranthus</i> (Amaranthaceae) in Italy. <i>Phytotaxa</i> , 2015, 199, 1.	0.1	67
108	Lectotypification of the Linnaean name <i>Acanthus spinosus</i> (Acanthaceae). <i>Phytotaxa</i> , 2015, 62, 11.	0.1	14

#	ARTICLE	IF	CITATIONS
109	Augustea (Polycarpaeae, Caryophyllaceae), a new genus from South America. Phytotaxa, 2015, 236, 71.	0.1	14
110	Typification of the Linnaean name Bignonia peruviana (Vitaceae). Phytotaxa, 2015, 236, 283.	0.1	0
111	Lectotypification of the Linnaean name Linum campanulatum (Linaceae). Phytotaxa, 2015, 236, 296.	0.1	0
112	(2360) Proposal to reject the name <i>Chenopodium caudatum</i> (<i>Amaranthaceae</i>/<i>Chenopodiaceae</i>). Taxon, 2015, 64, 638-639.	0.4	3
113	Nomenclatural notes on the <i>Polycarpon tetraphyllum</i> aggregate (<i>Caryophyllaceae</i>). Plant Biosystems, 2015, 149, 720-727.	0.8	25
114	Revised typification of the name <i>Bupleurum gracile</i> DC. var <i>rollii</i> Montel. (Apiaceae) and comparison with <i>B. asperuloides</i> Helder., <i>B. gracile</i> D'Urv., <i>B. marschallianum</i> C. A. Mey and <i>B. uechtritzianum</i> S. Stoyanov. Plant Biosystems, 2015, 149, 78-87.	0.8	6
115	(2401) Proposal to conserve the name <i>Dianthus crassipes</i> against <i>D. ferrugineus</i> (<i>Caryophyllaceae</i>). Taxon, 2015, 64, 1322-1323.	0.4	3
116	Nomenclatural notes on the genus <i>Pteranthus</i> (Caryophyllaceae) with lectotypifications of the names <i>Camphorosma pteranthus</i> and <i>Pteranthus trigynus</i>, and comments on ForsskÅl's seeds sent from Egypt. Taxon, 2015, 64, 816-821.	0.4	6
117	Lectotypification of the Linnaean names <i>Arnica montana</i>, <i>A. montana</i> var. <i>alpina</i> and <i>A. gerbera</i> (Asteraceae). Taxon, 2015, 64, 1044-1047.	0.4	0
118	Typification of the Linnaean name Doronicum bellidiastrum (Asteraceae). Taxon, 2015, 64, 1304-1305.	0.4	1
119	Lectotypification of the Bertoloni's names in the genus <i>Senecio</i> L. (<i>Asteraceae</i>). Plant Biosystems, 2015, 149, 48-53.	0.8	18
120	Manihot grahamii Hook. (Euphorbiaceae), a new alien species for the Eurasian area with nomenclatural, taxonomical, morphological and ecological notes. Acta Botanica Croatica, 2015, 74, 143-150.	0.3	3
121	A New Combination and Change in Rank in Polycarpon (Caryophyllaceae), Endemic to California, U.S.A., and Mexico. Novon, 2015, 24, 159-164.	0.3	0
122	<i>Senecio pterophorus</i> is a heterotypic synonym of <i>S. grisebachii</i>: Nomenclatural study of the names, morphological notes, and chorology. Plant Biosystems, 2015, 149, 728-736.	0.8	7
123	Typification of Linnaean names in the genus <i>Vitis</i> (Vitaceae). Taxon, 2015, 64, 1048-1050.	0.4	0
124	Lectotypification of the Linnaean name Marchantia cruciata L. (Lunulariaceae). Journal of Bryology, 2014, 36, 253-254.	0.4	3
125	Lavatera stenopetala subsp. plazzae comb. et stat. nov. (Malvaceae), endemic taxon from north-western Sardinia (Italy). Plant Ecology and Evolution, 2014, 147, 293-298.	0.3	7
126	Lectotypification of Linnaean names in the genus <i>Amaranthus</i> L. (Amaranthaceae). Taxon, 2014, 63, 146-150.	0.4	26

#	ARTICLE	IF	CITATIONS
127	Neotypification of the name <i>Plantago alpina</i> (Plantaginaceae). <i>Taxon</i> , 2014, 63, 1347-1349.	0.4	5
128	Lectotypification of two names in <i>Limoniastrum</i> (Plumbaginaceae). <i>Taxon</i> , 2014, 63, 1342-1346.	0.4	6
129	Lectotypification of the Linnaean name <i>Gomphrena vermicularis</i> (Amaranthaceae). <i>Taxon</i> , 2014, 63, 403-404.	0.4	6
130	The typification of the name <i>Anabasis foliosa</i> L. (Chenopodiaceae) revisited. <i>Taxon</i> , 2014, 63, 929-929.	0.4	3
131	(2337) Proposal to reject the name <i>Plantago recurvata</i> (<i>Plantaginaceae</i>). <i>Taxon</i> , 2014, 63, 1380-1381.	0.4	3
132	Lectotypification of the Linnaean names <i>Lemna arrhiza</i> and <i>L. polyrhiza</i> (Araceae). <i>Taxon</i> , 2014, 63, 1314-1315.	0.4	4
133	Lectotypification of Linnaean names in the genus <i>Achyranthes</i> (Amaranthaceae). <i>Taxon</i> , 2014, 63, 405-407.	0.4	10
134	Typification of Linnaean names in Malvaceae for the Italian flora. <i>Taxon</i> , 2014, 63, 161-166.	0.4	16
135	<i>Amaranthus gangeticus</i> (Amaranthaceae), a name incertae sedis. <i>Phytotaxa</i> , 2014, 162, 299.	0.1	21
136	Taxonomical, Morphological, Ecological And Chorological Notes On <i>Oxybasis Chenopodioides</i> And <i>O. Rubra</i> (Chenopodiaceae) In Italy. <i>Hacquetia</i> , 2014, 13, 285-296.	0.2	6
137	Studies On The Genus <i>Atriplex</i> (Chenopodiaceae) In Italy. Vi. Names By Michele Tenore: <i>Atriplex Axillaris</i> , <i>A. Diffusa</i> , And <i>A. Polysperma</i> . <i>Hacquetia</i> , 2014, 13, 297-302.	0.2	7
138	Arenaria tenuifolia versus Arenaria hybrida (Caryophyllaceae): Nomenclatural study and taxonomic implications. <i>Phytotaxa</i> , 2014, 173, 235.	0.1	20
139	Typification of Lã;ngã€™s names in <i>Polycnemum</i> (Amaranthaceae s.l.). <i>Phytotaxa</i> , 2014, 188, 118.	0.1	3
140	New combinations in Balkans <i>Clinopodium</i> (Lamiaceae). <i>Phytotaxa</i> , 2014, 174, 123.	0.1	1
141	<i>Amaranthus bengalense</i> (Amaranthaceae) a new species from India, with taxonomical notes on <i>A. blitum</i> aggregate. <i>Phytotaxa</i> , 2014, 181, 293.	0.1	20
142	(2261) Proposal to reject the name <i>Lavatera micans</i> (<i>Malva micans</i>) (<i>Malvaceae</i>). <i>Taxon</i> , 2014, 63, 191-191.	0.4	5
143	(2281) Proposal to reject the name <i>Arnica coronopifolia</i> (<i>Asteraceae</i>). <i>Taxon</i> , 2014, 63, 436-437.	0.4	7
144	Lectotypification of the Linnaean names <i>Riccia fluitans</i> and <i>R. natans</i> (Ricciaceae). <i>Taxon</i> , 2014, 63, 394-395.	0.4	5

#	ARTICLE	IF	CITATIONS
145	A new combination in Mcneillia (Caryophyllaceae) for the Italian flora. Phytotaxa, 2014, 170, 139.	0.1	21
146	Lectotypification of the Linnaean Name<i>Marchantia hemisphaerica</i>L. (Aytoniaceae). Cryptogamie, Bryologie, 2013, 34, 89-91.	0.1	2
147	Lectotypification of the Linnaean name <i>Fagus castanea</i> (Fagaceae). Nordic Journal of Botany, 2013, 31, 635-636.	0.2	0
148	Taxonomical and chorological study on the central Mediterranean Basin endemic<i>Arenaria bertolonii</i>Fiori & Paol. (Caryophyllaceae). Plant Biosystems, 2013, 147, 923-930.	0.8	26
149	Lectotypification of the Linnaean name <i>Hypochoeris maculata</i> (Asteraceae). Nordic Journal of Botany, 2013, 31, 222-224.	0.2	8
150	Lectotypification of Linnaean names in the genus <l>Quercus</l> (<l>Fagaceae</l>). Taxon, 2013, 62, 1041-1045.	0.4	3
151	Lectotypification of the Linnaean name Bryonia cretica (Cucurbitaceae). Acta Botanica Croatica, 2013, 72, 193-196.	0.3	0
152	Lectotypification ofSenecio doria(Asteraceae). Annales Botanici Fennici, 2013, 50, 71-72.	0.0	13
153	Typification of the Linnaean name Trapa natans (Lythraceae). Plant Ecology and Evolution, 2013, 146, 254-255.	0.3	2
154	(2149) Proposal to conserve the name <l>Dalbergia monetaria</l> against <l>Pterocarpus ovalis</l> (<l>Leguminosae</l>). Taxon, 2013, 62, 635-635.	0.4	4
155	Studies on the genus Atriplex (Amaranthaceae) in Italy. V. Atriplex tornabenei. Phytotaxa, 2013, 145, 54.	0.1	16
156	Typification of the Name<i>Kochia saxicola</i>(Chenopodiaceae). Novon, 2013, 22, 418-421.	0.3	14
157	Typification of names in the Sesleria juncifolia species complex (Poaceae). Phytotaxa, 2013, 152, 18.	0.1	13
158	About the circumscription of <i>Celosia argentea</i> (Amaranthaceae) and the related Linnaean taxa. Phytotaxa, 2013, 90, 61.	0.1	7
159	Polycnemum Verrucosum (Amaranthaceae), First Record for the Italian Flora and Comparison with Related Species P. Arvense. Hacquetia, 2013, 12, .	0.2	6
160	Lectotypification of the Linnaean name <i>Bosea yervamora</i> (Amaranthaceae). Anales Del Jardin Botanico De Madrid, 2013, 70, 187-188.	0.2	2
161	Studies on the Genus Atriplex L. (Amaranthaceae) in Italy. II. Lectotypification of Atriplex Elongata Cuss.. Candollea, 2012, 67, 181.	0.1	22
162	Lectotypification ofMarsilea quadrifoliaL. (Marsileaceae). American Fern Journal, 2012, 102, 289-292.	0.2	5

#	ARTICLE	IF	CITATIONS
163	Lectotypification of the Linnaean name <i>Anabasis foliosa</i> L. (Chenopodiaceae). Taxon, 2012, 61, 1103-1104.	0.4	3
164	Lectotypification of Linnaean names in the genus <i>Celosia</i> L. (Amaranthaceae). Taxon, 2012, 61, 1101-1102.	0.4	5
165	Lectotypification of the Linnaean name <i>Carpinus ostrya</i> L. (Betulaceae). Taxon, 2012, 61, 866-866.	0.4	5
166	(2107) Proposal to reject the name <i>Gomphrena polygonoides</i> (Amaranthaceae). Taxon, 2012, 61, 1326-1327.	0.4	2
167	Lectotypification of two Linnaean names in <i>Chenopodium</i> L. (Chenopodiaceae). Taxon, 2012, 61, 864-865.	0.4	7
168	<i>Amaranthus powellii</i> subsp. <i>cacciatoi</i> comb. et stat. nov. (Amaranthaceae). Nordic Journal of Botany, 2012, 30, 12-16.	0.2	32
169	Typification of <i>Trifolium latinum</i> Sebast. (Fabaceae) and Comparison with Similar Species. Annales Botanici Fennici, 2011, 48, 459-464.	0.0	15
170	<i>Lemna valdiviana</i> Phil. (Araceae) as a potential invasive species in Italy and Europe: Taxonomic study and first observations on its ecology and distribution. Plant Biosystems, 2011, 145, 751-757.	0.8	34
171	<i>Dysphania Anthelmintica</i> (Amaranthaceae), New to the Non-Native Flora of Italy, and Taxonomic Considerations on the Related Species. Hacquetia, 2011, 10, .	0.2	11
172	Contribution to the vascular flora of the Castelli Romani Regional Park (Rome, Central Italy) with recent observations and early herbarium surveys. Webbia, 2009, 64, 47-74.	0.1	3
173	Notulae to the Italian alien vascular flora: 11. Italian Botanist, 0, 11, 93-119.	0.0	9
174	Notulae to the Italian native vascular flora: 11. Italian Botanist, 0, 11, 77-92.	0.0	7
175	First record of <i>Amaranthus powellii</i> subsp. <i>powellii</i> (Amaranthaceae) in Lazio Regio (Central Italy) with taxonomical, morphological, corological and ecological notes. Acta Botanica Malacitana, 0, 34, 221-226.	0.0	8
176	Notulae to the Italian alien vascular flora: 3. Italian Botanist, 0, 3, 49-71.	0.0	4
177	Notulae to the Italian alien vascular flora: 4. Italian Botanist, 0, 4, 1-9.	0.0	1
178	Notulae to the Italian alien vascular flora: 3. Italian Botanist, 0, 3, 49-71.	0.0	3
179	Notulae to the Italian alien vascular flora: 4. Italian Botanist, 0, 4, 33-41.	0.0	6
180	Notulae to the Italian alien vascular flora: 6. Italian Botanist, 0, 6, 65-90.	0.0	30

#	ARTICLE	IF	CITATIONS
181	Notulae to the Italian alien vascular flora: 9. Italian Botanist, 0, 9, 71-86.	0.0	11
182	Notas sobre <i>Tanacetum corymbosum</i> s. l. (Asteraceae). Collectanea Botanica, 0, 37, 013.	0.2	1
183	Nuevas aléctonas en Malvaceae para la flora africana del norte, con notas nomenclaturales. Collectanea Botanica, 0, 39, e009.	0.2	4
184	<i>Hertia cheirifolia</i> y <i>H. maroccana</i> (Asteraceae), dos especies endémicas para África del norte: notas nomenclaturales, morfología, distribución y evaluación de la lista roja según la UICN. Collectanea Botanica, 0, 40, e009.	0.2	2
185	Typification of the Linnaean name <i>Illecebrum paronychia</i> (Caryophyllaceae). Taxon, 0, , .	0.4	1
186	New records of Asteraceae for the non-native flora of Tunisia and north Africa with some nomenclatural remarks. Mediterranean Botany, 0, 43, e73688.	0.9	1
187	Nomenclatural remarks on Linnaean names of aquatic plants. Taxon, 0, , .	0.4	1
188	Taxonomic remarks on the south-east European and west Turkish <i>Silene lydia</i> (Caryophyllaceae). Nordic Journal of Botany, 0, , .	0.2	0