

Gerd Horneff

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/235122/publications.pdf>

Version: 2024-02-01

79
papers

4,625
citations

109264

35
h-index

102432

66
g-index

93
all docs

93
docs citations

93
times ranked

3134
citing authors

#	ARTICLE	IF	CITATIONS
1	Two Randomized Trials of Canakinumab in Systemic Juvenile Idiopathic Arthritis. <i>New England Journal of Medicine</i> , 2012, 367, 2396-2406.	13.9	588
2	Adalimumab with or without Methotrexate in Juvenile Rheumatoid Arthritis. <i>New England Journal of Medicine</i> , 2008, 359, 810-820.	13.9	530
3	Efficacy and safety of tocilizumab in patients with polyarticular-course juvenile idiopathic arthritis: results from a phase 3, randomised, double-blind withdrawal trial. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1110-1117.	0.5	251
4	Leflunomide or Methotrexate for Juvenile Rheumatoid Arthritis. <i>New England Journal of Medicine</i> , 2005, 352, 1655-1666.	13.9	216
5	Long-term safety and efficacy of abatacept in children with juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2010, 62, 1792-1802.	6.7	204
6	Treating juvenile idiopathic arthritis to target: recommendations of an international task force. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, annrhumdis-2018-213030.	0.5	183
7	Evidence and consensus based GKJR guidelines for the treatment of juvenile idiopathic arthritis. <i>Clinical Immunology</i> , 2012, 142, 176-193.	1.4	106
8	Efficacy and safety of open-label etanercept on extended oligoarticular juvenile idiopathic arthritis, enthesitis-related arthritis and psoriatic arthritis: part 1 (week 12) of the CLIPPER study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1114-1122.	0.5	106
9	Subcutaneous golimumab for children with active polyarticular-course juvenile idiopathic arthritis: results of a multicentre, double-blind, randomised-withdrawal trial. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 21-29.	0.5	96
10	Long-term safety of etanercept and adalimumab compared to methotrexate in patients with juvenile idiopathic arthritis (JIA). <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 855-861.	0.5	86
11	A Randomized, Double-blind, Placebo-controlled Multicenter Study of Adalimumab in Pediatric Patients With Enthesitis-related Arthritis. <i>Arthritis Care and Research</i> , 2015, 67, 1503-1512.	1.5	84
12	Canakinumab in patients with systemic juvenile idiopathic arthritis and active systemic features: results from the 5-year long-term extension of the phase III pivotal trials. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1710-1719.	0.5	79
13	Experience with etanercept, tocilizumab and interleukin-1 inhibitors in systemic onset juvenile idiopathic arthritis patients from the BIKER registry. <i>Arthritis Research and Therapy</i> , 2017, 19, 256.	1.6	75
14	Practice and consensus-based strategies in diagnosing and managing systemic juvenile idiopathic arthritis in Germany. <i>Pediatric Rheumatology</i> , 2018, 16, 7.	0.9	72
15	Pharmacovigilance in juvenile idiopathic arthritis patients treated with biologic or synthetic drugs: combined data of more than 15,000 patients from Pharmachild and national registries. <i>Arthritis Research and Therapy</i> , 2018, 20, 285.	1.6	71
16	Efficacy and Safety of Adalimumab as the First and Second Biologic Agent in Juvenile Idiopathic Arthritis: The German Biologics JIA Registry. <i>Arthritis and Rheumatology</i> , 2014, 66, 2580-2589.	2.9	69
17	Complete control of disease activity and remission induced by treatment with etanercept in juvenile idiopathic arthritis. <i>Rheumatology</i> , 2011, 50, 214-221.	0.9	68
18	Comparison of treatment response, remission rate and drug adherence in polyarticular juvenile idiopathic arthritis patients treated with etanercept, adalimumab or tocilizumab. <i>Arthritis Research and Therapy</i> , 2016, 18, 272.	1.6	68

#	ARTICLE	IF	CITATIONS
19	Development of Inflammatory Bowel Disease in Patients with Juvenile Idiopathic Arthritis Treated with Etanercept. <i>Journal of Rheumatology</i> , 2011, 38, 1441-1446.	1.0	66
20	Double-blind, placebo-controlled randomized trial with adalimumab for treatment of juvenile onset ankylosing spondylitis (JoAS): significant short term improvement. <i>Arthritis Research and Therapy</i> , 2012, 14, R230.	1.6	65
21	Pharmacokinetic and safety profile of tofacitinib in children with polyarticular course juvenile idiopathic arthritis: results of a phase 1, open-label, multicenter study. <i>Pediatric Rheumatology</i> , 2017, 15, 86.	0.9	64
22	The majority of newly diagnosed patients with juvenile idiopathic arthritis reach an inactive disease state within the first year of specialised care: data from a German inception cohort. <i>RMD Open</i> , 2015, 1, e000074.	1.8	63
23	Risk of Serious Infection in Juvenile Idiopathic Arthritis Patients Associated With Tumor Necrosis Factor Inhibitors and Disease Activity in the German Biologics in Pediatric Rheumatology Registry. <i>Arthritis Care and Research</i> , 2017, 69, 552-560.	1.5	62
24	MRP8/14 serum levels as a predictor of response to starting and stopping anti-TNF treatment in juvenile idiopathic arthritis. <i>Arthritis Research and Therapy</i> , 2015, 17, 200.	1.6	60
25	Efficacy and Safety of Etanercept in Patients With the Enthesitis-Related Arthritis Category of Juvenile Idiopathic Arthritis: Results From a Phase III Randomized, Double-Blind Study. <i>Arthritis and Rheumatology</i> , 2015, 67, 2240-2249.	2.9	59
26	Time of Disease-Modifying Antirheumatic Drug Start in Juvenile Idiopathic Arthritis and the Likelihood of a Drug-Free Remission in Young Adulthood. <i>Arthritis Care and Research</i> , 2019, 71, 471-481.	1.5	55
27	Update on biologicals for treatment of juvenile idiopathic arthritis. <i>Expert Opinion on Biological Therapy</i> , 2013, 13, 361-376.	1.4	54
28	Safety and efficacy of once weekly etanercept 0.8 mg/kg in a multicentre 12 week trial in active polyarticular course juvenile idiopathic arthritis. <i>Rheumatology</i> , 2009, 48, 916-919.	0.9	52
29	Report on malignancies in the German juvenile idiopathic arthritis registry. <i>Rheumatology</i> , 2011, 50, 230-236.	0.9	52
30	Uveitis Events During Adalimumab, Etanercept, and Methotrexate Therapy in Juvenile Idiopathic Arthritis: Data From the Biologics in Pediatric Rheumatology Registry. <i>Arthritis Care and Research</i> , 2015, 67, 1529-1535.	1.5	52
31	Inflammatory Bowel Disease in Juvenile Idiopathic Arthritis Patients Treated with Biologics. <i>Journal of Rheumatology</i> , 2015, 42, 2160-2165.	1.0	47
32	Two-year Efficacy and Safety of Etanercept in Pediatric Patients with Extended Oligoarthritis, Enthesitis-related Arthritis, or Psoriatic Arthritis. <i>Journal of Rheumatology</i> , 2016, 43, 816-824.	1.0	46
33	Subcutaneous Abatacept in Patients With Polyarticular-Course Juvenile Idiopathic Arthritis. <i>Arthritis and Rheumatology</i> , 2018, 70, 1144-1154.	2.9	45
34	Biologic-Associated Infections in Pediatric Rheumatology. <i>Current Rheumatology Reports</i> , 2015, 17, 66.	2.1	42
35	Consensus protocols for the diagnosis and management of the hereditary autoinflammatory syndromes CAPS, TRAPS and MKD/HIDS: a German PRO-KIND initiative. <i>Pediatric Rheumatology</i> , 2020, 18, 17.	0.9	41
36	Safety of Adalimumab in Pediatric Patients with Polyarticular Juvenile Idiopathic Arthritis, Enthesitis-Related Arthritis, Psoriasis, and Crohn's Disease. <i>Journal of Pediatrics</i> , 2018, 201, 166-175.e3.	0.9	37

#	ARTICLE	IF	CITATIONS
37	Treat-to-target study for improved outcome in polyarticular juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 969-974.	0.5	36
38	Safety of biologic therapies for the treatment of juvenile idiopathic arthritis. <i>Expert Opinion on Drug Safety</i> , 2015, 14, 1111-1126.	1.0	35
39	Protocols on classification, monitoring and therapy in children's rheumatology (PRO-KIND): results of the working group Polyarticular juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2017, 15, 78.	0.9	35
40	Baricitinib in therapy of COPA syndrome in a 15-year-old girl. <i>European Journal of Rheumatology</i> , 2020, 7, 78-81.	1.3	32
41	Etanercept treatment for extended oligoarticular juvenile idiopathic arthritis, enthesitis-related arthritis, or psoriatic arthritis: 6-year efficacy and safety data from an open-label trial. <i>Arthritis Research and Therapy</i> , 2019, 21, 125.	1.6	31
42	Predictors of response to etanercept in polyarticular-course juvenile idiopathic arthritis. <i>Rheumatology</i> , 2014, 53, 1245-1249.	0.9	28
43	Treatment strategies for juvenile idiopathic arthritis. <i>Expert Opinion on Pharmacotherapy</i> , 2009, 10, 3049-3060.	0.9	27
44	Definition of improvement in juvenile idiopathic arthritis using the Juvenile Arthritis Disease Activity Score. <i>Rheumatology</i> , 2014, 53, 1229-1234.	0.9	27
45	Long-term safety and effectiveness of etanercept in JIA: an 18-year experience from the BiKeR registry. <i>Arthritis Research and Therapy</i> , 2020, 22, 258.	1.6	27
46	Time spent in inactive disease before MTX withdrawal is relevant with regard to the flare risk in patients with JIA. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 996-1002.	0.5	26
47	Opportunistic infections in immunosuppressed patients with juvenile idiopathic arthritis: analysis by the Pharmachild Safety Adjudication Committee. <i>Arthritis Research and Therapy</i> , 2020, 22, 71.	1.6	25
48	A distinct CD38+CD45RA+ population of CD4+, CD8+, and double-negative T cells is controlled by FAS. <i>Journal of Experimental Medicine</i> , 2021, 218, .	4.2	25
49	Tumour necrosis factor alpha promoter polymorphisms and etanercept therapy in juvenile idiopathic arthritis. <i>Rheumatology International</i> , 2007, 27, 383-386.	1.5	24
50	S2k guidelines for the treatment of psoriasis in children and adolescents – Short version part 2. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 959-973.	0.4	24
51	Safety and efficacy of once-weekly application of Etanercept in children with juvenile idiopathic arthritis. <i>Rheumatology International</i> , 2007, 28, 153-156.	1.5	22
52	S100A12 Is Associated with Response to Therapy in Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2018, 45, 547-554.	1.0	22
53	Long-term surveillance of biologic therapies in systemic-onset juvenile idiopathic arthritis: data from the German BIKER registry. <i>Rheumatology</i> , 2020, 59, 2287-2298.	0.9	21
54	Predictors of response to methotrexate in juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2014, 12, 35.	0.9	19

#	ARTICLE	IF	CITATIONS
55	Biologic Therapies in Polyarticular Juvenile Idiopathic Arthritis. Comparison of Long-Term Safety Data from the German BIKER Registry. <i>ACR Open Rheumatology</i> , 2020, 2, 37-47.	0.9	19
56	Infliximab in two patients with juvenile ankylosing spondylitis. <i>Rheumatology International</i> , 2004, 24, 173-176.	1.5	18
57	Pharmacogenetics: can genes determine treatment efficacy and safety in JIA?. <i>Nature Reviews Rheumatology</i> , 2014, 10, 682-690.	3.5	17
58	Safety and Effectiveness of Adalimumab in Patients With Polyarticular Course of Juvenile Idiopathic Arthritis: STRIVE Registry Seven-Year Interim Results. <i>Arthritis Care and Research</i> , 2020, 72, 1420-1430.	1.5	17
59	Update on malignancies in children with juvenile idiopathic arthritis in the German BIKER Registry. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 1113-1120.	0.4	17
60	Macrophage activation syndrome as the initial manifestation of tumour necrosis factor receptor 1-associated periodic syndrome (TRAPS). <i>Clinical and Experimental Rheumatology</i> , 2013, 31, 99-102.	0.4	15
61	Comparative risk of infections among real-world users of biologics for juvenile idiopathic arthritis: data from the German BIKER registry. <i>Rheumatology International</i> , 2021, 41, 751-762.	1.5	13
62	Pregnancy outcomes in DMARD-exposed patients with juvenile idiopathic arthritis—results from a JIA biologic registry. <i>Rheumatology</i> , 2019, 59, 603-612.	0.9	11
63	The role of synthetic drugs in the biologic era: therapeutic strategies for treating juvenile idiopathic arthritis. <i>Expert Opinion on Pharmacotherapy</i> , 2016, 17, 703-714.	0.9	10
64	Early combination therapy with etanercept and methotrexate in JIA patients shortens the time to reach an inactive disease state and remission: results of a double-blind placebo-controlled trial. <i>Pediatric Rheumatology</i> , 2021, 19, 5.	0.9	9
65	Burden of comorbid conditions in children and young people with juvenile idiopathic arthritis: a collaborative analysis of 3 JIA registries. <i>Rheumatology</i> , 2022, 61, 2524-2534.	0.9	9
66	Re-treatment with etanercept is as effective as the initial firstline treatment in patients with juvenile idiopathic arthritis. <i>Arthritis Research and Therapy</i> , 2021, 23, 118.	1.6	8
67	The burden of systemic juvenile idiopathic arthritis for patients and caregivers: an international survey and retrospective chart review. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 920-928.	0.4	8
68	Experiences with IL-1 blockade in systemic juvenile idiopathic arthritis—data from the German AID-registry. <i>Pediatric Rheumatology</i> , 2021, 19, 38.	0.9	7
69	Functional flow cytometry of monocytes for routine diagnosis of innate primary immunodeficiencies. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 434-437.e4.	1.5	5
70	Efficacy and Safety of Etanercept Biosimilars Compared With the Originator for Treatment of Juvenile Arthritis: A Prospective Observational Study. <i>ACR Open Rheumatology</i> , 2021, 3, 779-787.	0.9	4
71	Spontaneous regression of Epstein-Barr virus-associated lymphoproliferative disorder in a juvenile idiopathic arthritis patient after the discontinuation of methotrexate and etanercept. <i>European Journal of Rheumatology</i> , 2017, 4, 136-138.	1.3	3
72	Progress in pediatric rheumatology: apprehend the opportunities of the future without forgetting the lessons from the past. <i>Rheumatology International</i> , 2011, 31, 1259-62.	1.5	2

#	ARTICLE	IF	CITATIONS
73	The German version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). Rheumatology International, 2018, 38, 211-218.	1.5	2
74	Reply to the article: Initiating etanercept in a once weekly dose in children with juvenile idiopathic arthritis by Femke H.M. Prince, Lisette W.A. van Suijlekom-Smit. Rheumatology International, 2008, 28, 399-399.	1.5	1
75	Treatment options with biologics for juvenile idiopathic arthritis. International Journal of Clinical Rheumatology, 2011, 6, 305-323.	0.3	1
76	Update " Systemische juvenile Arthritis. Kinder- Und Jugendmedizin, 2021, 21, 349-357.	0.0	1
77	Tumour necrosis factor inhibitors in enthesitis related arthritis and juvenile spondylarthropathies. Expert Opinion on Orphan Drugs, 2018, 6, 127-140.	0.5	0
78	Polyartikuläre Verlaufsformen der juvenilen idiopathischen Arthritis. Springer Reference Medizin, 2021, , 1-27.	0.0	0
79	Zytokin-Inhibitoren in der pädiatrischen Rheumatologie. Springer Reference Medizin, 2021, , 1-12.	0.0	0