

Rodrigo Grassi-Oliveira

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2352115/publications.pdf>

Version: 2024-02-01

192
papers

5,925
citations

101543

36
h-index

98798

67
g-index

200
all docs

200
docs citations

200
times ranked

7665
citing authors

#	ARTICLE	IF	CITATIONS
1	Allostatic load in bipolar disorder: Implications for pathophysiology and treatment. <i>Neuroscience and Biobehavioral Reviews</i> , 2008, 32, 675-692.	6.1	416
2	Childhood maltreatment and inflammatory markers: a systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 180-192.	4.5	329
3	Clinical implications of a staging model for bipolar disorders. <i>Expert Review of Neurotherapeutics</i> , 2009, 9, 957-966.	2.8	214
4	An overview of maternal separation effects on behavioural outcomes in mice: Evidence from a four-stage methodological systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 68, 489-503.	6.1	203
5	Childhood maltreatment and clinical outcomes of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 427-434.	4.5	191
6	Brain-derived neurotrophic factor and neuroplasticity in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2008, 8, 1101-1113.	2.8	146
7	The theory of bipolar disorder as an illness of accelerated aging: Implications for clinical care and research. <i>Neuroscience and Biobehavioral Reviews</i> , 2014, 42, 157-169.	6.1	146
8	Low Plasma Brain-Derived Neurotrophic Factor and Childhood Physical Neglect Are Associated with Verbal Memory Impairment in Major Depression—A Preliminary Report. <i>Biological Psychiatry</i> , 2008, 64, 281-285.	1.3	113
9	The influence of geographical and economic factors in estimates of childhood abuse and neglect using the Childhood Trauma Questionnaire: A worldwide meta-regression analysis. <i>Child Abuse and Neglect</i> , 2016, 51, 1-11.	2.6	111
10	Childhood Trauma Questionnaire (CTQ) in Brazilian Samples of Different Age Groups: Findings from Confirmatory Factor Analysis. <i>PLoS ONE</i> , 2014, 9, e87118.	2.5	108
11	Reduced regulatory T cells are associated with higher levels of Th1/TH17 cytokines and activated MAPK in type 1 bipolar disorder. <i>Psychoneuroendocrinology</i> , 2013, 38, 667-676.	2.7	103
12	Cognitive impairment effects of early life stress in adolescents can be predicted with early biomarkers: Impacts of sex, experience, and cytokines. <i>Psychoneuroendocrinology</i> , 2016, 71, 19-30.	2.7	88
13	Psychobiology of childhood maltreatment: effects of allostatic load?. <i>Revista Brasileira De Psiquiatria</i> , 2008, 30, 60-68.	1.7	82
14	Increased soluble tumor necrosis factor α receptors in patients with major depressive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2009, 63, 202-208.	1.8	79
15	Peripheral chemokine levels in women with recurrent major depression with suicidal ideation. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 71-75.	1.7	75
16	Polygenic Risk Score for Alzheimer's Disease: Implications for Memory Performance and Hippocampal Volumes in Early Life. <i>American Journal of Psychiatry</i> , 2018, 175, 555-563.	7.2	75
17	Impact of Childhood Stress on Psychopathology. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 480-488.	1.7	74
18	How Early Life Stress Impact Maternal Care: A Systematic Review of Rodent Studies. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 197.	2.0	68

#	ARTICLE	IF	CITATIONS
19	Interplay between Neuroimmunoendocrine Systems during Post-Traumatic Stress Disorder: A Minireview. <i>NeuroImmunoModulation</i> , 2010, 17, 192-195.	1.8	65
20	Bipolar Disorder and Metabolic Syndrome: A Systematic Review. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 88-93.	1.7	65
21	MicroRNA-Mediated Rescue of Fear Extinction Memory by miR-144-3p in Extinction-Impaired Mice. <i>Biological Psychiatry</i> , 2017, 81, 979-989.	1.3	59
22	Immunosenescence is associated with human cytomegalovirus and shortened telomeres in type I bipolar disorder. <i>Bipolar Disorders</i> , 2013, 15, 832-838.	1.9	58
23	Insulin dysfunction and allostatic load in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2011, 11, 1017-1028.	2.8	54
24	Childhood maltreatment associated with PTSD and emotional distress in low-income adults: The burden of neglect. <i>Child Abuse and Neglect</i> , 2008, 32, 1089-1094.	2.6	52
25	Intimate partner violence is associated with increased maternal hair cortisol in mother-child dyads. <i>Comprehensive Psychiatry</i> , 2017, 72, 18-24.	3.1	51
26	The DNA modification N6-methyl-2'-deoxyadenosine (m6dA) drives activity-induced gene expression and is required for fear extinction. <i>Nature Neuroscience</i> , 2019, 22, 534-544.	14.8	51
27	Cytokines in Bipolar Disorder: Recent Findings, Deleterious Effects But Promise for Future Therapeutics. <i>CNS Spectrums</i> , 2011, 16, 157-168.	1.2	50
28	Differential neuroendocrine and immune responses to acute psychosocial stress in women with type 1 bipolar disorder. <i>Brain, Behavior, and Immunity</i> , 2013, 34, 47-55.	4.1	49
29	Child maltreatment and later cognitive functioning: a systematic review. <i>Psicologia: Reflexao E Critica</i> , 2013, 26, 376-387.	0.9	48
30	Childhood maltreatment and executive functions in adolescents. <i>Child and Adolescent Mental Health</i> , 2015, 20, 56-62.	3.5	48
31	Evidence for Immune Activation and Resistance to Glucocorticoids Following Childhood Maltreatment in Adolescents Without Psychopathology. <i>Neuropsychopharmacology</i> , 2017, 42, 2272-2282.	5.4	47
32	Neuroimmunoendocrine Interactions in Post-Traumatic Stress Disorder: Focus on Long-Term Implications of Childhood Maltreatment. <i>NeuroImmunoModulation</i> , 2014, 21, 145-151.	1.8	43
33	Brazilian preliminary norms and investigation of age and education effects on the Modified Wisconsin Card Sorting Test, Stroop Color and Word test and Digit Span test in adults. <i>Dementia E Neuropsychologia</i> , 2015, 9, 120-127.	0.8	42
34	Executive functions rehabilitation for schizophrenia: A critical systematic review. <i>Journal of Psychiatric Research</i> , 2013, 47, 91-104.	3.1	40
35	Self-reported inhibition predicts history of suicide attempts in bipolar disorder and major depression. <i>Comprehensive Psychiatry</i> , 2018, 82, 89-94.	3.1	40
36	Cognitive impairment in rheumatoid arthritis: role of lymphocyte subsets, cytokines and neurotrophic factors. <i>Clinical Rheumatology</i> , 2018, 37, 1171-1181.	2.2	40

#	ARTICLE	IF	CITATIONS
37	Neuroimmune Impacts of Early-Life Stress on Development and Psychopathology. <i>Current Topics in Behavioral Neurosciences</i> , 2018, 43, 423-447.	1.7	39
38	Substance related disorders are associated with impaired valuation of delayed gratification and feedback processing: A multilevel meta-analysis and meta-regression. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 108, 295-307.	6.1	39
39	Neuroimmunoendocrine Interactions in Patients with Recurrent Major Depression, Increased Early Life Stress and Long-Standing Posttraumatic Stress Disorder Symptoms. <i>NeuroImmunoModulation</i> , 2012, 19, 33-42.	1.8	38
40	Impaired decision-making after traumatic brain injury: The Iowa Gambling Task. <i>Brain Injury</i> , 2014, 28, 1070-1075.	1.2	37
41	Hair Cortisol and Stressful Life Events Retrospective Assessment in Crack Cocaine Users. <i>American Journal of Drug and Alcohol Abuse</i> , 2012, 38, 535-538.	2.1	36
42	Maternal behavior of the mouse dam toward pups: implications for maternal separation model of early life stress. <i>Stress</i> , 2018, 21, 19-27.	1.8	36
43	Childhood neglect and increased withdrawal and depressive severity in crack cocaine users during early abstinence. <i>Child Abuse and Neglect</i> , 2013, 37, 883-889.	2.6	34
44	Premature Immunosenescence Is Associated with Memory Dysfunction in Rheumatoid Arthritis. <i>NeuroImmunoModulation</i> , 2015, 22, 130-137.	1.8	34
45	Crack cocaine addiction, early life stress and accelerated cellular aging among women. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 71, 83-89.	4.8	34
46	Microbiota abnormalities and the therapeutic potential of probiotics in the treatment of mood disorders. <i>Reviews in the Neurosciences</i> , 2017, 28, 739-749.	2.9	34
47	Neurotrophic factors in women with crack cocaine dependence during early abstinence: the role of early life stress. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 206-214.	2.4	32
48	Cocaine Use Disorder Is Associated With Changes in Th1/Th2/Th17 Cytokines and Lymphocytes Subsets. <i>Frontiers in Immunology</i> , 2019, 10, 2435.	4.8	32
49	Childhood physical neglect associated with executive functions impairments in crack cocaine-dependent women. <i>Drug and Alcohol Dependence</i> , 2013, 132, 271-276.	3.2	31
50	Influence of family socioeconomic status on IQ, language, memory and executive functions of Brazilian children. <i>Psicologia: Reflexao E Critica</i> , 2016, 29, .	0.9	31
51	Plasma interleukin-6 and executive function in crack cocaine-dependent women. <i>Neuroscience Letters</i> , 2016, 628, 85-90.	2.1	31
52	Increased cocaine-induced conditioned place preference during periadolescence in maternally separated male BALB/c mice: the role of cortical BDNF, microRNA-212, and MeCP2. <i>Psychopharmacology</i> , 2016, 233, 3279-3288.	3.1	30
53	Distinct behavioral and immunoendocrine parameters during crack cocaine abstinence in women reporting childhood abuse and neglect. <i>Drug and Alcohol Dependence</i> , 2016, 167, 140-148.	3.2	29
54	History of Childhood Abuse and Neglect and Suicidal Behavior at Hospital Admission. <i>Crisis</i> , 2008, 29, 154-158.	1.2	29

#	ARTICLE	IF	CITATIONS
55	Interleukin-6 and verbal memory in recurrent major depressive disorder. <i>Neuroendocrinology Letters</i> , 2011, 32, 540-4.	0.2	29
56	Autoantibodies against myelin sheath and S100 β are associated with cognitive dysfunction in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2017, 36, 1959-1968.	2.2	28
57	Features of Immunosenescence in Women Newly Diagnosed With Breast Cancer. <i>Frontiers in Immunology</i> , 2018, 9, 1651.	4.8	28
58	Toll-like receptor expression and function in type I bipolar disorder. <i>Brain, Behavior, and Immunity</i> , 2016, 54, 110-121.	4.1	26
59	Early life stress and tumor necrosis factor superfamily in crack cocaine withdrawal. <i>Journal of Psychiatric Research</i> , 2014, 53, 180-186.	3.1	25
60	Corticosteroid receptor genes and childhood neglect influence susceptibility to crack/cocaine addiction and response to detoxification treatment. <i>Journal of Psychiatric Research</i> , 2015, 68, 83-90.	3.1	25
61	Gene expression in blood of children and adolescents: Mediation between childhood maltreatment and major depressive disorder. <i>Journal of Psychiatric Research</i> , 2017, 92, 24-30.	3.1	25
62	Inflammatory cytokines as an underlying mechanism of the comorbidity between bipolar disorder and migraine. <i>Medical Hypotheses</i> , 2012, 78, 601-605.	1.5	24
63	The Effects of Intimate Partner Violence Exposure on the Maternal Bond and PTSD Symptoms of Children. <i>Journal of Interpersonal Violence</i> , 2017, 32, 1127-1142.	2.0	24
64	Corticotropin Releasing Factor in the Bed Nucleus of the Stria Terminalis in Socially Defeated and Non-stressed Mice with a History of Chronic Alcohol Intake. <i>Frontiers in Pharmacology</i> , 2017, 8, 762.	3.5	24
65	Schedule for Affective Disorders and Schizophrenia for School-Age Children – Present and Lifetime Version (K-SADS-PL), DSM-5 update: translation into Brazilian Portuguese. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 384-386.	1.7	24
66	The impact of childhood maltreatment on redox state: Relationship with oxidative damage and antioxidant defenses in adolescents with no psychiatric disorder. <i>Neuroscience Letters</i> , 2016, 617, 173-177.	2.1	23
67	Genetic risk for Alzheimer's disease and functional brain connectivity in children and adolescents. <i>Neurobiology of Aging</i> , 2019, 82, 10-17.	3.1	23
68	MR and GR functional SNPs may modulate tobacco smoking susceptibility. <i>Journal of Neural Transmission</i> , 2013, 120, 1499-1505.	2.8	22
69	Adipokines during early abstinence of crack cocaine in dependent women reporting childhood maltreatment. <i>Psychiatry Research</i> , 2013, 210, 536-540.	3.3	22
70	Measuring child maltreatment using multi-informant survey data: a higher-order confirmatory factor analysis. <i>Trends in Psychiatry and Psychotherapy</i> , 2016, 38, 23-32.	0.8	22
71	Maternal separation induces hippocampal changes in cadherin-1 (CDH-1) mRNA and recognition memory impairment in adolescent mice. <i>Neurobiology of Learning and Memory</i> , 2017, 141, 157-167.	1.9	22
72	The brain-derived neurotrophic factor (BDNF) gene Val66Met polymorphism affects memory performance in older adults. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 90-94.	1.7	22

#	ARTICLE	IF	CITATIONS
73	Effect of alcohol use disorder on cellular aging. <i>Psychopharmacology</i> , 2019, 236, 3245-3255.	3.1	22
74	Revised Reading the Mind in the Eyes Test (RMET) - Brazilian version. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 60-67.	1.7	21
75	Sex-based differences in multidimensional clinical assessments of early-abstinence crack cocaine users. <i>PLoS ONE</i> , 2019, 14, e0218334.	2.5	21
76	Postnatal impoverished housing impairs adolescent risk-assessment and increases risk-taking: A sex-specific effect associated with histone epigenetic regulation of <i>Crf1</i> in the medial prefrontal cortex. <i>Psychoneuroendocrinology</i> , 2019, 99, 8-19.	2.7	21
77	Long-lasting effects of prenatal stress on HPA axis and inflammation: A systematic review and multilevel meta-analysis in rodent studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 127, 270-283.	6.1	21
78	Neuropsychological assessment of executive functions in traumatic brain injury: Hot and cold components.. <i>Psychology and Neuroscience</i> , 2012, 5, 183-190.	0.8	21
79	Long-term cannabis abuse and early-onset cannabis use increase the severity of cocaine withdrawal during detoxification and rehospitalization rates due to cocaine dependence. <i>Drug and Alcohol Dependence</i> , 2014, 144, 153-159.	3.2	20
80	Pro-inflammatory cytokines and soluble receptors in response to acute psychosocial stress: Differential reactivity in bipolar disorder. <i>Neuroscience Letters</i> , 2014, 580, 17-21.	2.1	20
81	Early abstinence of crack-cocaine is effective to attenuate oxidative stress and to improve antioxidant defences. <i>Psychopharmacology</i> , 2015, 232, 1405-1413.	3.1	20
82	Theory of Mind in Substance Users: A Systematic Minireview. <i>Substance Use and Misuse</i> , 2017, 52, 127-133.	1.4	20
83	Peripheral blood microRNA levels in females with cocaine use disorder. <i>Journal of Psychiatric Research</i> , 2019, 114, 48-54.	3.1	20
84	Clinical characteristics and influence of childhood trauma on the prodrome of bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 280-288.	1.7	19
85	Early stages of bipolar disorder: characterization and strategies for early intervention. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 343-349.	1.7	19
86	Running during adolescence rescues a maternal separation-induced memory impairment in female mice: Potential role of differential exon-specific BDNF expression. <i>Developmental Psychobiology</i> , 2017, 59, 268-274.	1.6	18
87	Maternal separation induces long-term oxidative stress alterations and increases anxiety-like behavior of male Balb/cj mice. <i>Experimental Brain Research</i> , 2020, 238, 2097-2107.	1.5	18
88	Similarities between adult female crack cocaine users and adolescents in risky decision-making scenarios. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2016, 38, 795-810.	1.3	17
89	Editorial: Executive Functions in Psychiatric Disorders. <i>Frontiers in Psychology</i> , 2017, 8, 1461.	2.1	17
90	The differential association between history of childhood sexual abuse and body mass index in early and late stages of bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 227, 214-218.	4.1	17

#	ARTICLE	IF	CITATIONS
91	Do socioeconomic status and stress reactivity really impact neurocognitive performance?. <i>Psychology and Neuroscience</i> , 2014, 7, 567-575.	0.8	17
92	Brain-Derived Neurotrophic Factor and Delayed Verbal Recall in Crack/Cocaine Dependents. <i>European Addiction Research</i> , 2015, 21, 273-278.	2.4	16
93	Crack-cocaine dependence and aging: effects on working memory. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 58-60.	1.7	16
94	Acute neuroinflammation elicited by TLR-3 systemic activation combined with early life stress induces working memory impairments in male adolescent mice. <i>Behavioural Brain Research</i> , 2019, 376, 112221.	2.2	16
95	Dual influences of early life stress induced by limited bedding on walking adaptability and Bdnf/TrkB and Drd1/Drd2 gene expression in different mouse brain regions. <i>Behavioural Brain Research</i> , 2019, 359, 66-72.	2.2	16
96	Exposure to Prenatal Stress Is Associated With an Excitatory/Inhibitory Imbalance in Rat Prefrontal Cortex and Amygdala and an Increased Risk for Emotional Dysregulation. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 653384.	3.7	16
97	Can reactivity to stress and family environment explain memory and executive function performance in early and middle childhood?. <i>Trends in Psychiatry and Psychotherapy</i> , 2016, 38, 80-89.	0.8	15
98	Hair cortisol in drug-naïve first-episode individuals with psychosis. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 11-16.	1.7	15
99	Effects of crack cocaine addiction and stress-related genes on peripheral BDNF levels. <i>Journal of Psychiatric Research</i> , 2017, 90, 78-85.	3.1	15
100	Maternal Separation Combined With Limited Bedding Increases Anxiety-Like Behavior and Alters Hypothalamic-Pituitary-Adrenal Axis Function of Male BALB/c Mice. <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 600766.	2.0	15
101	Memória, humor e emoção. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2006, 28, 61-68.	0.3	14
102	Child Abuse in the Context of Intimate Partner Violence Against Women. <i>Journal of Interpersonal Violence</i> , 2014, 29, 1201-1227.	2.0	14
103	Maus-tratos contra idosos em Porto Alegre, Rio Grande do Sul: um estudo documental. <i>Estudos De Psicologia (Campinas)</i> , 2016, 33, 543-551.	0.8	14
104	Theory of Mind Impairments in Women With Cocaine Addiction. <i>Journal of Studies on Alcohol and Drugs</i> , 2017, 78, 258-267.	1.0	14
105	Effects of DRD2 splicing-regulatory polymorphism and DRD4 48bp VNTR on crack cocaine addiction. <i>Journal of Neural Transmission</i> , 2019, 126, 193-199.	2.8	14
106	Sensitivity to gains during risky decision-making differentiates chronic cocaine users from stimulant-naïve controls. <i>Behavioural Brain Research</i> , 2020, 379, 112386.	2.2	14
107	Socioeconomic Disadvantage Moderates the Association between Peripheral Biomarkers and Childhood Psychopathology. <i>PLoS ONE</i> , 2016, 11, e0160455.	2.5	14
108	Long-term Effects of Maternal Separation on Anxiety-Like Behavior and Neuroendocrine Parameters in Adult Balb/c Mice. <i>Chronic Stress</i> , 2021, 5, 247054702110671.	3.4	14

#	ARTICLE	IF	CITATIONS
109	False recognition in women with a history of childhood emotional neglect and diagnose of recurrent major depression. <i>Consciousness and Cognition</i> , 2011, 20, 1127-1134.	1.5	13
110	Social cognition and Theory of Mind: Controversies and promises for understanding major psychiatric disorders.. <i>Psychology and Neuroscience</i> , 2011, 4, 347-351.	0.8	13
111	Executive functions in late childhood: Age differences among groups.. <i>Psychology and Neuroscience</i> , 2013, 6, 79-88.	0.8	13
112	Balancing Automatic-Controlled Behaviors and Emotional-Salience States: A Dynamic Executive Functioning Hypothesis. <i>Frontiers in Psychology</i> , 2016, 07, 2067.	2.1	13
113	Detecting multiple differentially methylated CpG sites and regions related to dimensional psychopathology in youths. <i>Clinical Epigenetics</i> , 2019, 11, 146.	4.1	13
114	Exposiç�o a trauma e transtorno de estresse p�s-traum�tico em usu�rias de crack. <i>Jornal Brasileiro De Psiquiatria</i> , 2012, 61, 206-213.	0.7	13
115	Effects of early life stress on brain cytokines: A systematic review and meta-analysis of rodent studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 139, 104746.	6.1	13
116	Mineralocorticoid receptor genotype moderates the association between physical neglect and serum BDNF. <i>Journal of Psychiatric Research</i> , 2014, 59, 8-13.	3.1	12
117	Serum copeptin in children exposed to maltreatment. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 434-441.	1.8	12
118	Violence and Latin�American preadolescents: A study of social brain function and cortisol levels. <i>Developmental Science</i> , 2019, 22, e12799.	2.4	12
119	White matter deficits in cocaine use disorder: convergent evidence from in vivo diffusion tensor imaging and ex vivo proteomic analysis. <i>Translational Psychiatry</i> , 2021, 11, 252.	4.8	12
120	Semantic validation of the ISPCAN Child Abuse Screening Tools (ICAST) in Brazilian Portuguese. <i>Trends in Psychiatry and Psychotherapy</i> , 2016, 38, 105-110.	0.8	11
121	Effects of the brain-derived neurotropic factor variant Val66Met on cortical structure in late childhood and early adolescence. <i>Journal of Psychiatric Research</i> , 2018, 98, 51-58.	3.1	11
122	Effect of male-specific childhood trauma on telomere length. <i>Journal of Psychiatric Research</i> , 2018, 107, 104-109.	3.1	11
123	An fMRI study of inhibitory control and the effects of exposure to violence in Latin-American early adolescents: alterations in frontoparietal activation and performance. <i>Social Cognitive and Affective Neuroscience</i> , 2019, 14, 1097-1107.	3.0	11
124	Prediction of attempted suicide in men and women with crack-cocaine use disorder in Brazil. <i>PLoS ONE</i> , 2020, 15, e0232242.	2.5	11
125	A behavioral economic risk aversion experiment in the context of the COVID-19 pandemic. <i>PLoS ONE</i> , 2021, 16, e0245261.	2.5	11
126	Vari�veis psicossociais e desempenho em leitura de crian�as de baixo n�vel socioecon�mico. <i>Psicologia: Teoria E Pesquisa</i> , 2012, 28, 389-398.	0.1	11

#	ARTICLE	IF	CITATIONS
127	Peripheral chemokine levels in women with recurrent major depression with suicidal ideation. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 71-75.	1.7	10
128	Translation and adaptation of Theory of Mind tasks into Brazilian portuguese. <i>Trends in Psychiatry and Psychotherapy</i> , 2012, 34, 178-185.	0.8	10
129	Glucocorticoid receptor gene modulates severity of depression in women with crack cocaine addiction. <i>European Neuropsychopharmacology</i> , 2016, 26, 1438-1447.	0.7	10
130	Perinatal complications, lipid peroxidation, and mental health problems in a large community pediatric sample. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 521-529.	4.7	10
131	Exercise before pregnancy attenuates the effects of prenatal stress in adult mice in a sex-dependent manner. <i>International Journal of Developmental Neuroscience</i> , 2020, 80, 86-95.	1.6	10
132	Cortical thickness and subcortical volume abnormalities in male crack-cocaine users. <i>Psychiatry Research - Neuroimaging</i> , 2021, 310, 111232.	1.8	10
133	New perspectives on coping in bipolar disorder.. <i>Psychology and Neuroscience</i> , 2010, 3, 161-165.	0.8	9
134	Mothers who were sexually abused during childhood are more likely to have a child victim of sexual violence. <i>Trends in Psychiatry and Psychotherapy</i> , 2014, 36, 119-122.	0.8	9
135	Exposure to maltreatment and urban violence in children working on the streets in São Paulo, Brazil: factors associated with street work. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 191-198.	1.7	9
136	Association of CHRNA5 Gene Variants with Crack Cocaine Addiction. <i>NeuroMolecular Medicine</i> , 2020, 22, 384-390.	3.4	9
137	Sex differences in risk behavior parameters in adolescent mice: Relationship with brain-derived neurotrophic factor in the medial prefrontal cortex. <i>Neuroscience Letters</i> , 2022, 766, 136339.	2.1	9
138	Inflammation, neurotrophism and oxidative stress and childhood psychopathology in a large community sample. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 122-132.	4.5	8
139	NF- κ B1 and NF- κ B2 gene expression in the prefrontal cortex and hippocampus of early life stressed mice exposed to cocaine-induced conditioned place preference during adolescence. <i>Neuroscience Letters</i> , 2017, 658, 27-31.	2.1	8
140	Hair cortisol concentration, cognitive, behavioral, and motor impairment in multiple sclerosis. <i>Journal of Neural Transmission</i> , 2019, 126, 1145-1154.	2.8	8
141	Propriedades psicométricas da Cocaine Selective Severity Assessment (CSSA) em mulheres usuárias de crack. <i>Jornal Brasileiro De Psiquiatria</i> , 2015, 64, 115-121.	0.7	8
142	Assessing Affective and Deliberative Decision-Making: Adaptation of the Columbia Card Task to Brazilian Portuguese. <i>Spanish Journal of Psychology</i> , 2015, 18, E89.	2.1	7
143	Association of serum interleukin-6 with mental health problems in children exposed to perinatal complications and social disadvantage. <i>Psychoneuroendocrinology</i> , 2016, 71, 94-101.	2.7	7
144	The childhood maltreatment influences on breast cancer patients: A second wave hit model hypothesis for distinct biological and behavioral response. <i>Medical Hypotheses</i> , 2017, 108, 86-93.	1.5	7

#	ARTICLE	IF	CITATIONS
145	The association between SYT1-rs2251214 and cocaine use disorder further supports its role in psychiatry. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 94, 109642.	4.8	7
146	Hair cortisol levels and mental health problems in children and adolescents exposed to victimization. <i>Stress</i> , 2020, 23, 546-555.	1.8	7
147	Tarefa N-back auditiva: desempenho entre diferentes grupos etários. <i>Psicologia: Reflexao E Critica</i> , 2013, 26, 151-159.	0.9	6
148	Subjective and physiological stress measurement in a multiple sclerosis sample and the relation with executive functions performance. <i>Journal of Neural Transmission</i> , 2019, 126, 613-622.	2.8	6
149	Vulnerable and resilient cognitive performance related to early life stress: The potential mediating role of dopaminergic receptors in the medial prefrontal cortex of adult mice. <i>International Journal of Developmental Neuroscience</i> , 2020, 80, 13-27.	1.6	6
150	Childhood maltreatment and coping in bipolar disorder.. <i>Psychology and Neuroscience</i> , 2013, 6, 271-277.	0.8	6
151	Trauma complexo e suas implicações diagnósticas. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2011, 33, 55-62.	0.3	5
152	Dual-memory processes in crack cocaine dependents: The effects of childhood neglect on recall. <i>Memory</i> , 2015, 23, 955-971.	1.7	5
153	Cocaine use disorder in females is associated with altered social decision-making: a study with the prisoner's dilemma and the ultimatum game. <i>BMC Psychiatry</i> , 2019, 19, 211.	2.6	5
154	Tomada de decisão em dependentes de crack: um estudo com o Iowa Gambling Task. <i>Estudos De Psicologia (Natal)</i> , 2012, 17, 99-106.	0.0	4
155	Cross-cultural adaptation of the Maltreatment and Abuse Chronology of Exposure (MACE) scale to Brazilian Portuguese. <i>Trends in Psychiatry and Psychotherapy</i> , 2016, 38, 33-39.	0.8	4
156	Right frontal stroke: extra-frontal lesions, executive functioning and impulsive behaviour. <i>Psicologia: Reflexao E Critica</i> , 2016, 29, .	0.9	4
157	Corticotropin-releasing factor infusion in the bed nucleus of the stria terminalis of lactating mice alters maternal care and induces behavioural phenotypes in offspring. <i>Scientific Reports</i> , 2020, 10, 19985.	3.3	4
158	Association Between Recent Cannabis Consumption and Withdrawal-Related Symptoms During Early Abstinence Among Females With Smoked Cocaine Use Disorder. <i>Journal of Addiction Medicine</i> , 2020, 14, e37-e43.	2.6	4
159	Early environmental enrichment rescues memory impairments provoked by mild neonatal hypoxia-ischemia in adolescent mice. <i>Behavioural Brain Research</i> , 2021, 407, 113237.	2.2	4
160	Sex differences in brain regional homogeneity during acute abstinence in cocaine use disorder. <i>Addiction Biology</i> , 2022, 27, e13177.	2.6	4
161	Brazilian version of the Structured Interview for Disorders of Extreme Stress - Revised (SIDES-R): adaptation and validation process. <i>Trends in Psychiatry and Psychotherapy</i> , 2013, 35, 292-298.	0.8	3
162	Influence of early childhood trauma on risk for bipolar disorder. , 2018, , 33-48.		3

#	ARTICLE	IF	CITATIONS
163	Gene expression changes associated with trajectories of psychopathology in a longitudinal cohort of children and adolescents. <i>Translational Psychiatry</i> , 2020, 10, 99.	4.8	3
164	"Life Chart" retrospectivo: instrumento para assinalar graficamente a presença e a evolução do impacto funcional de episódios afetivos maníacos e depressivos. <i>Revista De Psiquiatria Clinica</i> , 2009, 36, 217-220.	0.6	2
165	Influence of personality traits in coping skills in individuals with bipolar disorder. <i>Revista De Psiquiatria Clinica</i> , 2014, 41, 95-100.	0.6	2
166	Association between spontaneous activity of the default mode network hubs and leukocyte telomere length in late childhood and early adolescence. <i>Journal of Psychosomatic Research</i> , 2019, 127, 109864.	2.6	2
167	Oxytocin Receptor Exon III Methylation in the Umbilical Cord Blood of Newborns With Prenatal Exposure to Crack Cocaine. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 639287.	3.7	2
168	New title: Trends in Psychiatry and Psychotherapy. <i>Trends in Psychiatry and Psychotherapy</i> , 2011, 33, 133-134.	0.8	2
169	T211. Epigenetics of Cocaine Use Disorder: A Collaborative Case-Control Initiative in Blood and Brain. <i>Biological Psychiatry</i> , 2019, 85, S211.	1.3	1
170	Association between cognitive performance and SYT1-rs2251214 among women with cocaine use disorder. <i>Journal of Neural Transmission</i> , 2019, 126, 1707-1711.	2.8	1
171	Are serum brain-derived neurotrophic factor concentrations related to brain structure and psychopathology in late childhood and early adolescence?. <i>CNS Spectrums</i> , 2020, 25, 790-796.	1.2	1
172	Childhood maltreatment and health outcomes. <i>Revista Brasileira De Psiquiatria</i> , 2019, 41, 193-193.	1.7	1
173	Desempenho Neuropsicológico de Adolescentes com Transtorno de Humor Bipolar. <i>Psicologia Em Pesquisa</i> , 2013, 7, 63-69.	0.1	1
174	BDNF Val66Met polymorphism and memory performance in older adults: the Met carrier effect is more complex than previously thought: Authors' reply. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 276-277.	1.7	1
175	Tradução e adaptação semântica para versão em português do Stressful Life Events Schedule (SLES). <i>Psico-USF</i> , 2013, 18, 221-229.	0.2	0
176	T210. Increased Peripheral Blood Levels of microRNA-124 and microRNA-181 Among Females With Smoked Cocaine Use Disorder. <i>Biological Psychiatry</i> , 2019, 85, S211.	1.3	0
177	S210. Comparison on Sex Differences With Resting-State Functional Magnetic Resonance Imaging Shows Opposite Patterns of Functional Brain Connectivity. <i>Biological Psychiatry</i> , 2019, 85, S378-S379.	1.3	0
178	SA67PERIPHERAL METHYLOME ANALYSIS IN COCAINE USE DISORDER PATIENTS SUGGESTS BRAIN-RELEVANT ALTERATIONS IN THE INNATE IMMUNE SYSTEM: (EPI)GENETICS OF COCAINE USE DISORDER: COLLABORATIVE CASE-CONTROL INITIATIVE IN COCAINE ADDICTION. <i>European Neuropsychopharmacology</i> , 2019, 29, S1224.	0.7	0
179	P.600 Amygdala and prefrontal cortex excitatory/inhibitory balance in a rat model of prenatal stress exposure. <i>European Neuropsychopharmacology</i> , 2020, 40, S342-S343.	0.7	0
180	Reduced White Matter Integrity is Associated With Smoked Cocaine Use Disorder: Effects of Chronicity of Addiction but No Sex Differences. <i>Biological Psychiatry</i> , 2020, 87, S328-S329.	1.3	0

#	ARTICLE	IF	CITATIONS
181	P.120 Prenatal stress induces sex-specific behavioural and excitatory/inhibitory balance alterations in adult rats. <i>European Neuropsychopharmacology</i> , 2021, 44, S15.	0.7	0
182	Childhood Physical Neglect is Associated With Epigenetic Aging Acceleration Among Women With Cocaine Use Disorder. <i>Biological Psychiatry</i> , 2021, 89, S317.	1.3	0
183	Diffusion Tensor Imaging of Cocaine Users and Proteomic Analysis of Postmortem Brains of Subjects Reporting Cocaine Addiction Suggest White Matter Impairment in BA9 Region of Prefrontal Cortex. <i>Biological Psychiatry</i> , 2021, 89, S233.	1.3	0
184	Cortical Thickness in Cocaine Use Disorder and its Relation to Age-Related Brain Atrophy. <i>Biological Psychiatry</i> , 2021, 89, S368-S369.	1.3	0
185	Falsas Memórias: fundamentos Científicos e suas Aplicações Clínicas e Jurídicas. <i>Revista Brasileira De Psiquiatria</i> , 2010, 32, 204-204.	1.7	0
186	Déficits na memória de trabalho em idosos com depressão maior: uma revisão sistemática. <i>Psicologia: Teoria E Pesquisa</i> , 2013, 29, 221-228.	0.1	0
187	Translation and adaptation of the Trier social Stress Test for children into Portuguese language. <i>Temas Em Psicologia</i> , 2014, 22, 655-662.	0.3	0
188	Percepções de Profissionais sobre Atendimentos em Saúde para Mulheres Usuárias de Crack. <i>Psicologia: Ciência E Profissão</i> , 0, 40, .	0.1	0
189	Gestational stress alters maternal behavior and inflammatory markers in the olfactory bulb of lactating mice. <i>International Journal of Developmental Neuroscience</i> , 2021, , .	1.6	0
190	Decision-making under risk and theory of mind in adolescent offenders in provisional deprivation of liberty. <i>Trends in Psychiatry and Psychotherapy</i> , 2021, , .	0.8	0
191	Validation of the Brazilian Portuguese version of the Quick Inventory of Depressive Symptomatology and Self-Report (QIDS-SR16) for the Brazilian population. <i>Trends in Psychiatry and Psychotherapy</i> , 2023, , .	0.8	0
192	The Perceptions of Women About Their High Experience of Using Crack Cocaine. <i>Frontiers in Psychiatry</i> , 2022, 13, 898570.	2.6	0