

# Suguru Yamada

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2352742/suguru-yamada-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154  
papers

4,047  
citations

39  
h-index

56  
g-index

159  
ext. papers

4,767  
ext. citations

4.1  
avg, IF

4.92  
L-index

#	Paper	IF	Citations
154	Epidermal growth factor receptor inhibition attenuates liver fibrosis and development of hepatocellular carcinoma. <i>Hepatology</i> , <b>2014</b> , 59, 1577-90	11.2	216
153	Correlation between radiographic classification and pathological grade of portal vein wall invasion in pancreatic head cancer. <i>Annals of Surgery</i> , <b>2012</b> , 255, 103-8	7.8	138
152	Mouse model of carbon tetrachloride induced liver fibrosis: Histopathological changes and expression of CD133 and epidermal growth factor. <i>BMC Gastroenterology</i> , <b>2010</b> , 10, 79	3	121
151	Molecular Liver Cancer Prevention in Cirrhosis by Organ Transcriptome Analysis and Lysophosphatidic Acid Pathway Inhibition. <i>Cancer Cell</i> , <b>2016</b> , 30, 879-890	24.3	119
150	Modified Blumgart anastomosis for pancreaticojejunostomy: technical improvement in matched historical control study. <i>Journal of Gastrointestinal Surgery</i> , <b>2014</b> , 18, 1108-15	3.3	108
149	Epithelial-to-mesenchymal transition predicts prognosis of pancreatic cancer. <i>Surgery</i> , <b>2013</b> , 154, 946-54	3.6	101
148	Correlation between copy number of mitochondrial DNA and clinico-pathologic parameters of hepatocellular carcinoma. <i>European Journal of Surgical Oncology</i> , <b>2006</b> , 32, 303-7	3.6	100
147	Effectiveness of plasma treatment on pancreatic cancer cells. <i>International Journal of Oncology</i> , <b>2015</b> , 47, 1655-62	4.4	83
146	Identification of a serum-based miRNA signature for response of esophageal squamous cell carcinoma to neoadjuvant chemotherapy. <i>Journal of Translational Medicine</i> , <b>2019</b> , 17, 1	8.5	77
145	Nutritional predictors for postoperative short-term and long-term outcomes of patients with gastric cancer. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3781	1.8	75
144	Aggressive surgery for borderline resectable pancreatic cancer: evaluation of National Comprehensive Cancer Network guidelines. <i>Pancreas</i> , <b>2013</b> , 42, 1004-10	2.6	74
143	Effectiveness of plasma treatment on gastric cancer cells. <i>Gastric Cancer</i> , <b>2015</b> , 18, 635-43	7.6	73
142	Clinical Implication of Inflammation-Based Prognostic Score in Pancreatic Cancer: Glasgow Prognostic Score Is the Most Reliable Parameter. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3582	1.8	70
141	Prognostic factors for survival after extended pancreatectomy for pancreatic head cancer: influence of resection margin status on survival. <i>Pancreas</i> , <b>2009</b> , 38, 605-12	2.6	66
140	Multicenter Phase II Study of Intravenous and Intraperitoneal Paclitaxel With S-1 for Pancreatic Ductal Adenocarcinoma Patients With Peritoneal Metastasis. <i>Annals of Surgery</i> , <b>2017</b> , 265, 397-401	7.8	60
139	Prognostic impact of pancreatic margin status in the intraductal papillary mucinous neoplasms of the pancreas. <i>Surgery</i> , <b>2010</b> , 148, 285-90	3.6	58
138	Adverse prognostic impact of perioperative allogeneic transfusion on patients with stage II/III gastric cancer. <i>Gastric Cancer</i> , <b>2016</b> , 19, 255-63	7.6	57

137	Intraperitoneal Administration of Plasma-Activated Medium: Proposal of a Novel Treatment Option for Peritoneal Metastasis From Gastric Cancer. <i>Annals of Surgical Oncology</i> , <b>2017</b> , 24, 1188-1194	3.1	56
136	Retrospective analysis of long-term surgical results in acromegaly: preoperative and postoperative factors predicting outcome. <i>Clinical Endocrinology</i> , <b>1996</b> , 45, 291-8	3.4	55
135	Impact of operative blood loss on survival in invasive ductal adenocarcinoma of the pancreas. <i>Pancreas</i> , <b>2011</b> , 40, 3-9	2.6	54
134	Pancreatic cancer with paraaortic lymph node metastasis: a contraindication for radical surgery?. <i>Pancreas</i> , <b>2009</b> , 38, e13-7	2.6	51
133	Epithelial to mesenchymal transition is associated with shorter disease-free survival in hepatocellular carcinoma. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21, 3882-90	3.1	50
132	Preservation of the pyloric ring has little value in surgery for pancreatic head cancer: a comparative study comparing three surgical procedures. <i>Annals of Surgical Oncology</i> , <b>2012</b> , 19, 176-83	3.1	50
131	Invasion of the splenic artery is a crucial prognostic factor in carcinoma of the body and tail of the pancreas. <i>Annals of Surgery</i> , <b>2010</b> , 251, 483-7	7.8	50
130	Epithelial-to-mesenchymal transition predicts prognosis in clinical gastric cancer. <i>Journal of Surgical Oncology</i> , <b>2014</b> , 109, 684-9	2.8	48
129	Rolling in P-selectin-deficient mice is reduced but not eliminated in the dorsal skin. <i>Blood</i> , <b>1995</b> , 86, 3487-3492	3.492	48
128	Plasma with high electron density and plasma-activated medium for cancer treatment. <i>Clinical Plasma Medicine</i> , <b>2015</b> , 3, 72-76	2.8	47
127	SMAD4 expression predicts local spread and treatment failure in resected pancreatic cancer. <i>Pancreas</i> , <b>2015</b> , 44, 660-4	2.6	47
126	Effect of Plasma-Activated Lactated Ringer® Solution on Pancreatic Cancer Cells In Vitro and In Vivo. <i>Annals of Surgical Oncology</i> , <b>2018</b> , 25, 299-307	3.1	47
125	Function and diagnostic value of Anosmin-1 in gastric cancer progression. <i>International Journal of Cancer</i> , <b>2016</b> , 138, 721-30	7.5	45
124	Clinical impact of sarcopenia on prognosis in pancreatic ductal adenocarcinoma: A retrospective cohort study. <i>International Journal of Surgery</i> , <b>2017</b> , 39, 45-51	7.5	44
123	Postoperative adjuvant chemotherapy with S-1 alters recurrence patterns and prognostic factors among patients with stage II/III gastric cancer: A propensity score matching analysis. <i>Surgery</i> , <b>2015</b> , 158, 1573-80	3.6	44
122	Value of peritoneal cytology in potentially resectable pancreatic cancer. <i>British Journal of Surgery</i> , <b>2013</b> , 100, 1791-6	5.3	43
121	Epithelial to mesenchymal transition correlates with tumor budding and predicts prognosis in esophageal squamous cell carcinoma. <i>Journal of Surgical Oncology</i> , <b>2014</b> , 110, 764-9	2.8	42
120	Clinical implications of peritoneal cytology in potentially resectable pancreatic cancer: positive peritoneal cytology may not confer an adverse prognosis. <i>Annals of Surgery</i> , <b>2007</b> , 246, 254-8	7.8	41

119	Prognostic impact of expression and methylation status of DENN/MADD domain-containing protein 2D in gastric cancer. <i>Gastric Cancer</i> , <b>2015</b> , 18, 288-96	7.6	40
118	Comparison of the international consensus guidelines for predicting malignancy in intraductal papillary mucinous neoplasms. <i>Surgery</i> , <b>2016</b> , 159, 878-84	3.6	40
117	Inverse Probability of Treatment Weighting Analysis of Upfront Surgery Versus Neoadjuvant Chemoradiotherapy Followed by Surgery for Pancreatic Adenocarcinoma with Arterial Abutment. <i>Medicine (United States)</i> , <b>2015</b> , 94, e1647	1.8	40
116	Metastatic pathway-specific transcriptome analysis identifies MFSD4 as a putative tumor suppressor and biomarker for hepatic metastasis in patients with gastric cancer. <i>Oncotarget</i> , <b>2016</b> , 7, 13667-79	3.3	40
115	Vein resections >3 cm during pancreatotomy are associated with poor 1-year patency rates. <i>Surgery</i> , <b>2015</b> , 157, 708-15	3.6	39
114	Dihydropyrimidinase-like 3 facilitates malignant behavior of gastric cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , <b>2014</b> , 33, 66	12.8	39
113	SYT7 acts as a driver of hepatic metastasis formation of gastric cancer cells. <i>Oncogene</i> , <b>2018</b> , 37, 5355-5366	3.6	38
112	Diversity of clinical implication of B-cell translocation gene 1 expression by histopathologic and anatomic subtypes of gastric cancer. <i>Digestive Diseases and Sciences</i> , <b>2015</b> , 60, 1256-64	4	36
111	Tumor budding as a useful prognostic marker in T1-stage squamous cell carcinoma of the esophagus. <i>Journal of Surgical Oncology</i> , <b>2013</b> , 108, 42-6	2.8	36
110	Clinical implication of morphological subtypes in management of intraductal papillary mucinous neoplasm. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21, 2444-52	3.1	35
109	Clinical benefits of neoadjuvant chemoradiotherapy for adenocarcinoma of the pancreatic head: an observational study using inverse probability of treatment weighting. <i>Journal of Gastroenterology</i> , <b>2017</b> , 52, 81-93	6.9	34
108	Tumor Infiltrative Pattern Predicts Sites of Recurrence After Curative Gastrectomy for Stages 2 and 3 Gastric Cancer. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 1934-40	3.1	34
107	Downregulation of DENND2D by promoter hypermethylation is associated with early recurrence of hepatocellular carcinoma. <i>International Journal of Oncology</i> , <b>2014</b> , 44, 44-52	4.4	34
106	The Expression of Melanoma-Associated Antigen D2 Both in Surgically Resected and Serum Samples Serves as Clinically Relevant Biomarker of Gastric Cancer Progression. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23 Suppl 2, S214-21	3.1	33
105	Epigenetic suppression of the immunoregulator MZB1 is associated with the malignant phenotype of gastric cancer. <i>International Journal of Cancer</i> , <b>2016</b> , 139, 2290-8	7.5	33
104	T2 relaxation time is related to liver fibrosis severity. <i>Quantitative Imaging in Medicine and Surgery</i> , <b>2016</b> , 6, 103-14	3.6	33
103	Adverse impact of low skeletal muscle index on the prognosis of hepatocellular carcinoma after hepatic resection. <i>International Journal of Surgery</i> , <b>2016</b> , 30, 136-42	7.5	31
102	Dihydropyrimidinase-like 3 is a putative hepatocellular carcinoma tumor suppressor. <i>Journal of Gastroenterology</i> , <b>2015</b> , 50, 590-600	6.9	28

101	Clinical significance of expression and epigenetic profiling of TUSC1 in gastric cancer. <i>Journal of Surgical Oncology</i> , <b>2014</b> , 110, 136-44	2.8	28
100	Decreased expression of prenyl diphosphate synthase subunit 2 correlates with reduced survival of patients with gastric cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , <b>2014</b> , 33, 88	12.8	25
99	Impact of the Controlling Nutritional Status Score on the Prognosis After Curative Resection of Pancreatic Ductal Adenocarcinoma. <i>Pancreas</i> , <b>2018</b> , 47, 823-829	2.6	25
98	Epithelial to mesenchymal transition might be induced via CD44 isoform switching in colorectal cancer. <i>Journal of Surgical Oncology</i> , <b>2014</b> , 110, 745-51	2.8	23
97	MAPLE-PD trial (Mesenteric Approach vs. Conventional Approach for Pancreatic Cancer during Pancreaticoduodenectomy): study protocol for a multicenter randomized controlled trial of 354 patients with pancreatic ductal adenocarcinoma. <i>Trials</i> , <b>2018</b> , 19, 613	2.8	23
96	The Charlson age comorbidity index predicts prognosis in patients with resected pancreatic cancer. <i>International Journal of Surgery</i> , <b>2017</b> , 39, 169-175	7.5	22
95	Reduced Expression of Adherens Junctions Associated Protein 1 Predicts Recurrence of Hepatocellular Carcinoma After Curative Hepatectomy. <i>Annals of Surgical Oncology</i> , <b>2015</b> , 22 Suppl 3, S1499-507	3.1	22
94	Evaluation and proposal of novel resectability criteria for pancreatic cancer established by the Japan Pancreas Society. <i>Surgery</i> , <b>2017</b> , 162, 784-791	3.6	22
93	Excess Weight Adversely Influences Treatment Length of Postoperative Pancreatic Fistula: A Retrospective Study of 900 Patients. <i>Pancreas</i> , <b>2015</b> , 44, 971-6	2.6	22
92	Lymph node ratio as parameter of regional lymph node involvement in pancreatic cancer. <i>Langenbeck's Archives of Surgery</i> , <b>2016</b> , 401, 1143-1152	3.4	22
91	Pattern of first recurrent lesions in pancreatic cancer: hepatic relapse is associated with dismal prognosis and portal vein invasion. <i>Hepato-Gastroenterology</i> , <b>2014</b> , 61, 1756-61		22
90	Preoperative Albumin-Bilirubin Grade Predicts Recurrences After Radical Gastrectomy in Patients with pT2-4 Gastric Cancer. <i>World Journal of Surgery</i> , <b>2018</b> , 42, 773-781	3.3	21
89	Synaptotagmin XIII expression and peritoneal metastasis in gastric cancer. <i>British Journal of Surgery</i> , <b>2018</b> , 105, 1349-1358	5.3	20
88	Overexpression of L1CAM is associated with tumor progression and prognosis via ERK signaling in gastric cancer. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21, 560-8	3.1	20
87	Reduced expression of DENND2D through promoter hypermethylation is an adverse prognostic factor in squamous cell carcinoma of the esophagus. <i>Oncology Reports</i> , <b>2014</b> , 31, 693-700	3.5	20
86	Clinical Implications of Lysyl Oxidase-Like Protein 2 Expression in Pancreatic Cancer. <i>Scientific Reports</i> , <b>2018</b> , 8, 9846	4.9	19
85	Clinical Impact of Neoadjuvant Therapy on Nutritional Status in Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , <b>2018</b> , 25, 3365-3371	3.1	19
84	Identification of intragenic methylation in the TUSC1 gene as a novel prognostic marker of hepatocellular carcinoma. <i>Oncology Reports</i> , <b>2014</b> , 31, 1305-13	3.5	19

83	Adherens junctions associated protein 1 serves as a predictor of recurrence of squamous cell carcinoma of the esophagus. <i>International Journal of Oncology</i> , <b>2015</b> , 47, 1811-8	4.4	19
82	Phase I/II study of adding intraperitoneal paclitaxel in patients with pancreatic cancer and peritoneal metastasis. <i>British Journal of Surgery</i> , <b>2020</b> , 107, 1811-1817	5.3	18
81	NRAGE promotes the malignant phenotype of hepatocellular carcinoma. <i>Oncology Letters</i> , <b>2016</b> , 11, 1847-1854	2.6	18
80	Frequent promoter methylation of M-cadherin in hepatocellular carcinoma is associated with poor prognosis. <i>Anticancer Research</i> , <b>2007</b> , 27, 2269-74	2.3	18
79	Clinical Implications of Naples Prognostic Score in Patients with Resected Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 887-895	3.1	17
78	The protein arginine methyltransferase 5 promotes malignant phenotype of hepatocellular carcinoma cells and is associated with adverse patient outcomes after curative hepatectomy. <i>International Journal of Oncology</i> , <b>2017</b> , 50, 381-386	4.4	16
77	The levels of SYT13 and CEA mRNAs in peritoneal lavages predict the peritoneal recurrence of gastric cancer. <i>Gastric Cancer</i> , <b>2019</b> , 22, 1143-1152	7.6	16
76	Neurotrophin Receptor-Interacting Melanoma Antigen-Encoding Gene Homolog is Associated with Malignant Phenotype of Gastric Cancer. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 532-539	3.1	16
75	Phase I study of chemoradiotherapy using gemcitabine plus nab-paclitaxel for unresectable locally advanced pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2018</b> , 81, 815-821	3.5	15
74	The significance of relative dose intensity in adjuvant chemotherapy of pancreatic ductal adenocarcinoma-including the analysis of clinicopathological factors influencing relative dose intensity. <i>Medicine (United States)</i> , <b>2016</b> , 95, e4282	1.8	15
73	Clinical implication of Frizzled 2 expression and its association with epithelial-to-mesenchymal transition in hepatocellular carcinoma. <i>International Journal of Oncology</i> , <b>2017</b> , 50, 1647-1654	4.4	14
72	Modified Blumgart Suturing Technique for Remnant Closure After Distal Pancreatectomy: a Propensity Score-Matched Analysis. <i>Journal of Gastrointestinal Surgery</i> , <b>2016</b> , 20, 374-84	3.3	14
71	Pancreatic cancer with distant metastases: a contraindication for radical surgery?. <i>Hepato-Gastroenterology</i> , <b>2009</b> , 56, 881-5		14
70	Suppression of SAMS1 Expression is Associated with the Malignant Phenotype of Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , <b>2015</b> , 22 Suppl 3, S1453-60	3.1	13
69	Establishment of Peritoneal and Hepatic Metastasis Mouse Xenograft Models Using Gastric Cancer Cell Lines. <i>In Vivo</i> , <b>2019</b> , 33, 1785-1792	2.3	13
68	Detection of doublecortin domain-containing 2 (DCDC2), a new candidate tumor suppressor gene of hepatocellular carcinoma, by triple combination array analysis. <i>Journal of Experimental and Clinical Cancer Research</i> , <b>2013</b> , 32, 65	12.8	13
67	CD44 single nucleotide polymorphism and isoform switching may predict gastric cancer recurrence. <i>Journal of Surgical Oncology</i> , <b>2015</b> , 112, 622-8	2.8	13
66	A functional polymorphism in the epidermal growth factor gene predicts hepatocellular carcinoma risk in Japanese hepatitis C patients. <i>OncoTargets and Therapy</i> , <b>2013</b> , 6, 1805-12	4.4	13

65	S-1 plus nab-paclitaxel is a promising regimen for pancreatic cancer in a preclinical model. <i>Journal of Surgical Oncology</i> , <b>2016</b> , 113, 413-9	2.8	13
64	Prognostic relevance of expression in gastric cancer. <i>Oncology Letters</i> , <b>2016</b> , 12, 4708-4716	2.6	13
63	Comparison of the Survival Outcomes of Pancreatic Cancer and Intraductal Papillary Mucinous Neoplasms. <i>Pancreas</i> , <b>2018</b> , 47, 974-979	2.6	13
62	Clinical significance of zinc-finger E-box binding homeobox 1 mRNA levels in peritoneal washing for gastric cancer. <i>Molecular and Clinical Oncology</i> , <b>2015</b> , 3, 435-441	1.6	11
61	A double-blind randomized comparative clinical trial to evaluate the safety and efficacy of dendritic cell vaccine loaded with WT1 peptides (TLP0-001) in combination with S-1 in patients with advanced pancreatic cancer refractory to standard chemotherapy. <i>Trials</i> , <b>2019</b> , 20, 242	2.8	10
60	Clinicopathologic assessment of pancreatic ductal carcinoma located at the head of the pancreas, in relation to embryonic development. <i>Pancreas</i> , <b>2012</b> , 41, 582-8	2.6	10
59	Significance of Lysyl oxidase-like $\square$ 2 gene expression on the epithelial-mesenchymal status of hepatocellular carcinoma. <i>Oncology Reports</i> , <b>2018</b> , 39, 2664-2672	3.5	10
58	Protein tyrosine kinase 7: a hepatocellular carcinoma-related gene detected by triple-combination array. <i>Journal of Surgical Research</i> , <b>2015</b> , 195, 444-53	2.5	9
57	Serosal invasion strongly associated with recurrence after curative hepatic resection of hepatocellular carcinoma: a retrospective study of 214 consecutive cases. <i>Medicine (United States)</i> , <b>2015</b> , 94, e602	1.8	9
56	Novel implications of combined arterial resection for locally advanced pancreatic cancer in the era of newer chemo-regimens. <i>European Journal of Surgical Oncology</i> , <b>2019</b> , 45, 1895-1900	3.6	8
55	Rolling in P-selectin-deficient mice is reduced but not eliminated in the dorsal skin. <i>Blood</i> , <b>1995</b> , 86, 3487-92	2.2	8
54	Perioperative and prognostic implication of albumin-bilirubin-TNM score in Child-Pugh class A hepatocellular carcinoma. <i>Annals of Gastroenterological Surgery</i> , <b>2019</b> , 3, 65-74	4.3	8
53	Hepatic metastasis of gastric cancer is associated with enhanced expression of ethanolamine kinase 2 via the p53-Bcl-2 intrinsic apoptosis pathway. <i>British Journal of Cancer</i> , <b>2021</b> , 124, 1449-1460	8.7	8
52	Comparison of non-invasive liver reserve and fibrosis models: Implications for surgery and prognosis for hepatocellular carcinoma. <i>Hepatology Research</i> , <b>2019</b> , 49, 1305-1315	5.1	7
51	Ipsilateral truncal sensory deficit in a patient with ophthalmic zoster sine herpete. <i>Neurology</i> , <b>2003</b> , 60, 1049-50	6.5	7
50	Epigallocatechin Gallate Induces Hepatic Stellate Cell Senescence and Attenuates Development of Hepatocellular Carcinoma. <i>Cancer Prevention Research</i> , <b>2020</b> , 13, 497-508	3.2	7
49	Exploration of Exosomal Micro RNA Biomarkers Related to Epithelial-to-Mesenchymal Transition in Pancreatic Cancer. <i>Anticancer Research</i> , <b>2020</b> , 40, 1843-1853	2.3	7
48	Dual-center randomized clinical trial exploring the optimal duration of antimicrobial prophylaxis in patients undergoing pancreaticoduodenectomy following biliary drainage. <i>Annals of Gastroenterological Surgery</i> , <b>2018</b> , 2, 442-450	4.3	7

47	Biological and conditional factors should be included when defining criteria for resectability for patients with pancreatic cancer. <i>Hpb</i> , <b>2019</b> , 21, 1211-1218	3.8	6
46	Splenic vein resection together with the pancreatic parenchyma versus separated resection after isolation of the parenchyma during distal pancreatectomy (COSMOS-DP trial): study protocol for a randomised controlled trial. <i>Trials</i> , <b>2018</b> , 19, 369	2.8	6
45	A novel dual-marker expression panel for easy and accurate risk stratification of patients with gastric cancer. <i>Cancer Medicine</i> , <b>2018</b> , 7, 2463-2471	4.8	6
44	Pancreatic Fat and Body Composition Measurements by Computed Tomography are Associated with Pancreatic Fistula After Pancreatectomy. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 530-538	3.1	6
43	Integrated multigene expression panel to prognosticate patients with gastric cancer. <i>Oncotarget</i> , <b>2018</b> , 9, 18775-18785	3.3	6
42	miR-23b-3p Plays an Oncogenic Role in Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 3416-3426	3.1	6
41	Prognostic Impact of Portal System Invasion in Pancreatic Cancer Based on Image Classification. <i>Pancreas</i> , <b>2018</b> , 47, 1350-1356	2.6	6
40	Tissue Expression of Melanoma-associated Antigen A6 and Clinical Characteristics of Gastric Cancer. <i>Anticancer Research</i> , <b>2019</b> , 39, 5903-5910	2.3	5
39	Perioperative assessment of indocyanine green elimination rate accurately predicts postoperative liver failure in patients undergoing hepatectomy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , <b>2021</b> , 28, 86-94	2.8	5
38	Effects of duration of initial treatment on postoperative complications in pancreatic cancer. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , <b>2019</b> , 26, 235-241	2.8	4
37	KCNJ15 Expression and Malignant Behavior of Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 2559-2568	3.1	4
36	Optimal Preoperative Multidisciplinary Treatment in Borderline Resectable Pancreatic Cancer. <i>Cancers</i> , <b>2020</b> , 13,	6.6	4
35	Peritoneal Lavage Tumor DNA as a Novel Biomarker for Predicting Peritoneal Recurrence in Pancreatic Ductal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 2277-2286	3.1	4
34	Tumor marker recovery rather than major pathological response is a preferable prognostic factor in patients with pancreatic ductal adenocarcinoma with preoperative therapy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , <b>2020</b> , 27, 487-495	2.8	3
33	Characteristics of Lung Metastasis as an Initial Recurrence Pattern After Curative Resection of Pancreatic Cancer. <i>Pancreas</i> , <b>2020</b> , 49, 699-705	2.6	3
32	An integrated multigene expression panel to predict long-term survival after curative hepatectomy in patients with hepatocellular carcinoma. <i>Oncotarget</i> , <b>2017</b> , 8, 71070-71079	3.3	3
31	Phase II study of chemoradiotherapy combined with gemcitabine plus nab-paclitaxel for unresectable locally advanced pancreatic ductal adenocarcinoma (NUPAT 05 Trial): study protocol for a single arm phase II study. <i>Nagoya Journal of Medical Science</i> , <b>2019</b> , 81, 233-239	0.7	3
30	Novel Prognostic Implications of DUPAN-2 in the Era of Initial Systemic Therapy for Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 2081-2089	3.1	3



29	STRA6 Expression Serves as a Prognostic Biomarker of Gastric Cancer. <i>Cancer Genomics and Proteomics</i> , <b>2020</b> , 17, 509-516	3.3	3
28	Safety of Combined Division vs Separate Division of the Splenic Vein in Patients Undergoing Distal Pancreatectomy: A Noninferiority Randomized Clinical Trial. <i>JAMA Surgery</i> , <b>2021</b> , 156, 418-428	5.4	3
27	High Serum Uric Acid Levels Could Be a Risk Factor of Hepatocellular Carcinoma Recurrences. <i>Nutrition and Cancer</i> , <b>2021</b> , 73, 996-1003	2.8	3
26	Multicenter randomized phase II trial of prophylactic right-half dissection of superior mesenteric artery nerve plexus in pancreatoduodenectomy for pancreatic head cancer. <i>Annals of Gastroenterological Surgery</i> , <b>2021</b> , 5, 111-118	4.3	3
25	Limited resection vs. pancreaticoduodenectomy for primary duodenal adenocarcinoma: a systematic review and meta-analysis. <i>International Journal of Clinical Oncology</i> , <b>2021</b> , 26, 450-460	4.2	3
24	An outcome analysis of predictive factors for portal or splenic vein thrombosis after distal pancreatectomy. <i>Surgery Today</i> , <b>2020</b> , 50, 1282-1289	3	2
23	Albumin-Bilirubin Score Predicts Tolerability to Adjuvant S-1 Monotherapy after Curative Gastrectomy. <i>Journal of Gastric Cancer</i> , <b>2019</b> , 19, 183-192	3.2	2
22	Randomised phase II trial of capecitabine plus oxaliplatin with continuous versus intermittent use of oxaliplatin as adjuvant chemotherapy for stage II/III colon cancer (CCOG-1302 study). <i>European Journal of Cancer</i> , <b>2021</b> , 144, 61-71	7.5	2
21	ASO Authors Reflections: Preoperative Pancreatic Fat and Body Composition Measurements Influence the Incidence of Grade B/C Postoperative Pancreatic Fistula After Pancreatectomy. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 746-747	3.1	1
20	A vascular endothelial growth factor gene polymorphism predicts malignant potential in intraductal papillary mucinous neoplasm. <i>Pancreas</i> , <b>2015</b> , 44, 608-14	2.6	1
19	Conversion surgery in patients with pancreatic cancer and peritoneal metastasis. <i>Journal of Gastrointestinal Oncology</i> , <b>2021</b> , 12, S110-S117	2.8	1
18	Detection of serum melanoma-associated antigen D4 in patients with squamous cell carcinoma of the esophagus. <i>Ecological Management and Restoration</i> , <b>2016</b> , 29, 663-9	3	1
17	Different Characteristics of Serum Alfa Fetoprotein and Serum Des-gamma-carboxy Prothrombin in Resected Hepatocellular Carcinoma. <i>In Vivo</i> , <b>2021</b> , 35, 1749-1760	2.3	1
16	Author response to: Comment on: Phase I/II study of adding intraperitoneal paclitaxel in patients with pancreatic cancer and peritoneal metastasis. <i>British Journal of Surgery</i> , <b>2021</b> , 108, e56	5.3	1
15	Impact of molecular surgical margin analysis on the prediction of pancreatic cancer recurrences after pancreaticoduodenectomy. <i>Clinical Epigenetics</i> , <b>2021</b> , 13, 172	7.7	1
14	A proposal of an appropriate surgical approach for cancer of the ampulla of Vater: retrospective analysis of 73 resected cases. <i>Hepato-Gastroenterology</i> , <b>2007</b> , 54, 10-4		1
13	Clinical impact of additional therapy for residual pancreatic cancer. <i>Surgery Today</i> , <b>2020</b> , 50, 440-448	3	0
12	Genome-wide identification and characterization of circular RNA in resected hepatocellular carcinoma and background liver tissue. <i>Scientific Reports</i> , <b>2021</b> , 11, 6016	4.9	0

11	The impact of early tumor shrinkage on conversion surgery and the survival in patients with unresectable locally advanced pancreatic cancer. <i>Surgery Today</i> , <b>2021</b> , 51, 1099-1107	3	0
10	Reply to: appropriate statistical descriptions for evaluating the predictive role of epithelial-to-mesenchymal transition in patients with pancreatic cancer. <i>Surgery</i> , <b>2014</b> , 155, 959-60	3.6	
9	AuthorsReply: Value of peritoneal cytology in potentially resectable pancreatic cancer (Br J Surg 2013; 100: 1791-1796). <i>British Journal of Surgery</i> , <b>2014</b> , 101, 1031-2	5.3	
8	P15.12: Laminaria (L) dilatation and curettage in Cesarean scar pregnancy (CSP) with a literature review. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2006</b> , 28, 602-602	5.8	
7	Use of a protease inhibitor, ulinastatin, for reexpansion pulmonary edema following evacuation of bilateral pleural effusion. <i>Journal of Anesthesia</i> , <b>1994</b> , 8, 356-8	2.2	
6	A CASE SUGGESTIVE OF CHURG STRAUSS SYNDROME WITH BILE DUCT STENOSIS. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , <b>2005</b> , 66, 921-925	0	
5	ASO Author Reflections: The Naples Prognostic Score Predicts Long-Term Survival in Patients with Resected Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 896-897	3.1	
4	AuthorReply: Phase I/II study of adding intraperitoneal paclitaxel in patients with pancreatic cancer and peritoneal metastasis (Br J Surg 2020; 107: 1811-1817). <i>British Journal of Surgery</i> , <b>2021</b> , 108, e212	5.3	
3	ASO Authors Reflections: miR-23b-3p Plays an Oncogenic Role in Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 3427-3428	3.1	
2	Age-Related Differences in the Prognosis of Pancreatic Cancer According to Perioperative Systemic Therapy. <i>Pancreas</i> , <b>2021</b> , 50, 37-46	2.6	
1	Essential points for revisions in the guidelines of the JPS 7th edition and new resectability criteria in pancreatic cancer. <i>Suizo</i> , <b>2018</b> , 33, 12-17	0.1	